



## 2007MY DODGE AVENGER



### All-New Dodge Avenger Highlights

The following features and statements describe the all-new Dodge Avenger.

- Standard Electronic Stability Programme (ESP)\*
- Next Generation driver and front-passenger air bags<sup>†</sup>
- Supplemental side-curtain air bags and front-seat-mounted side air bags<sup>†</sup>
- 60/40 split-folding rear seatback with fold-down armrest and a spacious 452-litre boot
- Available fold-flat front-passenger seatback
- Centre floor console with dual-level storage and sliding armrest
- Chill Zone™ beverage storage bin and available heated/cooled front cup holder (SXT)
- Leather-trimmed heated front seats (SXT)
- YES Essentials®<sup>†</sup> stain resistant, odour resistant, antistatic seat fabric (SX)
- AM/FM 6-Disc DVD MP3 6 Boston Acoustic Speakers with 276 watt digital amplifier (SXT)
- 2.0L DOHC 16V I-4 petrol with dual VVT produces 115 kW and 190 Nm of torque
- 2.4L DOHC 16V I-4 petrol with dual VVT produces 125 kW and 220 Nm of torque
- 2.7L DOHC 24V petrol V6 produces 137 kW and 256 Nm of torque (late availability)
- All-new bold, muscular design with modern, yet menacing, front-end styling
- 18" alloy wheels (SXT)
- 2-tone interiors with alloy silver and bright chrome accents

\* No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESP warning lamp in the speedometer flashes, the driver needs to use less throttle and adapt speed and driving behaviour to prevailing road conditions. Always drive carefully, consistent with conditions. Always wear your seat belt.

<sup>†</sup> Not compatible with aftermarket fabric-protecting coatings.



DODGE



## SAFETY/SECURITY



U.S. spec shown.

- **ELECTRONIC STABILITY PROGRAMME (ESP)\***
  - Helps keep the driver on the intended course
  - Includes Brake Assist and all-speed traction control
- **NEXT GENERATION DRIVER AND FRONT-PASSENGER AIR BAGS†**
  - Multistage feature ensures each air bag deploys with a force appropriate to its respective occupant
- **SUPPLEMENTAL SIDE-CURTAIN AIR BAGS AND FRONT-SEAT-MOUNTED SIDE AIR BAGS†**
  - Provide additional protection for front passengers
  - Side-curtain air bags deploy from the headliner to provide side-impact protection for outboard occupants



## UTILITY




U.S. spec shown.

- **EXPRESS FRONT-WINDOWS-DOWN FUNCTION ON KEY FOB**
  - Permits ventilation of the interior before the occupants get inside
- **AVAILABLE ADVANCED TECHNOLOGIES (IN-CLUSTER EVIC, MYGIG™ MULTIMEDIA INFOTAINMENT SYSTEM AND AUTOMATIC TEMPERATURE CONTROL)**
  - Proves Dodge's position as one of the most innovative automakers in the world
  - Brings the latest comfort and convenience technology along on every trip
- **HEATED/COOLED FRONT CUP HOLDER (SXT)**
  - Keeps cold drinks cold and hot drinks hot
- **60/40 SPLIT-FOLDING REAR SEATBACK WITH FOLD-DOWN ARMREST**
  - Large 452-litre boot with folding rear seatback and available fold-flat front-passenger seatback provides lots of cargo flexibility



## VALUE



U.S. spec shown.

- **AVAILABLE MYGIG MULTIMEDIA INFOTAINMENT SYSTEM WITH 20GB HARD DISK DRIVE (HDD) FOR MEDIA STORAGE, VOICE DIALOGUE SYSTEM, INTEGRATED AM/FM, CD/DVD/MP3 PLAYER, GPS NAVIGATION AND 6.5" TOUCH-SCREEN DISPLAY**
  - "Virtual Jukebox" feature allows music to be stored on the hard disk drive
  - Touch-screen display permits easy navigation of system features (Late availability)
- **AVAILABLE 276-WATT BOSTON ACOUSTICS® 6-SPEAKER PREMIUM AUDIO SYSTEM WITH 6-CHANNEL AMPLIFIER (SXT)**
  - 6-channel amplifier ensures each speaker receives the power it needs to provide amazing sound reproduction
  - Manufactured by one of the world's foremost makers of audio equipment



## PERFORMANCE



- **2.0L DOHC 16 DUAL VVT I-4 PETROL ENGINE**
  - 115 kW and 190 Nm of torque
  - A good blend of power and economy
- **2.4L DOHC 16V DUAL VVT I-4 PETROL ENGINE**
  - 125 kW and 220 Nm of torque
  - Increased power output, yet competitive fuel economy and emissions
- **2.7L DOHC 24V V6 PETROL ENGINE<sup>†</sup>**
  - 137 kW and 256 Nm of torque
  - High output to match Dodge Avenger's bold, powerful look
- **2 AVAILABLE TRANSAXLES AT LAUNCH**
  - 5-speed manual transaxle and 4-speed AutoStick<sup>®</sup>
- **4-WHEEL INDEPENDENT SUSPENSION**
  - MacPherson strut front and multilink rear provide responsive handling characteristics and a smooth ride
- **PERFORMANCE STEERING**
  - Enhances Dodge Avenger's handling capabilities




2.7L V6 PETROL ENGINE

## STYLE



- **ALL-NEW DESIGN IS BOLD, AGGRESSIVE AND POWERFUL**
  - A new interpretation of Dodge brand styling
  - Looks fast even standing still
- **AVAILABLE 17" STYLED-STEEL (SX) AND 18" ALLOY (SXT) WHEELS**
  - 18" alloy wheels standard on SXT
- **AVAILABLE POWER SUNROOF**
- **2-TONE INTERIOR COLOUR SCHEMES**



\* No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESP warning lamp in the speedometer flashes, the driver needs to use less throttle and adapt speed and driving behaviour to prevailing road conditions. Always drive carefully, consistent with conditions. Always wear your seat belt.

<sup>†</sup> Not available in all markets.

Images within this Vehicle Information Guide may not be product accurate to all markets.

## DODGE AVENGER

### SPECIFICATIONS/DIMENSIONS

	DODGE AVENGER	
	SX	SXT
<b>Wheelbase</b>	2765	
<b>Overall length</b>	4850	
<b>Overall width</b>	1843	
<b>Overall height</b>	1497	
<b>Track – front/rear</b>	1570	
<b>Overhang— front/rear</b>	1022/1063	
<b>Kerb weight kg</b>		
– 2.0L Petrol I-4 Autostick®	1480	—
– 2.4L Petrol I-4 AutoStick®	1510	1560
– 2.7L Petrol V6 AutoStick®	—	1615
<b>Turning diameter kerb-to-kerb m</b>	11.1	
<b>Seating capacity</b>	5	
<b>Passenger interior volume L</b>	2902.5	
<b>Head room – front/rear</b>	1016 w/o sunroof, 963.4 w/sunroof/972	
<b>Leg room – front/rear</b>	1077/954.5	
<b>Shoulder room – front/rear</b>	1433/1430	
<b>Hip room – front/rear</b>	1352/1351	
<b>Cargo capacity L</b>	452	
<b>Drivetrain</b>	FWD	
<b>Engine</b>	2.0L DOHC 16V Dual VVT I-4	
– Power kW @ rpm	115 @ 6300	
– Torque Nm @ rpm	190 @ 5100	
– Standard transaxle	5-speed manual	
<b>Engine</b>	2.4L DOHC 16V Dual VVT I-4	
– Power kW @ rpm	125 @ 6000	
– Torque Nm @ rpm	220 @ 4500	
– Standard transaxle	4-speed automatic with AutoStick®	
<b>Engine</b>	2.7L DOHC 24V V6 <sup>(2)</sup> (late availability)	
– Power kW @ rpm	137 @ 5500	
– Torque Nm @ rpm	256 @ 4000	
– Standard transaxle	6-speed automatic with AutoStick®	
<b>Towing capacity kg</b>		
– Petrol	1000/100	
– Diesel	1500/150	

All measurements are in millimetres unless otherwise noted.

Data contained within this guide is based upon the most current product information available at the time of production.



## DODGE AVENGER

### SPECIFICATIONS/DIMENSIONS

Powertrains	DODGE AVENGER		
Fuel Consumption (L/100 km, EU standard)	2.0L Petrol	2.4L Petrol	2.7L Petrol
Combined cycle	7.8	8.9	9.7
Urban cycle	10.7	12.3	13.9
Exurban cycle	6.1	6.9	7.3
Combined CO <sub>2</sub> (g/km)	185	211	230
Performance			
Acceleration (0-100 km/h; sec.)	12.1	11.0	10.3
Maximum Speed (km/h)	200	200	206
Service and Warranty			
Oil Change			
– Schedule A/B(km)	12,000/5000		
Service Intervals	48,000 (air filter, spark plugs)	48,000 (air filter, spark plugs)	48,000 (air filter)/ 168,000 (spark plugs)
Warranty Duration			
Australia	3 years/100,000 kilometers/24 Hour Dodge Assist		
Spare tyre	Compact		
Steering – All Models			
Type	Speed-proportional, power rack-and-pinion		
Overall ratio	16.5:1		
Turning diameter m	11.1		
Brakes – All Models			
Discs	Disc brake with vented rotor and 57 mm single-piston floating caliper 294 mm x 26 mm		
– Front			
– Rear	Solid disc with 35 mm single-piston floating caliper 302 mm x 10 mm		
Capacities			
Fuel tank L	64		
Washer fluid reserve L	3.8		
Oil L	4.26	4.26	5.2
Engine coolant L	7.3	7.3	9.3
Wheels & Tyres			
Wheels			
– Standard SX	17" wheel covers		
– SXT	18" alloy		
Tyres			
– Standard SX	215/60R17 BSW Summer Performance		
– Optional SXT	215/55R18 BSW Summer Performance		



WHEEL COVER SX



SXT 18" "MOTIVE" ULTRA-BRITE  
CAST ALUMINIUM WHEEL  
U.S. SPEC IMAGE SHOWN.

## DODGE AVENGER

### STANDARD & OPTIONAL FEATURES

Colour Availability	INTERIOR COLOURS	
	SX - SXT	SX
EXTERIOR COLOURS	Slate Grey/ Light Slate Grey	Dark Khaki/ Light Greystone
Bright Silver Metallic	X	
Brilliant Black Crystal Pearl	X	X
Inferno Red Crystal Pearl	X	X
Marathon Blue Pearl	X	
Modern Blue Pearl	X	X
Silver Steel Metallic Pearl	X	
Stone White	X	X
Sunburst Orange Pearl	X	X

\* Dark Khaki/Light Greystone Irrevocable order on SX. Not available SXT

ENGINE/TRANSMISSION	Dodge Avenger	
	SX	SXT
2.0L DOHC 16V Dual VVT I-4/5-Speed Manual	21H	
2.4L DOHC 16V Dual VVT I-4/4-Speed Automatic with AutoStick®	24H	24K
2.7L DOHC 24V/V6 6-Speed Automatic with AutoStick®		2EK



2.4L DUAL VVT WORLD ENGINE



2.7L V6 PETROL ENGINE

Features, Options & Package Groups	SX	SXT
<b>Air Bags<sup>(1)</sup></b>		
– Next Generation for driver and front passenger	•	•
– Supplemental side-curtain for front and rear outboard occupants	•	•
– Supplemental driver and front-passenger seat-mounted	•	•
<b>Air Conditioning</b> – Automatic Temperature Control, with air filtration system	•	•
<b>Alternator</b>		
– 120-amp with 2.4L engine	•	•
– 140-amp, with 2.7L engine		•
<b>Analog Clock</b>	•	•
<b>Antenna</b> – Removable short mast	•	•
<b>Battery</b>		
– 525-amp, maintenance-free, with petrol engines	•	•
<b>Bezels</b> – Satin Silver	•	•

• = Included. O = Optional.

<sup>(1)</sup> Certified to the U.S. Regulations that allow less forceful front air bags. Always use seat belts. Children 12 and under should always be in a backseat correctly using an infant or child restraint system, or the seat belt positioned correctly for the child's age and size.

## DODGE AVENGER

### STANDARD & OPTIONAL FEATURES


Features, Options & Package Groups	Dodge Avenger	
	SX	SXT
<b>Bonnet Insulation</b>	•	•
<b>Bonnet Prop Rod</b>	•	•
<b>Bootlid Power Release</b>	•	•
<b>Brakes</b> – 4-wheel disc, antilock	•	•
<b>Carpet</b> – Floor	•	•
<b>Child Seat Anchor System (ISOFIX/LATCH)</b>	•	•
<b>Console</b> – Floor with fore/aft slide armrest	•	•
<b>Cruise Control</b>	•	•
<b>Cup Holder</b> – Front, heated/cooled		•
<b>Defroster</b> – Rear window	•	•
<b>Door Handles</b> – Body-colour	•	•
<b>Door Locks</b>		
– Power	•	•
– Rear child-protection	•	•
<b>Electroluminescent Cluster</b> – Includes outside temperature reading	•	•
<b>Electronic Stability Programme (ESP)<sup>(1)</sup></b> – With all-speed traction control	•	•



SXT MODEL



SXT MODEL INSTRUMENT PANEL



YES ESSENTIALS® SEAT FABRIC

• = Included. O = Optional.

<sup>(1)</sup> No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESP warning lamp in the speedometer flashes, the driver needs to use less throttle and adapt speed and driving behaviour to prevailing road conditions. Always drive carefully, consistent with conditions. Always wear your seat belt.

## DODGE AVENGER

### STANDARD & OPTIONAL FEATURES

Features, Options & Package Groups	Dodge Avenger	
	SX	SXT
<b>Entertainment Systems</b> – AM/FM CD/DVD/MP3	•	
– AM/FM 6-Disc DVD MP3 6 Boston Acoustic Speakers with 276 watt digital amplifier		•
– AM/FM 6-Disc DVD MP3	0	
– AM/FM CD/DVD/MP3 Navigation	0	0
<b>Floor Mats</b> – Front and rear	•	•
<b>Fog Lamps</b>		•
<b>Fuel Tank</b> – 64 litres	•	•
<b>Glass</b> – Tinted, front and rear Solar-Control	•	•
<b>Grille</b> – Body-colour on SX, Bright/Black on SXT	•	•
<b>Headliner</b> – Premium: Coat hooks, rear passenger assist handles, sun visor with illuminated mirrors, front/rear LED lamps	•	•
<b>Inside Emergency Boot Lid Release</b>	•	•
<b>Instrument Cluster with Display</b> – Temperature and compass gauge; traveller/mini-trip computer; Tyre Pressure Monitoring System		•
<b>LED Lamps</b> – Front and rear (Running change)	•	•
<b>Mirrors</b> – Rearview, auto-dimming	•	•
– Power, heated, fold-away	•	•
<b>Moulding</b> – Body-colour	•	•
<b>Power Accessory Delay</b>	•	•
<b>Power Express Open/Close Sunroof</b>	0	0
<b>Power Outlets</b> – 12-volt centre stack-mounted	•	•
– 12-volt centre console-mounted	•	•
<b>Remote Keyless/Illuminated Entry</b>	•	•
<b>Seat Belts</b> – Height-adjustable 3-point driver and front passenger with traveling buckles and seat belt pretensioners; 3-point lap/shoulder belts at all rear-seat positions	•	•
<b>Seating and Trim</b> <b>Front</b> – YES Essentials® Seat Fabric, low-back bucket	•	
– Leather-trimmed, low-back bucket		•
– Fold-flat front-passenger seatback		•
– Power, 8-way driver's seat		•
– Heated front seats		•
– Manual driver lumbar adjuster	•	•
<b>Seating and Trim</b> <b>Rear</b> – 60/40 split-folding with fold-out armrest	•	•
<b>Security Alarm</b>	•	•
<b>Sentry Key®</b> – Theft deterrent system	•	•
<b>Shift Knob</b> – Leather-wrapped	•	•
<b>Smoker's Group</b> – Removable ashtray and cigar lighter	•	•

• = Included. 0 = Optional. \*Late availability.



## DODGE AVENGER

### STANDARD & OPTIONAL FEATURES

Features, Options & Package Groups	Dodge Avenger	
	SX	SXT
<b>Speakers</b> – 4	•	
– 6, Boston Acoustics®		•
<b>Speedometer</b> – 240-km/h, with tachometer	•	•
– Rear bootlid spoiler		•
– Body-colour, outside mirror		•
– 18" Alloy wheels		•
<b>Stabiliser Bars</b> – Front and rear	•	•
<b>Steering</b> – Performance	•	•
<b>Steering Column</b> – Tilt/telescoping, manual	•	•
<b>Steering Wheel</b> – Sport	•	
– Leather-wrapped		•
– Audio controls		•
<b>Storage Bin</b> – Instrument panel with Chill Zone™	•	•
<b>Suspension</b> – Euro	•	•
– Dampers, front and rear	•	•
<b>Tow Hooks</b>	•	•
<b>Tyre Pressure Lamp</b>	•	
<b>Tyre Pressure Monitoring Display</b>		•
<b>Tyres</b> – P215/60R17 BSW Summer Performance	•	
– P215/55R18 BSW Summer Performance		•
– Compact spare	•	•
<b>Wheels</b> – 17" "Fullback" wheel cover	•	
– 18" "Motive" ultra-brite Alloy		•
<b>Windows</b> – Power, front with 1 touch up/down	•	•
<b>Windshield Wipers</b> – Variable intermittent	•	•

• = Included. O = Optional. P = Available within package noted in parenthesis.



HEATED/COOLED CUP HOLDER



CHILL ZONE™ STORAGE BIN



TYRE PRESSURE MONITORING SYSTEM