FALCON



Go Further

Performance meets luxury

Combining a formidable driving experience with the kind of features and comforts you'd expect to find in a luxury car, the new Falcon makes a bold statement.



Beyond expectations

The G-Series offers plenty in the way of luxury and comfort, without ever compromising on power and driving pleasure.



Setting the bar higher

Set your pulse racing with the XR6. Power, performance and superb handling combine to create a truly exhilarating drive.



Smarter on the inside



Smart driving technologies and the latest in comfort and entertainment sit neatly within the Falcon's interior.

A truly exhilarating drive






ZF 6-speed automatic transmission.

Employing advanced mechatronic units that deliver precise control and refinement to all 6 gears, the ZF transmission ensures smooth delivery of power and torque for a thoroughly enjoyable drive.

Ford offer a range of smart, high-tech engines from the performance packed 4.0L I6 and I6 Turbo, to the cleaner, greener EcoLPi and EcoBoost engines. Each are built to the highest specifications for dynamic drive quality.

Enjoy a superior driving experience with advanced new engine technologies and the latest in high performance engineering and tuning.

EcoBoost performance



Lower emissions.

By injecting small amounts of highly pressurised fuel into the combustion chamber, the EcoBoost engine increases fuel efficiency by over 14% and reduces emissions by over 14% when compared to the I6 petrol engine. It's yet another example of Ford's smart engine technologies.



G6 shown in Smoke.



Imagine an engine that delivers all the Falcon performance you'd expect, but with even better fuel efficiency and reduced emissions. The new 4-cylinder EcoBoost engine does just that, delivering 6-cylinder performance with an impressive 353Nm of torque. Bringing injection technology and turbo-charging to a petrol engine, EcoBoost provides plenty of power at an economical fuel consumption rate of 8.1L/100km.* The EcoBoost engine is available in XT, G6 and G6E models.

* Figures obtained from controlled tests using ADR 81/02 (combined), based on XT with 6-speed automatic transmission.


Enjoy the same levels of power and performance you're used to, but with improved fuel economy and reduced environmental impact.



ULP Fuel Consumption	
LPG Fuel Consumption	Save 40%

Fuel cost comparisons.

With petrol prices rising, it's a good time to consider the alternatives. With EcoLPi you could save 40%[^] on fuel costs compared with a petrol model, without sacrifice to power and torque. The EcoLPi engine delivers an exhilarating 198kW of power and 409Nm of torque to ensure you continue to get the performance you've come to expect in Falcon. And as an LPG user, you may be eligible for a \$2000 government rebate.#



ECOLPI

Ford never stops looking forward and the Falcon's new EcoLPi engine is yet another example of thinking smarter to create a solution, in this case utilising low cost LPG fuel. The EcoLPi delivers more power and torque than a petrol engine, as well as outstanding LPG savings and lower carbon emissions. What's more with the new EcoLPi engine there is no compromise to boot capacity, it's as generous as ever.

[^]Fuel costs and savings calculated using ADR 81/02 fuel consumption figures of 9.9L/100km (Falcon XT with 4.0L petrol engine and 6 speed auto) and 12.3L/100km (Ford Falcon XT with optional EcoLPi engine and 6 speed auto). Estimated fuel costs are calculated using the average fuel price for the five major Australian capital cities of 0.74c/L (LPG) and 1.43c/L (unleaded petrol) from January 2012 to December 2012. Source: www.motormouth.com.au. The estimated fuel costs avings are based on fuel costs to travel 20,000 km and are: Falcon XT 4.0L petrol \$2,831 and Falcon XT EcoLP} \$1,820. Fuel costs avings are true for the example given and changes in unleaded petrol and LPG prices will alter the cost savings calculations. Optional EcoLPi engine not available on Falcon XR6 Turbo or 66E Turbo. #From July 2011 the LPG Vehicle Scheme has been capped at 25,000 eligible claims paid neach financial year. for the duration of the scheme to 30 June 2014. Should the 25,000 cap be reached before the end of the financial year, application processing will continue and eligible claims will be determined from the date of new LPG vehicle purchase. For further information regarding the LPG Vehicle Scheme please visit www.ausindustry.gov.au

EcoLPi smart engine technology

Enjoy outstanding power and torque and reduced carbon emissions while taking advantage of lower fuel costs.



USB integration.

With USB integration now standard across the range, simply insert your USB stick into the port to control and play all of your MP3 music files.



iPod[~] integration.

Play your favourite music and control it all through the vehicle's audio system.

luman t



Human Machine Interface (HMI).

Incorporating the Interior Command Centre (ICC), steering wheel controls and multi-function display, the HMI allows for simple operation of various vehicle functions. This greatly increases safety by bringing driving information and audio controls together on the 8" colour touch screen,[^] ensuring your eyes spend more time on the road than off it.



Dual-zone climate control.

Travel in complete comfort with a climate control system that allows the driver and passenger to set and maintain the optimal temperature for the trip.



Multi-function display.

The easy-to-read multi-function display allows you to check everything at a glance, from speed and journey distance to temperature, vehicle warnings and more.



Satellite navigation.

With keyword search, Traffic Message Channel (TMC)[#] and easy-to-read colour maps, you can get where you need to be quickly and efficiently.



From the hands-free convenience of Bluetooth[®] with steering wheel button control, to full iPod[~] integration which lets you take your music where ever you go, the technology on-board the Falcon is at your fingertips for easy control. What's more, the satellite navigation system[°] will get you to your destination quickly and efficiently, no fuss.

-iPod is a trademark of Apple Inc. Please refer to ford.com.au for iPod compatibility. ^Standard on all models except Falcon XT. Optional on Falcon XT. §Standard on G6E and G6E Turbo. Optional as part of Luxury Pack on XR6 and XR6 Turbo. Not available on Falcon XT or G6. #Ford has an arrangement to provide the Suna Traffic Channel broadcast for a minimum of 5 years from the time of vehicle manufacture. Coverage includes Melbourne, Sydney, Brisbane, Canberra, Adelaide, Perth and Gold Coast metropolitan areas. Refer to www.sunatraffic.com.au for full details. *Bluetooth® is a registered trademark of Bluetooth SIG Inc., and is used under licence. Customers should consult their Ford Dealer on the ability of their mobile phone handset to integrate with the Bluetooth® system prior to making a purchase decision. Please visit www.ford.com.au/compatibility for compatible devices.

Human technology

Intuitive controls put the driver in full command of comfort, climate and a whole range of driving aids and information.

Safety is paramount

Intelligent Safety System.

In the event of an accident occurring, information is fed to the Advanced Restraints Module which instantly deploys the appropriate safety technologies.

DSC.~

Dynamic Stability Control (DSC)~ strengthens your connection to the road and helps you avoid the problems of over-steer and under-steer. DSC tracks the vehicle's movement and then works in tandem with Traction Control and ABS to help keep the vehicle under control.


Follow-me-home lighting.

Front headlights that remain lit for a short period after the vehicle is locked, providing lighting to guide you to your door.

Passenger safety cell.

Incorporating ultra-high strength steel for greater all round strength and protection, the safety cell greatly reduces the likelihood of injury.

-DSC also known as Electronic Stability Control.



Airbags.

event of a crash.

A set of 6 airbags, including curtain airbags, are arranged around the vehicle to enhance protection of the driver and passengers in the

Reverse camera.*

Make rear blind spots a thing of the past with a camera that automatically activates when reverse gear is selected providing a 130° wide angle view up to 10 metres behind the car.

Fatigue warning.

Tackling one of the largest hazards to road safety, this feature sounds a warning to drivers to rest after prolonged periods of continuous driving. Beltminder.™ A simple but effective system that offers an audible reminder for front

passengers to fasten their seatbelts, increasing safety at all speeds.

*Standard on G6E and G6E Turbo.

The Falcon employs the most advanced technologies to ensure that you and your family travel in upmost safety and security.



Reverse sensing system.

Assists drivers in reversing with greater accuracy by providing a proximity warning tone when unseen obstacles are close.

Australia's highest safety rating.

In addition to a long list of standard features, you have added peace of mind knowing that the entire Falcon range has a 5-star ANCAP safety rating.

Side curtain airbags.

Providing increased driver and passenger protection in the case of impact, side curtain airbags drop down from the roof to cover the vehicle's side windows. These are standard across the range.

FALCON XR

XR6

60

G-SE RIES

G6E

From sports performance to luxury and comfort, the Falcon range delivers it all to put the thrill into driving.

FALCON XT

1 AMERICA

XT

Falcon XT

XT standard features

16" alloy wheels
iPod~ integration
Bluetooth®* integratio
LISB integration

 Reverse sensing system Single-zone automatic climate control Side curtain airbags

- Cruise control
- -iPod is a trademark of Apple Inc. Please refer to ford.com.au for iPod compatibility. *Bluetooth® is a registered trademark of Bluetooth SIG Inc., and is used under licence. Customers should consult their Ford Dealer on the ability of their mobile phone handset to integrate with the Bluetooth® system prior to making a purchase decision. Please visit www.ford.com.au/compatibility for compatible devices. #Driver and front passenger only.

XT shown in Lightning Strike.

Cruise Control.

Steering wheel mounted controls conveniently place smoother driving and even speed right at your fingertips.

Airbags.

A set of 6 airbags, including side curtain airbags, are arranged around the vehicle to enhance protection of driver and passengers in the event of an accident.



Play your favourite music and control it all

through the vehicle's audio system.

iPod~ integration.

111

111



Enjoy hands-free communication while

Bluetooth.®*

you're driving.

(Send



Reverse sensing system.

Assists drivers in reversing with greater

tone when unseen obstacles are close.

accuracy by providing a proximity warning

XT interior shown.





The Falcon XT provides the perfect balance between on-the-road performance and interior comfort and control.

 Driver and front passenger airbags Front seat side thorax airbags#

- Dynamic Stability Control
- 4-way power driver's seat
- Automatic headlamps
- ON/OFF feature
- Driver's side carpet mat

USB integration.

With USB integration now standard across the range, simply insert your USB stick into the port to control and play all of your MP3 music files.



8" colour touch screen.

Control the essential features of your new Falcon using the intuitive 8" colour touch screen. With user-friendly Bluetooth®^ mobile phone integration and satellite navigation* with Traffic Message Channel (TMC)[#] technologies, driving will feel like a whole new experience.

Dual-zone climate control.*

Travel in complete comfort with a climate control system that allows the driver and passenger to set and maintain the optimal temperature for the trip.

Built-in audio.

A quality audio system with Bluetooth $^{\ensuremath{$ and iPod~ connectivity, plus AM/FM radio and CD player, puts a world of entertainment in your hands.

Satellite navigation^{*} with Traffic Message Channel (TMC).#

8" colour touch screen

With keyword search, Traffic Message Channel (TMC)# and easy-to-read colour maps, you can get where you need to be quickly and efficiently.

[°]Bluetooth[®] is a registered trademark of Bluetooth SIG Inc., and is making a purchase decision. Please visit www.ford.com.au/com the Suna Traffic Channel broadcast for a minimum off years from www.sunatraffic.com.au for full details. *Standardon G6E and G

G6 shown in Lightning Strike and G6E shown in Emperor.

Reverse camera.*

• Reverse camera*

Make rear blind spots a thing of the past with a camera that automatically activates when reverse gear is selected providing a 130° wide angle view up to 10 metres behind the car.











Premium audio system · 8-way power driver's seat Projector headlamps* Front LED position lamps Perimeter alarm

G6E Turbo standard features (In addition to G6E)

G6E

- •19" alloy wheels
- 270kW/533Nm turbocharged engine
- Rear lip spoiler

oth SIG Inc., and is used under license. Customers should consult their Ford Dealer on the ability of their mobile phone handset to integrate with the Bluetooth® system prior to ford.com.au/compatibility for compatible devices. - iiPod is a trademark of Apple Inc. Please refer to ford.com.au for iPod compatibility. #Ford has an arrangement to pr umof 5 years from the time of vehicle manufacture. Coverage includes Melbourne, Sydney, Brisbane, Canberra, Adelaide, Perth and Gold Coast metropolitan areas. Refer to dard on G6E and G6E Turbo. Not available on G6.

Projector headlamps.*

Precision designed projector headlamps accurately direct light via innovative wing-form grille blades for superior vision under night driving conditions.



XR6 shown in Mars Red and XR6 Turbo shown in Silhouette.

XR6 Luxury pack.

Take the XR6 experience to a whole new level with Nudo leather seat inserts, premium audio system, 19" 5-spoke alloy wheels, satellite navigation, reverse camera and dual-zone climate control.

8" colour touch screen.

Control the essential features of your new Falcon using the intuitive 8" colour touch screen. With user-friendly Bluetooth®^ mobile phone integration, iPod[~] connectivity and audio controls, driving will feel like a whole new experience.

Projector headlamps and front fog lights.

Precision designed projector headlamps accurately direct light via innovative wing-form grille blades for superior vision under night driving conditions. To improve safety and certainty, the front fog lights provide the driver with a clearer view of the road in all weather conditions.

Sports leather wrapped steering wheel.

XR6 interior shown.

A superior feel beneath your fingers sets the tone for a vehicle that's a cut above the rest.







XR6 TURBO

The Falcon XR6 is made for the road. With the latest engine and transmission technologies, it delivers all you want and a whole lot more.

XR6 TURBO



A splash of colour

EXTERIOR COLOURS





Silhouette*



Archon Bronze*





Winter White



Smoke*

Glow*^



Vanish*



Kinetic*

Lightning Strike*

Mars Red*



Octane*

Petroleum*

Emperor*



Adding personality to performance, the new Falcon is available in a wide range of colours, from vivid and vibrant to subtle and understated.



Vixen

Exterior Colours


COLOUR	хт	XR6	G-Series
Winter White	•	٠	٠
Silhouette*	•	٠	•
Lightning Strike*	•	٠	٠
Vanish*	•	٠	٠
Vixen	٠	•	_
Glow*^	_	_	•
Archon Bronze*	٠	_	•
Smoke*	٠	_	•
Emperor*	_	٠	٠
Kinetic*	_	•	_
Octane*	-	•	_
Mars Red*	-	•	_
Petroleum*	•	٠	•

*Prestige paint is an option that incurs an additional charge. ^Glow prestige paint is not available with Cashmere leather seat inserts.

Top trim

INTERIOR TRIMS







XR6 and XR6 Turbo (standard)

Streetwise Graphite cloth trim seats with Attitude Shadow bolsters.



G6

Oxford Shadow cloth trim seats with Estate Shadow bolsters.



Leather seat inserts in Cashmere.*



WHEELS

G6E 18" x 8.0" alloy

ΧТ

16" x 6.5" alloy

XR6 and XR6 Turbo (optional) Nudo Shadow weave leather seat inserts.



XR6 and XR6 Turbo (standard) 18" x 8.0" alloy

 $* Cashmere \, leather trim not available with Glow exterior paint.$

Having put so much work into performance and comfort, it's hardly surprising that Ford have put equal effort into trim and wheel design.



G6 17" x 8.0" alloy



G6E Turbo 19" x 8.0" alloy



XR6 and XR6 Turbo (optional) 19" x 8.0" alloy

Details make the difference

Get exactly what you want from your Falcon, by picking the perfect features and accessories to tailor it to your needs and requirements.



Rhino-Rack[®] Luggage Box.[°] Next time you take a trip, enjoy even more storage space with this strong, durable, roof mounted luggage box.



XR waterproof seat covers. Fighting daily wear and tear, these cleverly designed neoprene covers protect your seat fabric from dirt, sand, liquid and anything else your family throws at them.



Ski and snowboard carrier.^{*} With soft rubber padding and lockable fastenings, you can transport up to five pairs of skis safely and securely.



Luggage mat. Protects the carpet in the boot from the wear and tear of everything from the weekly grocery shop to the trip to the hardware store.



Boot scuff guard. With cartons, cases and shopping regularly passing in and out, the scuff guard protects the lip or your boot from scratches and scuffs.



Garmin Nüvi portable satellite navigation systems.[^] A widescreen display offers easy map viewing and gives you clear directions to your destination.



Towpack.^{#~} The heavy duty towpack (including load levelling kit) enables you to tow up to 2,300kg.



Cargo swing net. Attaches to the sides of the cargo area to help prevent loose items moving around during transit.



Scuff plates. Enhance the appearance of your Falcon with these sporty alloy scuff plates.



Carpet mats.[‡] Protect your passenger seating wells from dirt, mud and outdoor muck with a set of three smartly designed mats.



Headlamp guards. Keep your headlamps clear and bright with these durable acrylic headlamp guards that help deflect stones and other objects.



Go Technologies reversing camera. Assists safe parking and manoeuvring by providing a wide-angle view from the rear of the vehicle on a neat 4.5" screen.

Accessories

	ХТ	XR6	XR6 Turbo	G6	G6E	G6E Turbo
Exterior styling						
19" X 8" 10-spoke alloy wheels - 245/35 R19 tyres ^{1.2.}	_	A	A	_	_	_
Spoiler	А	_	_	A	А	_
Mullins Raker 16" alloy wheels ^{1.3.4.}	A	_	-	-	_	_
Mullins Edge 16" alloy wheels ^{1.3.4.}	A	-	-	-	-	_
Mullins Raker 17" alloy wheels ^{1.3.4.}	_	A	-	А	A	_
Mullins Haze 17" alloy wheels ^{1.3.4.}	-	А	-	A	A	-
Mullins Shaker 17" alloy wheels ^{1.3.4.}	_	A	-	А	A	-
Mullins Speedster 17" alloy wheels ^{1.3.4.}	-	A	_	A	A	_
Mullins Raker 18" alloy wheels ^{1.3.4.}	_	А	A	A	A	A
Mullins Vanquish 18" alloy wheels ^{1,2,3,4,}	_	А	A	А	A	А
Mullins Haze 18" alloy wheels ^{1.2.3.4.}	_	А	A	A	A	A
Mullins Sniper 18" alloy wheels ^{1.2.3.4.}	-	А	A	А	A	A
Mullins Speedster 18" alloy wheels ^{1,2,3,4,}	_	А	A	А	A	A
Mullins Shaker 18" alloy wheels ^{1,2,3,4,}	_	А	A	А	A	А
Mullins Speedster 19" alloy wheels ^{1,2,3,4,}	_	А	A	А	A	А
Mullins Vanquish 19" alloy wheels ^{1,2,3,4,}	_	A	A	-	_	А
Alloy wheel lock nut set	A	A	А	A	A	A
Exterior protection						
Bonnet protector / headlamp guards / weathershields	A	A	A	А	A	A
Lights on feature	A	A	А	А	A	A
Mudspats ^{5.}	A	A	А	A	A	A

[^]This accessory is a Supplier Branded Accessory and is not manufactured or warranted by Ford. The warranty is provided by the manufacturer of the accessory. Contact your authorised Ford Dealer for details of the accessory manufacturer's warranty applicable to this accessory. *Attaches to Genuine Ford carry bars (sold separately). #Subject to State and Territory regulations. ~Available on automatic transmission models only. ‡Set of three.

S = Standard. A = Accessory that can be added at any time. - = Not available.

Wheels and tyres sold separately when fitted in Dealership.
 Not available on optional EcoLPi.
 It is recommended that tyres matching original equipment specification be fitted to Mullins alloy wheels.
 This accessory is a Supplier Branded Accessory and is not manufactured or warranted by Ford. The warranty is provided by the manufacturer of the accessory. Contact your authorised Ford Dealer for details of the accessory manufacturer's warranty applicable to this accessory.
 Front and rear sets sold separately.
 Driver and front passenger seat covers sold separately.
 Set of four.
 Attaches to Genuine Ford carry bars (sold separately).
 Subject to State and Territory regulations.
 Available on automatic transmission models only.

	хт	XR6	XR6 Turbo	G6	G6E	G6E Turbo			
Interior styling, comforts and storage									
XR waterproof seat covers ^{5.}	-	A	А	-	_	_			
Scuff plates	A	A	А	A	S	S			
Carpet mats ⁷ / rubber floor mats ^{8.}	A	A	А	A	A	А			
Waterproof boot liner	А	А	А	А	А	А			
Boot scuff guard	А	А	А	A	А	А			
Cargo swing net	А	А	А	A	А	А			
Dash mat	А	А	А	A	А	А			
Pollen filter	А	А	А	A	А	А			
Smoker's pack	А	А	А	A	А	A			
In car entertainment and electrica	al								
Child activity organiser	А	А	А	А	А	А			
Fridge 'Day Tripper' 15L/fridge power adaptor	A	A	A	А	A	A			
Garmin Nüvi portable satellite navigation systems ^{4.}	A	A	А	A	A	A			
Safety and security									
Perimeter alarm	A	A	A	A	S	S			
Go Technologies reversing camera systems ^{4.}	A	A	A	A	_	_			
Towing and carrying									
Carry bars	A	A	А	A	A	A			
Carry bar accessories: canoe/kayak carrier, ski/snowboard carrier ^{9.}	А	А	А	A	A	A			
Towpack - heavy duty 2300kg rated incl. load levelling kit ^{10. 11.}	A	А	А	А	A	A			
Rhino-Rack 2500 multi-fit carry bars ^{4.}	A	A	А	А	A	A			
Rhino-Rack multi-fit carry bar accessories ^{4.} refer to ford.com.au	A	A	A	A	A	A			

Mechanical specifications

Engine type	4.0	DL DOHC DI-VCT I	2.ULE	coBoost I6V	EcoLPi	OHC DI-VCT I6	4.0L1	DOHC DI-VC	
Applicable models	>	(T, XR6, G6, G6E	XT,	G6, G6E	XT, XI	R6, G6, G6E	Х	R6 Turbo, G6	5E Turbo
Maximum power (DIN)	19	5kW @ 6000rpm	179kW	@ 5500rpm ^{1.}	198kW	@ 5000rpm	2	70kW @ 525	50rpm ^{1.}
Maximum torque (DIN)	39	91Nm @ 3250rpm	353Nm	@ 2000rpm ^{1.}	409Nm	n @ 3250rpm	533N	m @ 2000 -	– 4750rpm ^{1.}
No. of valves		24		16		24		24	
Fuel management system		quential multipoint ctronic fuel injection		tial multipoint c fuel injection	Liquid p	hase injection		equential mu ectronic fuel i	
Engine management			Powertrain co	ntrol module incorpo	rating electr	onic throttle cont	trol		
Fuel									
Fuel tank capacity (L)		68		68		88		68	
Combined fuel consumption: ADR 81/02 (L/100km - rounded	-1) ^{2.}	9.9 ^{3.}	8.	14./8.55.	12.	34./12.46.	1	1.7 ⁷ (6-speed	d auto)
CO_2 emissions (g/km) ^{2.}		2363.	19	24./2015.	19	94./2026.		2787.	
Recommended fuel ^{2.}	ULP or	PULP E10 Compat		P E10 Compatible				ULP or PULP E10 Compa	
Maximum braked towing capa									
	acity	12001-29						12004	-9
Manual		1200kg ^{9.}		-		-		1200k	-
Automatic		2300kg ^{10.}		600kg ^{9.}	4	2300kg ^{10.}		2300k	.g ^{10.}
Suspension and steering									
Front suspension				rtual Pivot Control Lin					
Rear suspension			Contro	ol Blade Independent	Rear Suspe	nsion (IRS)			
Sports tuned suspension		XR6		-		-		XR6 Turl	bo
Luxury sports tuned suspension	٦	G6	XT,	G6, G6E	XT, XF	R6, G6, G6E		-	
Luxury performance tuned suspe	ension	G6E		-		-		G6E Turl	bo
Steering type			Forwa	ard mounted power a	ssisted rack	and pinion			
Steering gear				Variable	ratio				
Steering gear									
Brakes and stability control									
		Standard	l vented disc brakes	with twin piston cali	per (Perforn	nance brakes on	XR6T and	G6ET)	
Brakes and stability control		Standarc		with twin piston cali ard solid disc brake w			XR6T and	G6ET)	
Brakes and stability control Front brakes)		Stand		/ith single pi	ston caliper			
Brakes and stability control Front brakes Rear brakes		4-Channe	Stand ABS with Electron ty Control (DSC) in	ard solid disc brake w	vith single pi ution (EBD)	ston caliper and Emergency E em (TCS), Emerg	Brake Assis	st (EBA)	A)
Brakes and stability control Front brakes Rear brakes Anti-lock Braking System (ABS	2)	4-Channe Dynamic Stabili	Stand ABS with Electron ty Control (DSC) in	ard solid disc brake w ic Brakeforce Distribu corporates Traction C	vith single pi ution (EBD)	ston caliper and Emergency E em (TCS), Emerg	Brake Assis	st (EBA)	A)
Brakes and stability control Front brakes Rear brakes Anti-lock Braking System (ABS Dynamic Stability Control (DSC Kerb weight (kg) (approximat	2)	4-Channe Dynamic Stabili	Stand ABS with Electron ty Control (DSC) in	ard solid disc brake w ic Brakeforce Distribu corporates Traction C el ABS with Electronic	vith single pi ution (EBD) Control Syste c Brakeforce	ston caliper and Emergency E em (TCS), Emerg	Brake Assis	st (EBA)	A)
Brakes and stability control Front brakes Rear brakes Anti-lock Braking System (ABS Dynamic Stability Control (DSC Kerb weight (kg) (approximat 6-Cylinder Petrol ^{11.}	2)	4-Channe Dynamic Stabili	Stand ABS with Electron ty Control (DSC) in	ard solid disc brake w ic Brakeforce Distribu corporates Traction C el ABS with Electronic 1710	vith single pi ution (EBD) control Syste c Brakeforce	ston caliper and Emergency E em (TCS), Emerg	Brake Assis	st (EBA)	A)
Brakes and stability control Front brakes Rear brakes Anti-lock Braking System (ABS Dynamic Stability Control (DSC Kerb weight (kg) (approximat 6-Cylinder Petrol ^{11.} 6-Cylinder EcoLPi ^{12.}	2)	4-Channe Dynamic Stabili	Stand ABS with Electron ty Control (DSC) in	ard solid disc brake w ic Brakeforce Distribu corporates Traction C al ABS with Electronic 1710	vith single pi ution (EBD) Control Syste c Brakeforce	ston caliper and Emergency E em (TCS), Emerg	Brake Assis	st (EBA)	A)
Brakes and stability control Front brakes Rear brakes Anti-lock Braking System (ABS Dynamic Stability Control (DSC Kerb weight (kg) (approximat 6-Cylinder Petrol ^{11.}	2)	4-Channe Dynamic Stabili	Stand ABS with Electron ty Control (DSC) in	ard solid disc brake w ic Brakeforce Distribu corporates Traction C el ABS with Electronic 1710	vith single pi ution (EBD) Control Syste c Brakeforce	ston caliper and Emergency E em (TCS), Emerg	Brake Assis	st (EBA)	A)
Brakes and stability control Front brakes Rear brakes Anti-lock Braking System (ABS Dynamic Stability Control (DSC Kerb weight (kg) (approximat 6-Cylinder Petrol ^{11.} 6-Cylinder EcoLPi ^{12.}	2)	4-Channe Dynamic Stabili	Stand ABS with Electron ty Control (DSC) in	ard solid disc brake w ic Brakeforce Distribu corporates Traction C al ABS with Electronic 1710	vith single pi vition (EBD) control Syste c Brakeforce	ston caliper and Emergency E em (TCS), Emerg Distribution (EB	Brake Assis	st (EBA)	
Brakes and stability control Front brakes Rear brakes Anti-lock Braking System (ABS Dynamic Stability Control (DSC Kerb weight (kg) (approximat 6-Cylinder Petrol ^{11.} 6-Cylinder EcoLPi ^{12.} 4-Cylinder EcoBoost ^{13.}	c) te kerb weights	4-Channe Dynamic Stabili	Stand ABS with Electron ty Control (DSC) in: and 4-channe	ard solid disc brake w ic Brakeforce Distribu corporates Traction C el ABS with Electronic 1710 1757 1648	vith single pi vition (EBD) control Syste c Brakeforce	ston caliper and Emergency E em (TCS), Emerg Distribution (EB	Brake Assis	e Assist (EBA)	
Brakes and stability control Front brakes Rear brakes Anti-lock Braking System (ABS Dynamic Stability Control (DSC Kerb weight (kg) (approximat 6-Cylinder Petrol ^{11.} 6-Cylinder EcoLPi ^{12.} 4-Cylinder EcoBoost ^{13.} Exterior dimensions (mm)	c) te kerb weights XT	4-Channe Dynamic Stabili 5) XR6, XR6T	Stand el ABS with Electron ty Control (DSC) in: and 4-channe G6, G6E, G6ET	ard solid disc brake w ic Brakeforce Distribu corporates Traction C al ABS with Electronic 1710 1757 1648 Interior dimensi	vith single pi vition (EBD) control Syste c Brakeforce	ston caliper and Emergency E em (TCS), Emerg Distribution (EB	Brake Assis	e Assist (EBA) e Assist (EBA All series	
Brakes and stability control Front brakes Rear brakes Anti-lock Braking System (ABS Dynamic Stability Control (DSC Kerb weight (kg) (approximat 6-Cylinder Petrol ^{11.} 6-Cylinder EcoLPi ^{12.} 4-Cylinder EcoBoost ^{13.} Exterior dimensions (mm) Overall length	c) te kerb weights te kerb weights te kerb weights te kerb weights	4-Channe Dynamic Stabili 5) XR6, XR6T 4974	Stand el ABS with Electron ty Control (DSC) in: and 4-channe G6, G6E, G6ET 4966	ard solid disc brake will be a comported by the solid disc brake will be a comported by the solid disc brake with the soli	vith single pi vition (EBD) control Syste c Brakeforce	ston caliper and Emergency E em (TCS), Emerg Distribution (EB	Brake Assis	e Assist (EBA) e Assist (EBA All series 1486	
Brakes and stability control Front brakes Rear brakes Anti-lock Braking System (ABS Dynamic Stability Control (DSC Kerb weight (kg) (approximat 6-Cylinder Petrol ^{11.} 6-Cylinder EcoLPi ^{12.} 4-Cylinder EcoBoost ^{13.} Exterior dimensions (mm) Overall length Overall width ^{14.}	2) te kerb weights XT 4965 1868	4-Channe Dynamic Stabili 5) XR6, XR6T 4974 1868	Stand el ABS with Electron ty Control (DSC) in- and 4-channe G6, G6E, G6ET 4966 1868 1483	ard solid disc brake w ic Brakeforce Distribu corporates Traction C el ABS with Electronic 1710 1757 1648 Interior dimensi Front hiproom Rear headroom	ons (mm) (ston caliper and Emergency E em (TCS), Emerg Distribution (EB	Brake Assis	All series 1486 989	
Brakes and stability control Front brakes Rear brakes Anti-lock Braking System (ABS Dynamic Stability Control (DSC Kerb weight (kg) (approximat 6-Cylinder Petrol ^{11.} 6-Cylinder EcoLPi ^{12.} 4-Cylinder EcoBoost ^{13.} Exterior dimensions (mm) Overall length Overall height	2) te kerb weights XT 4965 1868	4-Channe Dynamic Stabili 3) XR6, XR6T 4974 1868 1462	Stand el ABS with Electron ty Control (DSC) in: and 4-channe G6, G6E, G6ET 4966 1868 1483 eries	ard solid disc brake w ic Brakeforce Distribu corporates Traction C el ABS with Electronic 1710 1757 1648 Interior dimensi Front hiproom Rear headroom Rear legroom	ons (mm) (4	ston caliper and Emergency E em (TCS), Emerg Distribution (EB	Brake Assis	All series 1486 989 989	
Brakes and stability control Front brakes Rear brakes Anti-lock Braking System (ABS Dynamic Stability Control (DSC Kerb weight (kg) (approximat 6-Cylinder Petrol ^{11.} 6-Cylinder EcoBoost ^{13.} Exterior dimensions (mm) Overall length Overall height Interior dimensions (mm)	2) te kerb weights XT 4965 1868	4-Channe Dynamic Stabili 5) XR6, XR6T 4974 1868 1462 All se	Stand el ABS with Electron ty Control (DSC) in: and 4-channe G6, G6E, G6ET 4966 1868 1483 eries	ard solid disc brake w ic Brakeforce Distribu corporates Traction C el ABS with Electronic 1710 1757 1648 Interior dimensio Front hiproom Rear headroom Rear legroom Rear shoulder roo	ons (mm) (4	ston caliper and Emergency E em (TCS), Emerg Distribution (EB	Brake Assis	All series 1486 989 989	
Brakes and stability control Front brakes Rear brakes Anti-lock Braking System (ABS Dynamic Stability Control (DSC Kerb weight (kg) (approximat 6-Cylinder Petrol ^{11.} 6-Cylinder EcoBoost ^{13.} Exterior dimensions (mm) Overall length Overall height Interior dimensions (mm) Front headroom	2) te kerb weights XT 4965 1868	4-Channe Dynamic Stabili 5) XR6, XR6T 4974 1868 1462 All se 10	Stand el ABS with Electron ty Control (DSC) in: and 4-channe G6, G6E, G6ET 4966 1868 1483 eries 12 73	ard solid disc brake w ic Brakeforce Distribu- corporates Traction C el ABS with Electronic 1710 1757 1648 Interior dimension Front hiproom Rear headroom Rear legroom Rear shoulder roc Luggage capacit	ons (mm) (4	ston caliper and Emergency E em (TCS), Emerg Distribution (EB	Brake Assis	All series All series 1486 989 989 1518	
Brakes and stability control Front brakes Rear brakes Anti-lock Braking System (ABS Dynamic Stability Control (DSC Kerb weight (kg) (approximat 6-Cylinder Petrol ^{11.} 6-Cylinder EcoBoost ^{13.} Exterior dimensions (mm) Overall length Overall height Interior dimensions (mm) Front headroom Front legroom	2) te kerb weights XT 4965 1868 1488	4-Channe Dynamic Stabili 5) XR6, XR6T 4974 1868 1462 All se 10 107	Stand el ABS with Electron ty Control (DSC) in: and 4-channe G6, G6E, G6ET 4966 1868 1483 eries 12 73	ard solid disc brake w ic Brakeforce Distribu- corporates Traction C el ABS with Electronic 1710 1757 1648 Interior dimensi Front hiproom Rear headroom Rear legroom Rear shoulder roo Luggage capacit Petrol	ons (mm) (4	ston caliper and Emergency E em (TCS), Emerg Distribution (EB	Brake Assis	All series 1486 989 989 1518 535	j
Brakes and stability control Front brakes Rear brakes Anti-lock Braking System (ABS Dynamic Stability Control (DSC Kerb weight (kg) (approximat 6-Cylinder Petrol ^{11.} 6-Cylinder EcoBoost ^{13.} Exterior dimensions (mm) Overall length Overall neight Interior dimensions (mm) Front headroom Front legroom Front shoulder room	2) te kerb weights XT 4965 1868 1488	4-Channe Dynamic Stabili 5) XR6, XR6T 4974 1868 1462 All se 10 107	Stand el ABS with Electron ty Control (DSC) in: and 4-channe G6, G6E, G6ET 4966 1868 1483 eries 12 73	ard solid disc brake w ic Brakeforce Distribu- corporates Traction C el ABS with Electronic 1710 1757 1648 Interior dimension Front hiproom Rear headroom Rear legroom Rear shoulder root Luggage capacit Petrol EcoLPi	ons (mm) (c	ston caliper and Emergency E em (TCS), Emerg Distribution (EB continued)	Brake Assis	All series 1486 989 989 1518 535 464	j
Brakes and stability control Front brakes Rear brakes Anti-lock Braking System (ABS Dynamic Stability Control (DSC Kerb weight (kg) (approximat 6-Cylinder Petrol ^{11.} 6-Cylinder EcoBoost ^{13.} Exterior dimensions (mm) Overall length Overall height Interior dimensions (mm) Front headroom Front legroom Front shoulder room Model engine and transmission	2) te kerb weights XT 4965 1868 1488	4-Channe Dynamic Stabili 5) XR6, XR6T 4974 1868 1462 All se 10 107	Stand el ABS with Electron ty Control (DSC) in: and 4-channe G6, G6E, G6ET 4966 1868 1483 eries 12 73	ard solid disc brake w ic Brakeforce Distribu- corporates Traction C el ABS with Electronic 1710 1757 1648 Interior dimensi Front hiproom Rear headroom Rear legroom Rear shoulder roo Luggage capacit Petrol EcoLPi	vith single pi vition (EBD) control Syste c Brakeforce b ons (mm) (o com ty (L) XR6	ston caliper and Emergency E em (TCS), Emerg Distribution (EB continued)	Brake Assis ency Brake D)	All series All series 1486 989 989 1518 535 464 G6E	j
Brakes and stability control Front brakes Rear brakes Anti-lock Braking System (ABS Dynamic Stability Control (DSC Kerb weight (kg) (approximat 6-Cylinder Petrol ^{11.} 6-Cylinder EcoLPi ^{12.} 4-Cylinder EcoBoost ^{13.} Exterior dimensions (mm) Overall length Overall length Overall height Interior dimensions (mm) Front headroom Front legroom Front shoulder room Model engine and transmission 6-speed manual transmission	2) ze kerb weights XT 4965 1868 1488 1488 00000000000000000000000000000000000	4-Channe Dynamic Stabili 5) XR6, XR6T 4974 1868 1462 All se 107 107 152	Stand el ABS with Electron ty Control (DSC) in: and 4-channe G6, G6E, G6ET 4966 1868 1483 eries 12 73	ard solid disc brake w ic Brakeforce Distribu corporates Traction C 21 ABS with Electronic 1710 1757 1648 Interior dimensi Front hiproom Rear headroom Rear legroom Rear shoulder roo Luggage capacit Petrol EcoLPi XT S	vith single pi vitin (EBD) control Syste c Brakeforce on a ons (mm) (o ty (L) XR6 S	ston caliper and Emergency E em (TCS), Emerg Distribution (EB continued) continued) xR6 Turbo	Brake Assis ency Brake D) G6 S	All series All series 1486 989 989 1518 535 464 G6E S	j
Brakes and stability control Front brakes Rear brakes Anti-lock Braking System (ABS Dynamic Stability Control (DSC Kerb weight (kg) (approximat 6-Cylinder Petrol ^{11.} 6-Cylinder EcoLPi ^{12.} 4-Cylinder EcoBoost ^{13.} Exterior dimensions (mm) Overall length Overall length Overall height Interior dimensions (mm) Front headroom Front legroom Front shoulder room Model engine and transmission 6-speed manual transmission	2) ze kerb weights XT 4965 1868 1488 1488 00000000000000000000000000000000000	4-Channe Dynamic Stabili 5) XR6, XR6T 4974 1868 1462 All se 107 107 152	Stand el ABS with Electron ty Control (DSC) in: and 4-channe G6, G6E, G6ET 4966 1868 1483 eries 12 73	ard solid disc brake w ic Brakeforce Distribu corporates Traction C 21 ABS with Electronic 1710 1757 1648 Interior dimensi Front hiproom Rear headroom Rear headroom Rear shoulder roo Luggage capacit Petrol EcoLPi XT S	vith single pi vith single pi vition (EBD) Control Syste c Brakeforce on a ons (mm) (v com ty (L) XR6 S S S	ston caliper and Emergency E em (TCS), Emerg Distribution (EB continued) continued) XR6 Turbo – –	Brake Assis ency Brake D) G6 S –	All series All series 1486 989 989 1518 535 464 G6E S -	G6E Turbo
Brakes and stability control Front brakes Rear brakes Anti-lock Braking System (ABS Dynamic Stability Control (DSC Kerb weight (kg) (approximat 6-Cylinder EcoLPi ¹² 4-Cylinder EcoLPi ¹² 4-Cylinder EcoLPi ¹² 4-Cylinder EcoBoost ¹³ Exterior dimensions (mm) Overall length Overall height Interior dimensions (mm) Front headroom Front legroom Front shoulder room Model engine and transmission ZF 6-speed automatic transmission	2) te kerb weights xT 4965 1868 1488 1488 0005 0005 0005	4-Channe Dynamic Stabili 3) XR6, XR6T 4974 1868 1462 All se 107 107 107	Stand el ABS with Electron ty Control (DSC) in: and 4-channe G6, G6E, G6ET 4966 1868 1483 eries 12 73	ard solid disc brake w ic Brakeforce Distribu corporates Traction C 21 ABS with Electronic 1710 1757 1648 Interior dimensi Front hiproom Rear headroom Rear legroom Rear shoulder roo Luggage capacit Petrol EcoLPi S	vith single pi vith single pi vition (EBD) Control Syste c Brakeforce on a com ty (L) xR6 S S O	ston caliper and Emergency E em (TCS), Emerg Distribution (EB continued) continued) XR6 Turbo – –	Brake Assis ency Brake D) G6 S – S	All series All series 1486 989 989 1518 535 464 G6E S – S	5 G6E Turbc
Brakes and stability control Front brakes Rear brakes Anti-lock Braking System (ABS Dynamic Stability Control (DSC Kerb weight (kg) (approximat 6-Cylinder EcoLPI ^{12.} 6-Cylinder EcoLPI ^{12.} 4-Cylinder EcoBoost ^{13.} Exterior dimensions (mm) Overall length Overall neight Interior dimensions (mm) Front headroom Front legroom Front shoulder room Model engine and transmission ZF 6-speed manual transmission ZF 6-speed automatic transmis	2) 22 kerb weights 24965 1868 1488 1488 0005 55500 with sequession with	4-Channe Dynamic Stabili 3) XR6, XR6T 4974 1868 1462 All se 107 107 107 107 107 107 107 107 107 107	Stand el ABS with Electron ty Control (DSC) in: and 4-channe G6, G6E, G6ET 4966 1868 1483 eries 12 73	ard solid disc brake w ic Brakeforce Distribu corporates Traction C el ABS with Electronic 1710 1757 1648 Interior dimension Front hiproom Rear headroom Rear headroom Rear shoulder roo Luggage capacit Petrol EcoLPi XT S S O	vith single pi vith single pi vition (EBD) v control Syste c Brakeforce on ons (mm) (v c c c c c c c c c c c c c c c c c c c	ston caliper and Emergency E em (TCS), Emerg Distribution (EB continued) continued) XR6 Turbo - - - - -	Brake Assis ency Brake D) G6 S - S O	All series All series 1486 989 989 1518 535 464 G6E S - S O	66E Turbo
Brakes and stability control Front brakes Rear brakes Anti-lock Braking System (ABS Dynamic Stability Control (DSC Kerb weight (kg) (approximat 6-Cylinder EcoLPi ¹² 4-Cylinder EcoBoost ¹³ Exterior dimensions (mm) Overall length Overall neight Interior dimensions (mm) Front headroom Front legroom Front shoulder room Model engine and transmission ZF 6-speed automatic transmis 2.0L EcoBoost I6V ZF 6-speed automatic transmis EcoLPi 4.0L DOHC DI-VCT I6 (xT 4965 1868 1488 1488 ssion with sequession w	4-Channe Dynamic Stabili 3) XR6, XR6T 4974 1868 1462 All se 100 100 100 100 100 100 100 100 100 10	Stand el ABS with Electron ty Control (DSC) in: and 4-channe G6, G6E, G6ET 4966 1868 1483 eries 12 73	ard solid disc brake w ic Brakeforce Distribu- corporates Traction C el ABS with Electronic 1710 1757 1648 Interior dimension Front hiproom Rear headroom Rear legroom Rear shoulder roo Luggage capacit Petrol EcoLPi XT S S - S O S	vith single pi vith single pi vition (EBD) vi control Syste c Brakeforce on ons (mm) (vi com ty (L) xR6 S S S O - -	ston caliper and Emergency E em (TCS), Emerg Distribution (EB continued) continued) XR6 Turbo - - - - - -	Brake Assis ency Brake D) G6 S – S O S S	All series AAll series 1486 989 989 1518 535 464 535 464 535 464 535 464 535 535 464 535 535 464	G6E Turbo
Brakes and stability control Front brakes Rear brakes Anti-lock Braking System (ABS Dynamic Stability Control (DSC Kerb weight (kg) (approximat 6-Cylinder EcoLPi ¹² 4-Cylinder EcoBoost ¹³ Exterior dimensions (mm) Overall length Overall neight Interior dimensions (mm) Front headroom Front legroom Front shoulder room Model engine and transmission ZF 6-speed automatic transmis	xT 4965 1868 1488 1488 ssion with sequession w	4-Channe Dynamic Stabili 3) XR6, XR6T 4974 1868 1462 All se 100 100 100 100 100 100 100 100 100 10	Stand el ABS with Electron ty Control (DSC) in: and 4-channe G6, G6E, G6ET 4966 1868 1483 eries 12 73	ard solid disc brake w ic Brakeforce Distribu- corporates Traction C el ABS with Electronic 1710 1757 1648 Interior dimension Front hiproom Rear headroom Rear headroom Rear shoulder roo Luggage capacit Petrol EcoLPi XT S S O S O S O	vith single pi vith single pi vition (EBD) vi control Syste c Brakeforce on r 3 ons (mm) (vi com ty (L) XR6 S S O - - - O	ston caliper and Emergency E em (TCS), Emerg Distribution (EB continued) continued) XR6 Turbo 	Brake Assis ency Brake D) G6 S S O S O S O	All series All series 1486 989 989 1518 535 464 535 464 535 464 535 464 535 464	G6E Turbo
Brakes and stability control Front brakes Rear brakes Anti-lock Braking System (ABS Dynamic Stability Control (DSC Kerb weight (kg) (approximat 6-Cylinder EcoLPI ^{12.} 6-Cylinder EcoBoost ^{13.} Exterior dimensions (mm) Overall length Overall neight Interior dimensions (mm) Front headroom Front legroom Front shoulder room Model engine and transmission ZF 6-speed automatic transmis EcoLPi 4.0L DOHC DI-VCT I6 G-speed automatic transmission EcoLPi 4.0L DOHC DI-VCT I6 Composition (Composition) Different (Composition) Composition) Composition (Composition) Composition) Composition Compositio	xT 4965 1868 1488 1488 ssion with sequession w	4-Channe Dynamic Stabili 3) XR6, XR6T 4974 1868 1462 All se 100 100 100 100 100 100 100 100 100 10	Stand el ABS with Electron ty Control (DSC) in: and 4-channe G6, G6E, G6ET 4966 1868 1483 eries 12 73	ard solid disc brake w ic Brakeforce Distribu- corporates Traction C el ABS with Electronic 1710 1757 1648 Interior dimensi Front hiproom Rear headroom Rear legroom Rear shoulder roo Luggage capacit Petrol EcoLPi XT S S O S O S O S	vith single pi vith single pi vition (EBD) vi control Syste c Brakeforce ons (mm) (vi com ty (L) xR6 S S S O - - - O S	ston caliper and Emergency E em (TCS), Emerg Distribution (EB continued) continued) XR6 Turbo A A A A A A A A A A A A A A A A A A A	Brake Assis ency Brake D) G6 S S O S O S O S S	All series All series 1486 989 989 1518 535 464 535 464 535 464 535 464 535 464 535 464	G6E Turbo

S = Standard. O = Optional. - = Not available.

Power and torque figures measured using premium unleaded fuel (95 RON).
 Figures obtained from controlled tests using ADR 81/O2 (combined). Actual fuel consumption and CO₂ emissions will depend on many factors including driving habits, prevailing conditions and your vehicle's equipment, condition and use.
 Based on 6-speed automatic transmission (optional on XR6).
 Based on XR6, G6 and G6E with 6-speed automatic transmission (optional on XR6).
 Hen fitted with Genuine Ford towbar. Towball download and rear axle limits must not be exceeded. Please refer to your Ford Dealer for advice.
 When fitted with standard period on a do-speed automatic transmission and includes fuel to full capacity and no occupants or luggage.
 Approximate kerb weight for Falcon XT fitted with optional EcoBoost engine and standard 6-speed automatic transmission and includes fuel to full capacity and no occupants or luggage.
 Approximate kerb weight for Falcon XT fitted with optional EcoBoost engine and standard 6-speed automatic transmission and includes fuel to full capacity and no occupants or luggage.

Specifications and options

	ХТ	XR6	XR6 Turbo	G6	G6E	G6E Turbo
Ride and handling						
16" x 6.5" XT 10-spoke alloy wheels - 215/60 R16 tyres ^{15.}	S	_	-	_	_	_
18" x 8" XR6 10-spoke alloy wheels - 245/40 R18 tyres ^{15.}	_	S	S	_	_	_
19" x 8" XR6 10-spoke alloy wheels - 245/35 R19 tyres ^{15.}	_	P/A ^{16.}	P/A ^{16.}	-	_	_
17" x 8" G6 10-spoke alloy wheels - 235/50 R17 tyres ^{15.}	_	_	-	S	_	_
18" x 8" G-Series 20-spoke alloy wheels - 245/40 R18 tyres ^{15.}	_	_	-	_	S	_
19" x 8" G-Series 10-spoke alloy wheels - 245/35 R19 tyres ^{15.}	_	-	-	_	_	S
17" temporary spare wheel ^{17.}	S ^{18.}	S ^{18.}	S	S ^{18.}	S ^{18.}	S
Temporary mobility kit (EcoLPi only) ¹⁷	S	S	_	S	S	_
Matching spare alloy wheel ^{19.}	0	0	0	0	0	0
Limited slip differential	_	_	S	_	_	_
Exterior						
Prestige paint	0	0	0	0	0	0
Projector headlamps	_	S	S	_	S	S
Front LED position lamps	-	_	-	-	S	S
Sports body kit - side skirts and rear bumper	_	S	S	_	_	_
Rear lip spoiler	-	-	-	-	-	S
Sports rear spoiler	-	S	S	-	-	-
Front fog lamps	-	S	S	S	-	-
Side mirror turn indicators	-	-	-	-	S	S
Towbar - 1600kg rated ^{20.}	0	0	0	0	0	0
Instrumentation and controls						
Human Machine Interface (HMI) with Interior Command Centre	S	S	S	S	S	S
Premium ICC with 8" colour touch screen	0	S	S	S	S	S
Multi-function display including distance to empty, average speed, average fuel consumption, speed warning	S	S	S	S	S	S
Cruise control with steering wheel mounted controls	S	S	S	S	S	S
Steering wheel mounted audio controls	S	S	S	S	S	S
Leather wrapped steering wheel	-	-	-	S	-	-
Sports leather wrapped steering wheel	_	S	S	-	S	S
Comfort and convenience						
Single-zone automatic climate control	S	S	S	S	-	_
Dual-zone automatic climate control	-	P	P	-	S	S
Front and rear power windows Automatic headlamps	S	S	S	S	S	S
ON/OFF feature	S	S	S	S	S	S
Power adjustable side mirrors	S	S	S	S	-	-
Power adjustable side mirrors with memory and reverse auto adjust	-	-	-	_	S	S
Electrochromatic rear vision mirror	-	-	-	_	S	S
Alloy pedal covers	_	S	S	_	_	_
Front scuff plates	_	_	_	_	S	S
Overhead sunglasses console	_	_	_	_	S	S
Remote keyless entry	S	S	S	S	S	S
Driver's side carpet mat	S	S	S	S	S	S
Driver 5 Side carper Mat	2	2	3	2	2	

	хт	XR6	XR6 Turbo	G6	G6E	G6E Turbo
Seating						
Adjustable driver's seat lumbar support	S	S	S	S	S	S
Adjustable passenger's seat lumbar support	-	S	S	S	S	S
4-way power driver's seat	S	S	S	S	-	-
8-way power adjustable driver's seat with 3-position memory	-	_	-	_	S	S
60/40 split fold rear seats	S	S	S	S	S	S
Centre rear armrest with cup holders	-	S	S	S	S	S
Audio and communication						
Standard audio system with 5.8" monochrome display, AM/FM radio, single slot CD and 4 speakers	S	_	_	_	_	_
Prestige audio system with 8" colour touch screen, AM/FM radio, single slot CD and 6 speakers	P ^{21.}	S	S	S	_	_
Premium audio system with 8" colour touch screen, AM/FM radio, single slot CD, 8 speakers, 150 watt amplifier and subwoofer	_	Ρ	Ρ	_	S	S
8" colour touch screen	O ^{21.}	S	S	S	S	S
USB integration	S	S	S	S	S	S
MP3 CD capability	S	S	S	S	S	S
3.5mm auxiliary audio input	S	S	S	S	S	S
Satellite navigation system with Suna Traffic Message Channel(TMC) ^{22.}	_	Ρ	Ρ	_	S	S
Bluetooth [®] mobile phone integration ^{23.}	S	S	S	S	S	S
iPod Integration ^{24.}	S	S	S	S	S	S
Safety and security						
Intelligent Safety System	S	S	S	S	S	S
Driver and front passenger airbags	S	S	S	S	S	S
Front seat side/thorax airbags ^{25.}	S	S	S	S	S	S
Curtain airbags	S	S	S	S	S	S
Pyrotechnic pretensioners ^{25.}	S	S	S	S	S	S
Advanced restraints module	S	S	S	S	S	S
Crash severity sensor	S	S	S	S	S	S
Beltminder™ system ^{25.}	S	S	S	S	S	S
Dynamic Stability Control incorporating: ²⁶ Emergency Brake Assist (EBA), Anti-lock Braking System (ABS), Electronic Brakeforce Distribution (EBD), Traction Control	S	S	S	S	S	S
Reverse sensing system	S	S	S	S	S	S
Reverse camera	-	S	S	-	S	S
Driver fatigue warning	S	S	S	S	S	S
Perimeter alarm	-	-	-	-	S	S
Central locking all doors	S	S	S	S	S	S
Optional packs						
XR6 Luxury Pack						
Satellite navigation, 19" alloy wheels, leather trim inserts, premium audio system, dual-zone climate control, reverse camera	-	0	0	_	-	_

S = Standard. O = Optional. P = Part of optional pack. - = Not available. A = Accessory available at any time.

Set of four. 16. Wheels and tyres sold separately. 1f spare wheel, rim or tyre size differs from the other wheels fit of or if the temporary mobility kit utilised, the vehicle should be driven with caution, do not exceed 80km/h and the standard wheel and tyre should be fitted as soon as possible. 18. No cost option on EcoLPi. 19. Spare wheel matches road wheels. 20. Towball sold separately when factory fitted. Only available as an accessory with optional EcoLPi engine on XT, XR6, G6 and G6E. 21. Prestige audio system standard when optional 8" colour touch screen is selected on XT. 22. Ford has an arrangement to provide the Suna Traffic Channel broadcast for a minimum of 5 years from the time of vehicle manufacture. Coverage includes Melbourne, Sydney, Brisbane, Adelaide, Perth, Canberra and Gold Coast metropolitan areas. Refer to www.sunatraffic.com.au for full details.
 23. Bluetooth® is a registered trademark of Bluetooth SIG, inc. and is used under licence. Customers should consult their Ford Dealer on the ability of their mobile phone handset to integrate with the Bluetooth® system prior to making a purchase decision. Please visit www.ford.com.au/compatibility for compatibile devices. 24. iPodis a trademark of Apple Inc. Please refer to ford.com.au for iPod compatibility. 25. Driver and front passenger only.
 26. Dynamic Stability Control also known as Electronic Stability Control.



Quality

We design and build your Ford to feel as good after many years of service as it did the day you picked it up. And to drive just as beautifully, too.



Sustainability

Using advanced technology, we're committed to creating vehicles with improved fuel economy, reduced CO₂ emissions and a lower overall cost of ownership.



Safety

Ford's Intelligent Protection System uses sophisticated technology designed to help prevent an accident and, if one should happen, to help protect you.



Smart

Vehicles with smart, intuitive technologies designed to connect you to your world and many clever solutions that make life a little easier.

Speak to your Ford Dealer today about how we can help you make the most out of your vehicle ownership experience.

3 year/100,000km new car warranty."

For three years or 100,000km, whichever comes first, your Ford is covered against any defects in factory materials or workmanship. This also applies to Genuine Ford Accessories you may have had fitted before you took delivery.

5 year warranty against perforation corrosion.*

It's reassuring to know that the original body of your gleaming new Ford is guaranteed against perforation corrosion for the first five years of its life. If perforation corrosion occurs, we'll fix it for free.

myFord Warranties and Insurance.

When you first turn the key of your brand new Ford you want to do so without a care in the world. Our range of myFord products gives you that extra peace of mind. For more information about myFord Warranties and Insurance, visit your participating Ford Dealer for further details on the plans that best suit your needs. Terms, conditions and eligibility criteria apply.

12 months/15,000km service intervals.

Under normal driving conditions service intervals are 12 months or 15,000km, whichever occurs first.

Running a fleet?

Our Ford Fleet team is available to assist fleet customers with information on Ford products and services. Call 1300 13 13 30 or email askfleet@ford.com

Want to contact us?

For answers to your questions, or help with any concern, contact our Customer Relationship Centre on 13 FORD (13 3673) or email customers@fordcrc.com.au

Visit us on the web.

If you want more information on Ford or our entire product range, visit us at ford.com.au

myFord Capped Price Servicing.

Your new Ford vehicle now gives you access to myFord Capped Price Servicing, which means it makes even more sense to have your Ford looked after by the people who know your Ford back to front, inside and out. With myFord Capped Price Servicing, Ford will publish the maximum price you will pay for a standard A or B logbook service at participating Authorised Ford Dealers for all vehicles built from 2007 up to 7 years or 105,000 kilometres, whichever comes first.

In addition, when vehicles are serviced under myFord Capped Price Servicing, Retail and Blue Business Fleet Customers will also receive 12 months myFord Standard Roadside Assistance (RRP \$90).

For more details visit your local Ford Dealer or visit www.ford.com.au/myfordcps for full terms and conditions.

myFord Roadside Assistance.

Our commitment to your complete satisfaction plays a major role in everything we do. That is why we provide 1 year myFord Roadside Assistance for all Ford Falcon models. Wherever and whenever you need emergency roadside assistance, help is available 24 hours a day, 365 days a year. If your vehicle breaks down and cannot be repaired, we will organise to transport your vehicle to the nearest Ford Dealer or approved service centre for repair. myFord Roadside Assistance is valid for 1 year from the vehicle's first registration.

Quote Hot Deals Test Drive

Click to Request

#Conditions and exclusions apply. For more information visit ford.com.au/newvehiclewarranties

This brochure details specifications and features of the FG Falcon MkII. Please consult your Ford Dealer for the most recent specifications and availability information.

This brochure is designed to provide you with a general introduction to the Ford Products (including available optional equipment) referred to, and should be read in conjunction with the latest specification sheet. Because of changes in conditions and circumstances Ford* reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice, to discontinue or change the features, designs, materials, colours and other specifications and the prices of its products, and to either permanently or temporarily withdraw any such products from the market without incurring any liability to any prospective purchasers or purchasers. The latest specification sheet should be referred to for information on the availability, ordering and use of optional equipment. Always consult an authorised Ford Dealer for the latest information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order.

*FORD MOTOR COMPANY OF AUSTRALIA LIMITED. (A.B.N. 30 004 116 223) Registered Office: 1735 Sydney Road, Campbellfield, Victoria 3061, Australia. Printed August, 2013. FFALC0102. FG Falcon MkII Brochure. FRD00XXXX



ford.com.au