RANGER



Feel the difference



Want a truck that is also loaded up with the kind of features that let you enjoy life 'after work'? Or maybe you're after a sportier looking truck that's rugged enough to handle a hard day's work. Either way, there's one simple answer. Wildtrak. As its name suggests, the Ford Ranger Wildtrak adds a real sporting edge to some established tough truck credentials and gives you what you need to tackle the wilder side of life.

Wildtrak

The awesome Ranger Wildtrak puts an exciting sports edge to a legendary workhorse truck.

Legendary versatility



Gone are the days when a truck was all work and no play. You'll quickly find one of the Ranger's best features is its versatility, because regardless of whether you're loading up the dirt bikes or packing up the family and the camping gear to enjoy the great outdoors for the weekend, Ranger has what it takes to tackle the big weekend with as much gusto as a hard day's work.

The Ranger was designed for more than just hard work. You'll discover that when the day is over 'play time' begins and a whole world of possibilities opens up.





4x4 shift on the fly.*

Shift from two wheel to four wheel drive at a flick of the wrist. *With optional automatic transmission of selected models.

It's always good to know the moment things get rough underfoot you're not compromised by your vehicle's off-road capabilities. It's the reason why Ranger, with its high and low range gearbox, limited slip differential and shift on the fly capabilities, packs genuine 4x4 credentials. With durable suspension designed specifically for Australian conditions, the Ford Ranger won't let you down.

Genuine 4x4 credentials

The Ranger lets you get on with the job at hand no matter how tough the terrain gets.



While its bold lines, sure footed stance and host of stand-out exterior features tell you Ranger means business, its car-like interior means your clients or workmates travel in genuine comfort. Under the hood the hard working truck credentials are equally impressive. Without compromising on power, Ranger's turbo diesel engines help drive down your fuel costs and that's always good for business.

Tough to beat


Ranger is one business tool that can handle just about anything the worksite dishes up.



Duratorq common rail TDCi turbo diesel engine.

The Ford Duratorq engine provides a perfect combination of power, torque and fuel economy to offer superb performance and a car-like drive. The common-rail direct injection diesel engine with variable geometry turbocharger produces high levels of torque throughout the rev range, but is still outstandingly quiet for a great driving experience and a smooth and powerful ride.





2.5 litre TDCi

Maximum power: 105kW @ 3500 rpm Maximum torque: 330Nm @ 1800 rpm 3.0 litre TDCi

Maximum power: 115kW @ 3200 rpm Maximum torque: 380Nm @ 1800 rpm There's no questioning it, Ranger was built for hard work, but when it comes time for some R&R, like hooking up the boat for a fishing trip, it's nice to know that Ranger's up to the job. Leading the way is the 3.0L high pressure common rail turbo diesel. It delivers 115kW of power at 3200rpm and a whopping 380Nm of torque at only 1800rpm, while fuel economy comes in at 9.5L/100km*

*Figures obtained from controlled tests of 3.0L Manual model using ADR 81/02 (combined). Actual fuel consumption will depend on many factors including driving habits, prevailing conditions and your vehicle's equipment, condition and use.

Play time

Ranger delivers all the power you need to make the most of every minute away from work.





Thanks to a hefty payload that exceeds one tonne right across the range, massive loads are no problem.




Genuine Ford towpack makes towing a breeze, whether it's for work or a weekend trip.

With payloads of up to 1383kg,* a 2.25 tonne towing capacity[#] on 2.5L models and a huge 3 tonne towing capacity[^] on 3.0L manuals, Ranger will move just about anything. The high pressure common rail diesel platform gives you excellent fuel economy, and direct injection technology means loads of torque and powerful acceleration throughout the rev range, under all manner of load and towing conditions.

A reliable workforce

Regardless of how hard the task at hand is, Ranger is the trusted worker that every business can rely on.



XL Crew Cab Pick-up



With additional ground clearance as well as increased approach and departure angles, the Ranger Hi-Rider model handles tough terrain with ease.

	XL Crew Cab Pick-up	XL Crew Cab Pick-up Hi-Rider
A. Approach angle (degrees)	24	34
B. Ramp breakover angle (degrees)	21	28
C. Departure angle (degrees)*	19	26
Ground Clearance (mm)	181	207

Leave the bitumen at a worksite or decide to make an unscheduled detour off the beaten track and you could find yourself in trouble negotiating the terrain when it becomes more challenging. If you need extra ground clearance but don't want the extra cost of a 4X4, you can't go past the 4x2 Ranger Hi-Rider. You'll still enjoy all the hard working truck benefits that Ranger is renowned for, as well as being able to take all manner of rugged terrain in your stride.

XL Crew Cab Pick-up Hi-Rider



*Departure angle is measured at tailpipe for Cab Chassis and at rear bumper for Pick-up.

Ranger Hi-Rider

When the terrain gets a whole lot tougher you can depend on the Ranger Hi-Rider to get the job done.

The Super Cab Rear Access System, which features 2 rear hinged doors, provides easy access to the rear compartment for passengers as well as a safe storage area for valuable items such as tool boxes.



It starts the moment you get behind the wheel with ergonomic seating, clever instrument panel, short throw gearshift and a host of convenient and clever storage solutions. To keep business moving when you're on the move, Ranger can also double as an office with its two 12-volt DC accessory sockets that enable you to charge your mobile phone* and run your lap top computer.*

*Requires connection cable, sold separately.

A very business-like interior

There's no place like the interior of the Ranger to make work as comfortable as possible.



Car-like interior





The safety and security of keyless entry with central locking and engine immobiliser is standard across the range.





Storage tray. A convenient slide-out tray that can support a hefty 10kg.

control switches. Power windows and mirrors on every Ranger.

Power window

.



Slide behind the wheel and you quickly realise, Ranger is no ordinary truck. Ranger's spacious cabin looks and feels just like a family sedan, and the ride is just as comfortable. Power windows and side mirrors, central locking, engine immobiliser and remote keyless entry are standard across the range. Add to this an entertainment system with MP3 compatibility and 6 Disc CD Player on Wildtrak and XLT models and you have a package that's tough to beat.

The impressive list of car-like features means that in a Ranger getting to and from work has never been so comfortable.



1 Safety Cell.

Ranger's safety cell construction will help to protect you in the event of an accident. With a body structure that satisfies stringent European collision-safety standards, tough side impact beams and on Super Cab models, a front door and rear access panel that close to form a virtual B-pillar, Ranger is designed to disperse crash forces away from the vehicle's occupants.

2 Driver and front passenger airbags.

Standard on all Rangers are driver and front passenger airbags that activate in milliseconds to protect you in a frontal collision. What's more, front side head/thorax airbags are standard on XLT and Wildtrak models and are available as part of the optional Safety Pack on XL Super and Crew Cab models.

3 Keyless entry.

Remote keyless entry with 2 key fobs and central locking is standard on all Ranger models, providing security, convenience and peace of mind.

4 Engine immobiliser.

Standard on all models, the electronic engine immobiliser provides high security protection for your Ranger. In addition, an anti-theft alarm system is standard on XLT and Wildtrak models providing extra security for your Ranger.

5 Anti-lock Braking System.*

Anti-lock Braking System (ABS) prevents wheel lockup during hard braking, even on slippery surfaces, aiding the driver's ability to steer away from hazards. Electronic Brakeforce Distribution (EBD) optimises the distribution of braking force to the front and rear wheels helping to provide safe, effective braking and shorter stopping distances.



Ranger's high levels of safety start with a superior body construction that is designed to disperse crash forces away from the vehicle's occupants. Driver and front passenger airbags are standard across the range while front side head/thorax airbags are standard on XLT and Wildtrak models. And, with four wheel ABS with Electronic Brakeforce Distribution (EBD),* and load-sensing seatbelt pretensioners, you can rest assured Ranger doesn't compromise when it comes to safety.

Amongst the safest in its class

Whether it happens to be work or play, you can rest assured that Ranger is looking after you and your passengers.

Ranger 4x4 XLT Super Cab Pick-up shown in Silver Metallic.

The Ranger range









XL Super Cab Chassis Hi-Rider

XL Super Cab Pick-up Hi-Rider





XL Crew Cab Pick-up Hi-Rider

4x4 Models





XL Super Cab Chassis





XL Crew Cab Pick-up



Ranger really spoils you for choice. There are 17 models available and leading the way is the Wildtrak. On the outside Wildtrak boasts some serious style with 18" alloy wheels, unique sports bar and box rails, roof rails and a roller shutter.* On the inside you'll find a truly luxurious Alcantara/leather package with a multi-meter that displays inside/outside temperature, angle of vehicle tilt and a compass.





Wildtrak Crew Cab Pick-up

*Roller shutter is offered as a no cost option on Wildtrak.

Working hard, playing hard, or both, the extensive and versatile selection of models means there's a Ranger that's just right for your needs.







XL Single Cab Pick-up



XL Crew Cab Chassis Hi-Rider



XLT Crew Cab Pick-up Hi-Rider



XL Super Cab Pick-up



XLT Super Cab Pick-up





Exterior colour availability

Model	XL	XLT	Wildtrak
Standard paints			
Cool White	•	•	٠
Red	•	•	-
Prestige paints			
Desert Bronze	•	•	-
Black Mica	•	•	٠
Silver Metallic	•	•	٠
Titanium Grey	•	•	-
Winning Blue	•	•	٠
Highland Green	•	•	-

Exterior paint / seat trim colour combinations

Model	XL	XLT	Wildtrak			
Exterior paint/Seat trim	Dark Grey Cloth	Sports Weave	Alcantara/leather			
Insert/Bolster	Network/ Crosswise	Cascade/ Rockpool	Alcantara/ Leather			
Cool White	•	٠	•			
Red	•	•	-			
Desert Bronze	•	•	-			
Black Mica	•	٠	•			
Silver Metallic	•	٠	•			
Titanium Grey	•	٠	-			
Winning Blue	•	٠	•			
Highland Green	•	•	-			



Cool White






Titanium Grey

Network/Crosswisew





Alcantara/Leather





Winning Blue

Exterior colours



Desert Bronze



Silver Metallic



Highland Green



Black Mica

Personalise your Ranger. The choice is yours.

The Ford Vehicle Personalisation accessory range lets you personalise your Ranger to perfectly suit your needs.



Heavy duty rubber floor mats. Designed with a raised outer lip to help retain dirt and sand, these heavy duty floor mats will help protect your vehicle's interior.



Towpack. Genuine Ford towpack makes towing a breeze, whether it's for work or a weekend trip.



Snorkel. Moulded from high quality UV resistant polyethylene, this snorkel provides cooler and cleaner air to the engine, especially in dusty conditions, and a higher air intake position to assist with water crossings. Available on 3.0L models only.



EGR 3-piece Hard Tonneau. Helps to keep your valuable equipment and tools secure. Lightweight and impact resistant, manufactured in rugged and durable PC/ABS material. Features a single point push button system for easy locking.



Sports bar. Made from strong, polished stainless steel, the sports bar will enhance the look of your Ranger. Soft tonneau. Helps protect equipment and valuables from rain and dust. Features elasticised bungee looping and includes a steel tonneau bow to assist with water run-off.



Bull bar. Developed specifically for the Ford Ranger, this bull bar is designed to fully integrate with the vehicle's airbag system and is available on 3.0L models to help protect the front end of your vehicle in the case of an accident.



Scuff plates. Enhance your vehicle's appearance and help protect the doorstep from scratches and scuffs. Made from stainless steel.



Bedliner. Helps to protect rear cargo area and minimise movement of gear during transit. Optional 12V auxiliary power socket located in the Pick-up box area allows you to run compatible fridges and other equipment.



Mullins 16" Alloy Wheels. Give your Ford Ranger an even sportier edge with these eye-catching wheels.

* 1. Available only when vehicle is fitted with Genuine Ford bedliner (sold separately). 2. Wheels and tyres sold separately. 3. This accessory is a Supplier Branded Accessory and is not manufactured or warranted by Ford. The warranty is provided by t warranty applicable to this accessory. 4. It is recommended that tyres matching original equipment specification be fitted to Mullins wheels. 5. Available on Super and Crew Cab Pick-up Hi-Rider models only. 6. Available on Super and C separately. 9. Subject to State and Territory regulations. Genuine Ford towpacks include towbar, towball, and trailer wiring. 10. 3,000kg maximum towing capacity available on 3.0L manual models only. Towing capacity 2,500kg on 3.0L XL, XLT a is a registered trademark of Bluetooth SIG Inc., and is used under licence.

Options and accessories*

	XL	XLT	Wildtrak
Exterior styling			
Sports bar with high mounted stop light ^{1.6.}	А	S	-
16" Alloy wheels ^{2.}	А	А	-
Mullins B-LOC 15" alloy wheels ^{2, 3, 4,}	А	А	А
Mullins B-LOC 16" alloy wheels ^{2, 3, 4,}	А	А	А
Mullins Magnum 15" alloy wheels ^{2.3.4.}	А	А	А
Mullins Magnum 16" alloy wheels ^{2.3.4.}	А	А	А
Mullins Stampede Anthracite 15" alloy wheels ^{2.3.4.}	А	A	А
Mullins Stampede Anthracite 16" alloy wheels ^{2.3.4.}	А	A	А
Mullins Stampede Silver 15" alloy wheels ^{2.3.4.}	А	А	А
Mullins Stampede Silver 16" alloy wheels ^{2, 3, 4,}	А	А	А
Mullins SUBB RV 16" alloy wheels ^{2, 3, 4,}	А	А	A
Mullins SUBB RV Chrome 16" alloy wheels ^{2, 3, 4,}	А	А	А
Exterior protection			
Side steps ^{5.}	А	S	S
Bonnet protector	А	А	A
Soft tonneau cover ^{6.}	А	А	-
EGR 1-piece hard tonneau cover ^{3. 7.}	А	-	-
EGR 3-piece hard tonneau cover (for sports bar) ^{3.7}	-	А	-
Spare wheel lock	А	А	-
Weathershields ^{8.}	A	A	А
Towing and carrying			
Bedliner	A	S	S
Towpack - standard 1,800kg ^{9.}	А	А	A
Towpack - heavy duty 2,250kg (including load levelling kit) ^{9.}	А	А	А
Towpack - heavy duty 3,000kg (including load levelling kit) ^{910.}	А	А	A
Interior styling			
Scuff plate inserts ^{11.}	А	A	S
Centre console lid - leather	А	А	А
Interior comforts and storage			
Carpet mats ^{11.}	А	A	S
Rubber floor mats	А	A	A
Heavy duty rubber mats ^{11.}	А	А	A
In car electrical and entertainment			
Bluetooth® phone kit¹².	А	A	A
Auxiliary power socket (for bedliner) 12V ^{1.}	A	S	S

A = Offered as an accessory. S = Feature standard on this model. - = Feature not available on this model.

*Refer to previous page for disclaimers relating to the Options and accessories table.

Mechanical specifications

Engine	2.5L TDCi (T	urbo diesel)	3.0l TDCi (turbo diesel)				
Engine type	4 Cyl E	ОНС	4 Cyl DOHC				
Engine size (cc)	249	99	2953				
Compression ratio	18.0	D:1	18.	.0:1			
Maximum power (EEC)	105kW @ 3	3500rpm	115kW @	3200rpm			
Maximum torque (EEC)	330Nm @	1800rpm	380Nm @) 1800rpm			
No. of valves	16	ō	1	6			
Bore x stroke	93 x 9	2mm	96 x 1	02mm			
Fuel management system	Advanced hig	h pressure co fuel manage	mmon-rail dii ment system	rect-injection			
Transmission ratios	5-speed manual	5-speed auto	5-speed manual	5-speed auto			
Jst	4.294	3.220	4.294	3.220			
2 nd	2.413	2.290	2.413	2.290			
3 rd	1.491	1.550	1.491	1.550			
4 th	1.000	1.000	1.000	1.000			
5 th	0.800	0.710	0.800	0.710			
Reverse	3.391	3.070	3.391	3.070			
	-		Low: 2.020	Low: 2.480			
4x4 transfer case ratios	-		High: 1.000	High: 1.000			
Differential							
Final drive ratio	3.41	6:1	3.7	27:1			
Fuel							
Fuel tank capacity (L)	63	3	7	0			
Fuel consumption (L/100km) ^{1.}	8.5	9.9	9.5	10.2			
CO_2 emissions (grams/km) ^{1.}	225	263	251	271			
Electrical/clutch							
Battery (type)	95D	31R	950	031R			
Alternator	12V - 70) Amp	12V - 7	'0 Amp			
Clutch type (manual transmission only)	Hydraulic, sin with diaphra		Hydraulic, single dry plate with diaphragm spring				
Clutch dimensions (manual transmission only)	250 x 1	55mm	250 x 155mm				
Towing capacity							
Braked ^{2.4.}	2250	Okg	3000kg	2500kg			
Unbraked ^{3.4.}	750	kg	750kg	750kg			

1. Figures obtained from controlled tests using ADR 81/02 (combined). Actual fuel consumption and emissions will depend on many factors including driving habits, prevailing conditions and your vehicle's equipment, condition and use.
2. When fitted with a Genuine Ford heavy duty towpack and load levelling kit. Subject to State and Territory regulations.
3. When fitted with a Genuine Ford towpack. Subject to State and Territory regulations.
4. The weight of the vehicle must not exceed the Gross Vehicle Mass (GVM).
The combined weight of the fully loaded vehicle and trailer must not exceed the Gross Combination Mass (GCM). Maximum individual axle loads must not be exceeded. Towball download must not exceed 10% of the towed weight. Towball download must not exceed 250kg.

Specifications and options 4x2

	Single XL C/C	Single XL C/C HR	Sing P/		Super XL C/C HR	Super XL P/U HR	Crew XL C/C HR	Crew XL P/U		w XL U HR		w XLT U HR		
Mechanical														
2.5L TDCi 5-speed manual transmission	S	-	S	-	-	-	-	-	-	-	-	-		
2.5L TDCi 5-speed automatic transmission	_	_	_	0	_	_	_	S	_	-	_	_		
3.0L TDCi 5-speed manual transmission	_	S	_	_	S	S	_	_	S	_	S	_		
3.0L TDCi 5-speed automatic transmission	_	_	_	_	_	_	S	_	_	0	_	0		
Vehicle masses (kg)	Bench Bucket	1					_							
Gross Vehicle Mass ^{6.}	seat seat 2870 2790	2842	2790	2810	2917	2917	2914	2853	2894	2914	2894	2914		
Kerb mass (maximum)	1487 1489	1535	1627	1641	1626	1745	1685	1739	1780	1800	1868			
Payload (maximum) ⁷	1383 1301	1307	1163	1169	1291	1172	1229	1114	1114	1114	1026			
Front axle load (maximum)	1170 1170	1430	1170	1170	1430	1430	1430	1170	1430	1430	1430			
Rear axle load (maximum)	1860 1860	1850	1860	1860	1850	1850	1850	1860	1850	1850	1850	1850		
Gross Combination Mass ^{8.}	5100 5100	5500	5100		5500	5500	4875	5100	5500					
Exterior dimensions (mm) ^{9.}														
Overall length	4848	4848	517	73	4848	5173	4848	5173	51	173	51	179		
Overall width ^{10.}	1715	1788	171		1788	1788	1788	1715		88		788		
Overall height	1622	1743	162		1743	1743	1755	1630		'55		762		
Wheelbase	2985	3000	298		3000	3000	3000	2985	30	000	30	000		
Front track	1445	1445	144	45	1445	1445	1445	1445	14	45	14	475		
Rear track	1450	1440	145	50	1440	1440	1440	1450	14	40	14	470		
Front overhang	888	888	88	8	888	888	888	888	8	88	88	88		
Rear overhang	_	_	130	0	-	1285	-	1300	12	85	12	291		
Ground clearance	181	207	18	1	207	207	207	181	20	07	2	214		
Wading depth	400	750	40	0	750	750	750	400	7:	50	75	50		
Approach angle (degrees)	24	34	24	4	34	34	34 24		З	34		34		
Departure angle (degrees) ^{11.}	23	33	19	19 33 26 33 19		19	26		15					
Ramp breakover angle (degrees)	21	28	28 21		28	28	28	21	2	28	2	28		
Interior dimensions (mm)														
Front headroom	1012	1012	1012		1012	1012	1012	1012	10	1012		012		
Rear headroom	-	-	_		937	937	963	963	90	63	90	63		
Front legroom (maximum)	1049	1049	104	¥9	1068	1068	1068	1068	10	68	10)68		
Rear legroom (minimum)	-	-	_		789	789	831	831	8	31	8	331		
Front shoulder room	1405	1405	1405		1405	1405	1405	1405	14	05 14		405		
Rear shoulder room	-	_	_		1405	1405	1409	1409	1409		14	÷09		
Pick-up box dimensions (mm)														
Load length - at floor	2280	2280	228	30	1753	1753	1530	1530	1530		15	530		
Load width - at floor	1456	1456	145	56	1456	1456	1456	1456	1456		14	456		
Load width - at top	1459	1459	145	59	1459	1459	1459	1459	1459 1459		14	¥59		
Load width - between wheelhouses	1090	1090	109	90	1090	1090	1090	1090	1090		1090		10	90
Load height - at floor	465	465	46	5	465	465	465	465 465 4		465 4		65		
Width of rear opening	1328	1328	132	28	1328	1328	1328	1328	13	28	13	328		
Ride and handling														
Fully independent double wishbone front suspension	S	S	S		S	S	S	S	c.	S	0	S		
Dual rate semi-elliptic leaf spring rear suspension	S	S	S S S S S		S	S S			S					
Front ventilated disc brakes	S	S	S	S S S S S			S		S					
Power steering (RPM sensitive)	S	S	S		S	S	S	S		S		S		
Turning circle - kerb-to-kerb (m)	12.0	12.6	12.	0	12.6	12.6	12.6	12.0	12	2.6	12	2.6		
15" x 6.5" steel wheel with 215/70R15 tyres ¹² .	S	_	S		_	_	_	S		_				
15" x 6.5" styled steel wheel with 235/75R15 tyres ^{13.}	_	S			S	S	S	_		S				
-			_					_		_		S		
16" x 7.0" alloy wheel with 245/70R16 tyres ^{13.}	-	-	_		-	-	-	_		-	S			

HR = High Rider. C/C = Cab Chassis. P/U = Pick-up.

5. Air conditioning is mandatory with optional bucket seats and/or optional automatic transmission (where available). 6. Gross Vehicle Mass (GVM) is defined as the sum of the kerb mass and the payload. 7. Payload is defined as the maximum combined value of occupants/cargo/added options/added structures/towball download (when towing). 8. Includes braked trailer. 9. Cab Chassis dimensions with optional factory fitted tray (where available). 10. Excludes exterior side mirrors.

	Single XL C/C	Single XL C/C HR	Single XL P/U	Super XL C/C HR	Super XL P/U HR	Crew XL C/C HR	Crew XL P/U	Crew XL P/U HR	Crew XLT P/U HR
Exterior									
Body colour rear step bumper	-	_	S	-	S	_	S	S	-
Stainless steel rear step bumper	-	-	-	-	-	_	-	-	S
Painted wheel arch flares with integrated mud flaps	_	-	-	-	-	-	-	-	S
Black moulded wheel arch flares with integrated mud flaps	_	S ^{14.}	_	S ^{14.}	S	S ^{14.}	-	S	_
Mud flaps	S ^{14.}	-	S	_	-	-	S	_	-
4-door Dual Rear Access System	-	-	-	S	S	-	-	-	-
Front fog lamps	_	_	_	-	-	_	-	_	S
Power exterior mirrors	S	S	S	S	S	S	S	S	S
Chrome exterior mirrors, door & tailgate handles	-	-	-	-	-	-	-	-	S
Aluminium side steps	-	-	_	_	_	-	-	_	S
Chrome sports bar with high mounted stop lamp	-	-	-	-	А	_	А	А	S
Bedliner with 12 volt power socket	-	-	-	-	A ^{15.}	_	A ^{15.}	A ^{15.}	S
External rope rail	-	-	S	-	S	-	S	S	-
Inner rope hooks	-	-	-	-	-	-	-	-	S
Aluminium tray	0	0	-	0	-	-	-	-	-
Safety and security									
Driver and front passenger airbags	S	S	S	S	S	S	S	S	S
4-wheel Anti-lock Braking System (ABS) with Electronic Brakeforce Distribution (EBD)	0	0	0	-	-	S	-	-	S
Safety pack featuring 4-wheel ABS with EBD, front side head/thorax airbags and sports weave trim	-	-	-	0	0	-	0	0	_
Front side head/thorax airbags	_	_	_	_	_	S	_	_	S
Anti-theft alarm system	_	_	_	_	_	_	_	_	S
Engine immobiliser & central locking	S	S	S	S	S	S	S	S	S
Remote fuel lid opener	_	_	S	_	S	_	S	S	S
Remote keyless entry with 2 key fobs	S	S	S	S	S	S	S	S	S
Interior									
Tilt adjustable steering column	S	S	S	S	S	S	S	S	S
Air-conditioning	NCO ^{5.} /A	S	S	S	S	S	S	S	S
Leather steering wheel and gear knobs ^{16.}	_	_	_	_	_	_	_	_	S
Power windows ^{17.}	S	S	S	S ^{17.}	S ^{17.}	S	S	S	S
Inner chrome door handles	_	_	_	_	_	_	_	_	S
Fan boosted ventilation/heater/demister	S	S	S	S	S	S	S	S	S
Heated rear window	_	_	_	S	S	S	S	S	S
Interior storage									
Passenger side sliding lunch tray	S	S	S	S	S	S	S	S	S
Double lid centre console with arm rest	_	_	_	S	S	S	S	S	S
Under floor storage in rear compartment	_	_	_	S	S	_	_	_	_
Seating and trims									
Dark Grey Cloth trim	S	S	S	S	S	_	S	S	_
Sports Weave trim	_	_		O ^{18.}	O ^{18.}	S	O ^{18.}	O ^{18.}	S
Front bench seat	S	_	_	_	_	_	_	_	
Front bucket seats	O ^{5.}	S	S	S	S	S	S	S	S
Rear jump seats	_	_		S	S	_	_	_	
Rear bench seat with head rests	_	_	_			S	S	S	S
Vinyl floor covering	S	S	S	_	_	_	_	_	
Cloth floor covering	-	-	-	S	S	S	S	S	S
Audio & communication									
iPod/MP3 connectivity ^{19.}	S	S	S	S	S	S	S	S	S
Single slot CD player with MP3 compatibility	S	S	S	S	S	S	S	S	-

S = Standard. O = Options that can be ordered before a vehicle is manufactured. A = Accessory that can be added at any time. NCO = No cost option. - = Feature not available.

11. Departure angle is measured at tailpipe for Cab Chassis and at rear bumper for Pick-Up. 12. Set of five. 13. Set of four. 14. Front only. 15. Bedliner and 12 volt auxiliary power socket sold separately. 16. Leather gear knobs on manual transmission XLT/Wildtrak models. Not available with optional automatic transmission. 17. Super Cab models power front windows only. 18. Sports Weave trim is mandatory with safety pack option. 19. iPod or MP3 player not included. iPod is a trademark of Apple Inc. Please refer to www.ford.com.au for iPod compatibility.

Specifications and options 4x4

		Single XL C/C	2	Super XL C/C	Super XL P/U	х	iper LT /U)	ew (L /C)	ew (L /U	х	rew (LT //U	Wil	rew dtrak 9/U																																																																																				
Mechanical		0,0				· · ·						· · ·			/0																																																																																				
3.0L TDCi 5-speed manual transmission	S	S	_	S	S	S	_	S	_	S	_	S	_	S	_																																																																																				
3.0L TDCi 5-speed automatic transmission	_	_	O ^{20.}	_	_	_	0	_	0	_	0	_	0	_	0																																																																																				
Vehicle masses (kg)	Manual	Manual	Automatic Bucket seat																																																																																																
Gross Vehicle Mass ^{21.}	3037	2957	2967	3032	3032	3032	3042	3009	3019	3009	3019	3009	3019	3011	302																																																																																				
Kerb mass (maximum)	1654	1656	1666	1747	1866	1957	1967	1786	1796	1901	1911	1989	1999	1995	200																																																																																				
Payload (maximum) ^{22.}	1383	1301	1301	1285	1166	1075	1075	1223	1223	1108	1108	1020	1020	1016	1016																																																																																				
Front axle load (maximum)	1430	1430	1430	1430	1430	1430	1430	1430	1430	1430	1430	1430	1430	1430	1430																																																																																				
Rear axle load (maximum)	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850																																																																																				
Gross Combination Mass ^{23.}	5500	5500	4875	5500	5500	5500	4875	5500	4875	5500	4875	5500		5500																																																																																					
Exterior dimensions (mm) ^{24.}	3300	3300	4075	3300	5500	3300	4075	5500	4075	5500	4075	3300	4075	5500	407																																																																																				
		4848		4848	5173		79	48	4.0		73		79		179																																																																																				
Overall length																																																																																																			
Overall width ^{25.}		1788		1788	1788	17		178			88		88		88																																																																																				
Overall height		1743		1743	1743	17		17:			55		62		762																																																																																				
Wheelbase		3000		3000	3000		00	30			00		00		000																																																																																				
Front track		1445		1445	1445	14		14			45		-75		85																																																																																				
Rear track		1440		1440	1440	14		14			40		70		80																																																																																				
Front overhang		888		888	888		38	88			38		88		88																																																																																				
Rear overhang		-		-	1285	12	.91	-	_	12	85	12	91	12	291																																																																																				
Ground clearance		207		207	207	2	14	20	07	20	77	2	14	2	214																																																																																				
Wading depth		750		750	750	75	50	75	50	75	50	75	50	7	50																																																																																				
Approach angle (degrees)		34		34	34	3	4	3	4	3	4	3	34		34																																																																																				
Departure angle (degrees) ^{26.}		33		33	26	1	5	3	3	2	6	1	15 15		15																																																																																				
Ramp breakover angle (degrees)		28		28	28	2	8	2	8	2	8	2	28 2		28																																																																																				
Interior dimensions (mm)																																																																																																			
Front headroom		1012		1012	1012	10	12	10	12	10	12	1012		10	012																																																																																				
Rear headroom		-		937	937	9	37	96	53	90	53	9	63	963																																																																																					
Front legroom (maximum)		1049		1068	1068	10	68	10	68	10	68	1068		10	68																																																																																				
Rear legroom (minimum)		-		789	789	78	39	8	31	831		831		831		831		831		831		831		831		831		831		831		831		831		831		831		831		831		831		831		831		831		831		831		831		831		831		831		831		831		831		831		831		831		831		831		831		831		831		831		831 831		831 831		831 831		831 831		831 831		8	331
Front shoulder room		1405		1405	1405	14	05	14	05	14	05	1405		14	05																																																																																				
Rear shoulder room		-		1405	1405	14	05	14	09	14	09	1409		14	09																																																																																				
Pick-up box dimensions (mm)																																																																																																			
Load length - at floor		2280		1753	1753	17	53	15	30	15	30	1530 15		530																																																																																					
Load width - at floor		1456		1456	1456	14	56	14	56	14	56	14	56	14	-56																																																																																				
Load width - at top		1459		1459	1459	14	59	14	59	14	59	14	59	14	59																																																																																				
Load width - between wheelhouses		1090		1090	1090	10	90	10	90	10	90	1090		1090		1090		1090		1090		1090		1090		1090		1090		10	90																																																																				
Load height - at floor		465		465	465	40	55	46	55	40	55	40	65	4	65																																																																																				
Width of rear opening		1328		1328	1328	13	28	13	28	13	28	13	28	13	328																																																																																				
Ride and handling																																																																																																			
Fully independent double wishbone front suspension		S		S	S	0	5	ç	5	0	5	0	5		S																																																																																				
Dual rate semi-elliptic leaf spring rear suspension		S		S	S		5	9	5	0	5		5		S																																																																																				
Front ventilated disc brakes		S	S S S S		S S		5	0	5		S		S																																																																																						
Power steering (RPM sensitive)		S	S S S S S S		5		S																																																																																												
Turning circle - kerb-to-kerb (m)		12.6			12	2.6	13	3.0																																																																																											
15" x 6.5" styled steel wheel with 235/75R15 tyres ^{28.}		S		S	S																																																																																														
16" x 7.0" alloy wheel with 245/70R16 tyres ^{28.}		_		_	_	(5	-			- S				_																																																																																				
18" x 7.5" alloy wheel with 255/60R18 tyres ^{27.}		_		_	_		_	_			_				S																																																																																				
Limited Slip Differential (LSD)		S		S	S		5		5		5		5	S																																																																																					
4X4 Shift on the fly		S		S	S		5		5		5		5 5		s S																																																																																				
Electronic remote front wheel hub lock		S		S	S		5		5		5																																																																																								
Electronic remote none wheel nob lock		3		2	2		J		ر		ر	S		S S																																																																																					

HR = High Rider. C/C = Cab Chassis. P/U = Pick-up.

20. Air conditioning is mandatory with optional bucket seats and/or optional automatic transmission (where available). 21. Gross Vehicle Mass (GVM) is defined as the sum of the kerb mass and the payload. 22. Payload is defined as the maximum combined value of occupants/cargo/added options/added structures/towball download (when towing). 23. Includes braked trailer. 24. Cab Chassis dimensions with optional factory fitted tray (where available). 25. Excludes exterior side mirrors. 26. Departure angle is measured at tailpipe for Cab Chassis and at rear bumper for Pick-Up.

CrCrPUPUPUCrPU <th></th> <th>Single XL</th> <th>Super XL</th> <th>Super XL</th> <th>Super XLT</th> <th>Crew XL</th> <th>Crew XL</th> <th>Crew XLT</th> <th>Crew Wildtrak</th>		Single XL	Super XL	Super XL	Super XLT	Crew XL	Crew XL	Crew XLT	Crew Wildtrak
Body close rate rate borner - - - S - - S Statistics state inar step burner - - - S - - S Back multide with integrated mult flips - - S S - - S Back multide with integrated mult flips - - - S <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>P/U</th>									P/U
Body colour ray size bumper - - S - - S - - S Stanises stel iear size bumper - - - S - - S - - S - - S - - S - - S - - S - - S - - S - </td <td>erior</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	erior								
Spanless steel versites the pumper -		_	_	5	_	_	5	_	_
Painted wheel arch flares with integrated mud flaps - - - S - S ¹⁸ - -									S
Black moduled wheel and Integrated mud flags S ^M S ^M S - S ^M S - S S S - - - Adder Dual Rear Access System - S <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>S</td>									S
- door Dual Rear Access System - <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>									
Pront log lampsSSS		-	-			-			
Power extentor mitrons S Chrome exterior mitrors, door and talgate handles - S - - - - - - - - - - - - - - - - - <	-								S
Chrome exterior martines does not tailgate handles S S S S S S S									S
Exerior mirrors with Integrated LED turn Indicator and paddle lampa and paddle lampa Alumnihum side steps Reof rails Chrome sports bar with high mounted step lamp A Acrodynamic sports bar Chrome sports bar with high mounted step lamp A Bediler shutter 									S
and pudle lampsnnn					5			5	
Reof rails -	l puddle lamps	-	-	-	-	-	-	-	S
Chrome sports bar with high mounted stop lamp – – – A S – – A S – – A S Aerodynamic sports bar – – – – – – – – – – – – – – – – – – –									S
Aerodynamic sports bar - <td></td> <td>-</td> <td>_</td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td>S</td>		-	_			-			S
Roller shutter -		-	-			-			-
Bedliner with 12 volt power socket - - A ³² S - A ³² S External tope rail - - S - - S - Inner rope hooks - - - S - - - Safety and security O O - - - - - S Safety pack featuring 4-wheel ABS with Electronic O - - S - - S Safety pack featuring 4-wheel ABS with Electronic O - - S - - S Front side head/thora: airbags - - - S - - S Front side head/thora: airbags - - - S <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>S</td>									S
External rope rail - - S - - S - Inner rope hooks - - - S S - - S Aduminum tray O O - - - S S Safety and fort passenger airbags S									NCO ^{31.}
Inner rope hooks - - S - - S Aluminium tray O O - - - - Safety and security Diver and front passenger airbags S									S
Aluminium tray O O - - - - - - Safety and security D D - S		-	-						-
Safety and security Driver and front passenger airbags S S S S S S S S Barkeforce Distribution (GED) O - - S - S Safety pack featuring 4-wheel ABS with EBD, front side head/thorax airbags - - S - - S Anti-theft alarm system - - S - - S Engine Immobiliser & central locking S		-	-						S
Driver and front passenger airbags S		0	0	-	_	-	-	-	-
4-wheel Anti-lock Braking System (ABS) with Electronic Brakeforce Distribution (EBD) 0 - - S - S Brakeforce Distribution (EBD) - - - - - - - - - - - - - - - S - - S Form Side head/thorax alrbags - - - S - - S - - S Form Side head/thorax alrbags - - - S	ety and security								
Brakeforce Distribution (EBD) O - - S - - S Sately pack / Head MS with EBD, front side head/thorax airbags and sports weave trim - - - S - - S - - S - - S - S	er and front passenger airbags	S	S	S	S	S	S	S	S
head/thorax airbags - - - - 0 - - - - S - - S Front side head/thorax airbags - - - S - - S		0	_	-	S	-	-	S	S
Anti-theft alarm system - - S - - S Engine immobiliser & central locking S		_	0	0	-	O ^{33.}	0	-	-
Engine immobilitier & central locking S	nt side head/thorax airbags	-	-	-	S	-	-	S	S
Remote fuel lid opener - - S S - S S Remote keyless entry with 2 key fobs S	i-theft alarm system	-	-	-	S	-	-	S	S
Remote keyless entry with 2 key fobs S	ine immobiliser & central locking	S	S	S	S	S	S	S	S
Interior - S<	note fuel lid opener	-	_	S	S	-	S	S	S
Multi-meter - S <th< td=""><td>note keyless entry with 2 key fobs</td><td>S</td><td>S</td><td>S</td><td>S</td><td>S</td><td>S</td><td>S</td><td>S</td></th<>	note keyless entry with 2 key fobs	S	S	S	S	S	S	S	S
Tilt adjustable steering column S S S S S S S Air-conditioning NCO ²⁶ /A S S S S S Leather steering wheel and gear knobs ^{3A} - - - S - - Power windows ^{3A} S S ³⁵ S ³⁵ S ³⁵ S S S Power windows ^{3A} - - - S - - S Power windows ^{3A} - - - S S S S Inner chrome door handles - - - S S S S Fab boosted ventilation/heater/demister S S S S S S Heated rear window - S S S S S S Interior storage - - S S S S S Double lid centre console with arm rest - S S S S S Dark forey Cloth trim S S S S - - - Sports Weave trim - O ³⁶ S S S S S S	erior								
Air-conditioning NCO ²⁰ /A S S S S S S S Leather steering wheel and gear knobs ^{34.} - - - S - - S Power windows ^{34.} S S ^{35.} S ^{35.} S ^{35.} S S S S Power windows ^{34.} - - - S	ti-meter	-	_	-	_	_	-	_	S
Air-conditioning NCO ²⁰ /A S S S S S S S S Leather steering wheel and gear knobs ^{34.} - - - S - - S Power windows ^{35.} S S S ^{35.} S ^{35.} S ^{35.} S S S Power windows ^{35.} S S	adjustable steering column	S	S	S	S	S	S	S	S
Note State and gear knobs ^{34.} - - - - - - S - - S Power windows ^{35.} S S S ^{35.} S ^{35.} S ^{35.} S S <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>S</td>									S
Power windows ³⁵ S S S ^{35.} S ^{35.} S ^{35.} S S S Inner chrome door handles - - - S - - S Fan boosted ventilation/heater/demister S									S
Inner chrome door handlesSSFan boosted ventilation/heater/demisterSSSSSSSHeated rear window-SSSSSSSInterior storage-SSSSSSSSDouble lid centre console with arm rest-SSSSSSSSUnder floor storage in rear compartment-SSSSSSSSDark Grey Cloth trimSSSSSSSSSSSports Weave trim-O ³⁶ O ³⁶ SO ³⁶ SO ³⁶ SSSSFront bench seatS<		5	S 35.	S 35.			5		S
Fan boosted ventilation/heater/demisterSSSSSSSHeated rear window–SSSSSSSInterior storagePassenger side sliding lunch traySSSSSSSSSSDouble lid centre console with arm rest–SS </td <td></td> <td></td> <td>-</td> <td>-</td> <td></td> <td></td> <td></td> <td></td> <td>S</td>			-	-					S
Heated rear window-SSSSSSSInterior storagePassenger side sliding lunch traySSSSSSSSDouble lid centre console with arm rest-SSSSSSSUnder floor storage in rear compartment-SSSSSSSSeating and trimsSSSSDark Grey Cloth trimSSSSSSSports Weave trim-O ³⁶ O ³⁶ SO ³⁶ SO ³⁶ SSAlcantara leather trim (with Wildtrak logo)Front bucket seatsO ²⁶ SSSSSSSSRear jump seats-SSSSSSSSSVinyl floor coveringSCloth floor covering-SSSSSSSSAutio & communication-SSSSSSSS									S
Interior storagePassenger side sliding lunch traySSSSSSSDouble lid centre console with arm rest-SSSSSSSUnder floor storage in rear compartment-SSSSeating and trims-SS-SSDark Grey Cloth trimSSS-SSO36.SSports Weave trimO36.O36.SO36.SS									S
Passenger side sliding lunch traySSSSSSSSSDouble lid centre console with arm rest-SSSSSSSUnder floor storage in rear compartment-SSSSSeating and trims-SSS-SSDark Grey Cloth trimSSSS-SSSports Weave trim-O ^{36.} O ^{36.} SO ^{36.} SO ^{36.} SSSAlcantara leather trim (with Wildtrak logo)Front bench seatSRear jump seats-SSSSSSSSSSVinyl floor coveringSAudio & communication-SSSSSSSSS		_		5	5	5	5	2	5
Double lid centre console with arm rest-SSSSSSUnder floor storage in rear compartment-SSSSeating and trimsDark Grey Cloth trimSSS-SS-Sports Weave trim-O ^{36.} O ^{36.} SO ^{36.} SAlcantara leather trim (with Wildtrak logo)Front bench seatSFront bucket seatsO ^{20.} SSSSSRear jump seats-SSSSSSVinyl floor coveringSCloth floor covering-SSSSSSAudio & communication-SSSSSS									
Under floor storage in rear compartment-SSSSeating and trimsDark Grey Cloth trimSSS-SS-Sports Weave trim-O36.O36.SO36.SO36.SAlcantara leather trim (with Wildtrak logo)Front bench seatSFront bucket seatsO ^{20.} SSSSSSSRear jump seats-SSSSSSSVinyl floor coveringSCloth floor covering-SSSSSSSAudio & communication-SSSSSSS									S
Seating and trims Dark Grey Cloth trim S S S - S S - Sports Weave trim - O ³⁶ O ³⁶ S O ³⁶ S Alcantara leather trim (with Wildtrak logo) - - - - - - Front bench seat S - - - - - - Front bucket seats O ²⁰ S S S S S S Rear jump seats - S S S S S S S S Niyl floor covering S - - - - - - Alcantara leather trim (with Mead rests - S									S
Dark Grey Cloth trim S S S S S S S - S S - Sports Weave trim - 0 ³⁶ 0 ³⁶ S 0 ³⁶ O ³⁶ S Alcantara leather trim (with Wildtrak logo) - <td< td=""><td></td><td>-</td><td>5</td><td>5</td><td>5</td><td>-</td><td>-</td><td>-</td><td>-</td></td<>		-	5	5	5	-	-	-	-
Sports Weave trim - O ^{36.} O ^{36.} S O ^{36.} O ^{36.} S Alcantara leather trim (with Wildtrak logo) - <									
Alcantara leather trim (with Wildtrak logo) -					-			-	-
Front bench seat S -		-	O ^{36.}	O ^{36.}	S	O ^{36.}	O ^{36.}	S	-
Pront bucket seats O ²⁰ S S	antara leather trim (with Wildtrak logo)	-	-	-	-	-	-	-	S
Rear jump seats - S S S - - - Rear bench seat with head rests - - - - S </td <td>1t bench seat</td> <td></td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td>	1t bench seat		-	-	-	-	-	-	-
Rear banch seat with head restsSSSVinyl floor coveringSCloth floor covering-SSSSSSSAudio & communication	nt bucket seats	O ^{20.}	S	S	S	S	S	S	S
Vinyl floor covering S -	r jump seats	-	S	S	S	-	-	-	-
Cloth floor covering – S S S S S S S Audio & communication	r bench seat with head rests	-	_	-	-	S	S	S	S
Audio & communication	/l floor covering	S	-	-	-	-	-	-	_
	th floor covering	-	S	S	S	S	S	S	S
	lio & communication								
	d/MP3 connectivity ^{37.}	S	S	S	S	S	S	S	S
Single slot CD player with MP3 compatibility S S S – S S –		S	S	S	_	S	S	-	_
6-disc in-dash CD player with S S	isc in-dash CD player with								S

S = Standard. O = Options that can be ordered before a vehicle is manufactured. A = Accessory that can be added at any time. NCO = No cost option. - = Feature not available.

27. Set of five. 28. Set of four. 29. With optional automatic transmission. 30. Front only. 31. Payload is reduced by 44kg when roller shutter is fitted. 32. Bedliner and 12 volt auxiliary power socket sold separately. 33. Safety pack is mandatory with optional automatic transmission (where available). 34. Leather gear knobs on manual transmission XLT/Wildtrak models. Not available with optional automatic transmission. 35. Super Cab models power front windows only. 36. Sports Weave trim is mandatory with safety pack option. 37. iPod or MP3 player not included. iPod is a trademark of Apple Inc. Please refer to www.ford.com.au for iPod compatibility.

Making your ownership experience even more rewarding.

A great car is just the beginning.

We support you with a wide range of services that aim to make you one of the most satisfied vehicle owners in Australia. Speak to your Ford Dealer today about how we can help you make the most out of your vehicle ownership experience.

3 year/100,000km new car warranty.*

For three years or 100,000km, whichever comes first, your Ford is covered against any defects in factory materials or workmanship. This also applies to Genuine Ford Accessories you may have had fitted before you took delivery.

5 year warranty against perforation corrosion.*

It's reassuring to know that the original body of your gleaming new Ford is guaranteed against perforation corrosion for the first five years of its life. If perforation corrosion occurs, we'll fix it for free.

myFord Warranties & Insurance.

When you first turn the key of your brand new Ranger you want to do so without a care in the world. Our range of myFord products gives you that extra peace of mind. For more information about myFord Warranties, Insurance and Roadside Assistance visit your participating Ford Dealer for further details on the plans that best suit your needs. Terms, conditions and eligibility criteria apply.

Want to contact us?


For answers to your questions, or help with any concern, contact our Customer Relationship Centre on 13 FORD (13 3673).

Running a fleet?

Our Ford Business Centre is available to assist fleet customers with information on Ford products and services. Call 1300 13 13 30.

Visit us on the web.

If you want more information on Ford or our entire product range, visit us on the Internet at ford.com.au.










Test Drive

#Conditions and exclusions apply. See your authorised Ford Dealer for details. This brochure is designed to provide you with a general introduction to the Ford Products (including available optional equipment) referred to, and should be read in conjunction with the latest specification sheet. Because of changes in conditions and circumstances Ford' reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice, to discontinue or change the features, designs, materials, colours and other specifications and the prices of its products, and to either permanently or temporarily withdraw any such products from the market without incurring any liability to any prospective purchaser or purchasers. The latest specification sheet should be referred to for information on the availability, ordering and use of optional equipment. Always consult an authorised Ford Dealer for the latest information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order. *FORD MOTOR COMPANY OF AUSTRALIA LIMITED, (A.B.N. 30 004 116 223) Registered Office:1735 Sydney Road, Campbellfield, Victoria 3061, Australia. Printed October, 2010. FRANG0004_eb





ford.com.au