RANGE ROVER VOGUE














THE MOST POTENT, MOST REFINED DIESEL-POWERED RANGE ROVER. EVER. The ultra-civilised TDV8 diesel is now recognised as a state-of-the-art vehicle for efficiency, refinement and performance. Providing all the benefits of a petrol engine alongside the economy of a diesel. The TDV8 has established itself as a powerful alternative in the V8 line-up.

ENGINE

Type Twin Turbo V8 Diesel
Max Power 200kW @ 4,000rpm
Max Torque 640Nm @ 2,000rpm
Engine Data 90 degree 32 Valve D

90 degree 32 Valve Diesel engine. Compacted graphite iron cylinder block to reduce noise levels with an aluminium head to improve heat dissipation. Fuel injection pressure of 1,700 Bar with a state-of-the-art twin variable nozzle turbochargers and inlet valve deactivation deliver supreme refinement, power and fuel economy. The advanced technology in the TDV8 allows it to exceed EU4 emissions levels by up to 20 percent. Bore 81mm (3.19in). Stroke 88mm (3.464in). Cubic capacity 3,630cc. Compression ratio 17.3:1.





THE RANGE ROVER VOGUE SUPERCHARGED. The supreme expression of Land Rover's most complete luxury 4x4. A supercharged V8 lightweight engine makes this the most powerful Range Rover ever made. It offers 291kW and an astonishing 560Nm of torque to deliver immediate, supple acceleration. Standard on Range Rover Vogue Supercharged are a Noble finish front grille and side power vents, dramatically enhanced with diamond mesh to maximise airflow. Special 20 inch alloy wheels, chrome tail pipes and distinctive black and silver Land Rover badging affirm the high performance credentials of the Range Rover Vogue Supercharged at a glance. There is also stainless steel detailing on brake and accelerator pedals.

ENGINE

Type Max Power Max Torque Engine Data

Supercharged V8 Petrol

291kW @ 5,750rpm 560Nm @ 3,500rpm

Supercharged V8 Petrol. Aluminium construction of engine block and cylinder head with a structural sump and oil pick-up designed to enable operation at extreme angles. 32 Valve with quad camshafts and Supercharged with peak pressure of 80kPa (0.8 Bar). Torque based engine management system, mapped for both on and off-road driving speeds. Drive by Wire throttle control and multi-holed fuel injectors. Three way catalysts, unleaded fuel only. Bore 86mm (3.386in). Stroke 90.3mm (3.55in). Cubic capacity 4,197cc. Compression ratio 9.1:1.



SAFETY IS INHERENT IN THE DESIGN, CONSTRUCTION AND SYSTEMS OF RANGE ROVER VOGUE.

The strength of Range Rover Vogue's body and chassis, required to support its legendary off-road and towing abilities, also provides for a very strong passenger cell that helps protect its occupants in an accident. This inherent strength is complemented with nine airbags (including a driver's knee airbag), special bolsters in the new front door trims and lower glovebox lid as well as high strength steel beams in each of the doors. Active safety technology plays a major role. For example, the 4x4 systems developed to enable Range Rover Vogue to creep down slippery hills also assist in maintaining control on icy roads, seeking out all available grip and helping to keep the car going in the intended direction. Vehicle systems also predict when a roll-over is likely and apply force on the appropriate wheel to counter the roll.



FULL OXFORD LEATHER Ventilated heated/cooled front seats Range Rover Vogue TDV8 Luxury and Supercharged

BLENHEIM LEATHER Standard heated front seats and driver memory Range Rover Vogue TDV8

10 WAY ADJUSTMENT SEAT Range Rover Vogue TDV8 Luxury and Supercharged



19 INCH, 7-SPOKE ALLOYS 'STYLE 4' – 255/55 R19



20 INCH, 9-SPOKE ALLOYS 'STYLE 6' – 255/50 R20



20 INCH, 7-SPOKE ALLOYS 'STYLE 5' – 255/50 R20



EXTERIOR COLOUR CHOICES



INTERIOR COLOUR CHOICES





INTERIOR FINISH





BURR WALNUT



GRAND BLACK LACQUER



GRANITE

COLOUR AND TRIM MATRIX

COLOURWA	AYS (IP TOPPER/CENTRE)	JET/JET	JET/IVORY	JET/STORM	ASPEN	I/IVORY	NAVY/	PARCHMENT	JET/	SAND
SEAT COLO	OUR	JET	IVORY	STORM	ASPEN	IVORY	NAVY	PARCHMENT	SAND	SAND
EXTERIOR	COLOUR									
	Alaska White									
	Atacama Sand	•				0				
	Buckingham Blue		•			0	-	•		
	Cairns Blue				-	0		•		
	Java Black	•	•	•				0	•	
	Lucerne Green				•		-	-		
	Rimini Red	•	•	•	-	-	_			0
	Stornoway Grey	•		•		0		0		0
	Tonga Green					•	_	-	•	0
	Zermatt Silver	•	•	•		0	-	•		0

COLOURWAYS (IP TOPPER/CENTRE)	JET/JET	JET/IVORY	JET/STORM	ASPEN	I/IVORY	NAVY/	PARCHMENT	JET,	'SAND
SEAT COLOUR	JET	IVORY	STORM	ASPEN	IVORY	NAVY	PARCHMENT	SAND	SAND
CARPET	JET	JET	JET	ASPEN	NAVY	NAVY	SAND	JET	JET
TRIM MATERIAL/ORDER CODE									
Blenheim Leather	TFC	-	TES	TAB	TAC	TAG	TAH	TAE	TAF
Full Oxford Leather	TDX	YDY	TEU	_	TED	TEF	TDZ	TEK	TEC
INTERIOR TRIM FINISHER									
Burr Walnut						R	R	•	
Cherry Wood		R		•	-	•	-	R	R
Grand Black Lacquer	•	•	•						
Granite									

■ Combination is Designer's Choice R Combination is Recommended □ Combination is Available — Combination is Not Available



WITH ITS MASTERFUL DESIGN, RANGE ROVER VOGUE'S INTERIOR ATTAINS A PINNACLE OF LUXURY AND ELEGANCE. Real wood and leather combine to deliver an environment that is the supreme expression of taste, providing a tailor-made feel that is without equal.


FEATURES


INTERIOR FEATURES	TDV8	TDV8 Luxury	SUPERCHARGED	EXTERIOR FEATURES	TDV8	TDV8 Luxury	SUPERCHARGED
7 inch, high resolution touch screen	•	•	•	LED rear lights	•	•	•
Leather steering wheel, with MF switches and cruise control	-	-	-	Body-coloured bumpers	•	•	•
				Satin chrome grille and side vents	•	•	_
Heated leather steering wheel, with MF switches and cruise control	-	•	•	Diamond Mesh front grille and side vents	-	-	•
Automatic dimming rear view mirror	•	•	•	Upper tailgate release controlled from push button on dash or key	•	•	•
Trip computer with selectable speed limit warning	•	•	•	Heated windscreen	•	•	•
Full climate control with individual settings for driver and front passenger	•	•	•	Rain sensor windscreen and autolights	•	•	•
One-touch automatic control of air distribution and demisting	•	•	•	Acoustic laminated windscreen and green tinted side windows	•	•	•
Ambient and solar sensors with exterior		•	•	Automatic dimming exterior door mirrors	-	•	•
temperature warning				Powerfold exterior mirrors	•	•	•
Pollen filter and air quality sensing for auto recirculation	•	•	•	Headlamp powerwash	•	•	•
4-zone air conditioning	-			Bi-Xenon headlamps	•	•	•
Sunroof	•	•	•	Adaptive Bi-Xenon headlamps	-	•	•
Dual blade sunvisors	•	•	•	Park Distance Control (PDC) front and rear	•	•	•
Blenheim leather seats	•	_	_	Rear view camera	•	•	•
Full Oxford leather contour seats	-	•	•	Tow bar – preparation	•	•	•
Electric seat adjustment with memory for drivers seat	•	•	•	Brembo Brakes	•	•	•
Heated front seats	•	_	_	Rear electronic differential			•
Heated front and rear seats	-	•	•	Terrain Response	•	•	•
Ventilated heated / cooled front seats	-	•	•				
Asymetric folding rear seat and double-hinged, removable loadspace cover	-	•	•	IN CAR ENTERTAINMENT			
Twin cup holders in rear centre arm rest	•	•	•	HI ICE: 11 speaker harman/kardon* system with DSP	•	-	-
Ski bag	_	<u> </u>	-	Premium ICE: 14 speaker harman/kardon°	-	•	•
Land Rover Venture Cam		<u> </u>	<u>-</u>	surround sound system with LOGIC7			
		-		Hybrid digital and analogue television system			
■ Standard □ Option - Not Available				Premium navigation system	•		•
				Personal Telephone Integration (PTI) system	•	•	•
				Rear Seat Entertainment system	-	•	•

Auxillary audio input

•

•





ENGINE	V8 PETROL SUPERCHARGED	TDV8
Capacity	4,197	3,630
Configuration and no. of cylinders	V8	V8
Bore (mm)	86	81
Stroke (mm)	90.3	88
Compression ratio	9.1:1	17.3:1
Cylinder head material	Aluminium	Aluminium
Cylinder block material	Aluminium	Graphite/Iron
Ignition system	Denso PAN PAG EMS Generation 1	Siemens PCR2 4
Valves per cylinder	4	4
Maximum power	291kW (396PS) 5,750rpm	200kW (271PS) 4,000rpm
Maximum torque	560Nm/3,500rpm	640Nm/2,000rpm

TRANSMISSION

Transmission type	ZF6HP26 (six-speed Auto)	ZF6HP26 (six-speed Auto)
6th	0.691	0.691
5th	0.867	0.867
4th	1.143	1.143
3rd	1.521	1.521
2nd	2.34	2.34
1st	4.171	4.171
Reverse	3.403	3.403
Final drive ratio	3.73	3.54
Transfer box ratio High	1:1	1:1
Transfer box ratio Low	2.93	2.93
Shift-on-the-move (kph/mph) High to Low	40/25	40/25
Shift-on-the-move (kph/mph) Low to High	60/37	60/37
6th High in gear speed kph/mph (rpm)	210/130 (3,722)	200/124 (3,625)
1st High kph/mph (rpm)	57/35 (6,100)	38/24 (4,000)
1st Low kph/mph (rpm)	19/12 (6,100)	13/8 (4,000)



TECHNICAL DATA

SAFETY	V8 PETROL SUPERCHARGED	TDV8
Four-channel all terrain ABS power breaking with all-round ventilated disc brakes	•	•
Central high mounted stop lamp	•	•
Side impact door beams on all doors	•	•
Full size driver 8 front passenger side airbags	•	•
Airbags, driver & front passenger head	•	•
Airbags, driver & front passenger side	•	
Rear outboard passenger head airbags	•	•
Drivers knee airbag	•	•
Front passenger knee bolster	•	
Front seat belt reel mounted pre-tensioners and load limiters	•	•
Active Roll Mitigation (ARM) system	•	•

SUSPENSION	æ	STEERING

Electric air suspension with variable ride height	•	-
Speed sensitive power assisted rack and pinion steering with positive feel, hydraulic and mechanical lock stops	•	•
Electrically adjustable steering column	•	•
Steering wheel mounted ICE controls	•	•

■ Standard


BRAKES	V8 PETROL SUPERCHARGED	TDV8
Front size (mm)	360 x 30	360 x 30
Туре	Brembo [®] 4-piston fixed calliper ventilated disc	Brembo [®] 4-piston fixed calliper ventilated disc
Rear size (mm)	354 x 20	354 x 20
Туре	Sliding calliper ventilated disc	Sliding calliper ventilated disc
Parking	Duo Servo	Duo Servo

STEERING

Туре	Speed Proportional PAS	Speed Proportional PAS
Turns lock to lock	3.46	3.46
Turning circle (kerb to kerb)	12.0m	12.0m
Turning circle (wall to wall)	12.6m	12.6m



DIMENSIONS AND CAPABILITY



HEADROOM


Maximum front headroom 997mm

– identical for sunroof or
non-sunroof vehicles


REAR HEADROOM 974mm



GROUND CLEARANCE off-road height 275mm (Standard ride height 225mm)



WADING DEPTH Maximum wading depth 700mm



APPROACH ANGLE Standard ride height 29°, off-road 34° (to spoiler)

RAMP ANGLE Standard ride height 25°, off-road 30°

DEPARTURE ANGLE Standard ride height 24.2°, off-road 26.6° (to bumper)



Height 1,008mm Width 1,124mm

Loadspace volume 2,099 litres

Loadspace width between arches 1,040mm

Length at floor 1,529mm

Maximum box size (length x width x height)

1,265 x 1,024 x 803mm



LUGGAGE CAPACITY REAR SEATS UPRIGHT Height 1,008mm Width 1,124mm Loadspace volume 994 litres Loadspace width between arches 1,040mm Length 1,081mm

Thanks to its innovative cross-linked air suspension, The Range Rover can maintain a level ride height even over undulating terrain and be set to lower gently to ensure easy entry and exit when parked. Despite its impressive power and peerless capabilities, front and rear Park Distance Control and speed sensitive power-assisted rack and pinion steering ensure that manoeuvring in tight spots is always a simple, trouble-free operation. And with up to 2,099 litres of cargo space Range Rover Vogue again demonstrates its breadth of capability.

PERFORMANCE AND WEIGHTS

WEIGHTS (kg)	SUPERCHARGED V8	TDV8
Total (EEC kerb)	2,687	2,717
Gross vehicle weight	3,100	3,200
Max front axle	1,530	1,530
Max rear axle	1,850	1,850
Max roof rack (including roof rack)	100	100

TOWING (kg) (to	owing pack	optional)
-----------------	------------	-----------


Unbraked trailer	750	750
Trailer with over-run brakes	3,500	3,500

FUEL ECONOMY* & PERFORMANCE	SUPERCHARGED V8	TDV8
Urban L/100km	22.4 (12.6)	14.5 (19.6)
Extra urban L/100km	12.2 (23.1)	9.2 (31.2)
Combined L/100km	16.0 (17.7)	11.1 (25.3)
CO2 emissions (g/km)	376	294
Maximum speed kph	210 (130)	200 (124)
0-100kph	7.5	9.2
0-60	7.1	8.6


^{*}Manufacturer's data according to new government test regulations.

Fuel consumption figures: The results given here do not express or imply any guarantee of the fuel consumption of any particular vehicle with which this information may be supplied. Vehicles are not individually tested and there are inevitable differences between individual vehicles of the same model. The vehicle may also incorporate particular modifications. Furthermore, the driver's style and road traffic conditions, as well as the extent to which the vehicle has been driven and the standard of maintenance, will affect its fuel consumption. Usable fuel tank capacity of 104.5 litres. Low fuel warning at 8 litres approximately.

The TDV8 fuel range (based on usable fuel tank capacity and the combined economy) exceeds 935km/585 miles and the Supercharged has an impressive 0-100kph time of 7.5 seconds. Both the fuel economy and the performance are aided by the extensive use of aluminium components that include the bonnet assembly, outer door skins and inner door construction, wheels, transmission housing and front wings.



WHEELBASE 2,880mm



HEIGHT'
1,903mm

'Access height
air suspension
setting
reduces height
given
by 40mm
to 1,863mm

REAR WHEEL TRACK 1,625mm

WIDTH 2,034mm mirrors folded WIDTH 2,192mm mirrors out



FRONT WHEEL TRACK 1,629mm



WARRANTY, ROADSIDE ASSISTANCE, CUSTOMER CARE AND FINANCIAL SERVICES

WARRANTY. A comprehensive manufacturer's warranty is a feature of every Land Rover vehicle and extends to any genuine Land Rover accessories fitted by a Land Rover Retailer. The warranty period for the vehicle is three years/100,000 kilometres. In addition, the paint surface is also covered for three years/100,000 kilometres and the body work covered for corrosion for six years.

LAND ROVER ROADSIDE ASSISTANCE. All Land Rover vehicles purchased in Australia benefit from complimentary Land Rover Roadside Assistance service for the length of the new car warranty. This covers you Australia-wide 24 hours per day every day. And because it is Land Rover Assistance, help will also be provided if you become bogged or disabled on roads that only four-wheel drives can travel.

CUSTOMER CARE. Land Rover Australia has a dedicated Customer Care Centre to assist owners who may have a general query. Owners seeking this level of assistance are invited to phone our Customer Care Centre on the toll-free number 1800 625 642. Land Rover ownership includes a package of benefits designed to provide high standards of after sales care and support.

LAND ROVER FINANCIAL SERVICES. Just as Land Rover lets you tailor a vehicle to your specific requirements, we offer you the same service when it comes to finance. You can arrange to purchase and finance your Land Rover from the people who know it best – your Land Rover Retailer. Your Land Rover Business Manager can explain the full range of finance options available from Land Rover Financial Services and provide expert advice to help tailor a finance package to best suit your needs. To discover more about Land Rover Financial Services visit your nearest Land Rover Retailer or visit www.landroverfinancialservices.com.au or the link at www.landrover.com.au



Important notice: This brochure, produced by Land Rover Australia, offers a general guide to Range Rover Vogue product specifications. All details are believed to be correct as of January 2008. However, we are constantly striving for improvement and therefore reserve the right to alter specifications without notice. Accordingly this brochure should not be regarded as an infallible guide to the correct specifications, nor does it constitute an offer or sale of any particular vehicle. Distributors and retailers are not agents of Land Rover Australia and have no authority to bind Land Rover Australia to any expressed or implied undertaking or representation. Please drive responsibly off-road.

Premier Automotive Group Australia Pty Ltd
Trading as Land Rover Australia
ABN 86 004 352 238
65 Epping Road, North Ryde NSW 2113
Locked Bag 2214, North Ryde NSW 1670
Telephone: 1800 809 308 www.landrover.com.au
"Premier Automotive Group Australia Pty Ltd 2006
Publication Number L5872 RR Vogue 08MY Brochure 28pp 01/08