



Mitsubishi NT Pajero Vehicle Specification Sheet

ENGINE				
PETROL	Type	3.8L V6 SOHC 24 Valve MIVEC		
	Bore x stroke	95.0mm x 90.0mm		
	Capacity	3828cm ³		
	Compression ratio	9.8:1		
	Fuel system	ECI multi fuel inject - LPG Compatible		
		M/T	A/T	SWB A/T
	Maximum Power	175kW @ 5,500rpm	184kW @ 6,000rpm	182kW @ 5,500rpm
	Maximum Torque	329Nm @ 2,750rpm	329Nm @ 2,750rpm	329Nm @ 2,750rpm
DIESEL	Maximum Power	147kW @ 3,800rpm	147kW @ 3,800rpm	
	Maximum Torque	441Nm @ 2,000rpm	441Nm @ 2,000rpm	
	Type	3.2 litre DI-D DOHC 16 Valve Intercooled Turbo Diesel		
	Bore x stroke	98.5mm x 105.0mm		
	Capacity	3200cm ³		
	Compression ratio	16.0:1		
	Fuel system	Electronic Direct Injection fuel pump		
		Turbocharger with Intercooler		
		Open Flow Diesel Particulate Filter (A/T only)		
ELECTRICAL SYSTEM				
	3.8L V6		3.2L DI-DIESEL	
Battery	75D23L	520CCA/118RC	95D31L	622 CCA/159 RC
Voltage	12V		12V	
Alternator	120 Amp		120 Amp	
Starter Motor	1.3kW (M/T) / 1.4kW (A/T)		2.2kW	
TRANSMISSION				
5 speed manual transmission		5 speed automatic transmission with "Sports Mode" sequential style shift change and INVECS II "Smart Logic"		
	3.8L V6	3.8L V6	3.2L DI-D	3.2L DI-D
	M/T	A/T	M/T	A/T
RATIO				
First	4.234	3.789	4.234	3.520
Second	2.238	2.057	2.238	2.042
Third	1.398	1.421	1.398	1.400
Fourth	1.000	1.000	1.000	1.000
Fifth	0.819	0.731	0.760	0.716
Reverse	3.553	3.865	3.553	3.224
TRANSFER RATIO				
High	1.000	1.000	1.000	1.000
Low	1.900	1.900	1.900	1.900
FINAL DRIVE				
Final Gear Ratio	4.300	4.300	3.917	3.917
MECHANICAL				
Manual clutch	Single dry plate with hydraulic actuation			
Automatic clutch	3 element torque converter with lock-up			
MECHANICAL				
Front brakes	Ventilated discs			
Rear brakes (5 Door models)	Ventilated discs			
Rear brakes (3 Door models)	Ventilated discs			
Suspension - Front	Independent - Double wishbone coil spring & stabiliser bar			
Suspension - Rear	Independent - Multi-link coil spring & stabiliser bar			
Steering	Power assisted rack and pinion			
WHEELS		TYRES		
GL	17" x 7.5 steel wheels	R, GL, GLX, GLS	265/65R-17 112H steel belted radial (HT)	
R, GLX, GLS	17" x 7.5 alloy - 7 spoke	X, VRX, Exceed	265/60R-18 110H steel belted radial (HT)	
X, VRX	18" x 7.5 alloy - 6 spoke			
Exceed	18" x 7.5 alloy - 9 spoke			



Mitsubishi NT Pajero Vehicle Specification Sheet

MECHANICAL	3 Door		5 Door				
	3.8L V6, SOHC, MPI, 24 valve MIVEC						
	3.2L CDI, 16 valve, Intercooled Turbo Diesel						
	R	X	GLX	GLS	VRX	EXCEED	GL
Power Train							
3.8L V6, SOHC, MPI, 24 valve MIVEC - LPG Compatible	●	●	●	●	●	●	-
3.2L CDI, 16 valve, Intercooled Turbo Diesel	0	0	0	0	0	0	●
5 speed manual transmission	-	-	●	●	-	-	●
5 speed automatic transmission with Sports Mode sequential shift change and INVECS II Smart Logic	●	●	0	0	●	●	0
MATT® [Mitsubishi All Terrain Technology]							
Super Select 4WD II (Full Time 4WD including selectable 2WD mode)	●	●	●	●	●	●	●
4WD modes 4H & 4HLC selectable at up to 100kph	●	●	●	●	●	●	●
Synchronised auto front free wheeling differentia	●	●	●	●	●	●	●
Multi mode Anti-lock Braking System [ABS] with Electronic Brakeforce Distribution [EBD]	●	●	●	●	●	●	●
Active Traction Control	●	●	●	●	●	●	●
Active Stability Control	●	●	●	●	●	●	●
Engine Brake Assist Control	●	●	●	●	●	●	●
ASC override switch	●	●	●	●	●	●	●
Centre differential with Viscous Coupling Unit	●	●	●	●	●	●	●
Rear Diff Lock ¹	-	●	P	0	●	●	P
¹ Rear Diff Lock is only available on diesel models.							
Front skid plate	●	●	●	●	●	●	●
Fuel tank protector	●	●	●	●	●	●	●
Front (2) & rear (2) tow hooks	●	●	●	●	●	●	●
Mitsubishi Body Optimised Suspension (MBOS) - Independent front & rear suspension	●	●	●	●	●	●	●
EXTERIOR	R	X	GLX	GLS	VRX	EXCEED	GL
Wheels & Tyres							
17" x 7.5 steel wheels - 265/65 R17 tyres (HT)	-	-	-	-	-	-	●
17" x 7.5 JJ seven spoke alloy wheels - 265/65 R17 tyres (HT)	●	-	●	●	-	-	-
18" x 7.5 JJ six spoke alloy wheels - 265/60 R18 tyres (HT)	-	●	-	-	●	-	-
18" x 7.5 JJ nine spoke alloy wheels - 265/60 R18 tyres (HT)	-	-	-	-	-	●	-
Matching spare wheel with wheel lock nut (mounted on rear tailgate)	●	●	●	●	●	●	●
Exterior Styling							
Colour keyed door mirrors	●	-	-	●	-	-	-
Colour keyed door mirrors with integrated indicator light	-	●	-	-	●	-	-
Chrome door mirrors with integrated indicator light	-	-	-	-	-	●	-
Colour keyed door handles	●	●	-	●	●	-	-
Chrome door handles	-	-	-	-	-	●	-
Two-tone wheelarch flare extensions	-	●	-	-	-	-	-
Colour keyed wheelarch flares	●	-	●	●	●	●	●
Colour keyed bodyside & tailgate cladding	●	●	●	●	●	●	●
Chrome side protection moulding strips	-	-	-	-	-	●	-
Front skid plate - silver	-	●	-	-	●	●	-
Darkened headlamp extension	-	●	-	-	●	-	-
High Intensity Discharge headlamps	-	●	-	-	-	●	-
Fog lamps (front)	●	●	A	●	●	●	A
Fog lamp (rear)	●	●	●	●	●	●	●
Front grille - with chrome accents	●	●	-	-	●	-	-
Front grille - full chrome	-	-	-	●	-	●	-
Front & rear mud guards	●	●	●	●	●	●	●
Side steps	●	●	A	●	●	●	A
Side step illumination	A	A	-	A	A	A	-
Privacy glass	-	●	-	-	●	●	-



Mitsubishi NT Pajero Vehicle Specification Sheet

	3 Door		5 Door				
	3.8L V6, SOHC, MPI, 24 valve MIVEC						
	3.2L CDI, 16 valve, Intercooled Turbo Diesel						
Rear roof spoiler	A	●	A	A	●	●	A
Roof rails - black	●	●	-	-	-	-	-
Roof rails - silver	-	-	●	●	●	●	-

(●) = Standard (-) = Not Available (O) = Optional (P) = Option Pack (A) = Dealer fitted Accessory (D) = Diamond Products

EXTERIOR	R	X	GLX	GLS	VRX	EXCEED	GL
Sports spare wheel cover (secure)	●	●	●	●	●	●	●
Roof rail cross bars	A	A	A	A	A	A	-
Front protection bar	A	A	A	A	A	A	A
Nudge bar	A	A	A	A	A	A	A
INTERIOR	R	X	GLX	GLS	VRX	EXCEED	GL
Audio							
Security coded AM/FM Radio/CD/MP3 player	●	●	●	●	●	●	●
In-dash 6 CD Stacker	●	●	●	●	●	-	-
Mitsubishi Power Sound System (MPSS)	-	●	-	-	-	-	-
Rockford Acoustic Design™ Premium 860 Watt Audio	-	-	-	-	-	●	-
6 speakers	●	-	●	●	●	-	●
8 Speakers	-	●	-	-	-	-	-
12 speakers (25cm subwoofer)	-	-	-	-	-	●	-
Audio controls on steering wheel	●	●	●	●	●	●	-
Antenna integrated in glass	●	●	●	●	●	●	●
Media							
Multi Mode Display	●	●	●	●	●	●	●
Trip computer	●	●	●	●	●	●	●
Compass, Altimeter, Barometer	●	●	●	●	●	●	●
Outside temperature	●	●	●	●	●	●	●
Time and date	●	●	●	●	●	●	●
Rear seat entertainment system with remote contro	-	-	A	A	A	●	A
Headphones	-	-	A	A	A	2	A
Auxiliary input jack	-	-	A	A	A	●	A
Bluetooth hands free phone operation with audio mute	A	P	A	A	P	●	A
Mitsubishi Multi Communication System including satellite nav ²	-	P	-	-	P	●	-
² When Mitsubishi Multi Communication System option is selected on X and VRX models reverse camera and Bluetooth are also selected and 6CD changer is deleted.							
Interior Styling							
Leather bound steering wheel with audio controls	●	●	●	●	●	●	-
Wood and Leather steering wheel with audio controls	-	-	-	-	-	●	-
Leather bound gearshift knob, transfer lever & park brake lever	●	●	●	●	●	●	-
Aluminium print decoration panel and air-conditioning outlets	-	●	-	-	●	-	-
Walnut woodprint panel (Dakar and Paris interiors)	-	-	-	-	-	●	-
Titanium look power window switch surrounds	-	●	-	-	●	●	-
Sports style high contrast binnacle	-	●	-	-	●	●	-
Aluminium sports pedals	-	●	-	-	●	●	-
Matching carpet mats	A	A	A	A	A	●	A
Safety							
Active Stability Control	●	●	●	●	●	●	●
Cruise control	●	●	●	●	●	●	●
Multi mode ABS with EBD	●	●	●	●	●	●	●
High Intensity Discharge Headlamps with automatic levelling	-	●	-	-	-	●	-
Headlamp washers	-	●	-	-	-	●	-
Automatic dusk sensing headlamps	-	●	-	-	-	●	-
Reinforced Impact Safety Evolution (RISE) body	●	●	●	●	●	●	●
Side door impact beams	●	●	●	●	●	●	●
Driver and front passenger dual stage SRS airbags	●	●	●	●	●	●	●



Mitsubishi NT Pajero Vehicle Specification Sheet

	3 Door			5 Door				
	3.8L V6, SOHC, MPI, 24 valve MIVEC							
	3.2L CDI, 16 valve, Intercooled Turbo Diesel							
Side & Curtain SRS Airbags ³	●	●	P	●	●	●	P	
³ Side & Curtain SRS Airbags must be combined with Rear Diff Lock on GLX models.								
Reverse parking sensors	A	●	A	A	●	●	A	
Reverse camera ⁴	-	P	-	-	P	●	-	
⁴ Reverse camera must be selected in conjunction with satellite navigation.								
Driver & front passenger seatbelts with force limiters & pretensioners	●	●	●	●	●	●	●	
3 point ELR seat belts (all seating positions)	●	●	●	●	●	●	●	
Child proof rear door locks	-	-	●	●	●	●	●	
Child restraint anchor points	3	3	3	3	3	3	3	

(●) = Standard (-) = Not Available (O) = Optional (P) = Option Pack (A) = Dealer fitted Accessory (D) = Diamond Products

INTERIOR	R	X	GLX	GLS	VRX	EXCEED	GL
Day/Night rear-view mirror	●	●	●	●	●	●	●
Auto dimming rear-view mirrors	-	●	-	-	●	●	-
Turn lamp indicator in exterior rear view mirror	-	●	-	-	●	●	-
Exterior rear view mirror demister	-	●	-	-	●	●	-
Rear window demister	●	●	●	●	●	●	●
Side demister	●	●	●	●	●	●	●
High mount stop lamp on back door	●	●	●	●	●	●	●
Seating							
Dakar sports seat trim	●	-	●	●	-	-	●
Leather seat facings (leather look on 3rd row in Exceed ⁵)	-	●	-	-	●	●	-
Front Seats							
Slide, recline and dual height adjuster for driver's seat	●	●	●	●	●	●	●
Power driver seat with 8-way adjustment (slide, recline, lumbar and height)	-	●	-	-	●	●	-
Driver's seat lumbar adjustment	-	●	-	-	●	●	-
Power passenger seat with 4-way adjustment (slide, recline)	-	-	-	-	●	●	-
Height-adjustable seatbelt anchors	●	●	●	●	●	●	●
Height & tilt adjustable headrests	●	●	●	●	●	●	●
Access support grips	2	2	2	2	2	2	2
Heated seat warmers	-	●	-	-	●	●	-
Second Row Seats							
60:40 split folding function	●	●	●	●	●	●	●
Reclining adjuster and tumble-type fold-up function	●	●	●	●	●	●	●
Height adjustable headrests	●	●	●	●	●	●	●
Centre armrest with cupholders	-	-	●	●	●	●	●
Side armrest with cupholders	●	●	-	-	-	-	-
Access support grip	-	-	2	2	2	2	2
Third Row Seats							
Front-facing reclining bench seat	-	-	●	●	●	●	-
Folding / stowable function (folds flat into underfloor compartment)	-	-	●	●	●	●	-
Removable from vehicle	-	-	●	●	●	●	-
Removable & height adjustable headrests	-	-	●	●	●	●	-
Comfort							
Automatic Air Conditioning with display	●	●	●	●	●	●	●
Front and rear zone air conditioning controls	-	-	-	●	●	●	-
Roof-mounted air conditioning ducts	-	-	-	●	●	●	-
Rear seat heater ducts	●	●	●	●	●	●	●
Pollen filter	●	●	●	●	●	●	●
Electric sunroof with slide and tilt ⁶	-	●	-	-	-	O	-
⁵ When sunroof option is selected on Exceed model rear seat entertainment and sunglasses pocket are deleted.							
Tilt adjustable steering column	●	●	●	●	●	●	●



Mitsubishi NT Pajero Vehicle Specification Sheet

	3 Door				5 Door			
	3.8L V6, SOHC, MPI, 24 valve MIVEC							
	3.2L CDI, 16 valve, Intercooled Turbo Diesel							
Convenience								
Power windows front & rear with driver auto-down function & key off power delay	●	●	●	●	●	●	●	●
Power door mirrors	●	●	●	●	●	●	●	●
Windscreen wiper/washer with variable intermittent	●	●	●	●	●	●	●	●
Tailgate wiper/washer with fixed intermittent	●	●	●	●	●	●	●	●
Automatic rain sensing windscreen wipers	-	●	-	-	-	●	-	-
Ignition key illumination	●	●	●	●	●	●	●	●
Interior lamp with time delay and front map lamps	●	●	●	●	●	●	●	●
Rear passenger reading lamps	●	●	●	●	●	●	●	●
Convenience lamp in luggage area	●	●	●	●	●	●	●	●
Headlamps "ON" - audible warning buzzer	●	●	●	●	●	●	●	●
Seatbelt warning buzzer	●	●	●	●	●	●	●	●
Warning lamps door/tailgate ajar, ATC wheel operation, low fuel	●	●	●	●	●	●	●	●
High-rise front centre armrest with forward-adjustable slide position	●	●	●	●	●	●	●	●

(●) = Standard (-) = Not Available (O) = Optional (P) = Option Pack (A) = Dealer fitted Accessory (D) = Diamond Products

INTERIOR	R	X	GLX	GLS	VRX	EXCEED	GL
Accessory power sockets	2	2	3	3	3	3	3
Retractable passenger assist handles	4	4	6	6	6	6	6
Back door interior pull handle	●	●	●	●	●	●	●
Sunvisors with ticket holder & vanity mirror	●	-	●	●	-	-	●
Sunvisors with extension & illuminated vanity mirrors with lid (driver side ticket holder)	-	●	-	-	●	●	-
Remote fuel filler door release	●	●	●	●	●	●	●
Diamond Care - Roadside Assistance (5 years)	●	●	●	●	●	-	●
Diamond Care - Premium Roadside Assistance (5 years)	D	D	D	D	D	●	D
Security							
Power central door locking (including tailgate) with remote keyless entry	●	●	●	●	●	●	●
Auto relock function for Central Door Locking	●	●	●	●	●	●	●
Cabin illumination on unlock	●	●	●	●	●	●	●
Cabin illumination on key removal	●	●	●	●	●	●	●
Anti-theft encrypted engine immobilisation	●	●	●	●	●	●	●
Theft protection alarm	●	●	●	●	●	●	●
Cargo blind	-	●	-	-	-	●	-
Storage							
Cup holders	4	4	6	6	6	4	6
Driver & passenger seat back pocket	●	●	●	●	●	●	●
Front door trim map pockets	●	●	●	●	●	●	●
Lockable glove box with illumination and shelf	●	●	●	●	●	●	●
Sunglasses pocket	●	●	●	●	●	●	●
Centre storage console with upper & lower compartments	●	●	●	●	●	●	●
Coat hangers	2	2	2	2	2	2	2
Luggage tie-down hooks	4	4	4	4	4	4	4
Underfloor storage compartment	●	●	●	●	●	●	●
Fully trimmed cargo area and tailgate	●	●	●	●	●	●	●
Glove box compendium	-	-	-	-	-	●	-

(●) = Standard (-) = Not Available (O) = Optional (P) = Option Pack (A) = Dealer fitted Accessory (D) = Diamond Products



Mitsubishi NT Pajero Vehicle Specification Sheet

	3 Door		5 Door				
	3.8L V6, SOHC, MPI, 24 valve MIVEC						
	3.2L CDI, 16 valve, Intercooled Turbo Diesel						
EXTERIOR DIMENSIONS	R	X	GLX	GLS	VRX	EXCEED	GL
Overall height (mm)	1,880		1,900				
Overall length (mm)	4,385		4,900				
Overall width (mm)			1,875				
Track - front (mm)	1,560		1,570				
Track - rear (mm)	1,560		1,570				
Wheelbase (mm)	2,545		2,780				
Turning Circle (m)	10.6		11.4				
FOUR WHEEL DRIVE CLEARANCES	R	X	GLX	GLS	VRX	EXCEED	GL
Ground clearance (mm)			225				
Fording depth (mm)			700				
Approach angle (°)	36.7		36.6				
Ramp breakover angle (°)	25.2		22.5				
Departure angle (°)	34.8		25				
Climbing angle (°)			35				
INTERIOR DIMENSIONS (mm)	R	X	GLX	GLS	VRX	EXCEED	GL
Front legroom			895				
2nd row legroom	790		820				
3rd row legroom	-		750				
Front headroom			955				
2nd row headroom	910		916				
3rd row headroom	-		860				
LUGGAGE AREA (mm)	R	X	GLX	GLS	VRX	EXCEED	GL
Length - 2nd row seat folded & 3rd row seat stowed	840		1,430				
Length - 2nd row seat upright & 3rd row seat stowed	360		850				
Length - 2nd & 3rd row seat upright	-		170				
Width			1,395				
Width at wheel arches			1,030				
Luggage area floor height	1,105		1,110				
Load floor height (from ground)	725		740				
Cargo load space 2nd/3rd row flat	1,119		1,789			1,758	1,789
Cargo load space 3rd row flat	-		1,081			1,050	1,081
CAPACITIES	R	X	GLX	GLS	VRX	EXCEED	GL
Gross vehicle mass (kg)							
3.8L MT	-		2,920			-	
3.8L AT	2,550		2,920			-	
3.2D MT	-		3,030			3,030	
3.2D AT	2,660		3,030				
Kerb mass (kg)							
3.8L MT	-		2,178	2,226	-		
3.8L AT	2,038	2,081	2,178	2,226	2,252	-	
3.2D MT	-		2,283	2,331	2,273		
3.2D AT	2,133	2,179	2,273	2,331	2,324	2,350	2,263
Payload* (kg)							
3.8L MT	-		742	694	-		
3.8L AT	512	469	742	694	668	-	
3.2D MT	-		747	699	757		
3.2D AT	527	481	757	699	706	680	767
Gross combination mass (kg)							
3.8L MT	-		5,920			-	
3.8L AT	5,050		5,920			-	
3.2D MT	-		6,030			6,030	
3.2D AT	5,160		6,030			-	
Maximum Front Axle Load (kg)							
3.8L	1,250		1,300				
3.2D	1,250		1,330				



Mitsubishi NT Pajero Vehicle Specification Sheet

3 Door	5 Door
3.8L V6, SOHC, MPI, 24 valve MIVEC	
3.2L CDI, 16 valve, Intercooled Turbo Diesel	

(●) = Standard (-) = Not Available (O) = Optional (P) = Option Pack (A) = Dealer fitted Accessory (D) = Diamond Products

CAPACITIES	R	X	GLX	GLS	VRX	EXCEED	GL
Maximum Rear Axle Load (kg)	1,600		1,780			1,780	
All models	1,600		1,780			1,780	
Maximum Roof Load (kg)	100						70
All models	100						70
CAPACITIES	R	X	GLX	GLS	VRX	EXCEED	GL
Seating Capacity							
Front				2			
2nd Row				3			
3rd Row (70kg Max per person)	-		2			-	
Total	5		7			5	
Maximum Towing Capacity**							
With trailer brakes (kg)	2,500		3,000				
Without trailer brakes (kg)				750			
Maximum Towball download (kg)***				250			
* Payload includes occupants, fuel and fitted options (if any). The weight of these must be deducted from Payload to determine actual load carrying capacity. Front and/or Rear Axle Loads must not be exceeded.							
** Subject to State regulations and towbar designs. A Weight Distribution Hitch (WDH) is recommended for towball downloads exceeding 135kg. For further information, please refer to the Pajero Owner's Manual.							
*** Total towball download must not exceed 250Kg when Towing Capacity is 2,500Kg or below. When Towing Capacity is between 2,500 and 3,000Kg, towball download must not exceed 180Kg.							
FUEL CONSUMPTION	R	X	GLX	GLS	VRX	EXCEED	GL
Combined: (ADR81/01) (Litres per 100 kms)							
3.8L MT	-	-	13.7		-	-	
3.8L AT				13.5		-	
3.2D MT	-		8.4		-	8.4	
3.2D AT	8.8					9.2	
These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Standard ADR81/01 and are provided to assist you in comparing the fuel consumption of Pajero with other vehicles. The actual fuel consumption you achieve will depend, however, on many factors, including your driving habits, the prevailing conditions and your vehicles' equipment, condition and use.							
Fuel Tank Capacity (L)	69			88			
PAIN & TRIM COMBINATIONS	R	X	GLX	GLS	VRX	EXCEED	GL
	Fabric	Leather	Fabric	Fabric	Fabric	Leather	Fabric
						Black	Beige
White	●	●	●	●	●	●	●
Cool Silver (M)	●	●	●	●	●	●	-
Black Mica (P)	●	●	●	●	●	●	●
Gunmetal (P)	●	●	●	●	●	●	●
Red Metallic (M)	-	-	●	●	●	●	●
Champagne (M)	-	-	●	●	●	●	●
Ironbark (P)	-	-	●	●	●	●	●
Deep Blue (P)	-	-	-	-	●	●	●
Warm White Pearl (P)	-	-	-	-	●	●	●

(M) = Metallic (P) = Pearlescent * Metallic and pearlescent paints are an optional extra.

(●) = Standard (-) = Not Available (O) = Optional (P) = Option Pack (A) = Dealer fitted Accessory (D) = Diamond Products