



Innovation
that excites

NISSAN NP300 NAVARA DUAL CAB SPECIFICATIONS

Specifications

	Dual Cab DX Pick Up 4x2	Dual Cab RX Pick Up 4x2	Dual Cab ST Pick Up 4x2	Dual Cab ST-X Pick Up 4x2	Dual Cab RX Cab Chassis 4x4	Dual Cab RX Pick Up 4x4	Dual Cab ST Pick Up 4x4	Dual Cab ST-X Pick Up 4x4
Engine								
YS23DDTT 2.3 litre intercooled twin turbo-diesel, DOHC			•	•			•	•
YS23DDT 2.3 litre intercooled single turbo-diesel, DOHC		•			•	•		
QR25DE 2.5 litre petrol, DOHC	•							
Displacement (cc)	2488	2298	2298	2298	2298	2298	2298	2298
Bore x stroke (mm)	89.0 x 100.0	85.0 x 101.3	85.0 x 101.3	85.0 x 101.3	85.0 x 101.3	85.0 x 101.3	85.0 x 101.3	85.0 x 101.3
Compression ratio	10:1	15:4	15:4	15:4	15:4	15:4	15:4	15:4
Maximum power (kW@rpm)	122@6000	120@3750	140@3750	140@3750	120@3750	120@3750	140@3750	140@3750
Maximum torque (Nm@rpm)	238@4000	403@1500-2500	450@1500-2500	450@1500-2500	403@1500-2500	403@1500-2500	450@1500-2500	450@1500-2500
Multipoint fuel injection	•							
Common rail direct injection		•	•	•	•	•	•	•

Transmission

6-speed manual	•	•	•	•	•	•	•	•
7-speed automatic with manual mode	Opt	Opt	Opt	Opt		Opt	Opt	Opt
Transfer case - Dual range 4x4 with electronic 4WD selection					•	•	•	•
Ratio 1st (manual/automatic)	4.685/4.783	4.685/4.886	4.685/4.886	4.685/4.886	4.685	4.685/4.886	4.685/4.886	4.685/4.886
Ratio 2nd (manual/automatic)	2.478/3.102	2.478/3.169	2.478/3.169	2.478/3.169	2.478	2.478/3.169	2.478/3.169	2.478/3.169
Ratio 3rd (manual/automatic)	1.623/1.984	1.623/2.027	1.623/2.027	1.623/2.027	1.623	1.623/2.027	1.623/2.027	1.623/2.027
Ratio 4th (manual/automatic)	1.207/1.371	1.207/1.411	1.207/1.411	1.207/1.411	1.207	1.207/1.411	1.207/1.411	1.207/1.411
Ratio 5th (manual/automatic)	1.000/1.000	1.000/1.000	1.000/1.000	1.000/1.000	1.000	1.000/1.000	1.000/1.000	1.000/1.000
Ratio 6th (manual/automatic)	0.808/0.870	0.808/0.864	0.808/0.864	0.808/0.864	0.808	0.808/0.864	0.808/0.864	0.808/0.864
Ratio 7th (automatic)	0.775	0.774	0.774	0.774		0.774	0.774	0.774
Ratio Reverse (manual/automatic)	4.709/3.858	4.709/4.041	4.709/4.041	4.709/4.041	4.709	4.709/4.041	4.709/4.041	4.709/4.041
Final drive (manual/automatic)	3.916/3.538	3.538/3.357	3.692/3.357	3.692/3.357	3.538	3.538/3.357	3.692/3.357	3.692/3.357
Transfer ratio - low					2.717	2.717	2.717	2.717
Transfer ratio - high					1.000	1.000	1.000	1.000

Dimensions

Overall length (mm)	5255	5255	5255	5255	5120	5255	5255	5255
Overall width (excluding mirrors) (mm)	1790	1790	1850	1850	1790	1790	1850	1850
Overall height (without roof rail) (mm)	1760	1785	1795	1825	1800	1800	1810	1840
Wheelbase (mm)	3150	3150	3150	3150	3150	3150	3150	3150
Track Front/Rear (mm)	1560/1560	1550/1550	1570/1570	1570/1570	1550/1550	1550/1550	1570/1570	1570/1570
Min. turning circle (kerb to kerb) (m)	11.8	11.8	12.4	12.4	11.8	11.8	12.4	12.4
Ground clearance unladen (mm)	191	214	226	228	217	217	226	228
Overhang - Front	870	870	870	870	870	870	870	870
Overhang - Rear	1235	1235	1235	1235	1100	1235	1235	1235
Approach Angle (degrees)	29.5	31.6	31.3	31.4	32.5	32.5	32.2	32.4
Departure Angle (degrees)	24.0	25.2	25.8	26.0	26.3	25.9	26.5	26.7
Ramp breakover angle (degrees)	19.8	21.6	22.6	22.7	22.8	22.7	23.7	23.8
Cargo Bed - length floor (mm)	1503	1503	1503	1503	1503	1503	1503	1503
Cargo Bed - length top (mm)	1465	1465	1465	1465	1465	1465	1465	1465
Cargo Bed - width floor (mm)	1560	1560	1560	1560	1560	1560	1560	1560
Cargo Bed - width top (mm)	1490	1490	1490	1490	1490	1490	1490	1490
Cargo Bed - width between wheel arches (mm)	1130	1130	1130	1130	1130	1130	1130	1130
Cargo Bed - tailgate opening width (mm)	1360	1360	1360	1360	1360	1360	1360	1360
Cargo Bed - height (mm)	474	474	474	474	474	474	474	474

Weights

Gross Vehicle Mass (GVM**) (kg)	2550	2910	2910	2910	2910	2910	2910	2910
Gross Combined Mass (GCM) (kg)	4138	5910	5910	5910	5910	5910	5910	5910
Kerb mass~ incl options (kg) manual/automatic (kg)	1649/1670	1798/1804	1836/1843	1892/1898	1759	1876/1882	1921/1924	1977/1980
Payload ^Δ manual/automatic (kg)	901/880	1112/1106	1074/1067	1018/1012	1151	1034/1028	989/986	933/930
Gross front axle (kg)	1320	1320	1320	1320	1320	1320	1320	1320
Gross rear axle (kg)	1530	1750	1750	1700	1750	1750	1750	1700

Towing Capacity[†]

Trailer without brakes (kg)	750	750	750	750	750	750	750	750
Trailer with brakes (kg)	1588	3500	3500	3500	3500	3500	3500	3500
Towball download (kg)	See table	See table	See table	See table	See table	See table	See table	See table

Fuel

Recommended fuel type (minimum)	91 RON	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Fuel tank capacity (litres)	80	80	80	80	80	80	80	80
Fuel consumption (combined ADR 81/02) (manual/automatic) (l/100km) [∞]	9.9/9.7	6.4/6.9	6.3/6.8	6.3/6.8	6.6	6.6/7.1	6.5/7.0	6.5/7.0
CO ₂ emissions (manual/automatic) (g/km)	230/225	169/183	166/179	166/179	174	174/187	172/186	172/186



Innovation
that excites

NISSAN NP300 NAVARA DUAL CAB SPECIFICATIONS

Specifications

	Dual Cab DX Pick Up 4x2	Dual Cab RX Pick Up 4x2	Dual Cab ST Pick Up 4x2	Dual Cab ST-X Pick Up 4x2	Dual Cab RX Cab Chassis 4x4	Dual Cab RX Pick Up 4x4	Dual Cab ST Pick Up 4x4	Dual Cab ST-X Pick Up 4x4
Rear interior lights (2)				•				•
Front door operated interior lights	•	•	•	•	•	•	•	•
Illuminated ignition switch				•				•
Rear window demister		•	•	•	•	•	•	•
12 volt power socket (3)	•	•	•	•	•	•	•	•
Vinyl floor coverings - front and rear	•							
Floor carpet - front and rear		•	•	•	•	•	•	•
Carpet floor mats - front and rear				•				•

Instrumentation

Speedometer, tachometer, odometer, trip meter	•	•	•	•	•	•	•	•
Advanced Drive-Assist™ Display (inc: Instant & average fuel economy, distance to empty, average speed)			•	•			•	•
Instant to average fuel economy, distance to empty	•	•			•	•		
Digital clock	•	•	•	•	•	•	•	•

Safety/Security

Reversing camera			•	•			•	•
Reversing sensors				•				•
Anti-lock Braking System (ABS) and Electronic Brakeforce Distribution (EBD)	•	•	•	•	•	•	•	•
Traction Control System (TCS)	•	•	•	•	•	•	•	•
Vehicle Dynamic Control (VDC) with Brake Limited Slip Differential (BLSLSD)	•	•	•	•	•	•	•	•
Active Brake Limited Slip (ABLS)					•	•	•	•
Brake Assist (BA)	•	•	•	•	•	•	•	•
Hill Start Assist (HSA)								•
Hill Descent Control (HDC)								•
Electronic rear differential lock							•	•
Driver & front passenger front-impact SRS airbags	•	•	•	•	•	•	•	•
Driver & front passenger side-impact SRS airbags	•	•	•	•	•	•	•	•
Driver knee airbag	•	•	•	•	•	•	•	•
Front to rear SRS curtain airbags	•	•	•	•	•	•	•	•
3-point Emergency Locking Retractor (ELR) seatbelts (all seats)	•	•	•	•	•	•	•	•
Driver & front passenger seatbelts with load limiters & pre-tensioners	•	•	•	•	•	•	•	•
Driver & front passenger seatbelt height adjustment	•	•	•	•	•	•	•	•
Driver & front passenger seatbelt warning	•	•	•	•	•	•	•	•
Second row seatbelt alert	•	•	•	•	•	•	•	•
Second row child restraint anchorage points (3)	•	•	•	•	•	•	•	•
Daytime running lights	•	•			•	•		
LED signature daytime running lights			•	•			•	•
Automatic on/off headlights - twilight detection	•	•	•	•	•	•	•	•
Hazard warning lights	•	•	•	•	•	•	•	•
LED high mounted stop light	•	•	•	•	•	•	•	•
Collapsible steering column	•	•	•	•	•	•	•	•
Child safety rear door locks	•	•	•	•	•	•	•	•
Door side intrusion bars	•	•	•	•	•	•	•	•
Zone body structure	•	•	•	•	•	•	•	•
Front & rear crumple zones	•	•	•	•	•	•	•	•
Front variable intermittent windscreen wipers	•	•	•	•	•	•	•	•
Door ajar warning light (all doors)	•	•	•	•	•	•	•	•
Nissan Anti-Theft System (NATS) vehicle immobiliser	•	•	•	•	•	•	•	•
Vehicle Security System (VSS) alarm		•	•	•	•	•	•	•

Exterior

Alloy sports bar with integrated high mounted stop light			•	•			•	•
Privacy glass (second row & rear window)		•	•	•	•	•	•	•
Halogen headlights	•	•			•	•		
LED projector headlights			•	•			•	•
Front fog lights			•	•			•	•
2 channel Utili-Track™ system				•				•
Tie-down points inside bed (4)	•	•	•	•		•	•	•
12V outlet inside bed		•	•	•		•	•	•
Protective tubliner				•				•
Side steps			•	•			•	•



Innovation
that excites

NISSAN NP300 NAVARA DUAL CAB SPECIFICATIONS

Specifications

	Dual Cab DX Pick Up 4x2	Dual Cab RX Pick Up 4x2	Dual Cab ST Pick Up 4x2	Dual Cab ST-X Pick Up 4x2	Dual Cab RX Cab Chassis 4x4	Dual Cab RX Pick Up 4x4	Dual Cab ST Pick Up 4x4	Dual Cab ST-X Pick Up 4x4
Roof rails				•				•
Antenna	•	•	•	•	•	•	•	•
Black door mirrors	•							
Chrome door mirrors		•	•	•	•	•	•	•
Door mirrors with power adjustment & manual folding	•	•			•	•		
Heated door mirrors with power adjustment & manual folding			•				•	
Heated door mirrors with power adjustment/folding & integrated LED indicator lights				•				•
Front bumper body colour	•	•	•	•	•	•	•	•
Chrome bumper with rear step	•	•	•	•		•	•	•
Black door handles	•							
Chrome door handles		•	•	•	•	•	•	•
V-Motion Chrome front grille	•	•	•	•	•	•	•	•
Sunroof (electric one-touch power tilt & slide)				•				•
Rear power sliding window		•	•	•	•	•	•	•
Rear spoiler with protective finisher	•	•	•	•		•	•	•
Front mudflaps					•			
Front and rear mudflaps	•	•	•	•		•	•	•
Front towing hook	•	•	•	•	•	•	•	•
Lockable fuel lid	•				•			
Electromagnetic lockable fuel lid		•	•	•		•	•	•
Manual lockable rear tailgate (key)	•	•	•	•		•	•	•

Colours

Polar White (QM1)	S	S	S		S	S	S	
Burning Red (AX6)	S	S	S	S	S	S	S	S
Cosmic Black (G42)	S	S	S	S	S	S	S	S
Brilliant Silver (K23) *	P	P	P	P	P	P	P	P
Deep Sapphire (RAA)*	P	P	P	P	P	P	P	P
Hornet Gold (EAU)*			P	P			P	P
Slate Grey (K21)*			P	P			P	P
White Diamond (QX1)				S				S

myNissan Ownership

myNissan Service Certainty [†]	•	•	•	•	•	•	•	•
3 year/100,000 kms Warranty**	•	•	•	•	•	•	•	•
3 year 24-Hour Roadside Assistance Program ^{††}	•	•	•	•	•	•	•	•
Genuine Nissan Extended Warranty [‡]	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt

Opt Optional

Not available


• Standard

S Standard paint

P Premium paint available at extra cost

Diesel		Petrol	
Towball download	Reduce Loaded Vehicle Mass	Towball download	Reduce Loaded Vehicle Mass
0kg	GVM** (All Variants)	0kg	GVM** (All Variants)
100kg	below GVM** by 130kg	100kg	below GVM** by 110kg
200kg	below GVM** by 280kg	160kg	below GVM** by 200kg
300kg	below GVM** by 410kg	200kg	below GVM** by 260kg

If the laden vehicle's mass is reduced as shown in the tables, the towball download can be increased correspondingly. Accordingly, if the laden mass of diesel variants is 410kg less than the GVM**, a towball download of 300kg is approved. For petrol variants, if the laden mass is 260kg less than the GVM**, a towball download of 200kg is approved. Different trailer types and different trailer manufacturers have varying towball downloads. The customer will need to contact the trailer manufacturer for information as to the download. Nissan is not able to make any recommendation on the use or suitability of load-levelling or weight distribution devices to be fitted to the vehicle. Customers should contact the manufacturers of these devices for further information.



Interior cloth seat trim (DX, RX and ST models only).



Interior leather accented seat trim[†] (ST-X).

** GVM = Gross Vehicle Mass. GVM is the maximum laden mass of a motor vehicle.

^ Kerb mass = unladen mass of vehicle with full fuel, excludes tray body for Cab Chassis vehicles.

^ Payload is the GVM minus the Kerb mass. The kerb mass does not include passengers, luggage, cargo, any accessories fitted or any towball download (as appropriate). Payload is distributed across both the front and rear axles, never exceed the GVM or the axle limits.

* Indicates a premium paint, which is available at extra cost.

^ Figures have been calculated in accordance with ADR81/02 (combined fuel consumption data). Actual fuel consumption will vary depending on driving conditions, driver behaviour, the condition of your vehicle and the accessories fitted.

† Towing capacity is subject to towbar/towball capacity and vehicle laden condition. The capacity may be reduced if a non genuine Nissan towbar is fitted. The permitted download is directly related to the laden mass of vehicle.

° Features vary by grade.

Gross Combined Mass with braked trailer.

^ iPod is a registered trade mark of Apple Inc.

‡ Leather accented features and upholstery may contain synthetic material.

† Ask your Nissan Dealer to explain exactly what items are covered in each Scheduled Service. Applies for up to 6 years/120,000kms (whichever occurs first). Some exclusions apply. Ask your Nissan Dealer or visit nissan.com.au/service to find out more and for full terms and conditions.

** New Vehicle Warranty expires 36 months from date of first registration or after 100,000km (whichever comes first). Conditions apply. See nissan.com.au for more details.

†† Terms and conditions apply, please visit nissan.com.au/roadsideassistance.

° Conditions apply. Ask your Nissan Dealer or visit nissan.com.au for full terms and conditions.



Innovation
that excites

NISSAN NP300 NAVARA DUAL CAB SPECIFICATIONS



For more information please visit nissan.com.au/owners, ask your Nissan Dealer or phone
1800 035 035 during normal AEST business hours.

All illustrations, information and specifications presented and referred to in this brochure were correct at the time this brochure was approved for printing. The colours in the photographs may vary from actual colours. However, Nissan Motor Co (Australia) Pty. Ltd. reserves the right, subject to the laws of Australia and/or the regulations of any competent authority which may apply from time to time, at its discretion at anytime and without prior notice to discontinue or change the models, features, specifications, designs and prices of the products referred to in this brochure and any optional equipment therefore without incurring any liability whatsoever to any purchaser or prospective purchaser of any such products. Some of the items referred to herein are optional at extra cost. Some options may be required in combination with other options. Always consult your Nissan Dealer for the latest information on models, specifications, features, prices, options and availability. Nissan Motor Co (Australia) Pty. Ltd. ACN 004 663 156. Updated October 2015. NAV0820

Follow us: @Nissan_Aus



Like us: Nissan



Check out: NissanAustralia Channel

