



ST/TS cloth seat trim

ST-L/Ti/TL leather seat trim

All functions, information and questionation presented and referred to in this locations were control at the time the transites uses approach for printing file because in the photophosis may very from actual colorate. However, Risson Relater Coloration Psych, I transmiss the past place for the location and only the respective and printing very file to their to have, at the discretises at any transmission and which the respective file the production of any competition and any operation and proposed feedbased sections and event production. A production of the production referred to the file between the ordinary and printing of the production referred to the file between the ordinary and printing of the production of the prod































myNisan is a common or not access to shirth helps you get the most 6 of 3 year. Neason As graf or myNisan you and ill ecceive a 3 year/100,000 im warranty and have access to 24-Hour Roadside Assistance for 3 years. No matter what pourley you've planning you'll have the peace of mind in knowing that If you obligately not have all at type or battery, or run out of faul, we'll help get you back on the road at no draign. You can sole take the option to ented you warranty for you for years.

We recognise that buying a car is a significant investment and the extensive network of Nissan Deaders will help you maintain and protect it. That's why, as part of mylkesan, you're entitled to 6 years or 120,000 wm5 of Cappage Price Service. This means you'll always know the maximum price you'll say when you come in for your rest. Scheduled Service at any Nissan Deader, Australas wide. What's mone, Nissan technicians are factory-framed experts that fullise dedicated diagnostice equipment and genum parts to keep your weeklide, in top condition. Thereby giving you the peace of mind that your Nissan is in the safest of hands.

The myNissan iPhone app is the ideal companion to take on all your adventures. It lets you request roadaide assistance and advise of your location using your phone's GPS, plan trips, search for locations, plus set registration, service and parking expiry reminders.

Nasan offers a variety of Missan Ganuine Accessories to protect, enhance and personalise your XTRAL Roof raise and a toutiar will increase your load carrying pitions, while borned and headamp protectors will help keep your XTRAL shielded from potential dimage during your cheerines. Ask your Nissan Dealer about the entire list of XTRAL accessories, Nissan Filiniarial Services has a range of minimic options, always dimigratible, rates and terms as well as various insurance solutions to princip your whellow.

Nesson has introduced must clinical bills, a new way for as to book at our burieses, which there to the detect bill a model compare for low and pally a clin is daring the customability of our earth and its recorduse. Bills Clistorally, and the model compare for positive the product contribution procurements produced developed, element probably to make propriet all over the world and felaring for patient the environment. The design and designated of the letter LYFAIL development with the product of the probability of the product of the product that the product of the product of





\*Ask your Nissan Dealer to explain exactly what items are covered in each Scheduled Service. Applies to the first 12 X 10,000kms scheduled service intervals for up to 6 years/120,000kms (whichever occurs first). Some exclusions apply, Ask your Nissan Dealer or visit nissan.com.au/cpstcs for full terms and conditions.



Specifications	ST 2.0 litre 2WD Petrol	ST-L 2.0 litre 2WD Petrol	ST 2.5 litre 4WD Petrol	ST-L 2.5 litre 4WD Petrol	Ti 2.5 litre 4WD Petrol	TS 2.0 litre 4WD Torbo - Diesel	TL 2.0 Stre 4WD Tarbo - Diesel			ST-L 2.0 litre 2WD Petrol	ST 2.5 litre 4WB Petrol	ST-L 2.5 litre 4WD Petral	Ti 2.5 litre 4WD Petrol	TS 2.0 litre 4WD Turbo - Diesel	TL 2 litre 4 Turbs Dies
Engine								Rated Towing Capacity'							
2.5 litre, 4 cylinder petrol engine								Trailer with brakes (kg) (manual/automatic)	1,500	1.300	2.000	2.000	2.000	2,000	2,00
2.0 litre, 4 cylinder petrol engine	0	0							/1,300					/1,350	/1,35
2.0 litre, 4 cylinder turbo-diesel engine							0	Trailer without brakes (kg)	750	750	750	750	750	750	750
Displacement (cc)	1,997	1,997	2,488	2,488	2,488	1,995	1,995	Feel							
Bare x strake (mm)	84 x 90.1	84 x 90.1	89 x 100	89 x 100	89 x 100	84 x 90	84 x 90	Recommended fuel type - Unleaded (ULP)							
Compression ratio	10.1	10.1	9.6	9.6	9.6	15.6	15.6	Recommended fuel type - Diesel	-	-	-	-	-		
Max power (kW@rpm) manual/automatic	12/95,200	109,635,200	125@6000	125@6000	125@6000	127@1750 /110@4000	127/(@8/750 /110/(@4/000	Fuel tank capacity (litres)	65	85	65	65	65	85	85
Max torque (Nim@rpm) manual/automatic	198@4400	198@4,400	226@4400	226@4400	226@440	380 <u>6</u> 2000 /20 <u>6</u> 200	300@200 0/20@200	Fuel consumption V100km (combined ADR 81/02) <sup>4</sup> (manual) Fuel consumption V100km (combined ADR 81/02) <sup>4</sup>	8.5		9.1			7.2	7.2
Induction		Mal	ti-point inje	ction		Comm	non-rail injection	(DIT automatic) Fuel consumption I/100km (combined ADR 81/00)4	8.4	8.4	9.1	9.1	9.1	7.4	7.4
Emission control - 3-way catalytic converter	0	0	0	0	0	0	0	(E-speed automatic)						1.9	1.4
Transmission								Mechanical							
6-speed manual	0						0	Intelligent ALL MODE 4x4-1 with electronic 4WD selection							
6-speed automatic with Manual Mode (M-Mode)						Opt	Opt	Active Brake Limited Slip (ABLS) Hill Descent Control		0					
Continuously Variable automatic Transmission (CVT) with B-speed Manual Mode (M-Mode)			Opt					Hill Descent Control Hill Start Assist	_	_					
Continuously Variable automatic Transmission (CVT)	Opt							Vertilated front and rear disc brakes							
Ratio 1st (manual)	3.727	-	3.727			3.727	3.727	Front suspension - MacPherson struts with coil		_	_	_	_	_	-
Ratio 2nd (manual)	2.105		2.043			2.043	2.043	springs and stabiliser bar							
Ratio 3rd (manual)	1.519		1.392			1.322	1.322	Rear suspension - parallel multi-link strut							
Ratio 4th (manual)	1.171		1.055			0.947	0.947	Rack and pinion power assisted steering							
Ratio 5th (manual)	0.914		0.865			0.723	0.723								
Ratio 6th (manual)	0.767		0.732			0.598	0.596	Wheels/Tyres							
Ratio reverse (manual)	3.687		3.641			3.641	3.641	7J x 17 alloy wheels							
CVT range	2:349-0:394	2.349-0.394	2349-0394	2349-0394	2349-039			7J x 18 alloy wheels							
CVT reverse	1.750	1.750	1.750	1.750	1.750			225/60R17 tyres							
CVT final drive	6.466	6.466	5.798	5.798	5.798			225/55R18 tyres							0
Ratio 1st (automatic)						4.199	4.199	Temporary spare - 215/65R16 steel wheel							0
Ratio 2nd (automatic)						2.405	2.405								
Ratio 3rd (automatic)						1.583	1.583	Interior	5	5	5	5	5	5	5
Ratio 4th (automatic)						1.161	1.161	Seating capacity Seat trim	Clirch	Leather	Dieth	Leather	Leather	Cloth	Leath
Ratio 5th (automatic)						0.855	0.855	G-way power adjustable driver's seat	uan	Leasner	Litter	TESS 1 B	reases	Lion	Learn
Ratio Eth (automatic)						0.685	0.685	4-way power adjustable front passenger's seat						_	
Ratio reverse (automatic)						3.457	3.457	6-way manual adjustable driver's seat		-		-	-		-
Oriver Wheels	2WD	2WD	4W0	410	4WD	4WD	4W0	4-way manual adjustable front passenger's sext	-						
								Manual driver lumbar adjustment							
Dimensions Overall length (mm)	4.635	4.835	4.635	4.635	4.635	4.635	4.835	Front heated seats			_			_	
	1,790	1,790	1,790	1,790	1,790	1,790	1,790	Rear cargo blind	Oat		Opt				
Overall width (mm) Overall height (mm)	1,790	1,790	1,790	1,790	1,790	1,790	1,790	Satellite Navigation with 30 mapping and 7"							
								integrated colour display with touch screen and							
Wheelbase (mm)	2,630	2,630	2,630	2,630	2,630	2,630	2,630 1,540	SUNA Traffic Updates <sup>ne</sup>							
Track front/rear (mm)	/1.545	/1.545	/1.545	/1.545	/1.545	/1.545	/1.545	DVD player from front colour display Auxiliary MP3 player input lack					0		0
Min. turning circle kerb to kerb (m)	- 11	11	- 11	- 11	- 11	- 11	- 11	Full Pod" connectivity (or USB storage device)							
Ground clearance (mm)	212	212	212	212	212	209	209	via USB connection and touch screen display							
Tare mass (kg) (manual/automatic)	1,481	1,444	1,496 /1,521	1,529	1,556	1,613 /1,643	1,850 /1,685	Bluetooth <sup>®</sup> handsfree phone system via colour display (functions with compatible phone models)							0
Gross Vehicle Mass (GHM) (kg) (manual/automatic)*	2,000	2,000	2,070 /2,100	2,100	2,100	2,150 /2,170	2,150 /2,170	Bluetooth® handsfee phone system via steering wheel controls (functions with compatible phone models)							
Approach angle (degrees)	27	27	27	27	27	27	27	Buetooth® audio connectivity					0		0
Departure angle (degrees)	23	23	23	23	23	23	23	Reversing carriera							

	litre 2WD Petrol	SI-L 2.0 Stre 2WD Petrol	Stre 4WD Petrol	SI-L 25 Stre 4WD Petrol	litre 4WD Petral	litre 4WD Turbo - Diesel	litre 4W0 Turbo - Diesel
Electric tift slide double sunsor							
Intelligent Key with central looking, smart entry and keyless start					0		0
Central locking with remote keyless entry and panic alarm	0	0	0				
Tilt and telescopic steering wheel adjustment					0		
Air-conditioning with rear centre console outlets							
Automatic climate control air-conditioning with rear centre console outlets		0			0		0
6 CD in-dash auto-changer with MP3 compatibility and AM/FM radio	0	0	0			0	
Single CD player integrated within colour display with MP3 compatibility and AM/FM radio							0
Number of speakers	- 4	6	- 4	6	6	6	- 6
Steering wheel mounted audio controls					0		
Druise control with steering wheel controls							
Heated/pooled glove box					0		
Drive computer steering wheel controls							
Leather trimmed steering wheel							
Leather brimmed shift/park brake lever							
43/20/40 split folding rear seat including anmest and ski port							
Rear seat recline to 5 positions							
Rat folding near seats							
Removable luggage floor in boot including drawer system							
Removable washable luggage boards in boot							
Rear cargo area tie down hooks	4	4	4	4	4	4	4
Rear cargo hooks	2	2	2	2	2	2	2
Passenger assist grips (excl. driver)							
Frant and rear door pockets							
Frant centre console with storage							
Dashboard storage box							
Keyless entry controlled fuel filler release							
Cup or bottle holders (front/rear)	8/2	8/2	6/2	6/2	6/2	6/2	6/2
Cooled/heated cup holders (front/rear)	2/2	2/2	2/2	2/2	2/2	2/2	2/2
Sunglasses holder	E/ E	E) E	212	272	0	272	0
Driver seat back pocket	_		_				
Front passenger seat back pocket				-			-
Front/rear map lights	2/1	2/1	2/1	2/1	2/2	2/1	2/2
Rear luggage area lights	2	2	2	271	2	2	2
Driver and front passenger survisor with mirror		0	0	0			
Bunination in front passenger survisor	-	-	-	-		-	
Power windows with driver auto up/down							-
Power door mirrors				-			-
Taver oon minors 12v gover gutlet (front)	-	-	-	-			-
12y power outlet (carps area)				-			-
rzy power outer (cargo area)							
Instrumentation							
Drive computer including average fuel economy, real time fuel economy, average speed, driving distance, elapsed driving time, distance to empty and reminders, with steering wheel controls	۰	٠	٠		۰	٠	۰
Exterior temperature gauge	0	0	0	0	0	0	
Speedometer with dual trip meter	0				0		
Tachometer							
Voltmeter, brake, fuel and oil pressure warning light	0	0	0	0	0	0	0

ST 2.0 ST 1.2.0 ST 2.5 ST 1.2.5 Ti 2.5 TS 2.0 TI 2.0

Digital clock Headlight warning chime

Roof side rails

Boor handles Rody coloured power misson. Chrome rear door finisher

Front and rear mudflags

Key-in warning chime Door ajar warning light

ALL MODE 4v4-i indicator light			0				
Electronic Stability Program (ESP)		0	0	0	0	0	0
Fraction Control System (TCS)		0	0	0		0	0
Anti-lock Braking System (ABS)							
Brake Assist (BA)							
Tectronic Brakeforce Distribution (EBD)		0	0	0	0	0	0
Active Brake Limited Slip (ABLS)							
Driver and front passenger front-impact SRS airbags		0	0	0		0	
Driver and front passenger side-impact SRS airbags							
Front to rear SRS curtain airbags							
ront seatbelt pretensioners with Isad limiters		0	0	0		0	0
ront active headrests							
Adjustable front headnests (2) with 2-way adjustment		0	0				
Adjustable rear headrests (3) with 2-way adjustment							
ront seatbelt height adjustment			0				
Rear privacy glass							
Nutomatic on/aff headlights							
Kenon headlights with washers							
falogen headlights						0	
ED rear tailights			0	0			
rent rain sensing automatic wipers							0
Front variable intermittent wipers						0	
Rear intermittent wiper							
Rear windscreen demister							
Security alarm							
Nasan Anti Theft System (NATS) vehicle immobiliser							
B point Emergency Looking Retractor (ELR) front and rear searbelts (all)			۰				۰
Collapsible steering column	0						
Bazard warning lights	0						
Righ mount rear LED stop light	0						
Oriver seafbelt warning light and chime	0						
Child restraint anchorage points (behind rear seat)	3	3	3	3	3	3	3
Rear door child looks							
Righly ripid monocopue body							
Dide Intrusion bars							
ront and rear crumple zones							
	_						
Exterior							
Front fog lights							

Chrome Chrome Chrome Chrome Chrome Chrome

Chrome Chrome Chrome Chrome Chrome Chrome

	Colours
	Diamond Black (G41)
	Flint (KSS)*
	Precision Grey (KS1)*
	Burning Red (AXS)
	Snow Storm (DAB)
	Tempest Blue (PAQ)*
	Brilliant Silver (K23)*
0	Twilight (EVD)*
	Warranty
	3 year/100,000 kms
	3 year 24-Hour Roadsid
	Genuine Nissan Extends
	* Indicates a metallic p
	† Vehicle towing capaci Nissan towbar is fifte
	"GVM - Grass Vehicle
	4 Figures have been calc
	driver behaviour, the
	"iPed is a registered
	Opt Option
	Towball Download
	50kg
	100kg
	150kg
	200ks
	If the loaded vehicle
	Accordingly, if the la
	trailer types and diff
	the trailer manufacts

-Hour Roadside Assistanc	e Program											
lissan Extended Warranty		Opt	Opt	Opt	Opt	Opt	Opt	Opt				
es a metallic paint, which triving capacity is subject trivibar is fitted. Please re Gress Vehicle Mass. GVI have been calculated in aco rehaviour, the condition a registered trade mark a registered trade mark	t to towbar/tow efer to the Gen if includes the cordance with A of your vehicle	rball capacit uine access driver, 4 po IDR81/D2. # e and the a	ty and design ory brochury essengers, fo etual fuel co	e for towbar ull fuel tank naumption w	capacity in and luggap	formation. pt.						
Optional		Not avo	silable		0 [	Standard						
Download	Reduced	Vehicle I	Mass									
	NI	N										
	Reduced to	Reduced loaded vehicle mass below GVM <sup>oc</sup> by 60kg										
	Reduced to	Reduced loaded vehicle mass below GVM™ by 150kg										

ded vehicle mass is reduced as shown in the table, the towball download can be increased correspondingly. ingly, if the laden mass is 250kg less than the GVM," a towball download of 200kg is approved. Different types and different trailer manufacturers have varying towball downloads. The customer will need to contact r manufacturer for information as to the download. Nissan does not recommend the fitting of load levelling or weight distribution devices when used with a Nissan Genuine towar. When fitted and used correctly, the Nissan Genuine towbar is capable of meeting the towbar/towball capacity stated in the above table.



Reduced loaded vehicle mass below EVM\*\* by 250kg











normal business hours Follow us: @Nissan Aus

For more information please visit nissan.com.au, ask your Nissan Dealer or phone 1800 CCS CCS during





