

VOLKSWAGEN AMAROK V6 Features and Specifications	TDI550 Highline	
SAFETY AND SECURITY		
S = Standard O = Optional Extra A = Volkswagen Genuine Accessory (Dealer fitted) – Not Available		
Airbags		
Driver and front passenger airbags Driver and front passenger side (head & thorax) airbags	S S	
Seat Belts		
3 point seat belts for all passengers Front height adjustable seat belts with pre-tensioners and belt force limiters Outer rear seat belt pre-tensioners Visual and acoustic warning for driver seat belt not fastened	S S S	
Child Restraints		
Child seat top tether anchorage points (3) ISOFIX child seat anchorage points, outer rear seats	S S	
Brakes and Traction Control		
Automatic flashing brake lights activated in emergency braking situation Electronic Stabilisation Programme (ESP) Electronic Brake-pressure Distribution (EBD) Anti-lock Braking System (ABS) Brake Assist Anti-Slip Regulation (ASR) Electronic Differential Lock (EDL) Auto Hold function Trailer Sway Stability Control (only with genuine tow bar wiring kit) Mechanical Differential Lock Multi-collision brake Active Roll-over Prevention	S S S S S S S S S S S S S S S S S S S	
Driver Assistance Technology		
Off-road mode with optimised ABS, ESP, transmission and hill decent control Parking distance sensors, front and rear with acoustic warning Optical Parking System (OPS) in radio/navigation display Rear View Camera (RVC) with static guidance lines Dusk sensing head lamps Rain sensing wipers	S S S S S	
Lighting		
Bi-Xenon headlamps with integrated LED daytime driving lights, automatic self- levelling Front fog lights with static cornering lights Separate headlight and fog light switch Coming / leaving home function Internal headlight range adjustment LED rear licence plate light Rear high mount stop light, LED Tinted tail lights Rear fog lamp	S S S S S S S S S S S S S S S S S S S	
Locking		T
Lockable rear tailgate with "comfort" closing Electronic engine immobiliser with SAFELOCK Alarm system with interior monitoring Remote central locking with folding key (4)	S S S	
Head Restraints		
Rear head restraints height adjustable (3)	S	



VOLKSWAGEN AMAROK V6 Features and Specifications	TDI550 Highline	TD1550 111+ima+6
EXTERIOR EQUIPMENT / STYLING		
S = Standard O = Optional Extra A = Volkswagen Genuine Accessory (Dealer fitted) - Not Available		
Roof		
Roof gutter inserts (Black) Roof bar mounting points Roof bars Bicycle, kayak, ski, surfboard and snowboard holders	S S A A	S S A
Towbar		
Towbar, with removable tongue Wiring Kit - 7-pin flat trailer connector	A A	A
Windows		
Power front / rear, with roll-back function and one touch up-down Remote operated convenience close and open feature Heat insulating tinted glass Dark tinted rear side window and rear window glass, 65% light absorbing	\$ \$ \$ \$	9
Body Enhancements		
Body coloured front bumper bar, door handles and exterior mirrors Chrome radiator grille highlights with two double chrome strips Chrome rear step bumper Extended wheel arch flares Side Steps (Stainless Steel) Side Steps (Stainless Steel) - Illuminated Styling Bar (Stainless Steel) - Standard type Styling Bar (Stainless Steel) - Long type Rolling cover (lockable) Hard tonneau cover (lockable) Soft tonneau cover Canopy with side windows and rear door	S S S S S A A A A A	S S S S S S S S S S S S S S S S S S S
Protection		
Underbody protection (Engine) Mudflaps, front and rear Durabed tubliner coating Slimline weather shields (set of 4) Bonnet protector - clear / tinted Tubliner - 5 piece Underbody protection (Fuel tank)	S S - A A A A	S S S A A
Wheels and Tyres		
Alloy wheels (Manaus) - 18 x 7" with 255/60 R18 Alloy wheels (Milford) - 19 x 8" with 255/55 R19 Alloy wheels (Talca) - 20 x 8" with 255/50 R20 Alloy wheels ( various design 18" and 19") Full size alloy spare wheel Tyre Pressure Monitoring System (TPMS) Tool kit with vehicle jack	S - A S S A	
Please consult your Volkswagen Dealer for correct wheel and tyre fitment by model		



VOLKSWAGEN AMAROK V6 Features and Specifications	TDI550 Highline	TD1550111+ima+6
COMFORT AND CONVENIENCE		
5 = Standard O = Optional Extra A = Volkswagen Genuine Accessory (Dealer fitted) - Not Available		
Air Conditioning		
Dual-zone automatic climate control air conditioning	S	
Cruise Control		
Cruise Control with stork mounted controls	S	
n-Car Entertainment and Technology		
Discover Media audio and satellite navigation system 6.33" 6.33" colour touch screen display with smartphone style HMI and proximity sensor, AM/FM radio, CD player and 2 x SD card slots for music and navigation data, 2D and 3D (bird's eye) map views, compatible with MP3, WMA and AAC music files, jpeg image viewer, car menu with convenience and service settings, security coded App-Connect USB interface for Apple CarPlay®, Android Auto™ and MirrorLink® in centre console Digital radio (DAB+) Audio, telephone and Multi-Function Display controls mounted on steering wheel Auxiliary input audio socket in centre console	S S S S	
Bluetooth® phone connectivity with contacts display, operation via touch screen audio unit or Multi-Function Display and Bluetooth® audio streaming Speakers, front and rear (6) /oice Control, telephone and navigation functions	S	
nstrumentation		
Speedometer & tachometer, electronic odometer and tripmeter, digital clock, fuel & coolant gauges, ambient temperature display, transmission gear indicator with adjustable illumination Multi-Function Display (MFD Plus) monochrome display – driving time, trip length, average and current speed, average and current fuel consumption, tyre pressure indicator setting, distance till empty,	S S	
speed warning function, vehicle status, audio, telephone, navigation and convenience menus Multi-Function Display (MFD Premium) colour display and screen transitions with animations – driving time, trip length, average and current speed, average and current fuel consumption, tyre pressure indicator setting, distance till empty, speed warning function, vehicle status, audio, telephone, navigation and convenience menus	_	:
12 V socket ( 4 )		
Centre console dashboard Centre console Second row centre console Cargo area	S S S	
nterior Lighting		
nterior lights - door operated Reading lights, front and rear	S S	
nterior Trims		
Aluminium-look decorative inserts in dashboard Chrome highlight trim to air vent and rotary light switch Chrome highlights to mirror adjustment and power window switches Leather covered steering wheel and gearshift knob Aluminium finish accelerator and brake pedals Carpet floor covering in cab	S S S - S	



VOLKSWAGEN AMAROK V6 Features and Specifications	TDI550 Highline	TDI550 Ultimate
COMFORT AND CONVENIENCE (CONT'D)		
5 = Standard O = Optional Extra A = Volkswagen Genuine Accessory (Dealer fitted) - Not Available		
Mirrors		
Electric adjusted door mirrors with heating function Colour-coded exterior mirrors with chrome highlights	S S	S
Steering Wheel		
B spoke leather covered steering wheel Steering wheel mounted gearshift paddles Audio, telephone and Multi-Function Display controls Height and reach adjustable steering wheel	S - S S	S S S
Seating		
Cloth seat upholstery - Salipra trim  Leather appointed seat upholstery - Vienna*  Alcantara seat upholstery  Leather appointed seat upholstery - Nappa*  Manual height adjustment - front  ErgoComfort driver's seat with 14-way adjustment with seat cushion tilt adjustment,  cushion depth adjustment and electric adjustment for backrest and lumbar  ndividually heated from seats  Rear seat backrest forward folding	S O O - S -	
Rear seat base split folding (60/40)  Grab Handles	3	
Roof line folding grab handles (4) B-pillar fixed grad handles (2) A-pillar fixed grab handle (1)	S S S	9
Storage		
Centre console armrest with storage compartment Storage under front seats Door pockets, front and rear Front seat backrest storage pockets Driver's and passenger's side vanity mirrors Compartment with lid in roof console Lockable glove compartment Rear centre floor cup holders (2) Bottle holders in front and rear door pockets	S S S S S S S S S S S S S S S S S S S	
Tray Body		
Lashing rings for load restraining (4) Cargo area light 12 volt socket	S S S	S



TDI550 Ultimate TDI550 Highline **VOLKSWAGEN AMAROK V6 Features and Specifications OPTIONAL EQUIPMENT** S = Standard O = Optional Extra A = Volkswagen Genuine Accessory (Dealer fitted) - Not Available Interior Leather appointed seat upholstery - Vienna\* 0 Alcantara seat upholstery 0 S Individually heated front seats 0 Paint Metallic or Pearl Effect paint finish 0 0 \* Leather appointed seats has a combination of genuine and artificial leather, but are not wholly leather



## **VOLKSWAGEN AMAROK V6 Features and specifications**

Model	TDI550 4MOTION
Engine	3.0 litre V6 TDI BlueMotion Technology
Туре	6 cylinder turbo diesel, 24 valve
Installation	Longitudinal
Cubic capacity, litres/cc	3.0 / 2,967
Bore/stoke, mm	83.0 / 91.4
Max power, kW @rpm	165 @ 2,500 - 4,500
Max torque, Nm @rpm	550 @ 1,500 - 2,500
Compression ratio	16.0:1
Fuel system	Bosch EDC16 electronic engine control unit
Exhaust emission control	Water-cooled exhaust gas recirculation (EGR), catalytic converter and diese particulate filter (DPF); SCR/ AdBlue
Fuel type (Recommended)	Diesel EN 590
Fuel tank capacity, litres	80
Battery	520 Amp 92Ah (AGM)
Transmission	8 Speed Automatic
Driven wheels	4x4 (4MOTION) Permanent
Gear Ratio	1st Gear: 4.714 2nd Gear: 3.143 3rd Gear: 2.106 4th Gear: 1.667 5th Gear: 1.285 6th Gear: 1.00 7th Gear: 0.839 8th Gear: 0.667 Reverse Gear: 3.317
Performance	
0-100km/h, seconds	7.9
Fuel consumption**^	
Combined, L/100km	7.8
Urban, L/100km	8.6
Extra Urban, L/100km	7.3

<sup>\*</sup> The Start/Stop system is designed to reduce fuel consumption and CO2 emissions. It achieves this by automatically switching off the engine while the vehicle is stationary and then starting it again automatically when the driver wants to drive off. There are certain operating conditions where the Start/Stop system is deactivated (e.g. during engine warm-up), please refer to the owner's manual for full operating information.

The driving style, road and traffic conditions, environmental influences, fitment of accessories and vehicle condition can in practice lead to consumption figures which may differ from those calculated with these standards.

<sup>#</sup> Please note figures are sourced from overseas data where equipment levels by model variant may vary

 $<sup>^{**}</sup>$  Fuel consumption figures according to Australian Design Rule (ADR) 81/02.



## **VOLKSWAGEN AMAROK V6 Features and specifications**

Model		TDI550 4MOTION	
Engine		3.0 litre V6 TDI	
Running Gear			
Chassis		Full-length ladder frame chassis in high strength steel	
Body		Fully galvanised body with 6 year anti-corrosion perforation warranty	
Suspension	Front axle Rear axle	Transverse link with A-frame arm double wishbone and anti-roll bar Multi-layer rigid axle with leaf spring and stabiliser bar	
Steering		Power assisted rack & pinion steering	
Brake systems		Anti-lock Braking System (ABS) with Electronic Brake-pressure Distribution (EBD), Brake Assist and Electronic Stabilisation Program (ESP) Brake energy recuperation	
Brakes	Front, mm Rear, mm	332, Ventilated Discs 300, Ventilated Discs	
Brake systems		ESP, off-road ABS, ASR, EDL,Hill Holder, Brake Assist, Traction Control and Off-Road ABS including Hill Decent	
Turning circle, r	netres	12.95	
Weights^			
Unladen Mass k	(g`s		
Highline		2,169	
Ultimate		2,216	
Payload kg			
Highline		911	
Ultimate		864	
Gross Vehicle M	lass (GVM) kg	3,080	
Gross Combine	d Mass (GCM) kg	6,000	
Roof load kg		100	
Towbar Capaci	ty*		
Braked kg		3,000	
Unbraked kg		750	
Towbar load limit kg		300	
Exterior Dimen	sions^		
Overall length mm		5,254	
Width mm		1,954	
Width incl. mirrors mm		2,228	
Height mm		1,878^	
Wheelbase mm		3,095	



## **VOLKSWAGEN AMAROK V6 Features and specifications**

TECHNICAL SI	TECHNICAL SPECIFICATIONS (CONT'D)		
Exterior Dimer	nsions^ (CONT'D)		
Entry angle, mr	n	28.0	
Departure angle, mm		23.6	
Ramp angle, mm		23.0	
Wading depth, mm		500	
Track, mm	Front** Rear**	1,654 1,658	
Tray Dimension	ns^#		
Length, mm		1,555	
Width mm (Max.)		1,620	
Width mm (between wheel arches)		1,222	
Tail gate opening mm (Max.)		1,364	
Height (tail gate) mm		508	
Load area m		2.52	
Tie down points		4	
Height from ground mm		780	

including styling bar

<sup>#</sup> Please note figures are sourced from overseas data where equipment levels by model variant may vary.

<sup>\*\*</sup> Track figures are based on rim off-set of 45