











TACKLE ANY TERRAIN

Sand. Glide through sand with increased accelerator sensitivity that adapts to the environment.

Mud, Grass or Snow. From muddy tracks to fresh snow, this mode gives optimised traction and control.

Rock.²· Conquer extreme off-road terrain. Choose this mode to keep 4WD in first gear for superior control.

Road. Switch to Road to maximize traction and stability for greater control when travelling along sealed roads.





TRAVEL FIRST CLASS EVERYWHERE

Say hello to luxury with an adventurous side. With **seven comfortable seats**, there's plenty of room inside the Everest to take the whole family, team or whoever is on board for the ride in total comfort.


While you're on your way, keep the noise out and the good times in. Inspired by noise cancelling headphones, the Everest's **Active Noise Cancellation** uses three highly sensitive microphones to detect and measure engine noise, then cancels it with opposing sound waves.

Enjoy the great outdoors even when you're indoors. The electric panoramic sunroof, comprising nearly 50% of the roof space, allows you to open up your world and experience life under the stars at the touch of a button. While the 8-way power driver's and passenger seat, gives you premium comfort wherever you're headed.











CONTROL YOUR WORLD

Do it all without having to do a thing. Discover driving technology that makes every journey effortless.

Reverse with confidence. See exactly what's behind you thanks to the **Rear View Camera** and **Rear Parking Sensors** that alert you to obstacles.

With SYNCTM $2^{1.}$ on Trend and Titanium models your voice is in control. Stay on track with Voice Controlled Sat Nav. Tell SYNCTM 2 what temperature you'd like your cabin. See everything clearly on the vibrant 8-inch touch screen.


Plus with the two **USB ports** and one **RCA port** it's easier to stay connected to your devices than ever before.

What's more the **dual 4.2" colour instrumentation display screens**³. gives you everything from driving mode to fuel usage, all on low-glare, high-quality flat screens.









ASSISTANCE IN ALL THE RIGHT PLACES

Need help getting the perfect park? At the press of a button, **Active Park Assist**^{1.} helps you find a parking spot that's just the right fit, then virtually parallel parks the vehicle. Just push the button, put the vehicle into gear, take your hands off the wheel and watch it perfectly steer itself into your parking space. All you have to do is work the accelerator and brakes.

Like a second set of eyes, the **Cross-Traffic Alert**^{1.} will signal if there's traffic coming from either direction when you're reversing out of a parking spot or driveway.

See what you can't see with **Blind Spot Information System (BLIS)**.^{1.4.} When changing lanes, indicator lights in the side mirrors let you know if there's a vehicle in your blind spot.

If your indicator isn't on, the **Lane Keeping System**^{2,3}. alerts you by vibrating your steering wheel. And if you keep drifting, it helps guide you back into the correct lane using steering assistance.

If you have younger drivers in the family, $MyKey^{TM3}$. lets you program the key fob to limit car settings — like top speed, audio volume and the ability to make and take calls.

Wish Cruise Control was even cruisier? Well now it is. Adaptive Cruise Control with Forward Collision Warning^{3.5.} can help you keep your distance from the traffic in front. If it senses slow moving traffic, it slows down. When the traffic clears it goes back to your pre-set speed, or maintains a pre-set distance from the car in front. It can even detect the potential for an accident to occur and alert you with a brake light warning on your windscreen and precharges your brakes.















LOAD CARGO AND JUST GO

Leave nothing behind. The Everest's interior is designed to get you and everything you need from A to B.

From camping gear to soccer teams, it's easy to switch between cargo and people with the Everest's 2nd-row 60/40 split seat and 3rd-row 50/50 split seat.

The electric **PowerFold**^{1.} 3rd row seat folds flat for a stable surface at the press of a button. There are also an impressive 30 stowage compartments.

With the **Power Tailgate**^{2.} it's never been easier to pack a heavy load. Simply press the power button and watch the tailgate open and close by itself.



BUILT FOR THE LONG HAUL

Whether it's packing the Everest with mountain bikes, attaching tents to the roof or towing the boat for a weekend away on the water, the Everest has the strength and capability to get you and your gear there.

	Max Payload ^{1.}	Max Roof Load	Max Towing Capablity ^{2.}
Ambiente	730kg	100kg	3000kg
Trend	693kg	100kg	3000kg
Titanium	605kg	80kg	3000kg



AMBIENTE

Active noise cancellation
7 Airbags
17" Alloy wheels
Auto on/off headlamps
Cruise control

3.2L Duratorq TDCi Engine: 143kW/470Nm

Dynamic Stability Control^{2.}

Electric Locking Rear differential

Emergency Assistance

Factory-fit Towbar (optional)

Front fog lamps

225mm Ground Clearance

Independent front suspension

Hill Descent Control

Hill Launch Assist

Rear parking sensors

Rear Ventilation Controls

Rear view camera

7 Seats

Solid rear axle suspension with Watt's linkage

SYNC™ Infotainment System with voice control¹.

Terrain Management System

3000kg Towing Capacity^{2.}

Trailer Sway Control

800mm Water Wading Ability^{3.}

TREND Includes Ambiente features plus:

Adaptive Cruise Control with Forward Collision Mitigation

18" Alloy wheels

Auto High Beam Control

8" Colour touchscreen

Daytime running lamps

Dual 4.2" colour instrumentation screens

Dual Zone Climate Control

Electrochromatic Rear View Mirror

Front parking sensors

Halogen projector headlamps

Lane Keeping System

Leather wrapped steering wheel

MyKey™ Control System

Power side mirrors with powerfold, heater and puddle lamps

Power Tailgate

Rain Sensing Windscreen Wipers

Rear Privacy Glass

Running boards

Satellite Navigation (optional) with Traffic Management Channel $^{4\cdot}$

SYNC™ 2 Infotainment system with voice control¹.

10 Speaker audio DAB

TITANIUM Includes Trend features plus:

20" Alloy wheels

Ambient Lighting

Blind Spot Information System (BLIS)

Electric Powerfold 3rd row seat with 50:50 split-fold seat back

Heated front seats

High Intensity Discharge headlamps with LED day time running lights

Leather trimmed seats

Leather wrapped steering wheel & gear knob

Panoramic power sunroof with power blind

8-way power driver and front passenger seat with manual lumbar

Semi-auto parallel park assist (Active Park Assist)

Tyre pressure monitoring system

Voice-Controlled Satellite Navigation with Traffic Management Channel^{4.}












Everest Titanium shown in Sunset.







Everest Trend shown in Blue Reflex.

1. SYNCTM standard on Ambiente models, SYNC™ 2 standard on Trend and Titanium models. For SYNC, phone and media player compatibility visit www.ford.com.au/SYNC. Please refer to Owner's manual for full details regarding system availability and limitations. 2. Subject to State and Territory regulations. 3,000kg is the maximum towing capacity using a Genuine Ford tow pack. To comply with these limits, occupants and/or luggage may need to be restricted. For further details regarding passenger and luggage restrictions, please consult your authorised Ford Dealer and/or refer to the Owner's Manual. 3. Maintaining a steady speed of 7 kms/hr. 4. Traffic information is provided through an arrangement with Intelematics Australia Pty Ltd. Traffic information is based on data provided with the permission of one or more 3rd parties. Should Ford's arrangement with Intelematics Australia Pty Ltd cease for any reason, the ongoing provision of traffic information cannot be guaranteed.



Black Mica*



Sparkiling Gold*



True Red



Blue Reflex*



Metropolitan Grey*





Cool White



Aluminium*



Ambiente Seat insert: Mason fabric in Ebony Seat bolster: Fineline fabric in Ebony



Trend Seat insert: Mason fabric in Ebony Seat bolster: Fineline fabric in Ebony



Titanium Seat insert: Soho Grain leather in River Rock Seat bolster: Soho Grain perforated leather in River Rock



Ambiente wheel 17" x 8" alloy wheels 265/65 R17 tyres Matching spare wheel & tyre



Trend wheel 18" x 8" alloy wheels 265/60 R18 tyres Matching spare wheel & tyre



Titanium wheel 20" x 8.5" alloy wheels 265/50 R20 tyres Matching spare wheel & tyre





Cargo Barrier. Rated to 60 kg and meets Australian Standard AS/NZ4034.1:2008.



Cargo Cover. Retractable cover helps keep equipment and valuables out of sight.



Snorkel. Draws air from roof level providing cooler cleaner air to the engine and also provides a higher air intake position to assist with water crossings.



Tow Pack. Pack includes towbar, hitch, trailer wiring, LED compatible trailer wiring module and replacement lower bumper panel for a fully integrated finish

Models	Ambiente	Trend	Titanium
Exterior			
Alloy Wheel Lock Nut Set	А	А	А
Bonnet Protector – Tinted	А	А	А
Bull Bar – Steel	А	А	А
Bumper Lower Skid Plate Front	А	А	А
Bumper Lower Skid Plate Rear	А	А	А
Head Lamp Guards	А	-	-
Nudge Bar	А	А	А
Snorkel ^{2.}	А	А	А
Weathershields Slimline (4pcs)	А	А	А
Interior Styling and Protection			
Cargo Cover	А	А	А
Cargo Net	А	А	А
Cargo Liner – Everest	А	А	А
Carpet Mats Front	А	S	S
Carpet Mats 2nd Row Floor	А	S	S
Carpet Mats 3rd Row Floor	А	А	А
Scuff Plates Front set of 2 with Everest logo	А	А	S
Towing, Carrying and Outdoors			
Rhino Rack Bike Carrier Towbar Hitch Mount ^{1.}	А	А	А
Cargo Barrier	А	А	А
Rhino Rack Carry Bars ^{1.}	А	А	А
Rhino Rack Carry Bar Accessories inc Roof Boxes, Awnings & Tents ^{1.}	А	А	А
Tow Pack	A\O	A\O	A\O
Rhino Rack Wheel Step ^{1.}	А	Α	А

S = Standard. A = Accessory that can be added at any time. — = Not available. O = Factory Option that can be ordered before a vehicle is manufactured.



SPECIFYING YOUR EVEREST

Mechanical Specifications

Engine		3.2L Duratorq TDCi Diesel		
Engine type	5 Cylinder			
Engine size (cm3)	3198			
Maximum power	143kW @ 3000rpm			
Maximum torque	470Nm @ 1750-2500rpm			
No. of valves	20			
Bore x stroke (mm)		89.9 x 100.76mm		
Fuel Management system	Turk	ocharged direct commonrail inje	ction	
Selective Catalytic Reduction (SCR) ^{1.}		S		
Fuel				
Fuel tank capacity (L)		80		
Fuel economy (L/100km)(Combined cycle)		8.5 ^{2.}		
CO ₂ emissions (g/km)(Combined)		224²-		
Transmissions/Ratios				
6-speed automatic transmission		S		
lst		4.17		
2nd	2.34			
3rd	1.52			
4th		1.14		
5th	0.87			
6th	0.69			
Reverse		3.400		
Final drive ratio		3.73:1		
Towing and Vehicle Mass	Ambiente	Trend	Titanium	
Towing Capacity Max (Braked)	3000 ^{3.}	3000 ^{3.}	3000 ^{3.}	
Gross Combined Mass Incl. Braked trailer (kg)	5800	5800	5800	
GVM (kg)	3100	3100	3100	
Kerb Weight (kg)	2370 ^{4.}	24074.	2495 ^{4.}	
Payload (kg)	730	693	605	
Front Axle Load (Maximum) (kg)	1480	1480	1480	
Rear Axle Load (Maximum) (kg)	1750	1750	1750	

Specifications

Safety, Security and Driver Assistance	Ambiente	Trend	Titanium
Adjustable Speed Limiter	S	S	S
Airbags: Driver and front passenger	S	S	S
Airbags: Driver's knee	S	S	S
Airbags: Side front	S	S	S
Airbags: Side curtain (to 3rd row)	S	S	S
Auto on/off headlamps	S	S	S
Beltminder™ system (1st and 2nd Row occupants)	S	S	S
Blind spot monitoring system (BLIS) with Coss-Traffic Alert	-	-	S
Cruise control with adjustable speed limiter and steering wheel mounted controls	S	-	-
Adaptive Cruise Control with Forward Collision Alert	-	S	S
Driver Alert System	-	S	S
Dynamic Stability Control(DSC) incorporating ABS	S	S	S
Emergency Assistance	S	S	S
Emergency Brake Assist	S	S	S
Emergency Brake Light	S	S	S
Electronic Locking Rear Differential	S	S	S
Electronic Power Assisted Steering (EPAS)	S	S	S
Front Park Assist Sensors	-	S	S
Independent front suspensions	S	S	S

Safety, Security and Driver Assistance continued	Ambiente	Trend	Titanium
Hill Descent Control	S	S	S
Hill Launch Assist	S	S	S
Lane Keeping System	-	S	S
Rear Parking Sensors	S	S	S
Rear View Camera	S	S	S
Remote Keyless Entry	S	S	S
Roll Over Mitigation	S	S	S
Semi-auto parallel park assist (Active Park Assist)	-	-	S
Solid rear axle suspension with Watt's Linkage	S	S	S
Trailer pre-wiring	S	S	S
Trailer Sway Control	S	S	S
Traction Control System	S	S	S
Terrain Management System	S	S	S
Tyre pressure monitoring system	-	-	S
Volumetric Alarm with Battery Backup system	S	S	S
Seating			
7 seats	S	S	S
Heated front seats	-	-	S
Powerfold 3rd row seat with 50:50 split-fold seat back	-	-	S
4 way manual driver seat adjustment with lumbar support	S	S	-

S = Standard. O = Factory Option that can be ordered before a vehicle is manufactured. <math>- = Not available.

1. Proper functioning requires use of Diesel Exhaust Fluid (AdBlue®) which must be refilled periodically. 2. Figures obtained from controlled tests using ADR81/02 combined cycle. Actual consumption will depend on many factors, including driving habits, prevailing conditions and your vehicle's equipment, condition and use. 3. Subject to State and Territory regulations. 3,000kg is the maximum towing capacity using a Genuine Ford tow pack. To comply with these limits, occupants and/or luggage may need to be restricted. For further details regarding passenger and luggage restrictions, please consult your authorised Ford Dealer and/or refer to the Owner's Manual. 4. Approximate kerb (unladen) mass based on standard specification with a full tank of fuel and no occupants or luggage. 5. iPod is a trademark of Apple Inc. Requires connection cable, sold separately. Please refer to ford.com.au for iPhone compatibility. 6. Bluetooth® is a registered trademark of

Specifications continued

Seating continued	Ambiente	Trend	Titanium
8-way power driver and passenger seat with manual lumbar	-	-	S
2-way manual adjustment front passenger seat	S	S	S
2nd row seat with 60:40 split-fold seat back	S	S	S
3rd row seat with 50:50 split-fold seat back	S	S	-
Fabric seat trim	S	S	-
Leather trimmed seats	-	-	S
Comfort and Convenience			
30 stowage areas (totalling 48L)	S	S	S
230V inverter in rear console (150w)	S	S	S
Active noise cancellation	S	S	S
Air Conditioning – single-zone manual	S	-	-
Ambient Lighting	-	-	S
Auxillary (Front) 12V power outlets x 2	S	S	S
Auxillary (Cargo) 12V power outlet	S	S	S
Auxillary (Centre) 12V power outlet	S	S	S
Dual Zone Climate Control	-	S	S
Electrochromatic Rear View Mirror	-	S	S
Flip/auto spare key	-	S	S
Floor Mats Front – Driver Only	S	-	-
Floor Mats – Front and Rear	-	S	S
Follow-me-home lighting	S	S	S
Front sunvisors with illuminated vanity mirror	-	S	S
Illuminated front scuff plates	-	-	S
Intermittent variable speed front wipers	S	S	S
Leather wrapped steering wheel	-	S	S
Leather wrapped gear shifter	-	-	S
Overhead console with map lights and sunglass holder	S	S	S
Panoramic power sunroof	-	-	S
Pollen air filter	S	S	S
Power windows with one touch up/down and global open/close	S	S	S
Rain Sensing Windscreen Wipers	-	S	S
Rear auxiliary A/C and heater controls at back of centre console	S	S	S
USB Port x 2	-	S	S
Audio and Communication			
AUX/USB/RCA/iPod intergration ^{5.}	S	S	S
8" Colour Touch screen	-	S	S
Bluetooth® mobile phone integration ^{6.}	S	S	S
Dual antenna system	S	S	S
Dual 4.2" colour instrumentation screens	-	S	S
Interior Command Centre with 4.2" colour TFT screen	S	-	-
Mobile WiFi Hotspot	-	S	S
MyKey™ Control System	-	S	S
SYNC™ with Voice control ^{7.}	S	-	-
SYNC™ 2 with Voice control ^{7.}	-	S	S
Single CD, AM/FM audio system with 8 speakers	S	-	-
Single CD, AM/FM/DAB+ audio system with 10 speakers (including subwoofer)	-	S	S
Steering wheel audio controls	S	S	S
Voice controlled Satellite Navigation with	-	0	S

17" Alloy Wheels* - 20" Alto high beam control - 20"	nte Trend	Titanium
20" Alloy Wheels* - Matching spare Alloy wheel and tyre S Auto high beam control - Bumpers - Body Colour S Daytime running lamps - Exterior scuff plates with 'Everest' graphic Door Handle - Body Coloured - Door Handle - Body Coloured - Door Handle - Chrome - Engine Cover - Grille - Satin Silver S Grille - Chrome - Halogen projector headlamps with manual headlamp levelling - HID headlamps with washer and auto headlamp levelling - Power rear liftgate - Power side mirrors with powerfold, heater and puddle lamps - Privacy Glass - 2nd and 3rd row - Prestige paint O Running Boards with Metallic Finish - Exterior Dimensions (mm) Overall height Vehicle Width (without mirrors) Vehicle Width (with mirrors) Vehicle Length Front overhang Rear overhang Front track Rear track Wheelbase Minimum Running (Ground) Clearance Water wading ability* Approach Angle (kerb) Departure Angle (kerb) Departure Angle (kerb) Interior Dimensions (mm) Front headroom Front legroom Front shoulderroom 2nd row headroom 2nd row headroom 3rd row headroom 3rd row headroom 3rd row shoulderroom	-	-
Matching spare Alloy wheel and tyre Auto high beam control Bumpers – Body Colour S Daytime running lamps - Exterior scuff plates with 'Everest' graphic Door Handle – Body Coloured Door Handle – Chrome - Engine Cover Grille – Satin Silver S Grille – Chrome - Halogen projector headlamps with manual headlamp levelling HID headlamps with washer and auto headlamp levelling HID headlamps with washer and auto headlamp levelling HID headlamps with washer and auto headlamp levelling Power rear liftgate - Power side mirrors with powerfold, heater and puddle lamps Privacy Glass – 2nd and 3rd row - Prestige paint O Running Boards - Running Boards with Metallic Finish - Exterior Dimensions (mm) Overall height Vehicle Width (without mirrors) Vehicle Width (with mirrors) Vehicle Length Front overhang Rear overhang Rear overhang Rear overhang Minimum Running (Ground) Clearance Water wading ability Approach Angle (kerb) Departure Angle (kerb) Departure Angle (kerb) Departure Angle (kerb) Interior Dimensions (mm) Front theadroom Front shoulderroom 2nd row headroom 3rd row headroom 3rd row legroom 3rd row shoulderroom	S	-
Auto high beam control	-	S
Bumpers – Body Colour Daytime running lamps Exterior scuff plates with 'Everest' graphic Door Handle – Body Coloured Door Handle – Chrome Engine Cover Grille – Satin Silver Srille – Chrome Halogen projector headlamps with manual headlamp levelling HID headlamps with washer and auto headlamp levelling HID headlamps with washer and auto headlamp levelling Power rear liftgate Power side mirrors with powerfold, heater and puddle lamps Privacy Glass – 2nd and 3rd row Prestige paint O Running Boards Running Boards with Metallic Finish Exterior Dimensions (mm) Overall height Vehicle Width (without mirrors) Vehicle Width (with mirrors) Vehicle Length Front overhang Rear overhang Front track Rear track Wheelbase Minimum Running (Ground) Clearance Water wading ability [©] Approach Angle (kerb) Departure Angle (kerb) Departure Angle (kerb) Interior Dimensions (mm) Front headroom Front legroom Front shoulderroom 2nd row headroom 2nd row headroom 3rd row legroom 3rd row shoulderroom Cargo Volume (SAE) Behind 3rd row seat (up to roof) Behind 3rd row seat (up to roof)	S	S
Daytime running lamps - Exterior scuff plates with 'Everest' graphic Door Handle – Body Coloured - Door Handle – Chrome - Engine Cover - Grille – Satin Silver S Grille – Chrome - Halogen projector headlamps with manual headlamp levelling - HID headlamps with washer and auto headlamp levelling - Power rear liftgate - Power side mirrors with powerfold, heater and puddle lamps - Privacy Glass – 2nd and 3rd row - Prestige paint O Running Boards - Running Boards with Metallic Finish - Exterior Dimensions (mm) Overall height Vehicle Width (without mirrors) Vehicle Width (with mirrors) Vehicle Length Front overhang Rear overhang Front track Rear track Wheelbase Minimum Running (Ground) Clearance Water wading ability ^a Approach Angle (kerb) Departure Angle (kerb) Departure Angle (kerb) Interior Dimensions (mm) Front headroom Front legroom Front shoulderroom 2nd row headroom 2nd row headroom 3rd row legroom 3rd row headroom 3rd row legroom 3rd row headroom 3rd row headroom 3rd row headroom 3rd row legroom 3rd row headroom 3rd row headroom 3rd row legroom 3rd row shoulderroom 3rd row legroom 3rd row legroom 3rd row headroom 3rd row legroom 3rd row legroom 3rd row legroom 3rd row legroom 3rd row seat (up to roof) Behind 3rd row seat (up to roof) Behind 3rd row seat (up to roof)	S	S
Exterior scuff plates with 'Everest' graphic Door Handle – Body Coloured - Door Handle – Chrome - Engine Cover - Grille – Satin Silver Srille – Chrome - Halogen projector headlamps with manual headlamp levelling HID headlamps with washer and auto headlamp levelling Power rear liftgate - Power side mirrors with powerfold, heater and puddle lamps Privacy Glass – 2nd and 3rd row - Prestige paint O Running Boards with Metallic Finish - Exterior Dimensions (mm) Overall height Vehicle Width (without mirrors) Vehicle Width (without mirrors) Vehicle Length Front overhang Rear overhang Front track Rear track Wheelbase Minimum Running (Ground) Clearance Water wading ability [©] Approach Angle (kerb) Departure Angle (kerb) Departure Angle (kerb) Interior Dimensions (mm) Front headroom Front headroom Front legroom Front shoulderroom 2nd row headroom 2nd row headroom 3rd row headroom 3rd row shoulderroom 4rd row shoulderroom 4rd row shoulderroom 5rd	S	S
Everest' graphic Door Handle – Body Coloured Door Handle – Chrome Engine Cover Grille – Satin Silver Srille – Chrome Halogen projector headlamps with manual headlamp levelling HID headlamps with washer and auto headlamp levelling Power rear liftgate Power side mirrors with powerfold, heater and puddle lamps Privacy Glass – 2nd and 3rd row Prestige paint ORunning Boards with Metallic Finish Exterior Dimensions (mm) Overall height Vehicle Width (without mirrors) Vehicle Width (without mirrors) Vehicle Length Front overhang Rear overhang Front track Rear track Wheelbase Minimum Running (Ground) Clearance Water wading ability ² . Approach Angle (kerb) Departure Angle (kerb) Departure Angle (kerb) Interior Dimensions (mm) Front headroom Front headroom Front legroom Front shoulderroom 2nd row headroom 2nd row headroom 3rd row legroom 3rd row shoulderroom	S	S
Door Handle – Body Coloured - Door Handle – Chrome - Engine Cover - Grille – Satin Silver S Grille – Chrome - Halogen projector headlamps with manual headlamp levelling - HID headlamps with washer and auto headlamp levelling - Power salde mirrors with powerfold, heater and puddle lamps - Privacy Glass – 2nd and 3rd row - Prestige paint O Running Boards - Running Boards with Metallic Finish - Exterior Dimensions (mm) Overall height Vehicle Width (without mirrors) Vehicle Width (with mirrors) Vehicle Length Front overhang Rear overhang Front track Rear track Wheelbase Minimum Running (Ground) Clearance Water wading ability [®] . Approach Angle (kerb) Departure Angle (kerb) Departure Angle (kerb) Interior Dimensions (mm) Front headroom Front legroom Front shoulderroom 2nd row headroom 2nd row headroom 3rd row headroom 3rd row shoulderroom 3rd row shoulderroom 3rd row shoulderroom Gargo Volume (SAE) Behind 3rd row seat (up to roof) Behind 3rd row seat (up to roof) Behind 3rd row seat (up to roof)		S
Door Handle – Chrome Engine Cover Grille – Satin Silver Srille – Chrome - Halogen projector headlamps with manual headlamp levelling HID headlamps with washer and auto headlamp levelling Power rear liftgate Power rear liftgate Power side mirrors with powerfold, heater and puddle lamps Privacy Glass – 2nd and 3rd row Prestige paint ORunning Boards Running Boards with Metallic Finish Exterior Dimensions (mm) Overall height Vehicle Width (without mirrors) Vehicle Width (with mirrors) Vehicle Length Front overhang Rear overhang Front track Rear track Wheelbase Minimum Running (Ground) Clearance Water wading ability Approach Angle (kerb) Departure Angle (kerb) Departure Angle (kerb) Interior Dimensions (mm) Front headroom Front legroom Front shoulderroom 2nd row headroom 2nd row headroom 3rd row legroom 3rd row headroom 3rd row shoulderroom Grago Volume (SAE) Behind 3rd row seat (up to roof) Behind 3rd row seat (up to roof) Behind 3rd row seat (up to roof)		
Engine Cover	S	-
Grille – Satin Silver Grille – Chrome - Halogen projector headlamps with manual headlamp levelling HID headlamps with washer and auto headlamp levelling Power rear liftgate - Power side mirrors with powerfold, heater and puddle lamps Privacy Glass – 2nd and 3rd row - Prestige paint O Running Boards Running Boards with Metallic Finish - Exterior Dimensions (mm) Overall height Vehicle Width (without mirrors) Vehicle Width (with mirrors) Vehicle Length Front overhang Rear overhang Front track Rear track Wheelbase Minimum Running (Ground) Clearance Water wading ability ^o . Approach Angle (kerb) Departure Angle (kerb) Departure Angle (kerb to kerb) Interior Dimensions (mm) Front headroom Front legroom Front shoulderroom 2nd row headroom 2nd row headroom 3rd row headroom 3rd row headroom 3rd row shoulderroom Cargo Volume (SAE) Behind 3rd row seat (up to roof) Behind 3rd row seat (up to roof) Behind 3rd row seat (up to roof)	-	S
Grille - Chrome - Halogen projector headlamps with manual headlamp levelling - HID headlamps with washer and auto headlamp levelling - Power rear liftgate - Power side mirrors with powerfold, heater and puddle lamps - Privacy Glass - 2nd and 3rd row - Prestige paint - Q Running Boards - Running Boards - Running Boards with Metallic Finish - Exterior Dimensions (mm) Overall height - Vehicle Width (without mirrors) - Vehicle Width (without mirrors) - Vehicle Length - Front overhang - Front track - Rear track - Wheelbase - Minimum Running (Ground) Clearance - Water wading ability - Approach Angle (kerb) - Departure Angle (kerb) - Departure Angle (kerb) - Ramp breakover angle (degrees) - Turning circle (kerb to kerb) - Interior Dimensions (mm) - Front shoulderroom - 2nd row headroom - 2nd row headroom - 3rd row headroom - 3rd row shoulderroom - 3rd row shoulderroo	S	S
Halogen projector headlamps with manual headlamp levelling HID headlamps with washer and auto headlamp levelling Power rear liftgate Power side mirrors with powerfold, heater and puddle lamps Privacy Glass – 2nd and 3rd row - Prestige paint O Running Boards Running Boards with Metallic Finish - Exterior Dimensions (mm) Overall height Vehicle Width (without mirrors) Vehicle Width (with mirrors) Vehicle Length Front overhang Rear overhang Front track Rear track Wheelbase Minimum Running (Ground) Clearance Water wading ability Approach Angle (kerb) Departure Angle (kerb) Departure Angle (kerb to kerb) Interior Dimensions (mm) Front headroom Front shoulderroom 2nd row headroom 2nd row shoulderroom 3rd row legroom 3rd row shoulderroom 3rd row shoulderroom 3rd row shoulderroom Gargo Volume (SAE) Behind 3rd row seat (up to roof) Behind 3rd row seat (up to roof) Behind 3rd row seat (up to roof)	-	-
with manual headlamp levelling HID headlamps with washer and auto headlamps levelling Power rear liftgate Power side mirrors with powerfold, heater and puddle lamps Privacy Glass – 2nd and 3rd row Prestige paint ORunning Boards Running Boards with Metallic Finish Exterior Dimensions (mm) Overall height Vehicle Width (without mirrors) Vehicle Width (with mirrors) Vehicle Length Front overhang Rear overhang Front track Rear track Wheelbase Minimum Running (Ground) Clearance Water wading ability [©] Approach Angle (kerb) Departure Angle (kerb) Departure Angle (kerb) Interior Dimensions (mm) Front headroom Front shoulderroom 2nd row headroom 2nd row headroom 3rd row headroom 3rd row headroom 3rd row headroom 3rd row seat (up to roof) Behind 3rd row seat (up to roof) Behind 3rd row seat (up to roof) Behind 3rd row seat (up to roof)	S	S
and auto headlamp levelling Power rear liftgate Power side mirrors with powerfold, heater and puddle lamps Privacy Glass – 2nd and 3rd row Prestige paint O Running Boards Running Boards with Metallic Finish Exterior Dimensions (mm) Overall height Vehicle Width (without mirrors) Vehicle Width (with mirrors) Vehicle Length Front overhang Rear overhang Front track Rear track Wheelbase Minimum Running (Ground) Clearance Water wading ability ⁹ . Approach Angle (kerb) Departure Angle (kerb) Ramp breakover angle (degrees) Turning circle (kerb to kerb) Interior Dimensions (mm) Front headroom Front shoulderroom 2nd row headroom 2nd row headroom 3rd row headroom 3rd row headroom 3rd row shoulderroom Cargo Volume (SAE) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof) Behind 3rd row seat (up to roof)	S	-
Power side mirrors with powerfold, heater and puddle lamps Privacy Glass – 2nd and 3rd row Prestige paint Q Running Boards Running Boards with Metallic Finish Exterior Dimensions (mm) Overall height Vehicle Width (without mirrors) Vehicle Length Front overhang Rear overhang Front track Rear track Wheelbase Minimum Running (Ground) Clearance Water wading ability³ Approach Angle (kerb) Departure Angle (kerb) Ramp breakover angle (degrees) Turning circle (kerb to kerb) Interior Dimensions (mm) Front shoulderroom 2nd row headroom 2nd row headroom 3rd row headroom 3rd row shoulderroom Cargo Volume (SAE) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof)	-	S
heater and puddle lamps Privacy Glass – 2nd and 3rd row - Prestige paint O Running Boards - Running Boards with Metallic Finish - Exterior Dimensions (mm) Overall height Vehicle Width (without mirrors) Vehicle Width (with mirrors) Vehicle Length Front overhang Rear overhang Front track Rear track Wheelbase Minimum Running (Ground) Clearance Water wading ability ³ Approach Angle (kerb) Departure Angle (kerb) Ramp breakover angle (degrees) Turning circle (kerb to kerb) Interior Dimensions (mm) Front headroom Front shoulderroom 2nd row headroom 2nd row headroom 3rd row legroom 3rd row legroom 3rd row legroom 3rd row shoulderroom Cargo Volume (SAE) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof) Behind 3rd row seat (up to roof)	S	S
Prestige paint O Running Boards - Running Boards with Metallic Finish - Exterior Dimensions (mm) Overall height Vehicle Width (without mirrors) Vehicle Width (with mirrors) Vehicle Length Front overhang Rear overhang Front track Rear track Wheelbase Minimum Running (Ground) Clearance Water wading ability ³ Approach Angle (kerb) Departure Angle (kerb) Ramp breakover angle (degrees) Turning circle (kerb to kerb) Interior Dimensions (mm) Front headroom Front shoulderroom 2nd row headroom 2nd row headroom 3rd row headroom 3rd row legroom 3rd row shoulderroom Cargo Volume (SAE) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof) Behind 3rd row seat (up to roof)	S	S
Running Boards - Running Boards with Metallic Finish - Exterior Dimensions (mm) Overall height Vehicle Width (without mirrors) Vehicle Length Front overhang Rear overhang Front track Rear track Wheelbase Minimum Running (Ground) Clearance Water wading ability® Approach Angle (kerb) Departure Angle (kerb) Ramp breakover angle (degrees) Turning circle (kerb to kerb) Interior Dimensions (mm) Front headroom Front shoulderroom 2nd row headroom 2nd row headroom 3rd row legroom 3rd row legroom 3rd row shoulderroom Cargo Volume (SAE) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof) Behind 3rd row seat (up to roof) Behind 3rd row seat (up to roof)	S	S
Running Boards with Metallic Finish Exterior Dimensions (mm) Overall height Vehicle Width (without mirrors) Vehicle Length Front overhang Rear overhang Front track Rear track Wheelbase Minimum Running (Ground) Clearance Water wading ability ⁹ . Approach Angle (kerb) Departure Angle (kerb) Ramp breakover angle (degrees) Turning circle (kerb to kerb) Interior Dimensions (mm) Front headroom Front shoulderroom 2nd row headroom 3rd row headroom 3rd row legroom 3rd row shoulderroom Cargo Volume (SAE) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof) Behind 3rd row seat (up to roof) Behind 3rd row seat (up to roof)	0	0
Exterior Dimensions (mm) Overall height Vehicle Width (without mirrors) Vehicle Length Front overhang Rear overhang Front track Rear track Wheelbase Minimum Running (Ground) Clearance Water wading ability ^a . Approach Angle (kerb) Departure Angle (kerb) Ramp breakover angle (degrees) Turning circle (kerb to kerb) Interior Dimensions (mm) Front headroom Front shoulderroom 2nd row headroom 3rd row headroom 3rd row legroom 3rd row shoulderroom Cargo Volume (SAE) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof) Behind 3rd row seat (up to roof) Behind 3rd row seat (up to roof)	S	-
Overall height Vehicle Width (without mirrors) Vehicle Width (with mirrors) Vehicle Length Front overhang Rear overhang Front track Rear track Wheelbase Minimum Running (Ground) Clearance Water wading ability ^a Approach Angle (kerb) Departure Angle (kerb) Ramp breakover angle (degrees) Turning circle (kerb to kerb) Interior Dimensions (mm) Front headroom Front shoulderroom 2nd row headroom 2nd row shoulderroom 3rd row headroom 3rd row legroom 3rd row shoulderroom Cargo Volume (SAE) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof) Behind 3rd row seat (up to roof)	-	S
Vehicle Width (without mirrors) Vehicle Width (with mirrors) Vehicle Length Front overhang Rear overhang Front track Rear track Wheelbase Minimum Running (Ground) Clearance Water wading ability ⁹ Approach Angle (kerb) Departure Angle (kerb) Ramp breakover angle (degrees) Turning circle (kerb to kerb) Interior Dimensions (mm) Front headroom Front shoulderroom 2nd row headroom 2nd row shoulderroom 3rd row legroom 3rd row legroom 3rd row shoulderroom Cargo Volume (SAE) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof)		
Vehicle Width (with mirrors) Vehicle Length Front overhang Rear overhang Front track Rear track Wheelbase Minimum Running (Ground) Clearance Water wading ability ³ Approach Angle (kerb) Departure Angle (kerb) Ramp breakover angle (degrees) Turning circle (kerb to kerb) Interior Dimensions (mm) Front headroom Front shoulderroom 2nd row headroom 2nd row shoulderroom 3rd row headroom 3rd row legroom 3rd row legroom 3rd row shoulderroom Cargo Volume (SAE) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof)	1837	
Vehicle Length Front overhang Rear overhang Front track Rear track Wheelbase Minimum Running (Ground) Clearance Water wading ability ⁹ . Approach Angle (kerb) Departure Angle (kerb) Ramp breakover angle (degrees) Turning circle (kerb to kerb) Interior Dimensions (mm) Front headroom Front shoulderroom 2nd row headroom 2nd row shoulderroom 3rd row headroom 3rd row legroom 3rd row shoulderroom Cargo Volume (SAE) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof)	1860	
Front overhang Rear overhang Front track Rear track Wheelbase Minimum Running (Ground) Clearance Water wading ability ^a . Approach Angle (kerb) Departure Angle (kerb) Ramp breakover angle (degrees) Turning circle (kerb to kerb) Interior Dimensions (mm) Front headroom Front legroom Front shoulderroom 2nd row headroom 2nd row shoulderroom 3rd row legroom 3rd row legroom Grow beadroom Grow Shoulderroom Cargo Volume (SAE) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof)	2180	
Rear overhang Front track Rear track Wheelbase Minimum Running (Ground) Clearance Water wading ability ⁹ . Approach Angle (kerb) Departure Angle (kerb) Ramp breakover angle (degrees) Turning circle (kerb to kerb) Interior Dimensions (mm) Front headroom Front legroom Front shoulderroom 2nd row headroom 2nd row shoulderroom 3rd row headroom 3rd row headroom 3rd row shoulderroom Cargo Volume (SAE) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof)	4892	
Front track Rear track Wheelbase Minimum Running (Ground) Clearance Water wading ability ^a . Approach Angle (kerb) Departure Angle (kerb) Ramp breakover angle (degrees) Turning circle (kerb to kerb) Interior Dimensions (mm) Front headroom Front legroom Front shoulderroom 2nd row headroom 2nd row shoulderroom 3rd row headroom 3rd row headroom 3rd row headroom Cargo Volume (SAE) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof)	905	
Rear track Wheelbase Minimum Running (Ground) Clearance Water wading ability ^a . Approach Angle (kerb) Departure Angle (kerb) Ramp breakover angle (degrees) Turning circle (kerb to kerb) Interior Dimensions (mm) Front headroom Front legroom Front shoulderroom 2nd row headroom 2nd row shoulderroom 3rd row headroom 3rd row headroom 3rd row headroom Cargo Volume (SAE) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof)	1137	
Wheelbase Minimum Running (Ground) Clearance Water wading ability ⁹ . Approach Angle (kerb) Departure Angle (kerb) Ramp breakover angle (degrees) Turning circle (kerb to kerb) Interior Dimensions (mm) Front headroom Front legroom Front shoulderroom 2nd row legroom 2nd row shoulderroom 3rd row headroom 3rd row headroom 3rd row legroom 3rd row shoulderroom Cargo Volume (SAE) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof)	1560	
Minimum Running (Ground) Clearance Water wading ability ⁹ . Approach Angle (kerb) Departure Angle (kerb) Ramp breakover angle (degrees) Turning circle (kerb to kerb) Interior Dimensions (mm) Front headroom Front legroom Front shoulderroom 2nd row headroom 2nd row shoulderroom 3rd row headroom 3rd row headroom 3rd row legroom Cargo Volume (SAE) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof)	1564	
Water wading ability ^a . Approach Angle (kerb) Departure Angle (kerb) Ramp breakover angle (degrees) Turning circle (kerb to kerb) Interior Dimensions (mm) Front headroom Front legroom Front shoulderroom 2nd row headroom 2nd row shoulderroom 3rd row legroom 3rd row legroom 3rd row shoulderroom Cargo Volume (SAE) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof)	2850	
Approach Angle (kerb) Departure Angle (kerb) Ramp breakover angle (degrees) Turning circle (kerb to kerb) Interior Dimensions (mm) Front headroom Front legroom Front shoulderroom 2nd row headroom 2nd row legroom 3rd row legroom 3rd row legroom 3rd row shoulderroom Gargo Volume (SAE) Behind front seat (up to roof) Behind 3rd row seat (up to roof)	225	
Departure Angle (kerb) Ramp breakover angle (degrees) Turning circle (kerb to kerb) Interior Dimensions (mm) Front headroom Front legroom Front shoulderroom 2nd row headroom 2nd row legroom 3rd row shoulderroom 3rd row headroom 3rd row headroom 3rd row legroom Cargo Volume (SAE) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof)	800	
Ramp breakover angle (degrees) Turning circle (kerb to kerb) Interior Dimensions (mm) Front headroom Front legroom Front shoulderroom 2nd row headroom 2nd row legroom 3rd row shoulderroom 3rd row headroom 3rd row headroom Gargo Volume (SAE) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof)	29.5	
Turning circle (kerb to kerb) Interior Dimensions (mm) Front headroom Front legroom Front shoulderroom 2nd row headroom 2nd row shoulderroom 3rd row shoulderroom 3rd row headroom 3rd row legroom Cargo Volume (SAE) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof)	25	
Interior Dimensions (mm) Front headroom Front legroom Front shoulderroom 2nd row headroom 2nd row shoulderroom 3rd row shoulderroom 3rd row legroom 3rd row shoulderroom Gargo Volume (SAE) Behind front seat (up to roof) Behind 3rd row seat (up to roof)	21.5	
Front headroom Front legroom Front shoulderroom 2nd row headroom 2nd row shoulderroom 3rd row headroom 3rd row legroom 3rd row legroom 3rd row shoulderroom Cargo Volume (SAE) Behind front seat (up to roof) Behind 3rd row seat (up to roof)	11.7	
Front legroom Front shoulderroom 2nd row headroom 2nd row shoulderroom 3rd row headroom 3rd row headroom 3rd row shoulderroom Gargo Volume (SAE) Behind front seat (up to roof) Behind 3rd row seat (up to roof)		
Front shoulderroom 2nd row headroom 2nd row legroom 2nd row shoulderroom 3rd row headroom 3rd row legroom 3rd row shoulderroom Cargo Volume (SAE) Behind front seat (up to roof) Behind 3rd row seat (up to roof)	1017	
2nd row headroom 2nd row legroom 2nd row shoulderroom 3rd row headroom 3rd row legroom 3rd row shoulderroom Cargo Volume (SAE) Behind front seat (up to roof) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof)	1058	
2nd row legroom 2nd row shoulderroom 3rd row headroom 3rd row shoulderroom 3rd row shoulderroom Cargo Volume (SAE) Behind front seat (up to roof) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof)	1440	
2nd row shoulderroom 3rd row headroom 3rd row legroom 3rd row shoulderroom Cargo Volume (SAE) Behind front seat (up to roof) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof)	978	
3rd row headroom 3rd row legroom 3rd row shoulderroom Cargo Volume (SAE) Behind front seat (up to roof) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof)	939	
3rd row legroom 3rd row shoulderroom Cargo Volume (SAE) Behind front seat (up to roof) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof)	1432	
3rd row shoulderroom Cargo Volume (SAE) Behind front seat (up to roof) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof)	928	
Cargo Volume (SAE) Behind front seat (up to roof) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof)	797	
Behind front seat (up to roof) Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof)	1303	
Behind 2nd row seat (up to roof) Behind 3rd row seat (up to roof)		
Behind 3rd row seat (up to roof)	2010	
	1050	
Factory Fitted Options	450	
Tow Bar O	0	0
Voice controlled Satellite Navigation with traffic management channel ^{10.}	0	S

S = Standard. O = Factory Option that can be ordered before a vehicle is manufactured. <math>- = Not available.



Ouality

We design and build your Ford to feel as good after many years of service as it did the day you picked it up. And to drive just as beautifully, too.



Sustainability

Using advanced technology, we're committed to creating vehicles with improved fuel economy, reduced CO2 emissions and a lower overall cost of ownership.



Safety

Ford's Intelligent Protection System uses sophisticated technology designed to help prevent an accident and, if one should happen, to help protect you.



Smart

Vehicles with smart, intuitive technologies designed to connect you to your world and many clever solutions that make life a little easier.

Speak to your Ford Dealer today about how we can help you make the most out of your vehicle ownership experience.

Complimentary State Auto Club Roadside Assistance and Membership.

Our commitment to your complete satisfaction plays a major role in everything we do. That is why we provide a 12 month Roadside Assistance package including State Auto Club Membership for all Retail and Blue Fleet Customers (with fleets less than 5 vehicles).

This package gives you access to the largest network of roadside assistance providers in the country, so you can be assured that you have non-stop coverage every day of the year.

The benefits of being a member are not limited to the peace of mind of 24/7 roadside assistance. You also have access to a wide range of member benefits including Show Your Card & Save. In addition, you will maintain any benefits accrued through your existing years of membership (where applicable).

Complimentary State Auto Club Roadside Assistance & Membership is valid for eligible Ford vehicles and is available from participating Authorised Ford Dealers only. Visit your local Ford Dealer or refer to ford.com.au for more information and full terms and conditions.















Warranties & Service.

3 year/100,000km new car warranty.#

For three years or 100,000km, whichever comes first, your Ford is covered against any defects in factory materials or workmanship. This also applies to $\label{thm:continuous} \mbox{Genuine Ford Accessories you may have had fitted before you took delivery.}$

5 year warranty against perforation corrosion.*

It's reassuring to know that the original body of your gleaming new Ford is guaranteed against perforation corrosion for the first five years of its life. If perforation corrosion occurs, we'll fix it for free.

myFord Warranties and Insurance.

When you first turn the key of your brand new Ford you want to do so without a care in the world. Our range of myFord products gives you that extra peace of mind. For more information about myFord Warranties and Insurance, visit your participating Ford Dealer for further details on the plans that best suit your needs. Terms, conditions and eligibility criteria apply.

12 months/15,000km service intervals.

Under normal driving conditions service intervals are 12 months or 15,000km, whichever occurs first.

FORD **SERVICE**

At Ford, we are committed to providing an outstanding ownership experience. For example, we think you should always know what you're going to pay for a standard service, before you go in. So we offer a Service Price Promise for the life of your car, which means we'll publish the maximum price you'll pay for your next A or B logbook service at participating Authorised Ford Dealers on all vehicles built from 2007.

However our service doesn't end at the service garage. With each standard service at a participating Auto Club Dealer, Retail and Small Business

Customers (fleets of less than five vehicles) will also receive up to 12 months Auto Club Membership (including free Roadside Assistance), for up to seven years. Eligible customers will even have access to a free loan car with any scheduled service, through participating dealers. Why do we do all this? Because at Ford, we think that's what service should be.

For more details visit your participating local Ford Dealer or visit ford.com.au/service/t-and-c for full terms and conditions.

Want to contact us?

For answers to your questions, or help with any concern, contact our Customer Relationship Centre on 13 FORD (13 3673) or email customers@fordcrc.com.au

Visit us on the web.

If you want more information on Ford or our entire product range. visit us at ford.com.au

Running a fleet?

Our Ford Fleet team is available to assist fleet customers with information on Ford products and services. Call 1300 13 13 30 or email askfleet@ford.com

#Conditions and exclusions apply. For more information visit www.ford.com.au/newvehiclewarranties

This brochure details specifications and features of the Everest. Some driver assistance features and safety features described in this brochure are designed to function using sensors, whose performance may be affected under certain weather or environmental conditions. Not all features will be available on the entire Everest model range. Please visit our website www.ford.com.au for more information.

This brochure is designed to provide you with a general introduction to the Ford Products (including available optional equipment) referred to, and should be read in conjunction with the latest specification sheet. Images and illustrations are for information purposes and are indicative only. Because of changes in conditions and circumstances Ford* reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice, to discontinue or change the features, designs, materials, colours and other specifications and the prices of its products, and to either permanently or temporarily withdraw any such products from the market without incurring any liability to any prospective purchaser or purchasers. The latest specification sheet should be referred to for information on the availability, ordering and use of features and optional equipment. Always consult an authorised Ford Dealer for the latest information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order.

*FORD MOTOR COMPANY OF AUSTRALIA LIMITED, (A.B.N. 30 004 116 223) Registered Office: 1735 Sydney Road, Campbellfield, Victoria 3061, Australia, Everest Brochure, Printed August, 2015, BHFMC0515 FRD002011



Click to Request







