Fiesta specifications and options.

About this specification sheet: This sheet is designed to provide you with selected specification data for the Ford products which have been described in a general way in the relevant brochure. Because of changes in conditions and circumstances Ford* reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice to discontinue or change the features, designs, materials, colours and other specifications and the prices of its products, and to either permanently or temporarily withdraw any such products from the market without incurring any liability to any prospective purchaser or purchasers. Because of variations which occur in manufactured products, all capacities, measurements, dimensions and weights quoted in the relevant brochure and this specification sheet should be taken as approximate only. Always consult an authorised Ford Dealer for the latest information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order. *FORD MOTOR COMPANY OF AUSTRALIA LIMITED. (A.B.N. 30 004 116 223) Registered Office: 1735 Sydney Road, Campbellfield, Victoria 3061, Australia. Printed December 2005.





Personalise your Fiesta. The choice is yours.



> Bike Carrier* Taking your bike is easy with the fully lockable bike carrier. Securely harnesses your bike by the front forks and is made from premium alloy for superior strength and stability.



> Scuff Plates. Enhance the look of your Fiesta with polished aluminium scuff plates. Embossed with the 'Fiesta' logo.



> Sports Leather Wrapped Gear Knob.
Superbly crafted leather wrapped gear knob
gives the interior of your Fiesta an even sportier
look and feel.



> Spoiler. Maximise your Fiesta's sporty appearance with a spoiler designed to further enhance the vehicle's contours.

> Available from your Ford Dealer at any time, our extensive range of Genuine Ford Accessories caters for all your needs.

From providing extra carrying capacity or added driving comforts to helping protect your Fiesta. What's more, all items are made to meet our exacting standards of quality and are designed specifically for your new Fiesta. Find out more at ford.com.au or visit your Ford Dealer. The choice is yours.



ENGINE		1.6 Litre Duratec 16V		
Model	LX/Zetec¹-/Ghia			
Max power output ISO	74kW @ 6000rpm ² ·			
Max torque ISO	146Nm @ 4000rpm²-			
Engine size (cc)	1596			
Bore & stroke	79.0 x 81.4mm			
Cylinders	4 in-line			
Valve gear type				
Fuel system	DOHC Sequential EEL			
Ignition	Sequential EFI			
Cylinder head	Electronic distributorless ignition with knock sensor			
Engine block	Aluminium alloy Aluminium alloy			
Compression ratio	Aluminum alloy 11.0:1			
GEAR RATIOS	Manual (LX & Ghia)	Manual (Zetec)	Auto	
1st	3.15	3.58	2.88	
2nd	1.93	2.04	1.57	
3rd	1.28	1.41	1.00	
4th	0.95	1.11	0.70	
5th	0.76	0.88	-	
Reverse	3.62	3.62	2.30	
Final drive ratio	4.25	4.06	4.38	
FUEL	Manual (LX & Ghia)	Manual (Zetec)	Auto	
Fuel ³ .	91-98RON	91-98RON	91-98RON	
Consumption - NEDC combined (Cold) L/100km4-	6.6	6.8	7.5	
CO ₂ emissions (g/km)4.	156	159	177	
Fuel tank capacity (litres)	45	45	45	
SUSPENSION Front	Independent MacPherson struts w	rith offset coil spring/damper unit	s and lower L-arms with optimised	
Front Rear		ed on separate cross-member with	stabiliser bar.	
Front Rear BRAKES	bushes mounte Semi-independent twist-beam with	ed on separate cross-member with h low package height coil springs Dual-path body mounts.	stabiliser bar. and separate monotube dampers.	
Front Rear BRAKES Front	bushes mounte Semi-independent twist-beam with 258mm	ed on separate cross-member with how package height coil springs Dual-path body mounts. diameter by 22mm thick ventilate	a stabiliser bar. and separate monotube dampers. ed discs	
Front Rear BRAKES Front Rear	bushes mounte Semi-independent twist-beam with 258mm 203mr	ed on separate cross-member with h low package height coil springs Dual-path body mounts. diameter by 22mm thick ventilate m diameter by 36mm wide drum b	a stabiliser bar. and separate monotube dampers. ed discs orakes	
Front Rear BRAKES Front Rear KERB WEIGHT (kg)	bushes mounte Semi-independent twist-beam with 258mm 203mr	ed on separate cross-member with how package height coil springs Dual-path body mounts. diameter by 22mm thick ventilate m diameter by 36mm wide drum to Zetec	a stabiliser bar. and separate monotube dampers. ed discs	
Front Rear BRAKES Front Rear KERB WEIGHT (kg) Manual 3 door	bushes mounte Semi-independent twist-beam with 258mm 203mr LX 1056	ed on separate cross-member with h low package height coil springs Dual-path body mounts. diameter by 22mm thick ventilate m diameter by 36mm wide drum b	a stabiliser bar. and separate monotube dampers. ed discs orakes Ghia -	
Front Rear BRAKES Front Rear KERB WEIGHT (kg) Manual 3 door 5 door	bushes mounte Semi-independent twist-beam with 258mm 203mr LX 1056 1062	ed on separate cross-member with how package height coil springs Dual-path body mounts. diameter by 22mm thick ventilate m diameter by 36mm wide drum b Zetec 1064 -	a stabiliser bar. and separate monotube dampers. ed discs orakes	
Front Rear BRAKES Front Rear KERB WEIGHT (kg) Manual 3 door 5 door Auto 3 door	bushes mounte Semi-independent twist-beam with 258mm 203mr LX 1056 1062 1081	ed on separate cross-member with how package height coil springs Dual-path body mounts. diameter by 22mm thick ventilate m diameter by 36mm wide drum to Zetec	and separate monotube dampers. ed discs orakes Ghia - 1074 -	
Front Rear BRAKES Front Rear KERB WEIGHT (kg) Manual 3 door 5 door Auto 3 door 5 door	bushes mounted Semi-independent twist-beam with 258mm 203mr LX 1056 1062 1081 1087	ed on separate cross-member with how package height coil springs Dual-path body mounts. diameter by 22mm thick ventilate m diameter by 36mm wide drum b Zetec 1064 -	and separate monotube dampers. and discs brakes Ghia - 1074 - 1099	
Front Rear BRAKES Front Rear KERB WEIGHT (kg) Manual 3 door 5 door Auto 3 door 5 door LUGGAGE CAPACITY (L)	bushes mounted Semi-independent twist-beam with 258mm 203mm LX 1056 1062 1081 1087 3 door hatch	ed on separate cross-member with how package height coil springs Dual-path body mounts. diameter by 22mm thick ventilate m diameter by 36mm wide drum b Zetec 1064 -	and separate monotube dampers. ed discs orakes Ghia - 1074 - 1099 5 door hatch	
Front Rear BRAKES Front Rear KERB WEIGHT (kg) Manual 3 door 5 door Auto 3 door 5 door LUGGAGE CAPACITY (L) Seats upright	bushes mounted Semi-independent twist-beam with 258mm 203mr LX 1056 1062 1081 1087	ed on separate cross-member with how package height coil springs Dual-path body mounts. diameter by 22mm thick ventilate m diameter by 36mm wide drum b Zetec 1064 -	and separate monotube dampers. and discs brakes Ghia - 1074 - 1099	
Front Rear BRAKES Front Rear KERB WEIGHT (kg) Manual 3 door 5 door Auto 3 door 5 door LUGGAGE CAPACITY (L) Seats upright EXTERIOR DIMENSIONS (mm)	bushes mounted Semi-independent twist-beam with 258mm 203mm LX 1056 1062 1081 1087 3 door hatch 261	ed on separate cross-member with how package height coil springs Dual-path body mounts. diameter by 22mm thick ventilate m diameter by 36mm wide drum b Zetec 1064 -	and separate monotube dampers. and separate monotube dampers. and discs orakes Ghia - 1074 - 1099 5 door hatch 284	
Front Rear BRAKES Front Rear KERB WEIGHT (kg) Manual 3 door 5 door Auto 3 door 5 door LUGGAGE CAPACITY (L) Seats upright EXTERIOR DIMENSIONS (mm) Overall length	bushes mounted Semi-independent twist-beam with 258mm 203mm LX 1056 1062 1081 1087 3 door hatch 261	ed on separate cross-member with how package height coil springs Dual-path body mounts. diameter by 22mm thick ventilate m diameter by 36mm wide drum b Zetec 1064 -	and separate monotube dampers. ed discs orakes Ghia - 1074 - 1099 5 door hatch	
Rear BRAKES Front Rear KERB WEIGHT (kg) Manual 3 door 5 door Auto 3 door 5 door LUGGAGE CAPACITY (L) Seats upright EXTERIOR DIMENSIONS (mm) Overall length Overall width ⁵ -	bushes mounted Semi-independent twist-beam with 258mm 203mm LX 1056 1062 1081 1087 3 door hatch 261	ed on separate cross-member with how package height coil springs Dual-path body mounts. diameter by 22mm thick ventilate m diameter by 36mm wide drum b Zetec 1064 -	and separate monotube dampers. and separate monotube dampers. and discs brakes Ghia - 1074 - 1099 5 door hatch 284 3924	
Front Rear BRAKES Front Rear KERB WEIGHT (kg) Manual 3 door 5 door Auto 3 door 5 door LUGGAGE CAPACITY (L) Seats upright EXTERIOR DIMENSIONS (mm) Overall length	bushes mounted Semi-independent twist-beam with 258mm 203mm LX 1056 1062 1081 1087 3 door hatch 261 3924 1685	ed on separate cross-member with how package height coil springs Dual-path body mounts. diameter by 22mm thick ventilate m diameter by 36mm wide drum b Zetec 1064 -	and separate monotube dampers. and separate monotube dampers. and discs brakes Ghia - 1074 - 1099 5 door hatch 284 3924 1685	
Front Rear BRAKES Front Rear KERB WEIGHT (kg) Manual 3 door 5 door Auto 3 door 5 door LUGGAGE CAPACITY (L) Seats upright EXTERIOR DIMENSIONS (mm) Overall length Overall height	bushes mounted Semi-independent twist-beam with 258mm 203mm LX 1056 1062 1081 1087 3 door hatch 261 3924 1685 1468	ed on separate cross-member with how package height coil springs Dual-path body mounts. diameter by 22mm thick ventilate m diameter by 36mm wide drum b Zetec 1064 -	astabiliser bar. and separate monotube dampers. ed discs orakes Ghia - 1074 - 1099 5 door hatch 284 3924 1685 1464	
Rear BRAKES Front Rear KERB WEIGHT (kg) Manual 3 door 5 door Auto 3 door 5 door LUGGAGE CAPACITY (L) Seats upright EXTERIOR DIMENSIONS (mm) Overall length Overall height Wheelbase	bushes mounted Semi-independent twist-beam with 258mm 203mm LX 1056 1062 1081 1087 3 door hatch 261 3924 1685 1468 2486	ed on separate cross-member with how package height coil springs Dual-path body mounts. diameter by 22mm thick ventilate m diameter by 36mm wide drum b Zetec 1064 -	stabiliser bar. and separate monotube dampers. ed discs orakes Ghia - 1074 - 1099 5 door hatch 284 3924 1685 1464 2486	
Front Rear BRAKES Front Rear KERB WEIGHT (kg) Manual 3 door 5 door Auto 3 door 5 door LUGGAGE CAPACITY (L) Seats upright EXTERIOR DIMENSIONS (mm) Overall length Overall height Wheelbase Front track	bushes mounted Semi-independent twist-beam with 258mm 203mm LX 1056 1062 1081 1087 3 door hatch 261 3924 1685 1468 2486 1464	ed on separate cross-member with how package height coil springs Dual-path body mounts. diameter by 22mm thick ventilate m diameter by 36mm wide drum b Zetec 1064 -	stabiliser bar. and separate monotube dampers. ed discs orakes Ghia - 1074 - 1099 5 door hatch 284 3924 1685 1464 2486 1450	
Front Rear BRAKES Front Rear KERB WEIGHT (kg) Manual 3 door 5 door Auto 3 door 5 door LUGGAGE CAPACITY (L) Seats upright EXTERIOR DIMENSIONS (mm) Overall length Overall height Wheelbase Front track Rear track	bushes mounted Semi-independent twist-beam with 258mm 203mm LX 1056 1062 1081 1087 3 door hatch 261 3924 1685 1468 2486 1464	ed on separate cross-member with how package height coil springs Dual-path body mounts. diameter by 22mm thick ventilate m diameter by 36mm wide drum b Zetec 1064 -	stabiliser bar. and separate monotube dampers. ed discs orakes Ghia - 1074 - 1099 5 door hatch 284 3924 1685 1464 2486 1450	
Rear BRAKES Front Rear KERB WEIGHT (kg) Manual 3 door 5 door Auto 3 door 5 door LUGGAGE CAPACITY (L) Seats upright EXTERIOR DIMENSIONS (mm) Overall length Overall width5. Overall height Wheelbase Front track Rear track INTERIOR DIMENSIONS (mm)	bushes mounted Semi-independent twist-beam with 258mm 203mm LX 1056 1062 1081 1087 3 door hatch 261 3924 1685 1468 2486 1464 1444	ed on separate cross-member with how package height coil springs Dual-path body mounts. diameter by 22mm thick ventilate m diameter by 36mm wide drum b Zetec 1064 -	Stabiliser bar. and separate monotube dampers. ed discs orakes Ghia - 1074 - 1099 5 door hatch 284 3924 1685 1464 2486 1450 1444	
Rear BRAKES Front Rear KERB WEIGHT (kg) Manual 3 door 5 door Auto 3 door 5 door LUGGAGE CAPACITY (L) Seats upright EXTERIOR DIMENSIONS (mm) Overall length Overall width5- Overall height Wheelbase Front track Rear track INTERIOR DIMENSIONS (mm) Front headroom	bushes mounte Semi-independent twist-beam with 258mm 203mr LX 1056 1062 1081 1087 3 door hatch 261 3924 1685 1468 2486 1464 1444	ed on separate cross-member with how package height coil springs Dual-path body mounts. diameter by 22mm thick ventilate m diameter by 36mm wide drum b Zetec 1064 -	stabiliser bar. and separate monotube dampers. ed discs brakes Ghia - 1074 - 1099 5 door hatch 284 3924 1685 1464 2486 1450 1444	
Rear BRAKES Front Rear KERB WEIGHT (kg) Manual 3 door 5 door Auto 3 door 5 door LUGGAGE CAPACITY (L) Seats upright EXTERIOR DIMENSIONS (mm) Overall length Overall width5- Overall height Wheelbase Front track Rear track INTERIOR DIMENSIONS (mm) Front headroom Front legroom	bushes mounted Semi-independent twist-beam with 258mm 203mm LX 1056 1062 1081 1087 3 door hatch 261 3924 1685 1468 2486 1464 1444 995 1058	ed on separate cross-member with how package height coil springs Dual-path body mounts. diameter by 22mm thick ventilate m diameter by 36mm wide drum b Zetec 1064 -	stabiliser bar. and separate monotube dampers. ed discs brakes Ghia - 1074 - 1099 5 door hatch 284 3924 1685 1464 2486 1450 1444 999 1058	
Front Rear BRAKES Front Rear KERB WEIGHT (kg) Manual 3 door 5 door Auto 3 door 5 door LUGGAGE CAPACITY (L) Seats upright EXTERIOR DIMENSIONS (mm) Overall length Overall width5. Overall height Wheelbase Front track Rear track INTERIOR DIMENSIONS (mm) Front headroom Front legroom Front shoulder room	bushes mounted Semi-independent twist-beam with 258mm 203mm LX 1056 1062 1081 1087 3 door hatch 261 3924 1685 1468 2486 1464 1444 995 1058 1344	ed on separate cross-member with how package height coil springs Dual-path body mounts. diameter by 22mm thick ventilate m diameter by 36mm wide drum b Zetec 1064 -	stabiliser bar. and separate monotube dampers. ed discs brakes Ghia - 1074 - 1099 5 door hatch 284 3924 1685 1464 2486 1450 1444 999 1058 1355	

1. Fiesta Zetec available from March 2006 2. All performance data measured using 95RON fuel. 3. For optimum performance use fuel of 95RON or higher. 4. These figures are obtained from controlled tests conducted to Australian Design Rule 81/01, which requires the use of 95RON fuel, and are provided to assist you in comparing the fuel consumption and CO₂ emissions of Fiesta with other vehicles. The actual fuel consumption and CO₂ emissions you achieve will depend, however, on many factors including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use. 5. Excludes exterior side mirrors.

MINIMUM TURNING CIRCLE (metres)	3 door hatch		5 door hatch	
Diameter kerb-to-kerb	9.8		9.8	
Turns to lock	2.8		2.8	
PERFORMANCE	LX	Zetec ^{1.}	Ghia	
Duratec 1.6L DOHC EFI 4-cylinder 16 valve engine 5-speed manual	S	S	S	
Duratec 1.6L DOHC EFI 4-cylinder 16 valve engine 4-speed automatic	0	0	0	
RIDE & HANDLING				
Front disc brakes (ventilated)	S	S	S	
MacPherson strut and "L" arm, independent front suspension with stabiliser bar	S	S	S	
Rear drum brakes	S	S	S	
Semi-independent twist-beam rear suspension with coil springs	S	S	S	
Sports suspension	-	S	_	
15" steel wheels and full cover – 9 spoke with 195/50 R 15H tyres (set of 4)	S	_	_	
15" 5 spoke alloy wheels with 195/50 R 15H tyres (set of 4)	-	-	S	
16" 7 spoke alloy wheels with 195/45 R 16H tyres (set of 4)	Α	S	Α	
14" temporary spare - T125/80 R15 95M6.	S	S	S	
INTERIOR				
Air-conditioning	S	S	S	
Boot liner.	A	A	Α	
Boot scuff guard7.	А	Α	Α	
Cargo swing net	A	A	Α	
Centre console with front cup holder and storage area	S	S	S	
Child activity organiser	A	A	Α	
Dashmat	А	Α	Α	
Digital clock in audio display	S	S	S	
Driver and passenger vanity mirror (with flip up cover)	S	S	S	
Floor mats (carpet)	А	Α	А	
Floor mats (rubber)	А	А	А	
Front windscreen wipers - 2-speed with variable intermittent wipe	S	S	S	
Front map lights	-	-	S	
Interior light fade on/off	S	S	S	
Instrument cluster - speedometer, tachometer, odometer, trip odometer,	0	0	0	
fuel level and engine temperature gauges	S	S	S	
Leather wrapped gear knob (manual only)	-	-	S	
Leather wrapped steering wheel	S	S	_	
Leather wrapped steering wheel with aluminium centre spoke	-	-	S	
Luggage compartment illumination	S	S	S	
Power remote adjustable/heated black external mirrors	S	-	-	
Power remote adjustable/heated body colour external mirrors	_	S	S	
Power front windows	S	S	S	
Rear demister	S	S	S	
Rear windscreen wiper with auto wipe feature	S	S	S	
Remote central locking	S	S	S	
Personal organiser	A	A	A	
Scuff plates (polished aluminium)	A	A	A	
Smoker's pack	A	A	A	
Sports leather wrapped gear knob (manual only)	A	A	A	
Tilt adjustable steering column	S	S	S	
			S	
Two tone instrument panel		-	S	

6. If the spare wheel rim or tyre size differs from the other wheels fitted, the vehicle should be driven with caution and the standard wheel and tyre be re-fitted as soon as possible. 7. Boot liner and boot scuff guard cannot be fitted in conjunction with each other.

SEATING	LX	Zetec ^{1.}	Ghia
Driver's seat manual height adjust	S	S	S
Driver and passenger height adjustable head restraints	S	S	S
Folding 60/40 rear seats	S	S	S
	S	S	
Front seat back pockets			S
One piece rear cushion with flip fold	S	S	S
Rear passengers (3) height adjustable head restraints	S	\$	\$
Tip forward front seat backs – 3-door only	S	S	-
AUDIO			
Single slot CD AM/FM radio	S	S	-
6-disc in-dash CD with AM/FM radio	-	-	S
Audio input facility for iPod®/MP3/CD or tape player 8,9.	S	S	S
CD wallet	A	A	A
Remote audio controls mounted on steering column	-	S	\$
EXTERIOR			
3 door hatch	S	S	-
5 door hatch	0	-	S
Black body side mouldings and exterior door handles	S	S	-
Black body side mouldings and body colour exterior door handles	-	-	S
Black radiator grille with black surround	S	S	-
Black radiator grille with chrome surround	-	-	S
Bonnet protector	A	A	А
Carry bars	A	A	A
Carry bar accessories: bike carrier, ski carrier, ski/snowboard carrier 10.	A	A	A
Front fog lamps	_	S	S
Headlamp guards	A	A	A
Impact resistant body colour front and rear bumpers	S	S	S
Mudspats - front and rear	A	A	A
Roof antenna	S	S	S
Spoiler	A	A	A
Tinted glass	S	S	S
Towpack (900kg rated) ^{11.}	A	A	A
Weathershields			
Weathershields - slimline	A	A	A
SAFETY	A	A	A
ABS and Electronic Brakeforce Distribution (EBD)	O 12.	S	S
Driver airbag	S	S	S
Front passenger airbag	S	S	S
Front seat belts: inertia reel with pretensioners		Ü	Ü
(and height adjustment on 5 door models only)	S	S	S
Passive anti-theft system	S	S	S
Rear seat belts: 3 inertia reel, all lap and diagonal	S	S	S
Reverse sensing system	A	A	A
Safety pack: side curtain airbags and side thorax airbags	-	-	0
Side impact door beams	S	S	S
Warning tones: headlamps left on, key in ignition and seatbelt	S	S	S
Warning lights: airbag, low brake fluid/handbrake failure, turn indicators,	S	S	S
high beam, door ajar, low fuel, ignition and oil pressure			

8. Available with manual transmission only. 9. Connection cable sold separately. 10. Carry bars and carry bar accessories sold separately. 11. Towbar and trailer wiring kit sold separately. 12. Mandatory with LX automatic transmission. iPod® is a trademark of Apple Computers Inc., registered in the United States and other countries.

[Genuine Ford Accessories.]



> Reverse Sensing System. The reverse sensing system uses warning tones to help make reversing and parking easier.



> Cargo Swing Net. Keep your belongings in place. Easy to install and remove, it attaches to the sides of the cargo area to help prevent loose items moving around during transit.



> Boot Scuff Guard. Designed to help protect your Fiesta's rear bumper and boot lip from scratches and scuffs when loading and unloading. Folds away neatly when not in use.

