

Focus specifications and options.



No Boundaries

[Personalise your Focus. The choice is yours.]



> **Cruise Control.** This fully integrated cruise control system features steering wheel mounted controls for driver convenience.



> **Body Styling Kit.** Give your Focus a sportier edge with the body styling kit, and 17" 7-spoke alloy wheels.



> **Reverse Sensing System.** Make reversing easy with the reverse sensing system's audible warning.



> **Ski/Snowboard Carrier.** Take your adventurous lifestyle to new heights with an easy to fit and fully lockable ski/snowboard carrier.

> The Focus of your dreams is now a reality. That's because customising your Focus has never been easier. Choose from an exciting and wide range of options guaranteed to get your heart racing. Better still, all items are made to meet Ford's exacting standards of quality and durability. Find out more at your Ford Dealer or visit www.ford.com.au. The choice is yours.

ENGINE		1.8 Litre	2.0 Litre	2.0 Litre	2.0 Litre	2.0 Litre
Model		CL/LX	CL/LX/Ghia	Zetec	Zetec	ST170
Power		85 kW	85 kW	96 kW	96 kW	127 kW
Engine size (cc)		1796	1988	1988	1988	1988
Bore & stroke (mm)		80.6/88.0	84.8 / 88.0	84.8/88.0	84.8/88.0	84.8/88.0
Cylinders		4 in-line	4 in-line	4 in-line	4 in-line	4 in-line
Fuel system - Sequential EFI		Multipoint	Multipoint	Multipoint	Multipoint	Multipoint
Cylinder head		Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
Engine block		Cast iron	Cast iron	Cast iron	Cast iron	Cast iron
Compression ratio		10.0:1	10.0:1	10.0:1	10.0:1	10.2:1
Max power output DIN (kW/rpm)		85/5500	85/5500	96/5500	96/5500	127/7000
Max torque DIN (Nm/rpm)		156/4400	162/4000	178/4500	178/4500	196/5500
GEAR RATIOS						
Transmission		Manual	Auto	Manual	Auto	Manual Final Drive
1st		3.154	2.816	3.417	2.816	4.410 2.87
2nd		1.926	1.498	2.136	1.498	2.670 2.87
3rd		1.281	1.000	1.448	1.000	1.330 4.24
4th		0.951	0.726	1.028	0.726	1.080 4.24
5th		0.756	-	0.767	-	1.330 2.87
6th		-	-	-	-	1.080 2.87
Final drive ratio		4.060	4.200	4.060	4.200	See above
FUEL†						
Fuel tank capacity (litres)		55	55	55	55	55
Fuel Consumption	4-door	7.6	9.5	-	-	-
- ADR 81/01 (L/100km - rounded)†	5-door	7.6	9.5	8.7	9.5	-
	3-door	-	-	8.7	9.5	8.8
Recommended Fuel		Regular Unleaded	Regular Unleaded	Premium Unleaded	Premium Unleaded	Premium Unleaded
CO ₂ Emissions (g/km)†	4-door	181	224	-	-	-
	5-door	181	224	206	224	-
	3-door	-	-	206	224	212
SUSPENSION						
Front		Independent MacPherson struts with angled coil spring/damper units and lower A-arms in optimised double horizontal bushes mounted on separate sub-frame with anti-roll bar				
Rear		Independent Control Blade multilink system with one upper and two lower arms plus Control Blade longitudinal link with anti-roll bar				
BRAKES (mm)						
Front disc diameter		CL	LX	Zetec	Ghia	ST170
Rear drum diameter		258	258	258	258	300
Rear disc diameter (with ABS)		204	-	-	-	-
		253 (OPT)	253	253	253	280
KERB WEIGHT (kg)						
Manual	4-door	CL	LX	Zetec	Ghia	ST170
	5-door	1197	1196	-	-	-
	3-door	1175	1199	1246	-	-
Auto	4-door	-	-	1202	-	1283
	5-door	1219	1218	-	1256	-
	3-door	1197	1221	1260	-	-
		-	-	1224	-	-
LUGGAGE CAPACITY (L)						
Seats upright	4-door	490	490	-	490	-
	5-door	290	290	350#	-	-
	3-door	-	-	350#	-	350#
EXTERIOR DIMENSIONS (mm)						
		4-door sedan	5-door hatch	3-door hatch		
Overall length		4362	4152	4152		
Overall width		1702	1699	1699		
Overall height		1430	1430	1430		
Wheelbase		2615	2615	2615		
Front track		1494	1494	1494		
Rear track		1487	1487	1487		
INTERIOR DIMENSIONS (mm)						
Front headroom		997	995	995		
Front legroom		1095	1095	1095		
Front shoulder room		1358	1358	1358		
Rear headroom		982	982	982		
Rear legroom		882	882	882		
Rear shoulder room		1358	1358	1358		
MINIMUM TURNING CIRCLE (metres)						
Diameter kerb-to-kerb		10.9	10.9	10.9		

With space saver temporary spare tyre. † These figures are obtained from controlled laboratory tests conducted by Ford Motor Company of Australia Limited to Australian Design Rule 81/01 and are provided to assist you in comparing the fuel consumption and CO₂ emissions of Ford Focus with other vehicles. The actual fuel consumption and CO₂ emissions depend, however, on many factors including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use. Carbon dioxide (CO₂) is the main greenhouse gas responsible for global warming.

MODELS	CL	LX	GHIA	ZETEC	ST170
PERFORMANCE					
1.8L DOHC EFI 4-cylinder 16 valve engine 5-speed manual	S	S			
2.0L DOHC EFI 4-cylinder 16 valve engine 4-speed automatic	O	O	S		
2.0L DOHC EFI 4-cylinder 16 valve engine 5-speed manual (premium unleaded)				S	
2.0L DOHC EFI 4-cylinder 16 valve engine 4-speed automatic (premium unleaded)				O	
2.0L DOHC EFI 4-cylinder 16 valve VVT Duratec ST engine Getrag 6-speed manual (premium unleaded)					S
VVT Variable Valve Timing technology					S
Variable length inlet tracts					S
Distributorless Ignition	S	S	S	S	S
RIDE & HANDLING					
Power steering	S	S	S	S	S
VDC AdvanceTrac (Vehicle Dynamic Control) – includes traction control				O ¹ .	S
MacPherson Strut 'A' arm, Independent Front Suspension	S	S	S	S	S
Control Blade Independent Rear Suspension	S	S	S	S	S
Sports Suspension				S	
Up-rated 'ST' Sports Suspension					S
Front disc brakes (ventilated)	S	S	S	S	S
Rear drum brakes	S				
Rear disc brakes	O ² .	S	S	S	S
Up-rated 'ST' 4-wheel disc brake system					S
15" Steel wheels with full cover with 195/60 R 15H tyres (set of 4)	S				
15" Alloy wheels with 195/60 R 15H tyres (set of 4)		S	S		
16" Alloy wheels with 205/50 R 16V tyres (set of 4)				S	
17" 15-spoke Alloy wheels with 215/45 R17 low profile tyres (set of 4)					S
17" 7-spoke Alloy wheels with 215/45 R17 low profile tyres (set of 4)				O	
17" 7-spoke Alloy wheel – 215/45 R17 low profile tyre	A	A	A	A	
15" steel spare wheel ³ .	S	S	S		
Space saver temporary steel spare wheel ³ .				S	
Space saver temporary alloy spare wheel ³ .					S
INTERIOR					
Remote central locking	S				
Remote central/double locking		S		S	S
Remote central/double locking with global close			S		
Air-conditioning	O	S		S	S
Air-conditioning with Electronic Automatic Temperature Control			S		
Cruise control	O/A	O/A	S	O/A ⁴ .	
Trip computer			S		
4-way telescopic and tilt adjustable steering column	S	S	S	S	S
Manual internal adjustable bodycolour external mirrors	S				
Power adjustable heated bodycolour external mirrors		S	S	S	S
Front windscreen wipers with fixed intermittent feature	S	S		S	
Front windscreen wipers with variable intermittent feature			S		S
Rear windscreen wiper with fixed intermittent and auto wipe features (not available on 4-door sedan)	S	S		S	S
Manual front windows	S				
Power front windows with one-shot down on driver's window		S		S	S
Power front & rear windows with one-shot up & down on all			S		
Two-tone instrument panel			S		
Leather wrapped steering wheel			S	S	S
Instrument cluster – speedometer, tachometer, odometer, trip odometer, fuel level and temp gauges	S	S	S	S	
Dark Argent finish sports cluster				S	
Unique sports instrument cluster with electroluminescent dials					S
Auxiliary cluster with oil pressure and temp gauges					S
Gear knob – alloy look ⁵ .	A	A		A	
Gear knob – leather with brushed aluminium ⁵ .	A	A		A	
Handbrake cover – alloy look	A	A	A	A	
Handbrake cover – leather with brushed aluminium	A	A	A	A	
Aluminium pedal pads					S
Bright front ('Ghia' and 'ST') scuff plates			S		S
Alloy look 'Focus' scuff plates	A	A	A	A	
Digital clock (in centre stack)	S	S	S	S	S
Centre console with two front cup holders, pen holder, rear power socket & drop-in rear ashtray.	S	S	S	S	S
Rear demister	S	S	S	S	S
Driver and passenger vanity mirror (with sliding cover)	S	S	S	S	S
Carpet Mats with 'Focus' or 'Zetec' logo	A	A	A	A	

S – Standard A – Options that can be ordered at any time O – Options that can be ordered before a vehicle is manufactured

1. VDC AdvanceTrac available with manual transmission only. 2. As part of optional safety pack (linked to ABS). 3. If the spare wheel rim or tyre size differs from the other wheels fitted the vehicle should be driven with caution and the standard wheel and tyre be fitted as soon as possible. 4. Not suitable for Focus Zetec models fitted with optional VDC AdvanceTrac. 5. Gear knobs available on manual transmission only.

MODELS	CL	LX	GHIA	ZETEC	ST170
INTERIOR (CONTINUED)					
Interior light fade off	S	S	S	S	S
Front map lights & rear passenger courtesy lamp			S		S
Luggage compartment illumination	S	S	S	S	S
Micron airfilter	S	S	S	S	S
Pet guard ⁶ .	A	A		A	A
Disabled driver's kit ⁷ .	A	A	A	A	
SEATING					
Driver's seat manual height adjust	S	S	S	S	
Driver's seat power height adjust					S
Driver & passenger height-adjustable head restraints	S	S	S	S	S
Centre rear head restraint		S	S	S	S
Driver's seat adjustable lumbar support			S		S
Driver's arm rest with adjustable locking mechanism			S		
Folding centre rear seat arm rest			S		
Front seat back pockets	S	S	S	S	S
Contoured and folding 60/40 split rear seats with flip fold	S	S	S	S	S
Sports-style front seats with leather bolsters					S
AUDIO					
AM/FM/single slot CD	S	S		S	
AM/FM/6-disc in-dash CD			S		S
Remote audio controls mounted on steering column	S	S	S	S	S
6-disc CD changer kit	A	A		A	
EXTERIOR					
5-door hatch	S	S		S	
4-door sedan	S	S	S		
3-door hatch				S	S
Flush style front fog lamps	S	S	S	S	
Projector style front fog lamps					S
Tinted glass	S	S	S	S	S
Bodycolour front and rear bumpers with black protection strips	S	S	S	S	
Bodycolour front and rear bumpers with bodycolour protection strips & unique grille					S
Bodycolour bodyside mouldings and exterior door handles			S		S
Body styling kit (includes front skirt, side skirts, rear skirt, rear spoiler) ⁸ .	A	O/A		O/A	S
Rear spoiler	A	A	A	A	S
Carbon fibre look B pillar trim	A	A	A	A	A
Chrome exhaust tip				S	S
Polished stainless steel exhaust extension	A	A	A		
Roof antenna	S	S	S	S	S
Towpack - 800kg rated ⁹ .	A	A	A	A	A
Carry bars and accessories: ¹⁰ Bike carrier, Ski carrier, Ski/Snowboard carrier	A	A	A	A	A
Mudspats - front & rear	A ¹¹ .	A ¹¹ .	A	A ¹¹ .	
SAFETY					
ABS with rear disc brakes and Electronic Brake Force Distribution (EBD)	O ¹² .	S	S	S	S
Bonnet lock in front grille	S	S	S	S	S
Dual stage driver airbag	S	S	S	S	S
Dual stage front passenger airbag	O ¹² .	S	S	S	S
Front side airbags			S		S
Reverse sensing system	A	A	A	A	A
Alarm system	A	A	A	A	S
Front seat belts: inertia reel with pretensioners and height adjustment	S	S	S	S	S
Rear seat belts: 3 inertia reel, all lap & diagonal	S	S	S	S	S
Passive anti-theft system	S	S	S	S	S
Side impact door beams	S	S	S	S	S
Warning tones: headlamps left on, key in ignition, seat belts	S	S	S	S	S
Warning lights - airbag, handbrake, turn indicators, high beam, oil pressure, low fuel, ignition, door ajar & seat belts	S	S	S	S	S
Battery saver (switches off interior lights - time delay)	S	S	S	S	S

⁶. Pet Guard available on 3 and 5-door hatch only. ⁷. Disabled Driver's Kit available with automatic transmission only. Available at no cost when ordered at the time of purchase of the vehicle. ⁸. Body styling kit not available on 4-door sedan. If body styling kit ordered as an accessory, rear spoiler must be ordered separately. ⁹. Subject to State Territory Regulations. ¹⁰. Carry bar accessories sold separately. ¹¹. Mudspats not available if optional body styling kit fitted ¹². As part of optional safety pack featuring ABS and passenger airbag.

About this specification sheet: This sheet is designed to provide you with selected specification data for the Ford products which have been described in a general way in the relevant brochure. Because of changes in conditions and circumstances Ford* reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice to discontinue or change the features, designs, materials, colours and other specifications and the prices of its products, and to either permanently or temporarily withdraw any such products from the market without incurring any liability to any prospective purchaser or purchases. Because of variations which occur in manufactured products, all capacities, measurements, dimensions and weights quoted in the relevant brochure and this specification sheet should be taken as approximate only. Always consult an authorised Ford Dealer for the latest information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order. *FORD MOTOR COMPANY OF AUSTRALIA LIMITED. (A.B.N. 30 004 116 223)
Registered Office: 1735 Sydney Road, Campbellfield, Victoria 3061, Australia. Printed May 2004. FMC 2607

