


Territory Ghia AWD shown on cover in Lightning Strike with optional 2300kg rated heavy duty towbar.	
About this specification sheet: This sheet is designed to provide you with selected specification data for the Ford products which have been described in a general way in the relevant brochure circumstances Ford* reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice to discontinue or change the features, designs, materials, colours and of products, and to either permanently or temporarily withdraw any such products from the market without incurring any liability to any prospective purchaser or purchasers. Because of variations all capacities, measurements, dimensions and weights quoted in the relevant brochure and this specification sheet should be taken as approximate only. Always consult an authorised Fore	ther specifications and the prices of its which occur in manufactured products,
respect to features, specifications, prices, optional equipment and availability before deciding to place an order. *FORD MOTOR COMPANY OF AUSTRALIA LIMITED. (A.B.N. 30 004 116 223 Campbellfield, Victoria 3061, Australia. Printed October 2006.	) Registered Office: 1735 Sydney Road, FMC5347
	(Fined.)



FNOINE					
ENGINE Engine type	4 OL DOLLC DIVOT IA				
Engine type  Engine size (cc)	4.0L DOHC DIVCT I6				
	3984				
Compression ratio	10.3:1				
Max. power (DIN)	190kW @ 5250rpm				
Max. torque (DIN)		@ 2500rpm			
No. of valves	24				
Bore x stroke		ı x 99.31mm			
Injection		electronic fuel injection			
Engine management	Powertrain control module incor	rporating electronic throttle control			
SUSPENSION					
Front		I Link front suspension			
Rear	Control Blade Indepe	endent Rear Suspension			
TRANSMISSIONS/RATIOS	RWD	AWD			
1st	2.50	4.171			
2nd	1.49	2.34			
3rd	1.00	1.521			
4th	0.675	1.143			
5th	_	0.867			
6th	_	0.691			
Reverse	2.073	3.403			
Final drive ratio	3.73:1	3.46:1			
FUEL	3.73.1	0.40.1			
Fuel tank capacity	75	75			
Fuel consumption - ADR 81/01 (L/100km - rounded) <sup>1</sup>	12.2	12.8			
Recommended fuel	ULP	ULP			
BRAKES					
Front		with twin piston caliper			
Rear		single piston caliper			
Anti-lock Braking System (ABS) with Electronic Brakeforce Distribution	S	\$			
Traction Control System	S	S			
Hill Descent Control	-	O8.			
Dynamic Stability Control	O2./S3.	S			
TOWING CAPACITIES (kg) Subject to State & Territory regulations.					
Standard towpack	16	600 <b>4</b> .			
Heavy duty towpack	2300 <b>5.</b>				
Maximum towball download - standard towpack 1600kg	160 <b>4</b> ·				
Maximum towball download - heavy duty towpack 2300kg	2305.				
Maximum towing capacity - unbraked trailer	7	50			
Maximum towing capacity - braked trailer	23	3005.			
Rear gross axle load rating when towing		530			
EXTERIOR DIMENSIONS (mm)					
Overall length	48	356			
Overall width (excluding mirrors)	1898				
Overall height	1714				
Wheelbase	2842				
Front track					
Rear track	1626 1597				
Front overhang		26			
Rear overhang	1088				
Approach angle		23°			
Departure angle		9.8°			
Ground clearance	1	79			
INTERIOR DIMENSIONS (mm)					
Front head room		074			
Front leg room	1122				
Front shoulder room	1548				
Front hip room	1525				
2nd row leg room (5 seater)	1041				
2nd row head room (5 seater)	1006				
3rd row leg room	853				
ord row reg room					
	9	26			
3rd row head room	9	26			
3rd row head room LUGGAGE CAPACITY (L)					
3rd row head room LUGGAGE CAPACITY (L) 5 seater (behind 2nd row)		/ 523L (VDA)			
3rd row head room LUGGAGE CAPACITY (L)	1153L (SAE)				

S – Standard. O – Options that can be ordered before a vehicle is manufactured. A – Options that can be added at any time. NCO – No cost options that can be ordered before a vehicle is manufactured. 1. These figures are obtained from controlled laboratory tests conducted by Ford Motor Company of Australia Limited to Australian Design Rule 81/01, which requires use of 95 RON fuel, and are provided to assist you in comparing the fuel consumption of Territory with other vehicles. The actual fuel consumption you achieve will depend, however, on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use. 2. Optional on TS and TX RWD. 3. Standard on Ghia RWD. 4. Based on standard 5 seater models with 5 occupants (@ 68kg) and up to 35kg of luggage, using Genuine Ford towpack. For greater passenger and luggage requirements, please consult your authorised Ford Dealer for details. 5. Based on standard 5 seater models with 5 occupants (@ 68kg) and no luggage, using Genuine Ford heavy duty towpack with load levelling kit. For RWD models, an auxiliary transmission cooler must be fitted. For greater passenger and luggage requirements, please consult your authorised Ford Dealer for details.

(ERB MASS (kg)	RWD	TX AWD	RWD	rs   awd	RWD	hia   AWD
(erb mass - 5 seater <b>6</b> -						
	1995	2075	2005	2085	2015	2095
(erb mass - 7 seater <b>7</b> .	2025	2105	2035	2115	2045	2125
PERFORMANCE						
arra 190 - 4.0L DOHC DIVCT I6	S	S	S	S	S	S
speed automatic transmission with Sequential Sports Shift (SSS)	S	-	S	-	S	-
F 6 speed automatic transmission with Sequential Sports Shift (SSS)	-	S	-	S	-	S
RIDE AND HANDLING						
cutrac						
Control Blade Independent Rear Suspension	S	-	S	-	S	-
Virtual Pivot Control Link Front Suspension	S	_	S	_	S	_
Anti-lock Braking System with Electronic Brakeforce Distribution	S	_	S	_	S	_
Grade Control Logic	S	_	S	_	S	_
Traction Control	S	_	S	_	S	_
Dynamic Stability Control	0	_	0	_	S	_
cutrac Plus	O .		U		3	
		C		C		
Control Blade Independent Rear Suspension	-	S	-	S	-	S
Virtual Pivot Control Link Front Suspension	-	S	-	S	-	S
Anti-lock Braking System with Electronic Brakeforce Distribution	-	S	-	S	-	S
Grade Control Logic	-	S	-	S	-	S
Traction Control	-	S	-	S	-	S
Dynamic Stability Control	-	S	-	S	-	S
Hill Descent Control	_	O8.	-	0	_	0
7" x 7.5" styled steel wheels - P235/60 R17 (road biased) tyres	S	_	_	_	_	_
7" x 7.5" styled steel wheels - P235/60 R17 (SUV biased) tyres	_	S	_	_	_	_
7" x 7.5" 5 spoke alloy wheels - P235/60 R17 (road biased) tyres	O/A	_	S	_	O/A	_
7" x 7.5" 5 spoke alloy wheels – P235/60 R17 (SUV biased) tyres	-	O/A	_	S	-	O/A
7" x 7.5" 5 spoke split alloy wheels - P235/60 R17 (road biased) tyres		-		_	S	0/ A
7" x 7.5" 5 spoke split alloy wheels - P235/60 R17 (fload blased) tyres	_	_	_	_	3	S
	-	-	S	-	-	S
ull size steel spare wheel	S	S		S	S	
latching alloy spare wheel	O 9.	O9.	0	0	0	0
NTERIOR						
nterior Command Centre (ICC)	S	S	-	-	-	-
remium ICC with dual climate control, large colour screen and trip computer	-	-	S	S	S	S
atellite navigation system	-	-	0	0	0	0
rip computer	S	S	S	S	S	S
FC free air-conditioning	S	S	S	S	S	S
utomatic climate control with dual zone temperature control	_	_	S	S	S	S
ower adjustable pedals	0	0	0	0	S	S
ront and rear power windows	S	S	S	S	S	S
ourtesy lamp - centre roof mounted and 2nd row reading lamp	S	S	S	S	S	S
uxiliary power socket	S	S	S	S	S	S
			3	3	3	3
teering wheel mounted audio and speed alert switches	S	S	-	-	-	_
teering wheel mounted audio, speed alert switches and cruise control 10.	O/A	O/A	S	S	S	S
equential Sports Shifter, leather wrapped steering wheel and park brake	-	-	-	-	S	S
oad area cargo cover	O/A	O/A	O/A	O/A	S11./0/A	S11./0/
EX3 DVD entertainment system	O/A	O/A	O/A	O/A	O/A	O/A
EATING						
ekk cloth trim seats in Eucalyptus	S	S	-	-	-	-
eestyle velour and cloth trim seats in Eucalyptus	-	-	S	S	NCO	NCO
eather trim seats in Eucalyptus	_	_	_	_	S	S
umbar adjust (driver)	S	S	S	S	S	S
umbar adjust (driver)	_	-	-	-	S	S
ead restraints - height adjustable/retractable	S	S	S	S	S	S
9 ,					3	3
way driver power seat	S	S	S	S	-	-
way driver power seat	-	-	-	_	S	S
0/40 split fold-down 2nd row rear seat back	S	S	S	S	S	S
eat complete fold down capability (2nd and 3rd Row)	S	S	S	S	S	S
rd row seat	0	0	0	0	0	0
ore/aft slide adjustment 12. for 2nd row seat	0	0	0	0	0	0
child seat anchor points	S	S	S	S	S	S
UDIO						
	C	S				
III watt alidio system with I ( I ) display screen and single slot ( I )						
10 watt audio system with LCD display screen and single slot CD estige 100 watt audio system with 6-disc in-dash CD	S O	0				

<sup>6.</sup> Approximate kerb (unladen) mass based on standard specification with a full tank of fuel and no occupants or luggage. 7. Approximate kerb (unladen) mass with a full tank of fuel, no occupants or luggage and where optional 3rd row seat is specified. 8. Must also specify optional cruise control on TX AWD. 9. Optional alloy wheels for TX models must also be ordered. 10. Cruise control available as an option on TX models. 11. Standard on 5 seat models. Option/accessory for 7 seat models. 12. Standard when optional 3rd row seat is specified.

		X		ΓS	Ghia		
EXTERIOR	RWD	AWD	RWD	AWD	RWD	AWD	
Prestige paint	0	0	0	0	NCO	NCO	
Accent colour bumpers and door cladding	S	S	S	S	NCO 13.	NCO 13.	
Full body colour bumpers and door cladding	0	0	0	0	S	S	
Auto headlamp on/off	S	S	S	S	S	S	
Fog lamps	O/A	O/A	O/A	O/A	S	S	
Roof carry bar rails	S	S	S	S	S	S	
Towpack - standard 1600kg	O/A	O/A	O/A	O/A	O/A	O/A	
Front towing eye	0	0	0	0	0	0	
Front and rear towing eyes 14.	0	0	0	0	0	0	
Intelligent Bar System	O/A	O/A	O/A	O/A	O/A	O/A	
SAFETY AND SECURITY							
Intelligent Safety System	S	S	S	S	S	S	
Dual stage driver and front passenger airbags	S	S	S	S	S	S	
Side curtain airbags 15.	0	0	S	S	S	S	
Anti-lock Braking System with Electronic Brakeforce Distribution	S	S	S	S	S	S	
Reverse sensing system  Reverse sensing system	A	A	S	S	S	S	
Reverse camera	A	A	0	0	S	S	
Smartshield security system	S	S	S	S	S	S	
	S	S	S	S	S	S	
Central locking - all doors (including liftgate and rear glass)  Child proof locks - rear doors	S	S S	S	S	S	S	
Child proof locks - rear doors	S	S	S		S	S	
Remote keyless entry with panic alarm	5	5	5	S	5	5	
STORAGE							
Minimum of 30 interior storage compartments	S	S	S	S	S	S	
Console		_				_	
Front trinket bin	S	S	S	S	S	S	
Console cup holder x 2	S	S	S	S	S	S	
Centre console bin and tray	S	S	S	S	S	S	
Mobile phone presenter	O/A	O/A	O/A	O/A	O/A	O/A	
Removable rear rubbish bin	S	S	S	S	S	S	
Tissue holder	S	S	S	S	S	S	
Instrument panel							
Glovebox	S	S	S	S	S	S	
Instrument panel centre compartment	S	S	S	S	S	S	
Instrument panel top tray	S	S	S	S	S	S	
Rear and overhead							
Rear load floor - large (wet/dry compartment)16.	S	S	S	S	S	S	
Rear load floor - small	S	S	S	S	S	S	
Rear quarter trim compartment	S	S	S	S	S	S	
Single sunglasses holder and reading lamps	-	-	S	S	S	S	
3rd row seat storage							
Armrest bin x 2	S	S	S	S	S	S	
Cup holder x 2	S	S	S	S	S	S	
2nd row seat and door storage							
Map pocket x 2	S	S	S	S	S	S	
Rear door expandable drink bottle holder x 2	S	S	S	S	S	S	
Centre armrest cup holders x 2	S	S	S	S	S	S	
Seat pockets x 2	S	S	S	S	S	S	
1st row seat and door storage		Ü	Ü		Ü		
Lockable security drawer - under driver seat	S	S	S	S	S	S	
Handbag compartment x 2	S	S	S	S	S	S	
Map pocket x 2	S	S	S	S	S	S	
	S	S	S	S	S	S	
Front door expandable drink bottle holder x 2	S						
Flat folding load floor		S	S	S	S	S	
Wet/dry reversible rear floor 16.	S	S	S	S	S	S	
Jack/handle and wheel chock storage	S	S	S	S	S	S	

<sup>13.</sup> Not available on Seduce or Obsession. 14. Not available with optional towpack. 15. For front and second row passengers. 16. Not available with optional 3rd row seat.