

Mechanical specifications

Engine	Petrol	Diesel
Engine type	4.0L DOHC DIVCT I6	2.7L V6 Common Rail Turbo Diesel
Engine size (cc)	3984	2720
Compression ratio	10.3 : 1	17.3 : 1
Max. power (DIN)	195kW @ 6000rpm ¹	140kW @ 4000rpm
Max. torque (DIN)	391Nm @ 3250rpm ¹	440Nm @ 1900rpm
No. of valves	24	24
Bore x stroke	92.26mm x 99.31mm	81.00mm x 88.00mm
Injection	Sequential multipoint electronic fuel injection	High pressure common rail
Engine management	Powertrain control module incorporating electronic throttle control	Electronic powertrain control module

Suspension

Front	Virtual Pivot Control Link front suspension
Rear	Control Blade Independent Rear Suspension

Transmissions/Ratios	RWD	RWD	AWD
1st	4.171	4.171	4.171
2nd	2.342	2.342	2.342
3rd	1.521	1.521	1.521
4th	1.143	1.143	1.143
5th	0.867	0.867	0.867
6th	0.691	0.691	0.691
Reverse	3.4	3.4	3.4
Final drive ratio	3.23 : 1	3.23 : 1	3.46 : 1

Fuel	RWD	RWD	AWD
Fuel tank capacity (L)	75	75	
Combined fuel consumption - ADR 81/02 (L/100km - rounded) ²	TX	8.2	8.8
	TS	8.2	8.8
	Titanium	8.2	9.0
CO ₂ emissions (g/km) ²	249	217	TX and TS: 232 Titanium: 236
Recommended fuel	ULP or PULP		Diesel

Brakes

Front	Vented disc brakes with twin piston caliper
Rear	Vented rotor with single piston caliper

Towing capacities (kg)	RWD	RWD	AWD
Subject to State & Territory regulations			
Standard towpack	1600 ³	1600 ³	1600 ³
Heavy duty towpack	2300 ⁴	2300 ⁴	2700 ⁴
Maximum towball download - standard towpack 1,600kg	160 ³	160 ³	160 ³
Maximum towball download - heavy duty towpack 2,300kg/2,700kg	230 ⁴	230 ⁴	270 ⁴
Maximum towing capacity - unbraked trailer	750	750	750
Maximum towing capacity - braked trailer	2300 ⁴	2300 ⁴	2700 ⁴
Rear gross axle load rating when towing	1530	1530	1530

Luggage capacity (L)

5 Seater (behind 2nd row)	1153L
---------------------------	-------

Exterior dimensions (mm)

Overall length	4883
Overall width (excluding mirrors)	1898
Overall height	1716
Wheelbase	2843
Front track	1626
Rear track	1597
Front overhang	951
Rear overhang	1089
Approach angle	22.6°
Departure angle	23.5°
Ground clearance	175

Interior dimensions (mm)

Front headroom	1043
Front legroom	1048
Front shoulder room	1548
Front hiproom	1525
2nd row legroom (5 seater)	1015
2nd row headroom (5 seater)	1006
3rd row legroom	859
3rd row headroom	926

Minimum turning circle(m)

Diameter kerb-to-kerb	11.4
-----------------------	------

Kerb mass (kg)	Petrol			Diesel					
	TX RWD	TS RWD	Titanium RWD	TX RWD	TS RWD	Titanium RWD	TX AWD	TS AWD	Titanium AWD
Kerb mass - 5 seater ⁵	1967	1976	2012	2021	2038	2074	2107	2109	2132
Kerb mass - 7 seater ⁶	2002	2011	2047	2055	2072	2109	2142	2144	2167

S = Standard. O = Option that can be ordered before a vehicle is manufactured. A = Accessory that can be added at any time.

1. Petrol power and torque figures measured using premium unleaded fuel (95 RON). 2. Figures obtained from controlled tests using ADR 81/02 combined cycle. Actual consumption will depend on many factors, including driving habits, prevailing conditions and your vehicle's equipment, condition and use. 3. 1,600kg is the maximum towing capacity using a Genuine Ford tow pack. To comply with these limits, occupants and/or luggage may need to be restricted. For further details regarding passenger and luggage restrictions, please consult your authorised Ford Dealer and/or refer to the Territory owner's manual under 'Trailer Towing' for further guidance. Subject to State and Territory regulations.

Specifications and options

Engine & transmission	TX RWD	TX AWD	TS RWD	TS AWD	Titanium RWD	Titanium AWD
4.0L DOHC DI-VCT I6 Petrol	S	–	S	–	S	–
2.7L V6 Common Rail Turbo Diesel	O	S	O	S	O	S
6-speed automatic transmission with Sequential Sports Shift (SSS)	S	S	S	S	S	S
Ride and handling						
Rear Wheel Drive	S	–	S	–	S	–
All Wheel Drive	–	S	–	S	–	S
Virtual Pivot Control Link Front Suspension	S	S	S	S	S	S
Control Blade Independent Rear Suspension	S	S	S	S	S	S
17" x 7.5" alloy wheel (5 spoke) - P235/60 R17 tyres ⁷	S	S	–	–	–	–
18" x 7.5" alloy wheel (10 spoke) - P235/55 R18 tyres ⁷	–	–	S	S	–	–
18" x 7.5" alloy wheel (5 Y-spoke) - P235/55 R18 tyres ⁷	–	–	–	–	S	S
17" steel spare wheel - P235/60 R17 tyre	S	S	S	S	S	S
Exterior						
Prestige paint	NCO	NCO	NCO	NCO	NCO	NCO
Projector headlamps	S	S	S	S	S	S
Front fog lamps	–	–	S	S	–	–
Front LED position lamps	–	–	–	–	S	S
Lower and upper grilles with painted silver trim	–	–	S	S	–	–
Lower and upper grilles with chrome trim	–	–	–	–	S	S
Body coloured bumpers, side mirrors and door handles	S	S	S	S	S	S
Privacy glass ⁸	–	–	–	–	S	S
Roof carry bar rails	S	S	S	S	S	S
Towpack - standard 1,600kg	O/A	O/A	O/A	O/A	O/A	O/A
Instrumentation and controls						
Interior Command Centre (ICC) with 5.8" LCD screen	S	S	–	–	–	–
Premium ICC with 8" Colour Touch TFT screen	–	–	S	S	S	S
Satellite Navigation System with Traffic Message Channel ⁹	–	–	–	–	S	S
Trip computer (Including: trip time, fuel used, average fuel economy, instantaneous fuel economy, average speed, distance to empty)	S	S	S	S	S	S
Front windscreen wipers with variable intermittent feature	S	S	S	S	S	S
Rear tailgate remote release	S	S	S	S	S	S
Cruise control with steering wheel mounted controls	S	S	S	S	S	S
Leather wrapped steering wheel	–	–	S	S	S	S
Comfort and convenience						
Single zone automatic climate control	S	S	–	–	–	–
Dual zone automatic climate control	–	–	S	S	S	S
Front and rear power windows	S	S	S	S	S	S
Automatic headlamps ON/OFF feature	S	S	S	S	S	S
Power adjustable side mirrors	S	S	S	S	–	–
Power adjustable side mirrors with integrated turn lamps	–	–	–	–	S	S
Vanity mirror lamps for driver and front passenger	S	S	S	S	S	S
Remote keyless entry with two remote control flip keys	S	S	S	S	S	S
Electrochromatic rear vision mirror (auto-dimming)	–	–	–	–	S	S
Seating						
Seat trim - fabric	S	S	S	S	–	–
Seat trim - leather appointed	–	–	–	–	S	S
5 seat capacity	S	S	NCO	NCO	NCO	NCO
7 seat capacity (with 3rd row seat)	O	O	S	S	S	S
Adjustable driver's seat lumbar support	S	S	S	S	S	S
Adjustable passenger's seat lumbar support	–	–	–	–	S	S
4-way power adjustable driver's seat	S	S	S	S	–	–
6-way power adjustable driver's seat with 3-position memory	–	–	–	–	S	S
60/40 split fold-down 2nd row seat back	S	S	S	S	S	S
2nd row flat fold seat capability	S	S	S	S	S	S
3rd row flat fold seat capability with 2nd row slide adjustment	O	O	S	S	S	S

NCO = No Cost Option that can be ordered before a vehicle is manufactured. – = Not available.

4. 2,300kg is the maximum towing capacity of Territory RWD models. 2,700kg is the maximum towing capacity of Territory AWD diesel models. Maximum towing capacity using a Genuine Ford heavy duty tow pack with load levelling kit. To comply with these limits, occupants and/or luggage may need to be restricted. For further details regarding passenger and luggage restrictions, please consult your authorised Ford Dealer and/or refer to the Territory owner's manual under 'Trailer Capacities' for further guidance. Subject to State and Territory regulations. 5. Approximate kerb (unladen) mass based on standard specification of a 5 seat model with a full tank of fuel and no occupants or luggage. 6. Approximate kerb (unladen) mass based on standard specification of a 7 seat model with a full tank of fuel and no occupants or luggage. 7. Set of 4. 8. For rear passengers and back windows. 9. Ford has an arrangement to provide the Suna Traffic Channel broadcast for a minimum of 5 years from the time of vehicle manufacture. Refer to www.sunatrafic.com.au for details of area coverage.

Specifications and options (continued)

Audio & Communication	TX RWD	TX AWD	TS RWD	TS AWD	Titanium RWD	Titanium AWD
Single slot CD audio system with AM/FM radio	S	S	–	–	–	–
Premium audio single slot CD system with 150 watt amplifier & sub-woofer	–	–	S	S	S	S
Alpine rear DVD entertainment system with 10.2" screen, 2 wireless headphones and remote control	–	–	–	–	S	S
iPod ¹⁰ . integration	S	S	S	S	S	S
USB input facility for music files	S	S	S	S	S	S
Bluetooth [®] mobile phone integration ¹¹ .	S	S	S	S	S	S
3.5mm auxiliary audio input	S	S	S	S	S	S
3 x auxiliary power sockets	S	S	S	S	S	S
Safety and security						
Intelligent Safety System	S	S	S	S	S	S
Dual-stage driver and front passenger airbags	S	S	S	S	S	S
Side curtain airbags ¹² .	S	S	S	S	S	S
Driver's knee airbag	S	S	S	S	S	S
Pyrotechnic seatbelt buckle pretensioners ¹³ .	S	S	S	S	S	S
Advanced restraints module	S	S	S	S	S	S
Crash severity sensor	S	S	S	S	S	S
Driver's seat position sensor	S	S	S	S	S	S
Beltminder system ¹³ .	S	S	S	S	S	S
Dynamic Stability Control with Rollover Mitigation	S	S	S	S	S	S
Traction Control	S	S	S	S	S	S
Grade Control Logic	S	S	S	S	S	S
Anti-lock Braking System	S	S	S	S	S	S
Electronic Brakeforce Distribution	S	S	S	S	S	S
Emergency Brake Assist	S	S	S	S	S	S
Reverse sensing system	S	S	S	S	S	S
Reverse camera	–	–	S	S	S	S
Central locking - all doors (including liftgate and rear glass)	S	S	S	S	S	S
Child proof locks - rear doors	S	S	S	S	S	S
Storage						
30 interior storage compartments	S	S	S	S	S	S
Console						
Tambour door compartment with trinket bin and tissue box holder	S	S	S	S	S	S
Console cup holder x 2	S	S	S	S	S	S
Centre console bin with iPod ¹⁰ . holder	S	S	S	S	S	S
Removable rear rubbish bin	S	S	S	S	S	S
Instrument panel						
Glovebox	S	S	S	S	S	S
Rear and overhead						
Rear load floor compartment - large (wet/dry compartment) ¹⁴ .	S	S	–	–	–	–
Rear load floor compartment - small	S	S	S	S	S	S
Rear quarter trim compartment	S	S	S	S	S	S
Sunglasses holder incorporating reading lamps	–	–	S	S	S	S
3rd row seat storage						
Armrest bin x 2	S	S	S	S	S	S
Cup holder x 2	S	S	S	S	S	S
2nd row seat and door storage						
Map pocket x 2	S	S	S	S	S	S
Rear door expandable drink bottle holder x 2	S	S	S	S	S	S
Centre armrest cup holders x 2	S	S	S	S	S	S
Seat pockets x 2	S	S	S	S	S	S
1st row seat and door storage						
Lockable security drawer - under driver's seat	S	S	S	S	S	S
Handbag compartment x 2	S	S	S	S	S	S
Map pocket x 2	S	S	S	S	S	S
Front door expandable drink bottle holder x 2	S	S	S	S	S	S
Other						
Flat folding load floor	S	S	S	S	S	S
Wet/dry reversible rear floor ¹⁴ .	S	S	–	–	–	–
Jack/handle and wheel chock storage	S	S	S	S	S	S
Cargo retention anchorages	S	S	S	S	S	S

S = Standard. O = Option that can be ordered before a vehicle is manufactured. A = Accessory that can be added at any time.
NCO = No Cost Option that can be ordered before a vehicle is manufactured. – = Not available.

10. iPod is a trademark of Apple Inc. Please refer to ford.com.au for iPod compatibility. 11. Bluetooth[®] is a registered trademark of Bluetooth SIG Inc., and is used under licence. Customers should consult their Ford dealer on the ability of their mobile phone handset to integrate with the Bluetooth[®] system prior to making a purchase decision. 12. For 1st and 2nd rows. 13. Driver and front passenger only. 14. Standard on TS and Titanium when 5 seat configuration is chosen.