



|  | X Series  |  |  |  |  |
|--|---|--|--|--|--|
|  |   |  |  |  |  |
| food and the second sec | X240  |  |  |  |  |
| Specs  | 4x4   |  |  |  |  |
|  | Engine  |  |  |  |  |
| Туре   | 2.4 litre 4 Cylinder SOHC   |  |  |  |  |
| Maximum Power  | 100kW @ 5250rpm   |  |  |  |  |
| Maximum Torque   | 200Nm@2500-3000rpm  |  |  |  |  |
|  | Transmission  |  |  |  |  |
| Туре   | 5 Speed Manual with Electric Transfer Case                                |  |  |  |  |
|  | Weights & Dimensions  |  |  |  |  |
| Gross Vehicle Mass   | 2280kg  |  |  |  |  |
| Payload  | 475kg^  |  |  |  |  |
| Length   | 4649mm  |  |  |  |  |
| Width  | 1810mm  |  |  |  |  |
| Height   | 1735mm  |  |  |  |  |
|  | Steering & Suspension   |  |  |  |  |
| Power Steering   | Standard  |  |  |  |  |
| Front Suspension   | Independent double wishbone with hydraulic shock absorber and torsion bar |  |  |  |  |
| Rear Suspension  | Dependent rear suspension with hydraulic shock absorber                   |  |  |  |  |
|  | Fuel  |  |  |  |  |
| Fuel Tank Capacity   | 70L   |  |  |  |  |
| Fuel Economy (Combined)*   | 10.3/100km  |  |  |  |  |
|  | Towing Capacity   |  |  |  |  |
| Towing Capacity (Braked)   | 1700kg  |  |  |  |  |
| Towing Capacity (Unbraked)   | 600kg   |  |  |  |  |
|  | Braking   |  |  |  |  |
| ABS and EBD  | Standard  |  |  |  |  |
| Front  | Ventilated Disc   |  |  |  |  |
| Rear   | Solid Disc  |  |  |  |  |
|  | Safety  |  |  |  |  |
| Reversing Camera   | Standard  |  |  |  |  |
| Dual Front Airbags   | Standard  |  |  |  |  |
| Anti-lock Braking System   | Standard  |  |  |  |  |
|  | Interior  |  |  |  |  |
| Seating Capacity   | 5   |  |  |  |  |
| Seats  | Leather Trimmed   |  |  |  |  |
| Air Conditioning   | Automatic Climate Control   |  |  |  |  |
| Bluetooth  | Standard  |  |  |  |  |
| Steering Wheel Controls<br>CD/Radio/MP3  | Standard<br>Standard  |  |  |  |  |
| Power Windows & Mirrors  | Standard  |  |  |  |  |
| Electric Sunroof   | Optional  |  |  |  |  |
|  | Exterior  |  |  |  |  |
| Auto Rain Sensitive Wipers   | Standard  |  |  |  |  |
| Auto Headlights  | Standard  |  |  |  |  |
| 17" Alloy Wheels   | Standard  |  |  |  |  |
|  | Warranty  |  |  |  |  |
| 3 Year/100,000km <sup>†</sup>  | Standard  |  |  |  |  |
| Roadside Assist  | Standard  |  |  |  |  |
|  | Security  |  |  |  |  |
| Engine Immobiliser   | Standard  |  |  |  |  |
| Remote Keyless Entry   | Standard  |  |  |  |  |
|  | Paint   |  |  |  |  |
| Colour Summary   | Titanium White     Sky Silver       Pearl Black     Universe Blue         |  |  |  |  |

\*As per ADR81/02. <sup>†</sup>Whichever occurs first. ^ Payload includes occupants, fuel and fitted options. The weight of the these must be deducted from the payload to determine actual load carrying capacity. Front and Rear axle loads must not be exceeded. All information in this specification sheet is correct at the time of publication, however variations may occur from time to time and Ateco Automotive Pty Limited, insofar as is permitted by law to do so, shall not be liable in any way as a result of any reliance by any person on anything contained in this specification sheet.

| Spece         Nanual Transmission         X20 Act         Automatic Transmission           Image:  | Type       Maximum Power       Maximum Torque       Type       Gross Vehicle Mass       Payload   | Con<br>31<br>I Manual Torque on Demand | Engine<br>2.0 litre 4 Cylinder<br>nmon Rail Turbo Diesel<br>105kW @ 4000rpm<br>0Nm@1800-2800rpm<br>Transmission<br>hts & Dimensio | 5 Speed Auto Torque on Demand |  |  |  |  |
|--|---|--|---|-------------------------------|--|--|--|--|
| Image Network         Image Network           Numer Network         Image Network           Maname Network         Image Network           Maname Network         Stand Aufrage Network           Maname Network         Stand Aufrage Network           Numer Network         Stand Aufrage Network   | Type Amaximum Power Amaximum Torque Amaximum Torque Amaximum Torque Amaximum Torque Amaximum Torque Amaximum Torque Amaximum Type Amaximum Torque Amaximum Type Amaximum Torque Amaximum Type Amaximum Torque | Con<br>31<br>I Manual Torque on Demand | Engine<br>2.0 litre 4 Cylinder<br>nmon Rail Turbo Diesel<br>105kW @ 4000rpm<br>0Nm@1800-2800rpm<br>Transmission<br>hts & Dimensio | 5 Speed Auto Torque on Demand |  |  |  |  |
| Two Control of Contro of Control of Contro of Contro of Control of Contro of Control of Control of Control of                        | Maximum Power Maximum Torque Type 6 Speed Gross Vehicle Mass Payload  | Con<br>31<br>I Manual Torque on Demand | 2.0 litre 4 Cylinder<br>nmon Rail Turbo Diesel<br>105kW @ 4000rpm<br>0Nm@1800-2800rpm<br>Fransmission<br>hts & Dimensio           | 5 Speed Auto Torque on Demand |  |  |  |  |
| Image in the intervalue of the intervalue                          | Maximum Power Maximum Torque Type 6 Speed Gross Vehicle Mass Payload  | 31<br>Manual Torque on Demand          | 105kW @ 4000rpm<br>0Nm@1800-2800rpm<br>Fransmission<br>hts & Dimensio   | 5 Speed Auto Torque on Demand |  |  |  |  |
| Matana Targa         Stead Mana Targa on Dennal         Stead Anno Targa on Dennal           0         Stead Anno Targa on Dennal         Stead Anno Targa on Dennal           0         Weights 2    Incasi on S           Day Mark Mark         One Stead Stead           Day Mark Mark         One Stead Stead           Mark Mark         One Stead Stead           Mark Mark         One Stead  | Maximum Torque Type 6 Speed Gross Vehicle Mass Payload  | 31<br>Manual Torque on Demand          | 0Nm@1800-2800rpm<br>Transmission  |                               |  |  |  |  |
| Interest         Constraint         Speed Atoma Targe on Dennal         Speed Atoma Targe on Dennal           Fight A body         Speed Atoma Targe on Dennal         Speed Atoma Targe on Dennal           Crew Vallet Abody         SPEED Statements         Speed Atoma Targe on Dennal           Data         StateTarge Statements         Speed Atoma Targe on Dennal           Match         StateTarge Statement         StateTarge Statement           Note StateTarge Statement         StateTarge StateTarge Statement         StateTarge StateTarge Statement           Note StateTarge StateT  | Type 6 Speed<br>Gross Vehicle Mass<br>Payload   | Manual Torque on Demand                | Transmission<br>hts & Dimensio  |                               |  |  |  |  |
| Byped Atom Torque on Donnal         Systed Atom Torque on Donnal           Weights B Dimensions           Core Wahrds Mars         Systed Atom Torque on Donnal           Donnal         Officing Core           Dalad         Officing Core           Dalad         Officing Core           Martin         Officing Core           Steering S Supprison         Donal           New Steering Core         Officing Core           Steering Core         Officing Core           New Steering Core         Officing Core           New Steering Core         Officing Core           New Steering Core         Officing Core           Dar Steering Core         Officing Core           Steering Core         Officing Core           Dar Steering Core         Officing Core           Mark Core (Core         Officing Core   | Gross Vehicle Mass Payload  | Manual Torque on Demand                | hts & Dimensio  |                               |  |  |  |  |
| Weights & Dimensions       Cinew Mukic Muse     15%kg       Bipkal     60%g^       Langth     60%g^       Weight     60%g^       Weight     60%g       Weight     60%g       Weight     60%g       Weight     60%g^       Weight     60%g       Weight     60%g       Weight     60%g       Weight     50%genn       Weight     50%genn </td <td>Gross Vehicle Mass Payload</td> <td></td> <td></td> <td></td>  | Gross Vehicle Mass Payload  |  |   |                               |  |  |  |  |
| fam. Make Mass         2558g           Depland         6460, m           Depland         6460, m           With         6400, m           With         6400, m           Barband         1500, m           Torres Generation         Standard           Rero Stangeria         Standard           Rero Stangeria         Deprotect recomposition with Hydralls data databare           Rero Stangeria         921, 2020, m           Torres Generation (Standard)         921, 2020, m           Rera (BDD)         934, 202, 202, 203, m           Rera (BDD)         934, 203, 204, 204, 204, 204, 204, 204, 204, 204  | Payload   | Weig                                   |   | ns                            |  |  |  |  |
| Bolad     440/a <sup>A</sup> Longh     440/a <sup>A</sup> Wafn     81000000000000000000000000000000000000  | Payload   |  | 2550kg  |                               |  |  |  |  |
| Langh     6495m       With     1810m       With     1810m       Barber     1810m       Beer Stering     Statisting & Staspension       Ford Superiation     1810pendere double withhous with highauk dook douber and curains har       Beer Stering     Depredere to anyon the flamit dock douber and curains har       Ford Superiation     1810pendere to anyon the flamit dock douber and curains har       Ford Superiation     1911       Ford Superiation     921/10Xm   |   |  |   | 2550kg                        |  |  |  |  |
| Wath     INDexs       Highr     ITTTAM       Parts Storing     Standad       Forse Storpanto     Standad       Res Storpanto     Independent double with product double and toron that       Forse Storpanto     Dependent rear storpanto-with holdmain double absorber       Forse Storpanto     Teal       Forse Storpanto     Teal       Forse Storpanto     264/1000m       Forse Storpanto     224/1000m       Forse Storpanto     2000mm       Forse Storpanto     2000mm       Forse Storpanto     2000mm       Forse Storpanto     2000mm  | Length  |  | 660kg^  |                               |  |  |  |  |
| Heade:     Ittering & Stapension       New Skoring     Starting & Stapension       First Supersion     Independent dolb wild-use wild hydrauk shock also dreet and ransen hur       Rer Sogension     Dependent ranspranke wild hydrauk shock also dreet and ransen hur       Teat Taak (spacer)     Tak       Pied Economy (Cambraud)*     784       Tabat (Spacer)     784       T   |   |  | 4649mm  |                               |  |  |  |  |
| Steering & Suspension           Work Superation         Standard           Nore Superation         Independent of the Warks struct is buick barder and structs bar           Ret Superation         Dependent teer negretion with hydrault is dock advoctor           Ret Superation         Total           Ret Superation         784           Totaling Capacity         784           Totaling Capacity (Broked)         600%z           Totaling Capacity (Broked)         600%z           Ret Superation         600%z           Ret Superation Supera   | Width   |  | 1810mm  |                               |  |  |  |  |
| Beer serring         Stradam           First Storgsion         Otherster storgsion beer in best and tracks bar of the store of the   | Height  |  | 1735mm  |                               |  |  |  |  |
| New Stering         Stankard           Frank Stering         Charge-dectoridable with bytanki chack abouter and traviale bur.           Frank Stering Construct         The Stering Construct Stankard Stankar  |   | Steering & Suspension                  |   |                               |  |  |  |  |
| Frank Sugension         Independent with hybrahl shock aborber           Barr Sugension         Oppsadent ner supensions with hybrahl shock aborber           Fach Capacity         78.1           Ford Capacity         78.1           Towing Capacity (blacka)         6000g           Fach Capacity         6000g <td>Power Steering</td> <td colspan="4"></td>   | Power Steering  |  |   |                               |  |  |  |  |
| Karl Supernica     Dependent ner mapma.in block shock shock relationshop       Flack Caper, Mark Super Supe  |   | Independent double wishbor             | ne with hydraulic shock a   | absorber and torsion bar      |  |  |  |  |
| Fuel       Fuel         Ival Tank Capacity       781.       785.         Ival Earonovy (Combined)       781.       782.         Tank Capacity (Combined)       781.       782.         Training Capacity (Combined)       1700kg       1700kg         Training Capacity (Combined)       600kg       600kg         Training Capacity (Combined)       600kg       600kg         Training Capacity (Combined)       600kg       600kg         State EDD       Sandard       600kg         Foror       Sandard       600kg         Rear Cancer       Sandard       600kg         Rear Cancer       Sandard       600kg         Data Front Ardwap       Sandard       600kg         Extronk Solution Sandard       Sandard       600kg         Narchock Taking Specie       Sandard       600kg         Sandard       Sandard       600kg <tr< td=""><td>-</td><td colspan="4"></td></tr<>  | -   |  |   |                               |  |  |  |  |
| fuil Lank Capachy     781.       fuil Econory (Combine)*     784.       Towing Capachy (Combine)*     921./100km       Towing Capachy (Combine)*     170%g.       Towing Capachy (Combine)*     600kg.       Towing Capachy (Combine)*     600kg.       ABS and EBD     600kg.       Front     600kg.       Front     600kg.       Reservice     600kg.  |   |  |   |                               |  |  |  |  |
| Fail Economy (Continad)*     741/40%n     9.21/40%m       Toring Capacity (Bohad)     1700g       Toring Capacity (Bohad)     600g       Toring Capacity (Bohad)     600g       Starland     600g       Starland     600g       Toring Capacity (Bohad)     600g       Starland     600g       Starland     600g       Ford     Starland       Ford     Vernited Dac       Rer     Starland       Rer     Starland       Dal Ford Arbag     Starland       Electronic Stabling Control     Starland       Analock Braking Speen     Starland       Typ Peosite Monitoring System     Starland       Stafe Cortrol     Starland       Charle Cortrol     Starland       Stafe Cortrol     Starland       Stafe Cortrol     Starland       Charle Cortrol     Starland       Charl   | Fuel Tank Canacity  | 781.                                   |   | 781                           |  |  |  |  |
| Towing Capacity Behaol     Towing Capacity Behaol       Toming Capacity Behaol     600kg       Toming Capacity Behaol     600kg       ABS and EBD     8ra Kalog       ABS and EBD     Sondard       Rear     Sondard       Bear     Sold Ebe       Dal From Arthop     Sold Ebe       Boul From Arthop     Sold Ebe       Dal From Arthop     Sold Ebe       Bersting Camera     Sondard       Dal From Arthop     Sondard       Electronic Stability Control     Sondard       Arthok Braing System     Sondard       HI Hold Assic     Sondard       Staning Capacity     5       Solar Control     Sondard       Staning Capacity     5       Sords     Learber Tremod       Climate Control     Sondard       Staning Capacity     Sondard       Staning Capacity     Sondard       Sords     Learber Tremod       Climate Control     Sondard       Sords     Learber Tremod       Climate Control     Sondard       Staning Capacity     Sondard       Staning Capacity     Sondard       Staning Capacity     Sondard       Climate Control     Sondard       Staning Controk     Sondard       Stani   |   |  |   |                               |  |  |  |  |
| Toring Capacity (Enclose)         IPCNAg           Toring Capacity (Enclose)         ONE           Toring Capacity (Enclose)         Stanking           ABS and EBO         Stanking           Fora         Stanking           Fora         Stanking           Rear         Stanking           Rear         Stanking           Berseing Cancen         Stanking           Elements Stanking Speen         Stanking           Elements Stanking Speen         Stanking           Elements Stanking Speen         Stanking           Athlick Enclose         Stanking           Type Pressure Monitoring System         Stanking           Stanking Capacity         S  |   |  | wing Capacity   | 7.2L/ 100Kiii                 |  |  |  |  |
| Toxing Capacity Chilerakad)         600kg           BRS and EBD         Snahard           Front         Normalited Disc           Front         Normalited Disc           Rear         Sold Disc           Rear Capacity Chilerakad         Sold Disc           Capacity Chilerakad         Sold Disc           Part Capacity Chilerakad         Sold Disc           Dall Front Atribus         Sold Disc           Capacity Chilerakad         Sondard           Capacity Chilerakadad         Sondard           Hall Hold Assic         Sondard           Tyre Presser Monitoring System         Sondard           Solar Capacity         5           Solar Capacity         5           Solar Capacity         Sondard           Solar Caronof         Sondard <td>Towing Capacity (Braled)</td> <td>10</td> <td>1</td> <td></td>  | Towing Capacity (Braled)  | 10                                     | 1   |                               |  |  |  |  |
| Braking       ABS and EDD     Standard       Finat     Visitaliated Disc       Rer     Solid Disc       Berrand     Solid Disc       Revening Camera     Sondard       Dual Fornt Aribags     Standard       Externial Stalid Disc     Standard       Externial Stalid Scattal     Standard       Antick Bosing System     Standard       Externial Stalid Scattal     Standard       Antick Bosing System     Standard       The Pessure Monitoring System     Standard       Comparity     S       Seata     Leather Timmed       Classe Control     Standard       Standard     Standard       Standard     Standard       Standard     Standard       Classe Control     Standard       Standard     Standard       Standard     Standard       Classe Control     Standard       Standard     Standard       Classe Control     Standard    <   |   |  |   |                               |  |  |  |  |
| ABS and EBD     Standard       From     Winitaled Disc       Rear     Sided Dasc       Rear     Standard       Berning Camera     Standard       Dall Ford Arthage     Standard       Belertonic Stability Control     Standard       Analock Marking System     Standard       Hill Hold Asist     Standard       Thre Preser Monitoring System     Standard       Standard     Standard       Hill Hold Asist     Standard       Standard     Standard       Control     Standard       Standard     Standard       Control     Standard       Standard     Standard       S   | Towing Capacity (Unbraked)  |  |   |                               |  |  |  |  |
| Front.       Ventilated Disc         Rer       Solid Disc         Rer       Solid Disc         Reresting Canona       Standard         Dual Front Airbags       Standard         Dual Front Airbags       Standard         Dual Front Airbags       Standard         Electronic Subbility Control       Standard         Antikok Braking System       Standard         Hill Hold Asia       Standard         Tyre Presure Monitoring System       Standard         Stating Capoidy       5         Seating Capoidy       Standard         Climate Control       Standard         Bilderoth       Standard         Stating Capoidy       Standard         Climate Control       Standard         Stating Capoidy       Standard         Climate Control       Standard         Standard       Standard         Climate Controls       Standard         Standard       Standard         Climate Controls       Standard         Standard       Standard         Climate Controls       Standard         Climate Controls       Standard         Climate Controls       Standard         Climate Controls   | 100 1000  |  |   |                               |  |  |  |  |
| Rear     Solid Dac       Reversing Camera     Sandard       Dual Front Aringa     Sandard       Electronic Solid Solity Control     Sandard       Antikek Braking System     Sandard       Electronic Solity Control     Sandard       Antikek Braking System     Sandard       Tyre Presure Monitoring System     Sandard       String Capacity     Sandard       Setting Capacity     Sandard       Climate Control     Sandard       Setting Capacity     Sandard       Setting Wheel Controls   |   |  |   |                               |  |  |  |  |
| Safety           Revening Camera         Standard           Dual Fort Atribage         Standard           Electronic Stability Control         Standard           Atroback Braking System         Standard           Hill Hold Asist         Standard           Tyre Pressure Monitoring System         Standard           Standard         Standard           Tyre Pressure Monitoring System         Standard           Standard         Standard           Control         Standard           Standard         Standard           Control         Standard   |   |  |   |                               |  |  |  |  |
| Reversing Camera       Standard         Dual Front Atribage       Standard         Electronic Stability Control       Standard         Antibode Bracking System       Standard         Hill Hold Asis       Standard         Tyre Pressure Monitoring System       Standard         Standard       Standard         Tyre Pressure Monitoring System       Standard         Setting Capacity       Standard         Setting Capacity       Standard         Control       Standard         Control       Standard         Standard       Standard         Control       Standard         Control       Standard         Standard       Standard         Control       Standard<   | Kear  |  |   |                               |  |  |  |  |
| Dal Front Airbage       Standard         Electronic Stability Control       Standard         Anti-kek Braking System       Standard         Anti-kek Braking System       Standard         Hill Hold Assist       Standard         Tyre Pressure Monitoring System       Standard         Stating Capacity       Interior         Stating Capacity       Standard         Climate Control       Standard         Buescord       Standard         Control Control       Standard         Dukecord       Standard         Stering Wheel Controls       Standard         Stering Wheel Controls       Standard         Power Whel Controls       Standard         Power Wheel Controls       Standard         Rotex Restring Wheel Controls       Standard         Control Control       Standard         Now Restrons       Standard         Control Control       Standard         Auto Rain Sensitive Witers       Standard         Starkard Controls       Standard         Starkol Kouto Standard       Standard <td></td> <td colspan="4"></td>   |   |  |   |                               |  |  |  |  |
| Electronic Standard       Anti-Jock Braking System       Anti-Jock Braking System       Hill Hold Assist       Tyre Pressure Monitoring System       Standard   |   |  |   |                               |  |  |  |  |
| Anti-Jock Braking System       Standard         Hill Hold Assist       Standard         Tyre Pressure Monitoring System       Standard         Interior       Standard         Seating Capacity       5         Seats       Lacther Trimmed         Clinate Control       Standard         Bitecosth       Standard         Stering Wheel Controls       Standard         Stering Wheel Controls       Standard         Chrise Control       Standard         Port Windows & Mirrors       Standard         Port Windows & Mirrors       Standard         Chrise Gurtos       Optional         Reard Biteriori       Standard         Auto Rain Sensitive Wipers       Standard         Auto Healights       Standard         17 Alby Wheels       Standard         20000000th <sup>1</sup> Standard         Star/100,0000kn <sup>1</sup> Standard         Roadside Assist       Standard         Standard   |   |  |   |                               |  |  |  |  |
| Hill Hold Assist       Standard         Tyre Pressure Monitoring System       Standard         Stating Capacity       Interior         Seature Control       Standard         Climate Control       Standard         Diluctorith       Standard         Diluctorith       Standard         Chrise Control       Standard         Steering Wheel Controls       Standard         Chrise Control       Standard         Chrise Control       Standard         Chrise Control       Standard         Chrise Controls       Standard         Steering Wheel Controls       Standard         Chrise Control       Standard         Chrise Control       Standard         Auto Rain Sensitive Wipers       Standard         Auto Rain Sensitive Wipers       Standard         Auto Rain Sensitive Wipers       Standard         Yater/UO,000/km <sup>1</sup> G       Standard         Star/UO,000/km <sup>1</sup> Standard       Standard         Star/UO,000/km <sup>1</sup> Standard       Standard         Roadside Assist       Standard       Standard         Staria Immobiliser       Standard       Standard         Remote Kelyeus Entry       Standard       Sta   |   |  |   |                               |  |  |  |  |
| Type Pressure Monitoring System       Standard         Interior         Seating Capacity       5         Seats       Lenther Trimmed         Climate Control       Standard         Bluetooth       Standard         Columate Control       Standard         Steering Wheel Controls       Standard         CD/Radio/MP3       Standard         CD/Radio/MP3       Standard         CD/Radio/MP3       Standard         Rever Windows & Mirrors       Standard         Auto Rain Sensitive Wipers       Auto Handlights         Auto Handlights       Standard         Yar/NoQAONdm <sup>1</sup> Standard         Roadside Assist       Standard         Roadside Assist       Standard         Roadside Assist       Standard         Remote Righess Entry       Standard         Colour Summary       Standard   |   |  | 1   |                               |  |  |  |  |
| Interior         Saring Capacity       5         Seats       Leather Trimmed         Climate Control       Standard         Bluetooth       Standard         Cruise Control       Standard         Cruise Control       Standard         Steering Wheel Controls       Standard         CD/Radio/MP3       Standard         CD/Radio/MP3       Standard         Electric Surtorid       Standard         CD/Radio/MP3       Standard         Electric Surtorid       Standard         CD/Radio/MP3       Standard         Electric Surtorid       Optional         Electric Surtorid       Standard         Auto Rain Sensitive Wipers       Standard         Auto Headlights       Standard         17" Alloy Wheels       Standard         3 Yaar/U00,000km <sup>1</sup> Standard         3 Yaar/U00,000km <sup>1</sup> Standard         Standard       Standard         Engine Immobiliser       Standard         Engine Immobiliser       Standard         Engine Immobiliser       Standard         Colour Summary       Standard   |   |  |   |                               |  |  |  |  |
| Sating Capacity       5         Seating Capacity       Leather Trimmed         Clinate Control       Standard         Bluecoch       Standard         Chile Control       Standard         Steering Whed Controls       Standard         CD/Radio/MP3       Standard         Power Windows & Mirrors       Standard         Electric Sunoof       Optional         Auto Rain Sensitive Wipers       Standard         Auto Headlights       Standard         17" Alloy Wheels       Standard         Star/LOQ,000km <sup>1</sup> Standard         Readsde Assist       Standard         Readsde Assist       Standard         Engine Inmobiliser       Standard         Renore Keyless Entry       Standard         Colour Summary       Standard   | Tyre Pressure Monitoring System   |  |   |                               |  |  |  |  |
| Seats Lather Trimmed Climate Control Standard Climate Control Standard Bluetooth Standard Cruise Control Control Standard Cruise Control Control Standard Cruise Control Contr |   |  |   |                               |  |  |  |  |
| Climate Control       Standard         Bluetooth       Standard         Cruise Control       Standard         Steering Wheel Controls       Standard         CD/Radio/MP3       Standard         Power Windows & Mirrors       Standard         Electric Sunroof       Optional         Auto Rain Sensitive Wipers       Standard         Standard       Standard         Standard       Standard         Standard       Standard         Standard       Standard         Standard       Standard         Roadsite Assit       Standard         Roadsite Assit       Standard         Remote Keyles Entry       Standard         Colour Summary       Standard   |   |  |   |                               |  |  |  |  |
| Bleedoch       Standard         Cruise Conrol       Standard         Stering Whel Controls       Standard         CD/Radio/MP3       Galdace Standard         Power Windows & Mirrors       Standard         Electric Sunroof       Optional         Auto Rain Sensitive Wipers       Standard         Auto Rain Sensitive Wipers       Standard         Auto Headlights       Standard         17" Alloy Wheels       Galdace Standard         Star/IO0,000kn <sup>4</sup> Standard         Roadside Asist       Galdace Standard         Romote Keyless Entry       Galdace Standard         Romote Keyless Entry       Standard         Colour Summary       Standard   |   |  |   |                               |  |  |  |  |
| Cruise Control       Standard         Stering Wheel Controls       Standard         CD/Radio/MP3       Standard         Power Windows & Mirrors       Standard         Power Windows & Mirrors       Composition         Eterric Sunroof       Optional         Auto Rain Sensitive Wipers       Standard         Auto Headlights       Standard         17" Alloy Wheels       Standard         Starloy Control       Standard         Roadside Assit       Standard         Romote Keyless Entry       Standard         Colour Summary       Standard  |   |  |   |                               |  |  |  |  |
| Stering Wheel Controls       Standard         CD/Radio/MP3       Standard         Power Windows & Mirrors       Standard         Electric Sunroof       Optional         Lectric Sunroof       Exterior         Auto Rain Sensitive Wipers       Standard         Auto Headlights       Standard         17" Alloy Wheels       Standard         Varranty       Standard         3 Year/100,000km <sup>4</sup> Standard         Roadside Assist       Standard         Engine Immobiliser       Standard         Remote Keyless Entry       Standard         Colour Summary       Standard   |   |  | Standard  |                               |  |  |  |  |
| CD/Radio/MP3       Standard         Power Windows & Mirrors       Standard         Electric Sunroof       Optional         Lectric Sunroof       Exterior         Auto Rain Sensitive Wipers       Standard         Auto Rain Sensitive Wipers       Standard         Auto Headlights       Standard         17" Alloy Wheels       Image: Comparison of the standard         3 Year/100,000km <sup>4</sup> Standard         Roadside Assist       Standard         Engine Immobiliser       Standard         Remote Keyless Entry       Standard         Colour Summary       Standard  |   |  |   | Standard                      |  |  |  |  |
| Power Windows & Mirrors         Standard           Electric Sunroof         Optional           Lectric Sunroof         Exterior           Auto Rain Sensitive Wipers         Standard           Auto Headlights         Standard           17" Alloy Wheels         Standard           2 Standard         Warronty           3 Year/100,000km <sup>+</sup> Standard           Roadside Assist         Standard           Standard         Standard           Remote Keyless Entry         Standard           Colour Summary         Standard   |   |  |   |                               |  |  |  |  |
| Electric Sunroof       Optional         Electric Sunroof       Exterior         Auto Rain Sensitive Wipers       Standard         Auto Headlights       Standard         17" Alloy Wheels       Standard         17" Alloy Wheels       Standard         3 Year/100,000km <sup>1</sup> Standard         Roadside Assist       Image: Standard         Standard       Standard         Braine Immobiliser       Standard         Remote Keyless Entry       Standard         Colour Summary       Standard  |   |  |   |                               |  |  |  |  |
| Exterior         Auto Rain Sensitive Wipers       Standard         Auto Headlights       Standard         Auto Headlights       Standard         17" Alloy Wheels       Standard         3 Year/100,000km <sup>1</sup> Warranty         3 Year/100,000km <sup>1</sup> Standard         Roadside Assist       Standard         Engine Inmobiliser       Standard         Remote Keyless Entry       Standard         Colour Summary       Colour Summary  |   |  |   |                               |  |  |  |  |
| Auto Rain Sensitive Wipers       Standard         Auto Headlights       Standard         17" Alloy Wheels       Standard         17" Alloy Wheels       Warranty         3 Year/100,000km <sup>†</sup> Standard         Roadside Assist       Standard         Internet Standard       Standard         Roadside Assist       Standard         Internet Standard       Standard         Renote Keyless Entry       Internet Standard         Colour Summary       Standard   | Electric Sunroof  |  |   |                               |  |  |  |  |
| Auto Headlights       Standard         17" Alloy Wheels       Standard         17" Alloy Wheels       Warranty         3 Year/100,000km <sup>†</sup> Standard         3 Year/100,000km <sup>†</sup> Standard         Roadside Assist       Standard         100 Keeles       Standard         Renote Keyless Entry       Standard         100 Colour Summary       Standard  |   |  |   |                               |  |  |  |  |
| 17" Alloy Wheels       Standard         Warranty       Warranty         3 Year/100,000km <sup>+</sup> Standard         Roadside Assist       Standard         Standard       Standard         Lengine Immobiliser       Standard         Remote Keyless Entry       Standard         Colour Summary       Colour Summary   |   |  |   |                               |  |  |  |  |
| Warranty       3 Year/100,000km <sup>†</sup> Standard       Roadside Assist     Standard       Roadside Assist     Standard       Engine Immobiliser     Standard       Remote Keyless Entry     Standard       Colour Summary     Colour Summary  |   |  |   |                               |  |  |  |  |
| 3 Year/100,000km <sup>†</sup> Standard       Roadside Assist     Standard       Brander Immobiliser     Security       Engine Immobiliser     Standard       Remote Keyless Entry     Standard       Brander Keyless Entry     Standard       Colour Summary     Standard  | 17" Alloy Wheels  |  |   |                               |  |  |  |  |
| Roadside Assist     Standard       Security       Engine Immobiliser     Standard       Remote Keyless Entry     Standard       Oclour Summary     Colour Summary  |   |  | Warranty  |                               |  |  |  |  |
| Security       Engine Immobiliser     Standard       Remote Keyless Entry     Standard       Colour Summary     Colour Summary   | 3 Year/100,000km <sup>†</sup>   |  | Standard  |                               |  |  |  |  |
| Engine Immobiliser Standard<br>Remote Keyless Entry Standard<br>Colour Summary   | Roadside Assist   |  | Standard  |                               |  |  |  |  |
| Remote Keyless Entry Standard Paint Colour Summary   |   |  | Security  |                               |  |  |  |  |
| Colour Summary   | Engine Immobiliser  |  | Standard  |                               |  |  |  |  |
| Colour Summary   | Remote Keyless Entry  |  | Standard  |                               |  |  |  |  |
| Colour Summary   |   |  | Paint   |                               |  |  |  |  |
|  | Colour Summary  |  |   |                               |  |  |  |  |

\*As per ADR81/02. † Whichever occurs first. ^ Payload includes occupants, fuel and fitted options. The weight of the these must be deducted from the payload to determine actual load carrying capacity. Front and Rear axle loads must not be exceeded. All information in this specification sheet is correct at the time of publication, however variations may occur from time to time and Ateco Automotive Pty Limited, insofar as is permitted by law to do so, shall not be liable in any way as a result of any reliance by any person on anything contained in this specification sheet. GWM045\_B