

GEN-F

MALOO / MALOO R8






IF YOU WANT TO MAKE A STAND
THEN IT'S TIME TO TAKE A SEAT.



MALOO R8 FEATURES

- // Head-Up Display
- // Push Button Start
- // HSV Performance seats in Onyx leather trim
- // Enhanced Driver Interface
- // Satellite Navigation
- // Leather wrap sports profile steering wheel
- // HSV Sports Twin Gauges
- // Dual Zone Electronic Climate Control

THE DRIVER PREFERENCE DIAL controls electronic vehicle systems including ESC, Traction Control, Launch Control (manual only), Electric Power Steering calibration and Bi-Modal exhaust, increasing performance with every clockwise turn.



TAKE CONTROL

BE GRIPPED BY THE WHEEL

Take a seat in the new Maloo R8 and you'll know you're in control of something special. From the comfort of the HSV Performance seats in Onyx leather trim, you can admire the chiselled instrument panel and get the perfect view of the Enhanced Driver Interface, giving you all the intelligent information you need at the touch of a screen.

Maloo R8 shown with optional 6-speed automatic transmission with Active Select and SV Enhanced option.

LOOKS CAN THRILL

MALOO R8 FEATURES

- // 20" Cast flow-form alloy wheels (Machined face with Gloss Black accents)
- // AP ventilated discs with forged 4-piston brake calipers
- // Daytime Running Lamps
- // Fender Vents with chrome finish
- // HSV Side Skirts

THE NEW HSV REMOTE LOCKING HARD TONNEAU not only complements the stylish lines of the Maloo R8 but helps ensure your valuables are kept safe and secure.



DON'T JUST LIVE - BE ALIVE

The bold design of the Maloo R8 is power in itself. The sculpted theme of the new bonnet flows through to the Performance Sailplane and Remote Locking Hard Tonneau. Beneath the bonnet lies true power. The Maloo R8's 6.2 litre LS3 Generation IV alloy V8 engine delivers 325kW of power and 550 Nm of torque through a 6-speed manual transmission or optional 6-speed automatic with Active Select.



MALOO FEATURES

- // HSV Quad exhaust outlets with chrome tips
- // HSV Sports Seats in cloth trim
- // Dual Zone Electronic Climate Control
- // Front & Rear Park Assist
- // Electric Power Steering
- // Satellite Navigation
- // Driver Preference Dial

NEW AP VENTILATED DISCS, with 4-piston calipers forged from 6061 T6 aluminium, provide a superior strength-to-weight ratio and outstanding braking performance.



GEN-F MALOO SHOWN IN NITRATE

MALOO

**STOP STARING AT THE SCREEN
AND TAKE IN THE VIEW**

The Maloo packs a serious punch with its 6.2 litre LS3 Generation IV alloy V8 engine generating a powerful 317kW and 550Nm. The sleek, soft tonneau cover offers maximum flexibility for load carrying while the 20 cast flow-form alloy wheels ensure you do it in style.





20" CAST FLOW-FORM ALLOY WHEEL WITH SILVER FINISH (STANDARD ON MALOO)



20" CAST FLOW-FORM ALLOY WHEEL WITH MACHINED FACE AND GLOSS BLACK ACCENTS (STANDARD ON MALOO R8)



20" SV PERFORMANCE FORGED ALLOY WHEEL IN SATIN GRAPHITE (OPTIONAL)

ENGINE

6.2 litre LS3 Generation IV Alloy V8. 90 Degree OHV. Cross Flow cylinder heads. Twin knock control sensors. On board diagnostics. Electronic Returnless Fuel System. High energy distributorless ignition. Solid state direct fire ignition, coil near plug with integrated igniter.

CAPACITY (cc) 6162
COMPRESSION RATIO (r:1) 10.7

POWER (DIN kW)

317 kW* @ 6000rpm Maloo
325 kW* @ 6000rpm Maloo R8
340 kW* @ 6100rpm Maloo R8 with SV Enhanced option

TORQUE (DIN Nm)

550 Nm @ 4600rpm Maloo
550 Nm @ 4600rpm Maloo R8
570 Nm @ 4650rpm Maloo R8 with SV Enhanced option

EXHAUST SYSTEM

HSV Quad exhaust outlets with chrome tips Maloo and Maloo R8
Hi-flow exhaust system with x-pipe intermediate and Bi-Modal mufflers Maloo R8

RECOMMENDED PETROL OCTANE RATING

98 RON (PULP). Note that using 95 RON (PULP) or lower will not cause any problems, but will result in slightly less engine performance and economy.

GEAR RATIOS

6-SPEED MANUAL / 6-SPEED AUTOMATIC with Active Select
1 3.01 / 4.03 2 2.07 / 2.36 3 1.43 / 1.53 4 1.00 / 1.15 5 0.71 / 0.85 6 0.57 / 0.67 Final Drive 3.7 / 3.27

SUSPENSION

FRONT: MacPherson strut direct acting stabiliser bar. Linear rate coil springs.
REAR: Multi-Link Independent Rear Suspension (IRS). Linear rate coil springs.

ELECTRONIC STABILITY CONTROL (ESC)

Incorporating Anti-Lock Braking System (ABS), Electronic Brake force Distribution (EBD), Electronic Brake Assist (EBA), Traction Control System (TCS), Competition Mode ESC and Launch Control (manual only)

PETROL TANK CAPACITY

71 Litres

STEERING

Electric Power Steering

TURNING CIRCLE

11.4m (kerb to kerb)

TOWING

1600kg

TRACK (mm)

FRONT 1616
REAR 1590

EXTERIOR DIMENSIONS (mm)

LENGTH 5121
WIDTH exc. mirrors 1899
HEIGHT 1465
WHEELBASE 3009

INTERIOR DIMENSIONS (mm)

LEG 1071
SHOULDER 1501
HEAD 985
HIP 1439

SERVICE INTERVALS


The first inspection is due at 3,000km or 3 months (which ever occurs first). The first service is due at 15,000km or 9 months (which ever occurs first). There after at every 15,000km or 9 months since the last service (which ever occurs first). Additional services are required under certain driving conditions, such as when towing (refer owner's handbook).



SV ENHANCED

The Maloo R8 is now available with an SV Enhanced option providing additional power and styling.

- // Increased power & torque to 340kW / 570Nm
- // Bi-Modal Air Intake
- // 20" SV Performance forged wheels in Satin Graphite
- // Unique "Pitch Black" accents on the Fender Vents & Mirror Scalps
- // Unique badges and Model I.D. plate



* Figure quoted using 98 RON (PULP).

FULL SPECIFICATIONS

ENGINE & TRANSMISSION

	Maloo	Maloo R8
Limited Slip Differential with HSV Specific Ratio	■	■
317kW 6.2 litre LS3 Generation IV Alloy V8 engine & 6-speed manual transmission	■	—
317kW 6.2 litre LS3 Generation IV Alloy V8 engine & 6-speed automatic transmission with Active Select	□	—
325kW 6.2 litre LS3 Generation IV Alloy V8 engine & 6-speed manual transmission	—	■
325kW 6.2 litre LS3 Generation IV Alloy V8 engine & 6-speed automatic transmission with Active Select	—	□
340kW 6.2 litre LS3 Generation IV Alloy V8 engine with Bi-Modal Air Intake & 6-speed manual transmission	—	□*
340kW 6.2 litre LS3 Generation IV Alloy V8 engine with Bi-Modal Air Intake & 6-speed automatic transmission with Active Select	—	□*
Hi-flow exhaust system with x-pipe intermediate and Bi-Modal mufflers	—	■
SV Enhanced Option – 340kW/570Nm, 20" SV Performance forged wheel in Satin Graphite, interior & exterior accenting	—	□

SAFETY & HANDLING

Electronic Stability Control (ESC) incorporating: ABS, EBD, EBA & TCS	■	■
Driver Preference Dial (DPD) incorporating: ESC, Traction Control, Launch Control (Manual Only), EPS	■	—
Driver Preference Dial (DPD) incorporating: ESC, Traction Control, Launch Control (Manual Only), EPS, Bi-Modal Exhaust	—	■
Electric Power Steering (EPS)	■	■
Automatic Park Assist	■	■
Front & Rear Park Assist	■	■
Forward Collision Alert	—	■
Lane Departure Warning	—	■
Side Blind Zone Alert	■	■
Reverse Traffic Alert	■	■
Head-Up Display	—	■
Electric Park Brake	■	■
Hill Hold Control	■	■
Hill Start Assist	■	■
HSV Performance Suspension	■	■
367mm (Front) & 367mm (Rear) ventilated discs with forged 4 piston calipers (Red)	■	■
Dual-stage airbags for driver & front passenger	■	■
Side impact airbags (thorax/pelvis) for driver & front passenger	■	■
Side curtain airbags	■	■
Front seatbelts with load limiters & pyrotechnic pretensioners	■	■

SECURITY

Passive Entry & Push Button Start with Sensor Key	■	■
Smart Remote Engine Start System (Automatic transmission only)	■	■
Time delay on entry. Automatic illumination when engine turned off.	■	■
Alarm	■	■

CAPPED PRICE SERVICING



Every new, eligible HSV now comes with Capped Price Servicing for each of the first four standard scheduled log book services, for the first three years or 60,000km, whichever comes first. So you'll have the comfort of knowing exactly what your standard service costs will be in advance. For full Terms & Conditions of HSV's Capped Price Service program, please contact your local HSV dealer, or visit www.hsv.com.au

DRIVER

	Maloo	Maloo R8
Steering wheel height & reach adjustment	■	■
Leather wrap sports profile steering wheel	■	■
Multifunction steering wheel featuring illuminated controls for: Sound system, Trip-computer, Bluetooth®† for compatible mobile phones, Satellite Navigation	■	■
Priority 3-Button Flip Key (Manual only): Lock/Unlock/Panic	■	—
Priority 4-Button Flip Key (Manual only): Lock/Unlock/Panic/Decklid	—	■
Priority 4-Button Flip Key: Lock/Unlock/Panic/Remote Start (Automatic only)	□	—
Priority 5-Button Flip Key: Lock/Unlock/Panic/Decklid/Remote Start (Automatic only)	—	□
Cruise Control	■	■
Enhanced Multi Function Display (Multi colour): Vehicle Information Menu, Trip Information Menu, Fuel Economy Menu, Warnings/Messages	■	■
HSV Instrument Cluster	■	■
HSV Sports Twin Gauges - Oil Pressure & Voltage	■	■
Centre console Model I.D. Plate	■	■
Road speed dependent variable intermittent wipers	■	■
Rain Sensing Wipers	—	■
Automatic headlamp mode. Switches on at twilight or low light.	■	■
Power side exterior mirrors	■	■
Bluetooth®† with Enhanced Voice Control for compatible mobile phones	■	■
Leather wrap gear selector	■	■
Alloy faced pedals	■	■
Rear view camera – integrated in multifunction colour display	■	■
Satellite Navigation (full colour mapping with live traffic updates, traffic management control & points of interest)	■	■

CABIN COMFORT

Dual Zone Electronic Climate Control	■	■
8" high-resolution, colour touch-screen display. Displays infotainment content.	■	■
HSV Floor Mats	□	■
HSV Performance Appliques & Console Cover	■	■
HSV Luxury Appliques & Console Cover (unique for optional "Red Hot" leather trim)	—	□

SEATING

HSV Sports Seats in cloth trim	■	—
HSV Performance Seats in Onyx leather trim	—	■
HSV Performance Seats in "Red Hot" leather trim	—	□
Power adjustable driver seat lumbar support	■	■
4-way electric adjustment of driver seat	■	■
2-way manual adjustment of passenger seat	■	■

WHEELS & TYRES

	Maloo	Maloo R8
255/35 R20 (Front) & 275/35 R20 (Rear) Continental 5P Tyres	■	■
20" x 8.5" (Front) & 20" x 9.5" (Rear) cast flow-form alloy wheels (Silver finish)	■	—
20" x 8.5" (Front) & 20" x 9.5" (Rear) cast flow-form alloy wheels (Machined face with Gloss Black accents)	—	■
20" x 8.5" (Front) & 20" x 9.5" (Rear) SV Performance forged alloy wheels in Satin Graphite	□	□
Black 20" Temporary Spare Wheel (Cast - No Tyre Pressure Monitor)	□	□
Tyre sealant & air compressor kit	■	■

EXTERIOR

Driving lamps	■	■
Projector headlamps (Black bezel)	■	■
HSV LED Daytime Running Lamps	■	■
HSV Quad exhaust outlets with chrome tips	■	■
HSV Performance Body Design	■	■
HSV Tailgate	■	■
HSV Performance Sail Plane	—	■
HSV Remote Locking Hard Tonneau (not watersealed)	—	■
Soft Tonneau Cover	■	—
Chrome Fender Vents	■	■
Pitch Black Fender Vents	—	□*
Pitch Black Mirror Scalps	—	□*

ENTERTAINMENT

MyLink Infotainment System	■	■
8" high-resolution, colour touch-screen display	■	■
Enhanced Driver Interface (EDI)	—	■
Embedded Apps - Pandora® & Stitcher SmartRadio™	■	■
Single CD player able to play MP3 tracks	■	■
USB input†: Siri voice control/touch-screen access for playlists, artist, albums, songs & genres	■	■
Full iPod® integration†: Enhanced Voice Control/touch-screen access for playlists, artist, albums, songs & genres	■	■
AUX input jack	■	■
Enhanced Voice Control: Phone calls, Radio, Navigation, Smartphone/iPod®/MP3 or USB audio control	■	■
Bluetooth®† audio streaming	■	■
6-Speaker Enhanced audio	■	■
DVD Playback (when stationary)	■	■

STORAGE & CARGO

Sunglasses holder	■	■
Twin cup holders in front centre console	■	■
Centre console storage compartment with armrest lid	■	■
Auxiliary power socket in console	■	■

*SV Enhanced Option only.

† Functionality will depend on the level of compatibility of your device. All power outputs noted based on 98 RON (PULP)

Visit hsv.com.au for more details. Follow us on



Standard ■ Optional □

A word about this catalogue. Images shown are for illustration purposes only. We have tried to make this catalogue as comprehensive and factual as possible. However, since the time of printing some of the information you'll find here may have been updated. Also, some of the equipment shown or described throughout this catalogue may have been changed and/or is available at extra costs. Further HSV reserves the right to make changes at any time without notice, in prices, colours, materials, equipment and models. Your HSV Dealer has details, and before ordering you should ask them to bring you up to date. No HSV Dealer or other person is authorised or permitted to give or make any statement, assertion or undertaking in relation to the quality, performance characteristics, descriptions or fitness for any purpose of HSV product which is at variance with any written statement, assertion or undertaking on any of these subjects given or made by HSV in its published sales literature, and HSV does not accept any liability for such unauthorised action. HSV have authorised Dealers in many parts of Australia for the sale of service parts and the provision of service to owners of HSV's products. Every endeavour is made to ensure that such Dealers carry adequate stocks of service parts but neither HSV nor GM Holden Ltd. make any promise other than that contained in the New Vehicle Warranty given by GM Holden Ltd. and HSV that such parts or service facilities will be available at any specific location or at any particular time. Express warranties offered for GM Holden Ltd and HSV products are subject to the conditions set out in all vehicle handbooks. Details are also available from GM Holden Ltd. and HSV on request. Copyright Premoso Pty. Ltd. (HSV) A.B.N. 84 006 802 053. Colours are for illustration purposes only. Printed July, 2013. Part Number HSC797.



HSV
125 RAYHUR STREET, CLAYTON
VIC 3168 AUSTRALIA