holden.com.au

Holden. Go better.

Holden Insurance offers a range of competitively priced insurance products, providing tailor-made protection, at the level of cover you need. For more information, call the Holden Insurance hotline on 1300 784 026.1

Holden Leasing

Businesses of all sizes are now accessing vehicle leasing options with Holden Leasing. We operate nationally through the Holden Dealer Network and our dedicated service and support team. Our people are responsive professionals who understand your business and what it means to deliver total fleet management solutions. To find out how Holden Leasing can help you, call us on 1800 022 077.

GM Holden Card

The GM Holden Card can assist you to get into a new Holden sooner. 10% of your credit card purchases go towards a Rebate of up to \$3,000 on your new Holden² (depending on model). That's up to \$1 saving on your new Holden for every \$10 spent. There are a range of extra features including up to 45 days interest free³ on credit card purchases and a competitive interest rate. Apply⁴ online at www.holden.com.au/mastercard, or call the GM Holden Card 24hr helpline on 131 200.

With one of the largest Service Networks in the country, Holden Dealers can supply an enviable level of customer care. Only Holden Dealership technicians have access to regular Holden factory training and equipment.

Holden New Vehicle Warranty

Every new Holden comes with a New Vehicle Warranty, covering your Holden for 3 years⁵ or 100,000 kilometres, whichever comes first. This factory backed warranty covers items including the engine, transmission, interior and exterior components. Refer to your Owner's handbook or see your Holden Dealer for full terms, conditions and exclusions.

Holden PLUS Extended Factory Warranty

Holden also offers Holden PLUS Extended Factory Warranty. Holden PLUS is a complete extension of your New Vehicle Warranty, giving you peace of mind because your car is factory backed for up to 3 additional years. The very same items covered under the New Vehicle Warranty will continue to be covered under Holden PLUS, without exclusion. The Holden PLUS Extended Factory Warranty can be purchased through your local Holden Dealer at the same time as your Holden vehicle purchase. See your Holden Dealer or call 1300 308 062 for full terms and conditions.


24 Hour Roadside Assistance

Provided for the first year of your new Holden's life⁵. Holden Roadside Assistance is one of Australia's most comprehensive assistance packages with over 3,000 Roadside Assistance patrols nationwide⁶. There to help with even the smallest service, the toll-free Roadside Assistance hotline is always open, 1800 817 100.

more information contact Iden Customer Assistance on 1800 033 349 Monday Friday 8am to 7pm or Saturday 9am to 1pm EST or visit

bject to approval. ²The maximum GM Holden Card 'Core Rebate' (plus additional 3onus Rebate' accumulated via participating Holden Dealers) applicable for each vehicle, ccrued over a maximum of five years may be applied per eligible vehicle purchased. or the maximum Rebate applicable for each vehicle refer to the 'Maximum Rebate Levels' For the maximum Rebate applicable for each vehicle refer to the Maximum Rebate Levels able at www.westpac.com.au/holden. Vehicle sales for which a fleet allowance is paid are not eligible for GM Holden Card Rebate. Earning and redemption of Rebate towards a new Holden is subject to the GM Holden Card Rebate Program Rules. The interest-free period upplies where the card account is fully paid by the due date each month. 4 GM Holden Card approved by Westpac. Applications are subject to Westpac's normal lending criteria. From date of first registration. ⁶ In remote or sparsely populated areas you may experience elay in obtaining Roadside Assistance. Refer to the Customer Care brochure in your lovebox for full terms and conditions of this service.

A word about this catalogue. We have tried to make this catalogue as comprehensive and factual as possible. However, since the time of printing some of the information you'll find here may have been updated. Also, some of the equipment shown or described through this catalogue may have been changed and/or is available at extra cost. Further, GM Holden Ltd ABN 84 006 893 232, reserves the right to make changes at any time without notice, in prices, colours, materials, equipment and models. Your Holden Dealer has details, and before ordering, you should ask them to bring you up to date. No Holden Dealer or other person is authorised or permitted to give or make any statement, assertion or undertaking in relation to the quality, performance characteristics, descriptions or fitness for any purpose of any Holden product which is at variance with any written statement, assertion or undertaking on any of these subjects given or made by GM Holden Ltd has authorised Dealers in many parts of Australia for the sale of service parts and the provision of service parts, but GM Holden Ltd days not accept any liability for any such unauthorised action. GM Holden Ltd has authorised Dealers in many parts of Australia for the sale of service parts and the provision of service parts, but GM Holden Ltd days remained to ensure that such Dealers carry adequate stocks of service parts, but GM Holden Ltd does not service facilities will be available at any specific location or at any particular time. Express warranties offered for Holden products are subject to the conditions set out in all vehicle handbooks. Details also available from GM Holden Ltd on request. Copyright GM Holden Ltd. March 2009, emerystudio BAR0209 AD12549



Barina












safety

When you sit behind the wheel of any new Holden Barina you are surrounded - every kilometre of every trip by a reinforced passenger safety cell, and a driving defence system designed to help prevent injury should a collision occur.



In an accident, it's the impact energy of the collision versus your vehicle's safety features. That's why every Barina is equipped with an array of sophisticated occupant protection systems, including:

- front airbags for driver and front passenger
- side impact airbags for driver and front passenger
- safety cell, crumple zones and load paths
- front seatbelt pretensioners
- front seatbelt force limiters

Co-ordination of passive safety features In a collision, the Barina uses forward and side sensors to detect the direction and severity of impact. In response to certain collisions, the vehicle can co-ordinate and deploy the appropriate safety measures in just a few thousandths of a second - about the same time it takes to snap your fingers.

(with optional Style Pack)

ABS Anti-lock Braking System (with optional Style Pack)

If wheel 'lock up' is detected under forceful braking, ABS momentarily reduces brake pressure at the affected wheel(s). This improves braking efficiency - reducing stopping distances on most surfaces - and helps the vehicle remain steerable and directionally stable. ABS is available as part of the optional Style Pack on all Barina models.

Holden tuned suspension

Australian roads are different. So, both front and rear suspension systems have been tuned for Australian driving conditions. The rigid chassis design and wide track enhance the Barina's small car agility.

Safety cell, crumple zones and load paths

In frontal and rear collisions, impact energy is absorbed by crumple zones and channelled away from the driver and occupants via multiple load paths. The Barina's multiple load path strategies are also integral to side impact protection, as is the vehicle's safety cell. Strategically reinforced, it offers protection against passenger safety cell intrusion.

For maximum protection in certain frontal collisions, Barina will deploy front airbags for driver and front passenger. The 60 litre driver airbag can fully inflate in 45 milliseconds, while the front passenger airbag, can inflate to a full 125 litres in just 55 milliseconds.

<u>Side impact airbags</u> Now standard on all Barinas, the side impact airbags feature an enlarged 'Head-Thorax' design to help protect the lower and upper body of both driver and front seat passenger

0 - 20ms

Front seatbelt pretensioners

When an impact of sufficient severity is detected, small explosive charges force the front seatbelt anchors towards the cabin floor. This tightens the seatbelts and helps hold both driver and front passenger firmly against their seats.

Front seatbelt force limiters

Following airbag deployment, force limiters unspool the front seatbelts incrementally to minimise seatbelt related injury.


45 - 55ms

Front seatbelt height adjusters

To maximise seatbelt effectiveness, the driver and front passenger can each lower or raise their seatbelt sash to ensure it sits correctly in the point between their neck and the point of their shoulder.


Peace of mind

Front and rear head restraints, child restraint anchorages and childproof rear door locks (not available on 3 door hatch) are standard on all Barina models.












60 - 65ms



features technical specifications colours and trims

engine/exterior/interior				interior/safety/security			
	3 dr hatch	5 dr hatch	sedan		3 dr hatch	5 dr hatch	sedan
powertrain				seating			
1.6 litre, DOHC 16 valve 4-cylinder engine	•	•	•	Full face cloth seat trim	•	•	•
5-speed manual transmission	•	•	•	6-way adjustment of driver's seat. Recline. Slide. Height	•	•	•
4-speed automatic transmission	0	0	0	4-way adjustment of front passenger's seat. Recline. Slide	•	•	•
				Front seat head restraints. Height and tilt adjust	•	•	•
mechanical				Three rear head restraints	•	•	•
Power steering	•	•	•				
Front ventilated disc brakes	•	•	•	cabin comfort			
Anti-lock Braking System (ABS)	Р	Р	Р	Air conditioning with variable temperature control	•	•	•
				Power windows, front	•		
wheels				Power windows, front and rear		•	
15" x 6" steel wheels. Full flush covers. 185/55 R15 82V tyres. Full size steel spare	•	•	•	Power windows, front and rear			•
				one touch up and down (driver only)			
15" x 6" alloy wheels. 185/55 R15 82V tyres. Full size steel spare	Р	Р	Р	Twin cupholders in dash	•	•	•
,				Vanity mirror on driver and front passenger sunvisors	•	•	•
exterior				Tinted windows	•	•	•
Body coloured side mirrors	•	•	•				
Body coloured door handles	•	•	•	storage and cargo			
Body coloured bumpers front and rear	•	•	•	Front seatback pockets	•	•	•
Body coloured rear spoiler	•	•		Front passenger side seat pocket	•	•	•
High mounted stop lamp	•	•	•	60/40 split fold rear seat back	•	•	•
Metallic paint	0	0	0	Sunglasses holder	•	•	
Anti-corrosion protection	•	•	•	Lamp in cargo area	•	•	•
driver				safety			
Power side mirrors (heated)	•	•	•	Front and side impact airbags for driver and front passenger	•	•	•
Steering wheel height adjust	•	•	•	Front seatbelt force limiters	•	•	•
Rear window demister	•	•	•	Front seatbelt pretensioners	•	•	•
Dimmable instrument panel illumination – variable	•	•	•	Front seatbelt sash height adjust	•	•	•
Brake transmission shift interlock (with auto trans)	•	•	•	All seatbelts 3 point retracting lap/sash	•	•	•
Seatbelt warning lamp	•	•	•	Child restraint anchorages	•	•	•
Warning buzzer. Headlamps on, key reminder, seatbelt	•	•	•	Child safety locks		•	•
sound system				security			
AM/FM stereo/CD audio system with MP3 compatibility and auxiliary input jack	•	•	•	Remote control key operates: Keyless entry to doors, tailgate or boot (2)	•	•	•
6 speakers	•	•	•	Engine immobiliser	•	•	•
Steering wheel mounted audio controls	•	•	•	Sound system PIN code security	•	•	•
				 standard optional P available in Style Pack 			

	1.6 litre DOHC		
Engine		a Double overhead came	shafts operate four valves per cylinder.
Engline	-		snaris operate rour valves per cylinder. ke manifold. Adaptive knock control system
Bore x stroke (mm)	79 x 81.5		
Capacity (cc)	1598		
Compression ratio (:1)	9.5		
Power (ECE)#	76kW @ 5800rpm		
Torque (ECE)#	145Nm @ 3600rpm		
Gear ratios	Manual	Auto	
1 st 2nd 3rd 4th 5th Final drive ratio	3.54 1.95 1.28 0.97 0.76 3.94	2.87 1.57 1.00 0.70 - 3.84	
Recommended petrol Alternative	ULP PULP for slightly higher perfo	ormance	
Petrol tank capacity (L)	45		
Brakes	Front ventilated disc brakes.	Rear drum	
Anti-lock Braking System (ABS) optional	4-channel, 4-sensor		
Suspension	Front: MacPherson strut with Rear: Torsion beam with traili		ressure dampers and stabiliser bar gas pressure dampers
Steering	Power assisted rack and pini	on	
Track (mm)	Front	Rear	
3 dr and 5 dr hatch sedan	1450 1450	1410 1430	
Turn circle (m)	10.06		
Wheelbase (mm)	2480		
Exterior dimensions (mm)	Length	Width (inc. mirrors)	Height
3 dr and 5 dr hatch sedan	3920 4310	1680 1710	1505 1505
Interior dimensions (mm)	Leg	Shoulder	Head
3 dr and 5 dr hatch front 3 dr and 5 dr hatch rear	1048 898	1362 1340	998 955
sedan front	1048	1340	998
sedan rear	898	1340	950
Cargo volume (L)	Rear seat up	Rear seat folded	
3 dr and 5 dr hatch sedan	220 400	980 1097	
Kerb weight (est. kg)	Includes A/C and all fluids		
0	Manual	Auto	
3 dr hatch 5 dr hatch	1135 1145	1140 1150	
sedan	1163	1168	
Service		then every 15,000km or 1	months (whichever occurs first). The first service is due at 15,000km or 12 months 2 months (whichever occurs first) since the last service. Additional services may be
	# Maximum figures as per ECE reg	ulations	



exterior colours			interior trim					
del	Arctic White	Mercury Silver ⁺	Urban Grey⁺	Chilli Red	Horizon Blue⁺	Carbon Hash Black [†]	Flame Red [†]	
3 dr hatch	•	•	•	•	•	•		Charcoal cloth
5 dr hatch	•	•	•	•	•	•		Charcoal cloth
sedan	•	•	•	•	•	•	•	Charcoal cloth

[†] Metallic paints are available at an additional cost and certain colours may not be available from time to time.

Variations between colours shown and actual paint colours/interior trim colours may occur due to the brochure printing process.

Actual vehicle colours may appear different under certain light conditions.

Customers are encouraged to contact their Holden Dealer for current colour availability.