holden.com.au

# Holden. Go better.

Holden Insurance offers a range of competitively priced insurance products, providing tailor-made protection, at the level of cover you need. For more information, call the Holden Insurance hotline on 1300 784 026.1

### Holden Leasing

Businesses of all sizes are now accessing vehicle leasing options with Holden Leasing. We operate nationally through the Holden Dealer Network and our dedicated service and support team. Our people are responsive professionals who understand your business and what it means to deliver total fleet management solutions. To find out how Holden Leasing can help you, call us on 1800 022 077.

### GM Holden Card

The GM Holden Card can assist you to get into a new Holden sooner. 10% of your credit card purchases go towards a Rebate of up to \$3,000 on your new Holden<sup>2</sup> (depending on model). That's up to \$1 saving on your new Holden for every \$10 spent. There are a range of extra features including up to 45 days interest free<sup>3</sup> on credit card purchases and a competitive interest rate. Apply<sup>4</sup> online at www.holden.com.au/mastercard, or call the GM Holden Card 24hr helpline on 131 200.

With one of the largest Service Networks in the country, Holden Dealers can supply an enviable level of customer care. Only Holden Dealership technicians have access to regular Holden factory training and equipment.

#### Holden New Vehicle Warranty

Every new Holden comes with a New Vehicle Warranty, covering your Holden for 3 years<sup>5</sup> or 100,000 kilometres, whichever comes first. This factory backed warranty covers items including the engine, transmission, interior and exterior components. Refer to your Owner's handbook or see your Holden Dealer for full terms, conditions and exclusions.

### Holden PLUS Extended Factory Warranty

Holden also offers Holden PLUS Extended Factory Warranty. Holden PLUS is a complete extension of your New Vehicle Warranty, giving you peace of mind because your car is factory backed for up to 3 additional years. The very same items covered under the New Vehicle Warranty will continue to be covered under Holden PLUS, without exclusion. The Holden PLUS Extended Factory Warranty can be purchased through your local Holden Dealer at the same time as your Holden vehicle purchase. See your Holden Dealer or call 1300 308 062 for full terms and conditions.


### 24 Hour Roadside Assistance

Provided for the first year of your new Holden's life<sup>5</sup>. Holden Roadside Assistance is one of Australia's most comprehensive assistance packages with over 3,000 Roadside Assistance patrols nationwide<sup>6</sup>. There to help with even the smallest service, the toll-free Roadside Assistance hotline is always open, 1800 817 100.

more information contact Iden Customer Assistance on 1800 033 349 Monday Friday 8am to 7pm or Saturday 9am to 1pm EST or visit

bject to approval. <sup>2</sup>The maximum GM Holden Card 'Core Rebate' (plus additional 3onus Rebate' accumulated via participating Holden Dealers) applicable for each vehicle, ccrued over a maximum of five years may be applied per eligible vehicle purchased. or the maximum Rebate applicable for each vehicle refer to the 'Maximum Rebate Levels' For the maximum Rebate applicable for each vehicle refer to the Maximum Rebate Levels able at www.westpac.com.au/holden. Vehicle sales for which a fleet allowance is paid are not eligible for GM Holden Card Rebate. Earning and redemption of Rebate towards a new Holden is subject to the GM Holden Card Rebate Program Rules. The interest-free period upplies where the card account is fully paid by the due date each month. 4 GM Holden Card approved by Westpac. Applications are subject to Westpac's normal lending criteria. From date of first registration. <sup>6</sup> In remote or sparsely populated areas you may experience elay in obtaining Roadside Assistance. Refer to the Customer Care brochure in your lovebox for full terms and conditions of this service.

A word about this catalogue. We have tried to make this catalogue as comprehensive and factual as possible. However, since the time of printing some of the information you'll find here may have been updated. Also, some of the equipment shown or described through this catalogue may have been changed and/or is available at extra cost. Further, GM Holden Ltd ABN 84 006 893 232, reserves the right to make changes at any time without notice, in prices, colours, materials, equipment and models. Your Holden Dealer has details, and before ordering, you should ask them to bring you up to date. No Holden Dealer or other person is authorised or permitted to give or make any statement, assertion or undertaking in relation to the quality, performance characteristics, descriptions or fitness for any purpose of any Holden product which is at variance with any written statement, assertion or undertaking on any of these subjects given or made by GM Holden Ltd in its published sales literature, and GM Holden Ltd does not accept any liability for any such unauthorised action. GM Holden Ltd has authorised Dealers in many parts of Australia for the sale of service parts and the provision of service to owners of Holden's products. Every endeavour is made to ensure that such Dealers carry adequate stocks of service parts, but GM Holden Ltd doesn't make any promise other than that contained in the New Vehicle Warranty given by GM Holden Ltd that such parts or service facilities will be available at any specific location or at any particular time. Express warranties offered for Holden products are subject to the conditions set out in all vehicle handbooks. Details also available from GM Holden Ltd on request. Copyright GM Holden Ltd. January 2010. emerystudio BAR0110 AD12717



Barina












### safety

When you sit behind the wheel of any new Holden Barina you are surrounded - every kilometre of every trip - by a reinforced passenger safety cell, and a driving defence system designed to help prevent injury should a collision occur.



In an accident, it's the impact energy of the collision versus your vehicle's safety features. That's why every Barina is equipped with an array of sophisticated occupant protection systems, including:

- front airbags for driver and front passenger
- side impact airbags for driver and front passenger
- safety cell, crumple zones and load paths
- front seatbelt pretensioners
- front seatbelt force limiters

Co-ordination of passive safety features In a collision, the Barina uses forward and side sensors to detect the direction and severity of impact. In response to certain collisions, the vehicle can co-ordinate and deploy the appropriate safety measures in just a few thousandths of a second - about the same time it takes to snap your fingers.

(with optional Style Pack)

### ABS Anti-lock Braking System (with optional Style Pack)

If wheel 'lock up' is detected under forceful braking, ABS momentarily reduces brake pressure at the affected wheel(s). This improves braking efficiency - reducing stopping distances on most surfaces - and helps the vehicle remain steerable and directionally stable. ABS is available as part of the optional Style Pack on all Barina models.

#### Holden tuned suspension

Australian roads are different. So, both front and rear suspension systems have been tuned for Australian driving conditions. The rigid chassis design and wide track enhance the Barina's small car agility.

#### Safety cell, crumple zones and load paths

In frontal and rear collisions, impact energy is absorbed by crumple zones and channelled away from the driver and occupants via multiple load paths. The Barina's multiple load path strategies are also integral to side impact protection, as is the vehicle's safety cell. Strategically reinforced, it offers protection against passenger safety cell intrusion.

For maximum protection in certain frontal collisions, Barina will deploy front airbags for driver and front passenger. The 60 litre driver airbag can fully inflate in 45 milliseconds, while the front passenger airbag, can inflate to a full 125 litres in just 55 milliseconds.

#### Side impact airbags

Standard on all Barinas, the side impact airbags feature an enlarged 'Head-Thorax' design to help protect the lower and upper body of both driver and front seat passenger

0 - 20ms

#### Front seatbelt pretensioners

When an impact of sufficient severity is detected, small explosive charges force the front seatbelt anchors towards the cabin floor. This tightens the seatbelts and helps hold both driver and front passenger firmly against their seats.

### Front seatbelt force limiters

Following airbag deployment, force limiters unspool the front seatbelts incrementally to minimise seatbelt related injury.


45 - 55ms

#### Front seatbelt height adjusters

To maximise seatbelt effectiveness, the driver and front passenger can each lower or raise their seatbelt sash to ensure it sits correctly in the point between their neck and the point of their shoulder.


#### Peace of mind

Front and rear head restraints, child restraint anchorages and childproof rear door locks (not available on 3 door hatch) are standard on all Barina models.











60 - 65ms





## features technical specifications colours and trims

engine/exterior/interior		interior/safety/security			1.6 litre DOHC			
				Engine			mshafts operate four valves per cylinder.	
	hatch hatch an		hatch hatch an		Aluminium head. Multipoint fuel injection. Variable intake manifold. Adaptive knock control system  79 x 81.5		take manifold. Adaptive knock control system	
	g d d		d d	Bore x stroke (mm)				
powertrain	လ က လ	seating	ര്വ ത	Capacity (cc)	1598			
1.6 litre, DOHC 16 valve 4-cylinder engine		Full face cloth seat trim		Compression ratio (:1)	9.5			
5-speed manual transmission	• • •	6-way adjustment of driver's seat. Recline. Slide. Height	• • •	Power (ECE)#	76kW @ 5800rpm			
4-speed automatic transmission	0 0 0	4-way adjustment of front passenger's seat. Recline. Slide	• • •	Torque (ECE)#	145Nm @ 3600rpm	A k		
. opoda datomatic stationicolon		Front seat head restraints. Height and tilt adjust	• • •	Gear ratios	Manual st 3.54	<b>Auto</b> 2.87		
mechanical		Three rear head restraints	• • •	2nd	d 1.95	1.57		
Power steering		Three rear nead restraints		3rd 4tl		1.00 0.70		
Front ventilated disc brakes	• • •			5tl	th 0.76	-		
Anti-lock Braking System (ABS)	PPP	cabin comfort		Final drive ratio		3.84		
Anti-lock braking System (ABS)	F F F	Air conditioning with variable temperature control	• • •	Recommended petrol	ULP re PULP for slightly high	ner nerformance		
wheels		Power windows, front	•	Petrol tank capacity (L)	45	.o. ponormanoo		
uneels  15" x 6" steel wheels. Full flush covers.		Power windows, front and rear	•	Brakes	Front ventilated disc I	brakes. Rear drum		
185/55 R15 82V tyres. Full size steel spare	• • •	Power windows, front and rear	•	Anti-lock Braking System (ABS)	4-channel, 4-sensor			į
15" x 6" alloy wheels.	PPP	one touch up and down (driver only)		optiona				
185/55 R15 82V tyres. Full size steel spare		Twin cupholders in dash	• • •	Suspension	Front: MacPherson st	trut with offset coil springs, gas	s pressure dampers and stabiliser bar	
		Vanity mirror on driver and front passenger sunvisors	• • •			vith trailing arms, coil springs a	nd gas pressure dampers	
exterior		Tinted windows	• • •	Steering	Power assisted rack a			
Body coloured side mirrors	• • •			Track (mm) 3 dr and 5 dr hatcl	Front h 1450	<b>Rear</b> 1410		
Body coloured door handles	• • •	storage and cargo		s dr and s dr natch sedal		1430		
Body coloured bumpers front and rear	• • •	Front seatback pockets	• • •	Turn circle (m)	10.06			
Body coloured rear spoiler	• •	60/40 split fold rear seat back	• • •	Wheelbase (mm)	2480			
High mounted stop lamp	• • •	Sunglasses holder	• •	Exterior dimensions (mm)	Length	Width (inc. mirrors)	Height	
Metallic paint	0 0 0	Lamp in cargo area		3 dr and 5 dr hatcl		1680	1505	
Anti-corrosion protection	• • •			sedal		1710	1505	
		safety		Interior dimensions (mm)  3 dr and 5 dr hatch from	<b>Leg</b> nt 1048	Shoulder 1362	<b>Head</b> 998	
driver		Front and side impact airbags for driver and front passenger		3 dr and 5 dr hatch rea	ar 898	1340	955	
Power side mirrors (heated)		Front seatbelt force limiters	• • •	sedan fron sedan rea		1362 1340	998 950	
Steering wheel height adjust	• • •	Front seatbelt pretensioners	• • •	Cargo volume (L)	Rear seat up	Rear seat folded		
Rear window demister	• • •	Front seatbelt sash height adjust	• • •	3 dr and 5 dr hatcl	h 220	980		
Dimmable instrument panel illumination – variable	• • •	All seatbelts 3 point retracting lap/sash	• • •	sedar		1097		
Brake transmission shift interlock (with auto trans)	• • •	Child restraint anchorages	• • •	Kerb weight (est. kg)	Includes A/C and all f	fluids <b>Auto</b>		
Seatbelt warning lamp	• • •	Child safety locks	• •	3 dr hatcl		1140		
Warning buzzer. Headlamps on, key reminder, seatbelt	• • •	- Starty roote		5 dr hatcl		1150		
vvaring Suzzer. Headiamps on, key femilider, seatbelt		sacurity		sedal		1168	Onesthe (which was a see first) The first and it is a second of the seco	
cound system		security  Remote control key operates:		Service	The complimentary inspection is due at 3,000km or 3 months (whichever occurs first). The first service is due at 15,000km (whichever occurs first) and then every 15,000km or 12 months (whichever occurs first) since the last service. Additional se			
sound system  AM/FM stereo/CD audio system with MP3 compatibility	• • •	Kemote control key operates: Keyless entry to doors, tailgate or boot (2)			required under certain driving conditions			
and auxiliary input jack		Engine immobiliser	• • •		# Maximum figures as per	ECE regulations		
6 speakers	• • •	Sound system PIN code security	• • •					
Steering wheel mounted audio controls	• • •	,						
		• standard						
1		<ul> <li>optional</li> <li>P available in Style Pack</li> </ul>						
1								
1								
1								

