exterior colours



Olympic White



Midnight Blue Metallic







Merlot Metallic\*



Ironite Metallic\*



Carbon Flash Black Metallic\*



at any time without notice, in prices, colours, materials, equipment and models. Your Holden Dealer has details, and before ordering, you should ask them to bring you up to date. No Holden Dealer or other person is authorised or permitted to give or make any statement, assertion or undertaking in relation to the quality, performance characteristics, descriptions or fitness for any purpose of any Holden product which is at variance with any writen statement, assertion or undertaking on any of these subjects give or make by GM Holden Ltd in its published sales literature, and GM Holden Ltd bealer or undertaking unauthorised action. GM Holden Ltd has authorised Dealers in many parts of Australia for the sale of service parts and the provision of service to owners of Holden's products. Every endeavour is made to ensure that such Dealers carry adequate stocks of service parts, but GM Holden Ltd doesn't make any promise other than that contained in the New Vehicle Warranty given by GM Holden Ltd hat such parts or service facilities will be available at any specific location or at any particular time. Express warranties offered for Holden products are subject to the conditions set out in all vehicle handbooks. Details also available from GM Holden Ltd on request. Copyright GM Holden Ltd. October 2009. emerystudio 5CAPT0909 AD12817

# Captiva 5







## Captiva 5 Nitrate 5 seats

<u>5 seats</u> <u>17" alloy wheels (4)</u>

# Safely ahead for standard features

Be it around the block or beyond the black stump, the new Captiva 5 is designed to make your every journey as safe as it is enjoyable.

Every time you're behind the wheel, everywhere you drive, the vehicle surrounds and protects you with a comprehensive range of state-of-the-art active and passive safety systems.

To help you avoid an accident, there is everything from Electronic Stability Control (ESC), Active Rollover Protection and 4-wheel disc brakes with ABS Anti-lock braking, to Traction Control, Brake Assist and Electronic Brakeforce Distribution. Should a collision occur, Captiva 5 instantly determines the force and direction of impact and activates any required occupant protection systems, including up to four airbags – front driver and passenger, and dual side curtain.

Front and rear crumple zones further maximise your safety, as do the multiple load paths that help absorb the energy from impact.

Get behind the wheel and you'll also find yourself surrounded with a host of driver focused enhancements and stylish extras, all as standard. Like front and rear park assist, 17" alloy wheels (4), fog lamps, leather wrap steering wheel and roof rails.

curtain airbags

driver and front passenger airbags

6-disc CD leather-wrap steering wheel air conditioning cruise control

front park assist

fog lamps

Electronic Stability Control (ESC) Traction Control System (TCS) Active Rollover Protection (ARP) Brake Assist (BA) Electronic Brakeforce Distribution (EBD)

17" alloy wheels (4)



engine and transmission	
2.4 litre 4-cylinder petrol engine and 5-speed manual transmission,	٠
and Two Wheel Drive (2WD) 2.4 litre 4-cylinder petrol engine and 5-speed automatic transmission with	0
Active Select, and Active All Wheel Drive (AWD)	Ŭ
control and handling	
4-channel Anti-lock Braking System (ABS)	•
4 wheel disc brakes, front and rear ventilated Active Rollover Protection (ARP)	•
Brake Assist (BA)	•
Descent Control System (DCS)	•
Electronic Brakeforce Distribution (EBD)	٠
Electronic Stability Control (ESC)	٠
Traction Control System (TCS)	٠
Four-link Independent Rear Suspension (IRS)	•
Rack and pinion power steering	•
wheels	
17" x 7" 5 spoke alloy wheels. 235/65 R17 104H (road biased) tyres (4)	٠
16" x 6.5" steel spare wheel. 215/70 R16 100T	٠
Locking wheel nuts – alloy (set of 4)	Α
exterior	
Anti-corrosion protection Bonnet protector	•
Centre high-mount stop lamp	•
Chrome exhaust tip	•
Body colour exterior door handles	٠
Front fog lamps	٠
Headlamp protectors	Α
Licence plate frames – standard height or slimline (set of 2)	A
Metallic paint Moulded mudflaps, front	0 A
Moulded mudflaps, rear	•
Rear reflectors	•
Side fender vents	٠
Silver decorative skid plates, front and rear	٠
Wheelarchmouldings	۰
cabin comfort	
Air conditioning with particle filter	
Ashtray, front	A
Cargo area lamp	•
Carpet floor mats, front and rear (set of 4)	А
Centre dome lamp	٠
Front passenger and 2nd row overhead folding assist handles	٠
Front reading lamps	•
Power windows with auto up/down feature (front and rear) Rear window interior sunshade	•
Rubber floor mats, front and rear (set of 4)	A
Sill plates – black	•
Tinted windows	٠
Vanity mirror, driver and front passenger. Illuminated, with cover	
	-
Weathershields, front – standard size (set of 2)	A
Weathershields, front – standard size (set of 2) Weathershields, front and rear – slimline size (set of 4)	A
Weathershields, front and rear – slimline size (set of 4)	_
	_
Weathershields, front and rear – slimline size (set of 4) seating	A
Weathershields, front and rear – slimline size (set of 4) seating Fold-flat 2nd row seat	A •
Weathershields, front and rear – slimline size (set of 4) seating Fold-flat 2nd row seat Seat cover, rear – protective fabric	A • A
Weathershields, front and rear – slimline size (set of 4) seating Fold-flat 2nd row seat Seat cover, rear – protective fabric Seat trim – full cloth Three height adjustable 2nd row seat head restraints	A • A
Weathershields, front and rear – slimline size (set of 4) seating Fold-flat 2nd row seat Seat cover, rear – protective fabric Seat trim – full cloth Three height adjustable 2nd row seat head restraints driver	A A •
Weathershields, front and rear – slimline size (set of 4) seating Fold-flat 2nd row seat Seat cover, rear – protective fabric Seat trim – full cloth Three height adjustable 2nd row seat head restraints driver Audible warning if headlamps left on	A • A
Weathershields, front and rear – slimline size (set of 4) seating Fold-flat 2nd row seat Seat cover, rear – protective fabric Seat trim – full cloth Three height adjustable 2nd row seat head restraints driver	A • •
Weathershields, front and rear – slimline size (set of 4) seating Fold-flat 2nd row seat Seat cover, rear – protective fabric Seat trim – full cloth Three height adjustable 2nd row seat head restraints driver Audible warning if headlamps left on Bluetooth® for compatible mobile phones	A A A • •
Weathershields, front and rear – slimline size (set of 4) seating Fold-flat 2nd row seat Seat cover, rear – protective fabric Seat trim – full cloth Three height adjustable 2nd row seat head restraints driver Audible warning if headlamps left on Bluetooth® for compatible mobile phones Cruise control	A A A • • • •
Weathershields, front and rear – slimline size (set of 4) seating Fold-flat 2nd row seat Seat cover, rear – protective fabric Seat trim – full cloth Three height adjustable 2nd row seat head restraints driver Audible warning if headlamps left on Bluetooth® for compatible mobile phones Cruise control Digital clock Driver Information Display Front Park Assist	A A • • •
Weathershields, front and rear – slimline size (set of 4) seating Fold-flat 2nd row seat Seat cover, rear – protective fabric Seat trim – full cloth Three height adjustable 2nd row seat head restraints driver Audible warning if headlamps left on Bluetooth® for compatible mobile phones Cruise control Digital clock Driver Information Display	A A • • • •

driver continued	
Leather wrap steering wheel Power side mirrors	•
	•
Rear window wiper/washer	•
Steering wheel height and reach adjust Variable instrument dimming	•
Variable instrument dimining Variable intermittent road speed sensitive wipers	•
vanable internittent road speed sensitive wipers	
sound system	
AM/FM stereo electronic tune radio. Speakers:	7
CD player – 6 disc in-dash.	
Roof mounted radio antenna	
Sound system remote controls on steering wheel	•
storage and cargo	
12 Volt power outlet, front, 2nd row and cargo compartment	•
60/40 split fold 2nd row rear seat back	•
Bike carrier – roof mounted	A
Car fridge – 31 litres	A
Cargo blind	•
Cargo entry protector	A
Cargo liner – moulded	A
Cargo liner, reversible – carpet/rubber	A
Cargo organiser	A
Cargo restraint barrier – flexible	A
Centre console compartment with dual lid	•
Coathooks	•
Flexible cargo net	A
Front and rear door storage bins	•
Hot/cold cup holder	A
Load tie-down strap kit	A
Roof cross bars	Α
Roof rails – satin chrome	•
Roof storage pod	A
Roof tray	A
Ski carrier – roof mounted (universal or scissor type)	A
Sunglasses holder	•
Tow ball	A
Tow ball cover	A
Towing package	A
Trailer harness – 7 pin flat	A
occupant safety	
Driver and front passenger airbags	•
Curtain airbags	•
Child-proof rear door locks Child restraint anchor fittings (3) fixed to 2nd row seatback	•
Pyrotechnic front seatbelt pretensioners	
Front seatbelt force limiter, controls maximum force on chest	•
Front seatbelt sash height adjust	•
Seatbelts retracting lap/sash	
ocatoris retracting tap/sast	-
security	
Audible warning if key left in ignition and driver's door opened to exit	
Engine immobilised automatically when key removed from ignition	•
Key has security code	•
Radio frequency remote key operates:	•
Interior lighting	
Central locking for keyless entry	
Tailgate	
Radio security PIN coding	•
Fully retractable flip key	•
road safety	
Anti-zap jumper leads	А
First aid kit	А
Safety triangles (set of 3)	A
• standard	
o optional	

o optional

A Holden accessory

## technical specifications . 103kW 2.4 litre petrol eng 4-cylinder, DOHC multi-point fuel injection 4 valves per cylinder Engine Capacity (cc) 2405 9.6 Compression ratio (:1) Maximum power (ECE, kW)# 103 @ 5200rpm Maximum torque (ECE, Nm)# 220 @ 2400rpm Gear ratios (:1) 5sp Auto 1st 4.575 2nd 2.979 3rd 1.947 4th 1.318 5th 1.00 Final drive ratio 2.606 Combined fuel economy (L/100km)^ AWD: 10.7 Recommended petrol octane rating Fuel tank (L) 65 All Wheel Drive (AWD)\* time depending on the driving conditions Brakes (mm) Four wheel disc. Ventilated discs - front and rear front diameter 296 303 rear diameter Anti-lock Braking System (ABS) 4-channel, 4 sensor Traction Control System (TCS) to the wheel(s) with better traction Brake Assist (BA) stopping distances

Electronic Stability Control (ESC)

Descent Control System (DCS)	Utilises the active braking capability of the ESC to maintain a controlled speed when travelling down hill			
Active Rollover Protection (ARP)	ARP is designed to reduce the risk of rollover when lane changing and cornering; working in conjunction with the ESC system			
Suspension	Front: MacPherson strut, gas pressurised dampers, stabiliser bar Rear: Independent four-link, gas pressurised dampers, stabiliser bar			
Steering	Rack and pinion power steering			
Roof Load (kg)	75			
Turn circle (kerb to kerb, m)	12.4			
Cargo volume seats up/folded (L)	430 seats upright		865 rear seats folded	
Towing (kg)	750 unbraked		1500 braked	
Service	The complimentary inspection is due at 3,000km or 3 months (whichever occurs first). The first service is due at 15,000km or 12 months (whichever occurs first) since the last service. Additional services may be required under certain driving conditions such as when towing (refer to owner's handbook) *Maximum figures as per ECE regulations *Fuel consumption figures based on ADR 81/02 tests. These figures are provided to assist you in comparing the fuel consumption of Captiva with other vehicles. The actual fuel consumption will depend, however, on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use			
	dimensions			
Track	Front: 1562	Rear: 1572		
Wheelbase	2707			
Exterior dimensions	0	Width (excluding mirrors)	Width (including mirrors)	Height
	4570	1850	2085	1700
Ground clearance	200			
Interior dimensions	Leg	Shoulder	Head	Hip
front	1036	1424	1026	1338



rear 939

2707 4570

	5 sp Man			
	3.947			
	2.036			
	1.348			
	0.971			
	0.767			
	4.357			
	2WD:9.7			

91 RON (ULP) 95 RON (PULP or higher may result in improved engine performance and efficiency)

The All Wheel Drive system is 'Active Torque On Demand'. An electronically controlled electro-hydraulic differential ensures the best possible torque distribution between the front and rear axles. As driving conditions dictate, the rear axle is employed via an electronically controlled electro-magnetic coupling to give increased traction. The torque split ratio between front and rear wheels is variable in real


When sensors detect imminent wheel spin, engine torque is reduced. If one wheel starts to spin, braking is applied to transfer torque

Provides additional braking assistance by allowing the driver to reach the ABS threshold sooner and therefore help to reduce


Assists the driver in emergency situations by providing correction to the intended vehicle path, which may help the driver to avoid obstacles and reduce slides. This is accomplished via individual brake application and engine torque management control

865 rear seats folded
1500 braked
ccurs first). The first service is due at 15,000km or 12 months





1003





1344