## Hyundai 2018 Sonata

Specifications (October 2017)

Engine family		
	2.4 GDi	2.0 T-GDi
Engine family Configuration	Theta II Transverse front engine, front wheel drive	Theta II  Transverse front engine, front wheel drive
Cylinder capacity Number of cylinders	2.4 litres (2,359 cc) 4 in-line	2.0 litres (1,998 cc) 4 in-line
	16 valves, dual overhead cam (DOHC) with Dual Continuously Variable Valve	16 valves, dual overhead cam (DOHC) with Dual Continuously Variable Valve
Valve system	Timing (D-CVVT) & mechanical lash adjusters	Timing (D-CVVT) & mechanical lash adjusters
Intake system	2-step variable induction system	2-step variable induction system, twin-scroll turbocharger
Maximum power	138 kW @ 6,000 RPM	180 kW @ 6,000 RPM
Maximum torque Fuel system	241 Nm @ 4,000 RPM GDi (Gasoline Direct Injection), Petrol	353 Nm @ 1,350-4,000 RPM T-GDi (Turbo Gasoline Direct Injection), Petrol
Fuel type	91 RON (ULP), E10 compatible	91 RON (ULP), E10 compatible
Emissions standard Bore x stroke	Euro 5 88.0 mm x 97.0 mm	Euro 5 86.0 mm x 86.0 mm
Compression ratio	11.3:1	10.0:1
Transmission Automatic	2.4 GDi     6 speed automatic, electronically controlled with lock up torque converter	2.0 T-GDi  8 speed automatic, electronically controlled with lock up torque converter
Gear ratio	Automatic	Automatic
1st 2nd	4.212 2.637	4.808 2.901
3rd	1.800	1.864
4th	1.386	1.424
5th 6th	1.000 0.772	1.219 1.000
7th	-	0.799
8th Reverse	3.385	0.648 3.425
Final	2.885	3.320
Engine/transmission availability	2.4 GDi Automatic	2.0 T-GDi Automatic
Active	•	-
Premium Steering	2.4 GDi	• 2.0 T-GDi
Туре	Column mounted Motor Driven Pow	ver Steering (C-MDPS), rack & pinion
Minimum turning circle diameter between kerbs / walls Number of steering wheel turns lock to lock	10.:	9 m
Suspension	2.4 GDi	2.0 T-GDi
Front Rear	MacPherson strut with Ampli	tude Selective Dampers (ASD)
Brakes	2.4 GDi	Selective Dampers (ASD) 2.0 T-GDi
System	Dual-diagonal, split circuit, power assisted with Electronic E	Brakeforce Distribution (EBD) and Brake Assist System (BAS)
Front brake type Front disc dimensions	Ventilat 305mm x 25mm	320mm x 28mm
Rear brake type	Solic	
Rear disc dimensions Weight	284 x 2.4 GDi	10 mm 2.0 T-GDi
	Automatic	Automatic
Kerb weight - lightest Kerb weight - heaviest	1500 kg 1587 kg	1560 kg 1645 kg
Gross Vehicle Mass (GVM)	2060 kg	2120 kg
Towing capacity	2.4 GDi Automatic	2.0 T-GDi Automatic
Braked	130	0 kg
Unbraked Maximum towball weight	400 kg 70 kg	
Maximum towball weight Fuel consumption*	2.4 GDi	2.0 T-GDi
Fuel consumption*	2.4 GDi Automatic	2.0 T-GDi Automatic
Fuel consumption*  Combined (L/100km)  Urban (L/100km)	2.4 GDi Automatic 8.3 12.1	2.0 T-GDi Automatic 8.5 12.2
Fuel consumption*  Combined (L/100km)  Urban (L/100km)  Extra Urban (L/100km)	2.4 GDI Automatic 8.3 12.1 6.3	2.0 T-GDi Automatic 8.5 12.2 6.3
Fuel consumption*  Combined (L/100km)  Urban (L/100km)  Extra Urban (L/100km)  CO <sub>2</sub> - combined (g/km)  Fuel tank yollume	2.4 GDI Automatic  8.3 12.1 6.3 194	2.0 T-GOi Automatic 8.5 12.2 6.3 198
Fuel consumption*  Combined (L/100km)  Urban (L/100km)  Extra Urban (L/100km)  CO <sub>2</sub> - combined (g/km)  Fuel tank volume  *Source: Australian Design Rule 81/02 static laboratory combined average city and highway cycl	2.4 GDI Automatic  8.3 12.1 6.3 194	2.0T-GDi Automatic 8.5 12.2 6.3 198
Fuel consumption*  Combined (L/100km)  Urban (L/100km)  Extra Urban (L/100km)  CO <sub>2</sub> - combined (g/km)  Fuel tank yollume	2.4 GDI Automatic 8.3 12.1 6.3 194	2.0 T-GOi Automatic 8.5 12.2 6.3 198
Fuel consumption*  Combined (L/100km)  Urban (L/100km)  Extra Urban (L/100km)  CO <sub>2</sub> - combined (g/km)  Fuel tank volume  Fuel tank volume  Source: Australian Design Rule 81/02 static laboratory combined average city and highway cycle weather conditions. ADR 81/02 test results are meant for comparison purposes only.  Dimensions  Exterior	2.4 GDI Automatic 8.3 12.1 6.3 194 7 e test. Real world fuel consumption will vary depending on a combination of driving	2.0 T-GDi Automatic 8.5 12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and
Fuel consumption*  Combined (L/100km)  Urban (L/100km)  CO <sub>2</sub> - combined (g/km) Fuel tank volume  *Source: Australian Design Rule 81/02 static laboratory combined average city and highway cycle weather conditions. ADR 81/02 test results are meant for comparison purposes only.  Dimensions	2.4 GDI Automatic  8.3 12.1 6.3 194 7 e test. Real world fuel consumption will vary depending on a combination of driving  Active	2.0 T-GOi Automatic 8.5 12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and  Premium
Combined (L/100km) Urban (L/100km) Urban (L/100km)  CO <sub>2</sub> - combined (g/km) Fuel tank volume *Source Australian Design Rule 81/02 static laboratory combined average city and highway cycle weather conditions. ADR 81/02 test results are meant for comparison purposes only.  Dimensions Exterior Length Width Height	2.4.GDI Automatic  8.3 12.1 6.3 19.4 7 e test. Real world fuel consumption will vary depending on a combination of driving  Active  4855 1866 1867	2.0 T-GDI Automatic  8.5 12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and  Premium  mm mm
Fuel consumption*  Combined (L/100km)  Urban (L/100km)  CO <sub>2</sub> - combined (g/km)  Fuel tank volume  *Source: Australian Design Rule 81/02 static laboratory combined average city and highway cycle weather conditions. ADR 81/02 test results are meant for comparison purposes only.  Dimensions  Exterior  Length  Width  Height  Wheelbase	2.4 GDI Automatic  8.3 12.1 6.3 194 7 e test. Real world fuel consumption will vary depending on a combination of driving  Active  4855 1865 1475 2805	2.0 T-GOi Automatic 8.5 12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and  Premium  mm mm mm mm
Fuel consumption*  Combined (L/100km)  Urban (L/100km)  Observed L/100km)  CO2-combined (g/km)  Fuel tank volume  *Source: Australian Design Rule 81/02 static laboratory combined average city and highway cycle weather conditions. ADR 81/02 test results are meant for comparison purposes only.  Dimensions  Exterior  Length  Width  Height  Wheelbase  Wheel track - front / rear  Minimum ground clearance (based on kerb weight)	2.4.GDI Automatic  8.3 12.1 6.3 194 7 e test. Real world fuel consumption will vary depending on a combination of driving  Active  4855 1866	2.0 T-GDI Automatic  8.5 12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and  Premium  mm mm mm mm mm mm mm mm 1597 mm / 1604 mm
Combined (L/100km)  Urban (L/100km)  Extra Urban (L/100km)  CO <sub>2</sub> - combined (g/km)  Fuel tank volume  "Source: Australian Design Rule 81/02 static laboratory combined average city and highway cycl weather conditions. ADR 81/02 test results are meant for comparison purposes only.  Dimensions  Exterior  Length  Width  Height  Wheelibase  Wheel track - front / rear  Minimum ground clearance (based on kerb weight)	2.4.GDI Automatic  8.3 12.1 6.3 194 e test. Real world fuel consumption will vary depending on a combination of driving  Active  4855 18655 18655 18650 1877 1878 1878 1878 1878 1878 1878 187	2.0 T-GDI Automatic  8.5 12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and Premium  mm
Combined (L/100km) Urban (L/100km) Extra Urban (L/100km) CO3 - combined (g/km) Fuel tank volume "Source: Australian Design Rule 81/02 static laboratory combined average city and highway cycl weather conditions. ADR 81/02 test results are meant for comparison purposes only. Dimensions Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear	2.4.GDI Automatic  8.3 12.1 6.3 194 7 e test. Real world fuel consumption will vary depending on a combination of driving Active  4855 1865 1475 1602 mm / 1609 mm 135	2.0 T-GDI Automatic  8.5 12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and Premium  mm mm 1597 mm / 1604 mm  985 mm / 960 mm
Combined (L/100km) Urban (L/100km) Extra Urban (L/100km) CO3 - combined (g/km) Fuel tank volume "Source: Australian Design Rule 81/02 static laboratory combined average city and highway cycl weather conditions. ADR 81/02 test results are meant for comparison purposes only. Dimensions Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear	2.4 GDI Automatic  8.3 12.1 6.3 194 7 e test. Real world fuel consumption will vary depending on a combination of driving  Active  4855 18665 18665 18695 18	2.0 T-GOI Automatic 8.5 12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and Premium  5 mm mm 1597 mm / 1604 mm mm 985 mm / 960 mm //1426 mm //905 mm
Combined (L/100km) Urban (L/100km) Urban (L/100km) CO <sub>2</sub> - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined average city and highway cycle weather conditions. ADR 81/02 test results are meant for comparison purposes only. Dimensions Exterior Length Width Height Wheel brack - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Lengtom front / rear Shoulder room front / rear	2.4.GDI Automatic  8.3 12.1 6.3 19.4 7 et est. Real world fuel consumption will vary depending on a combination of driving  Active  485 1866 1866 1867 1869 1869 1869 1869 1869 1869 1869 1869	2.0 T-GOI Automatic 8.5 12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and Premium  5 mm mm mm mm 1597 mm / 1604 mm mm 985 mm / 960 mm //1426 mm 9905 mm //1436 mm 9905 mm
Combined (L/100km)  Urban (L/100km)  Extra Urban (L/100km)  CO <sub>3</sub> - combined (g/km)  Ever a Urban (L/100km)  CO <sub>3</sub> - combined (g/km)  Feel tank volume  Source: Australian Design Rule 81/02 static laboratory combined average city and highway cyclweather conditions. ADR 81/02 test results are meant for comparison purposes only.  Dimensions  Exterior  Length  Width  Height  Wheelbase  Wheel track - front / rear  Minimum ground clearance (based on kerb weight)  Interior  Head room front / rear  Heg orm front / rear  Leg room front / rear  Leg room front / rear  Shoulder room front / rear  Cargo area - VDA/SAE  Wheels & YVES	2.4 GDI Automatic  8.3 12.1 6.3 194 7 e test. Real world fuel consumption will vary depending on a combination of driving  Active  4855 18665 18675 18695 18	2.0 T-GOI Automatic 8.5 12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and  Premium  mm mm mm 1597 mm / 1604 mm  985 mm / 960 mm  1426 mm 9905 mm /1435 mm /462 L Premium
Combined (L/100km)  Urban (L/100km)  Extra Urban (L/100km)  Extra Urban (L/100km)  CO <sub>2</sub> - combined (g/km)  Fell tank volume of g/km)  FSource: Australian Design Rule 81/02 static laboratory combined average city and highway cycle weather conditions. ADR 81/02 test results are meant for comparison purposes only.  Dimensions  Exterior  Length  Width  Height  Wheelbase  Wheel track - front / rear  Minimum ground clearance (based on kerb weight)  Interior  Head room front / rear  Leg room front / rear  Leg room front / rear  Shoulder room front / rear  Wheel \$\frac{1}{2}\$ APVASAE  Wheel \$\frac{1}{2}\$ APVASAE  Wheels \$\frac{1}{2}\$ APVASE	2.4 GDI Automatic  8.3 12.1 6.3 194 7 e test. Real world fuel consumption will vary depending on a combination of driving  Active  4855 1865 1865 1865 1865 1865 1865 1865 1	2.0 T-GOI Automatic 8.5 12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and  Premium  mm mm mm 1597 mm / 1604 mm  1595 mm / 1426 mm / 1426 mm / 1435 mm / 1435 mm / 1462 L Premium Alloy 18 x 7.5.4 52.5
Combined (L/100km) Urban (L/100km) COpton (L/100km) Copto	2.4.GDI Automatic  8.3 12.1 6.3 194 7 e test. Real world fuel consumption will vary depending on a combination of driving Active  4555 18655 1475 1602 mm / 1609 mm 135 1025 mm / 975 mm 1404 mm 1155 mm 1470 mm 1470 mm 510 L Active Alloy 17 x 7.0.J +50 215/55 RT7 94W	2.0 T-GOI Automatic  8.5 12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and  Premium  mm mm mm 1597 mm / 1604 mm mm 1597 mm / 960 mm  1426 mm 995 mm / 4421 L Premium Alloy 18 X 7.51 +52.5 2354/5 R IRS 98Y
Combined (L/100km)  Urban (L/100km)  Extra Urban (L/100km)  CO <sub>2</sub> - combined (g/km)  Fell tank volume  "Source: Australian Design Rule 81/02 static laboratory combined average city and highway cycl weather conditions. ADR 81/02 test results are meant for comparison purposes only.  Dimensions  Exterior  Length  Width  Height  Wheel track - front / rear  Minimum ground clearance (based on kerb weight)  Interior  Head room front / rear  Hej proom front / rear  Leg room front / rear  Leg room front / rear  Cargo area - VDA/SAE  Wheel type  Wheel type  Wheel dimensions  Spare wheel type	2.4.GDI Automatic  8.3 12.1 6.3 194 7 e test. Real world fuel consumption will vary depending on a combination of driving  Active  4555 4655 18655 1475 1602 mm / 1609 mm 135 1025 mm / 975 mm 1404 mm 1155 mm 1470 mm 1157 mm 510 L Active Alloy 275/58 RT 94W (Continental ContiPremiumContact™ 5) Full size alloy	2.0 T-G01  Automatic  8.5  12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and promium  The man
Combined (L/100km) Urban (L/100km) Urban (L/100km) CO <sub>2</sub> - combined (g/km) CO <sub>3</sub> - combined (g/km) Fuel tank volume "Source Australian Design Rule 81/02 static laboratory combined average city and highway cycle weather conditions. ADR 81/02 test results are meant for comparison purposes only. Dimensions Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Length or front / rear Length or front / rear Length or front / rear Wheel track - front / rear Length or front / rear Wheel track - front / rear Length or front / rear Wheel track - front / rear Length or front / rear Wheel track - front / rear Length or front	2.4.GDI  Automatic  8.3 12.1 6.3 194 7 et est. Real world fuel consumption will vary depending on a combination of driving  Active  4855 1865 1865 1865 1865 1865 1865 1865 1	2.0 T-G01 Automatic  8.5 12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and  Premium  The man such as road, traffic and such as road, traffic and remains a road, traffic and remain
Combined (L/100km)  Urban (L/100km)  Extra Urban (L/100km)  CO <sub>2</sub> - combined (g/km)  Fuel tank volume  "Source: Australian Design Rule 81/02 static laboratory combined average city and highway cycl weather conditions. ADR 81/02 test results are meant for comparison purposes only.  Dimensions  Exterior  Length  Width  Height  Wheel brack - front / rear  Minimum ground clearance (based on kerb weight)  Interior  Head room front / rear  Head room front / rear  Heg orm front / rear  Leng room front / rear  Wheel type  Wheel type  Wheel type  Wheel dimensions  Spare wheel type	2.4.GDI Automatic  8.3 12.1 6.3 194 7 e test. Real world fuel consumption will vary depending on a combination of driving  Active  4555 4655 18655 1475 1602 mm / 1609 mm 135 1025 mm / 975 mm 1404 mm 1155 mm 1470 mm 1157 mm 510 L Active Alloy 275/58 RT 94W (Continental ContiPremiumContact™ 5) Full size alloy	2.01-GDI Automatic  8.5 12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and Premium  mm mm mm 1597 mm / 1604 mm mm 985 mm / 960 mm 1426 mm 9905 mm 1426 mm 462 L Premium Alloy 18 77.51 +52.5 235/45 R18 98Y (Michelin Pilot Sport 3) Full size alloy
Combined (L/100km)  Urban (L/100km)  Extra Urban (L/100km)  Extra Urban (L/100km)  CO <sub>3</sub> - combined (g/km)  Fell tank volume  "Source: Australian Design Rule 81/02 static laboratory combined average city and highway cyclweather conditions. ADR 81/02 test results are meant for comparison purposes only.  Dimensions  Exterior  Length  Width  Height  Wheel track - front / rear  Minimum ground clearance (based on kerb weight)  Interior  Head room front / rear  High groom front / rear  Leg room front / rear  Leg room front / rear  Wheel Styce  Wheel type  Wheel Styce  Wheel type  Wheel Styce  Wheel type  Wheel dimensions  Tyre dimensions  Spare wheel type  Chiuse control  Control one touch turn signal - 3, 5, or 7 flashes	2.4.GDI  Automatic  8.3 12.1 6.3 194 7 et est. Real world fuel consumption will vary depending on a combination of driving  Active  4855 1865 1865 1865 1865 1865 1865 1865 1	2.01-G01 Automatic  8.5 12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and Premium  mm mm mm 1597 mm / 1604 mm mm 985 mm / 960 mm  71426 mm 9905 mm 462 L Premium Alloy 18 7.5.1 +52.5 2.35/45 R18 98Y (Michelin Pilot Sport 3) Full size alloy Premium  • • • • • •
Combined (L/100km)  Combined (L/100km)  Extra Urban (L/100km)  Extra Urban (L/100km)  CO <sub>2</sub> - combined (g/km)  Fell tank volume  *Source: Australian Design Rule 81/02 static laboratory combined average city and highway cycle weather conditions. ADR 81/02 test results are meant for comparison purposes only.  Dimensions  Exterior  Length  Width  Height  Wheelbase  Wheel track - front / rear  Minimum ground clearance (based on kerb weight)  Interior  Head room front / rear  Help room front / rear  Leg room front / rear  Shoulder room front / rear  Shoulder room front / rear  Wheel task - Syres  Wheels & Syres  Wheels & Syres  Wheel & Syres  Wheel dimensions  Tyre dimensions	2.4.GDI  Automatic  8.3 12.1 6.3 194 7 et est. Real world fuel consumption will vary depending on a combination of driving  Active  4855 18655	2.01-GOI Automatic  8.5 12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and  Premium  Find  F
Combined (L/100km)  Urban (L/100km)  Extra Urban (L/100km)  CO <sub>2</sub> - combined (g/km)  Extra Urban (L/100km)  CO <sub>3</sub> - combined (g/km)  "Source: Australian Design Rule 81/02 static laboratory combined average city and highway cycl weather conditions. ADR 81/02 test results are meant for comparison purposes only.  Dimensions  Exterior  Length  Width  Height  Wheelback - front / rear  Minimum ground clearance (based on kerb weight)  Interior  Head room front / rear  High proom front / rear  Leg room front / rear  Cargo area - VDA/SAE  Wheels Xyres  Wheel Styres  Wheel dimensions  Spare wheel type  Driving convenience  Cusies control  Electronic Parking Brake (EPB) (with auto hold function)  One touch turn signal - 3, 5, or 7 flashes  Rain sensing wipers  Smart Key with push button start  Steering wheel mounted controls - audio, phone, cruise control, & trip computer	2.4.GDI Automatic  8.3 12.1 6.3 194  e test. Real world fuel consumption will vary depending on a combination of driving  Active  4.555  4.655 1865 1475 1602 mm / 1609 mm 135  1025 mm / 975 mm 1404 mm 1155 mm 1477 mm 1477 mm 510 L Active Aloy 275/55 RT 94W (Continental ContiPremiumContact™ 5) Full size alloy Active  • • • • • • • • • • • • • • • • • •	2.01-G01 Automatic  8.5 12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and premium  The summer of the summer o
Combined (L/100km)  Urban (L/100km)  Extra Urban (L/100km)  Extra Urban (L/100km)  Extra Urban (L/100km)  CO <sub>2</sub> - combined (g/km)  "Source Australian Design Rule 81/02 static laboratory combined average city and highway cyclweather conditions. ADR 81/02 test results are meant for comparison purposes only.  Dimensions  Exterior  Length  Width  Height  Wheelbase  Wheel track - front / rear  Minimum ground clearance (based on kerb weight)  Interior  Head room front / rear  High groom front / rear  High groom front / rear  Shoulder room front / rear  Wheel track - front / rear  Wheels & tyres  Wheel type  Wheel type  Wheel type  Wheel dimensions  Tyre dimensions  Spare wheel type  Divining convenience  Cruise control  Electronic Parking Brake (EPB) (with auto hold function)  One touch turn signal - 3, 5, or 7 flashes  Rain sensing wipers  Shart Key with push button start  Steering wheel mounted controls - audio, phone, cruise control, & trip computer  Tit & telescopic steering column	2.4.GDI Automatic  8.3 12.1 6.3 194 77 6.3 194 78 e test. Real world fuel consumption will vary depending on a combination of driving Active  4855 81865 1475 1866 1475 1867 1869 mm / 1609 mm 135 1025 mm / 975 mm 1404 mm 1155 mm 1470 mm. 510 L Active Alloy 17 x 7.0J +50 215755 R17 94W (Continental ContiPremiumContact™ 5) Full size alloy Active  • • • • • • • • • • • • • • • • • •	2.0 T-G01 Automatic  8.5 12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and premium  mm mm mm smm 1597 mm / 1604 mm  985 mm / 960 mm  /1426 mm 9955 mm 462 L  Premium Alloy 18 7.5.1 +52.5 235/45 R18 98Y (Michelin Pilot Sport 3) Full size alloy Premium  • • • • • • • • • • • • • • • • • •
Combined (L/100km) Urban (L/100km) Urban (L/100km) CO <sub>2</sub> - combined (g/km) Evitar Urban (L/100km) CO <sub>3</sub> - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined average city and highway cycl weather conditions. ADR 81/02 test results are meant for comparison purposes only. Dimensions Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Length Length Wheel track - front / rear Length Wheelbase Wheel track - front / rear Wheel track - front / rear Length Wheelbase Wheel track - front / rear Wheel track - front / rear Length Wheelbase Wheel track - front / rear Length Wheelbase Wheel track - front / rear Length	2.4.GDI Automatic  8.3 12.1 6.3 194  e test. Real world fuel consumption will vary depending on a combination of driving  Active  4.555  4.655 1865 1475 1602 mm / 1609 mm 135  1025 mm / 975 mm 1404 mm 1155 mm 1477 mm 1477 mm 510 L Active Aloy 275/55 RT 94W (Continental ContiPremiumContact™ 5) Full size alloy Active  • • • • • • • • • • • • • • • • • •	2.01-G01 Automatic  8.5 12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and promium  The summer of the summer o
Combined (L/100km) Urban (L/100km) Extra Urban (L/100km) Extra Urban (L/100km) CO <sub>2</sub> - combined (g/km) Felt lata k volume	2.4.GDI Automatic  8.3 12.1 6.3 194 7 e test. Real world fuel consumption will vary depending on a combination of driving  Active  4855 4855 1865 1475 1602 mm / 1609 mm 135 1025 mm / 975 mm 1404 mm 1155 mm 1470 mm 1470 mm 510 L Active Alloy 17 × 7.0.J +50 275758 RT 94W (Continental ContiPremiumContact™ 5) Full size alloy Active	2.0 T-G01 Automatic  8.5 12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and premium  mm  mm  1597 mm / 1604 mm  985 mm / 960 mm  1426 mm  995 mm  / 1435 mm  Alloy 18 x 7.5J +52.5 235/45 R18 98Y (Michelin Pilot Sport 3) Full size alloy Premium  • • • • • • • • • • • • • • • • • •
Combined (L/100km) Urban (L/100km) Extra Urban (L/100km) Extra Urban (L/100km) CO <sub>2</sub> - combined (g/km) Felt lank volume (g/km)	2.4.GDI Automatic  8.3 12.1 6.3 194 7 et est. Real world fuel consumption will vary depending on a combination of driving  Active  485: 1865: 1	2.0 T-G01 Automatic  8.5 12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and Premium  Fremium  1597 mm / 1604 mm  mm 985 mm / 960 mm  //1426 mm  9955 mm //1426 mm  Alloy 18 X7.51 +52.5 2354/5 R18 98' (Michelin Pilot Sport 3) Full size alloy Premium  9 mm  1
Combined (L/100km)  Urban (L/100km)  Extra Urban (L/100km)  Extra Urban (L/100km)  CO <sub>2</sub> - combined (g/km)  Fell et ank volume  "Source: Australian Design Rule 81/02 static laboratory combined average city and highway cycle weather conditions. ADR 81/02 test results are meant for comparison purposes only.  Dimensions  Exterior  Length  Width  Height  Wheelbase  Wheel track - front / rear  Minimum ground clearance (based on kerb weight)  Interior  Head room front / rear  Leg dimensions  Tyre di	2.4.GDI Automatic  8.3 12.1 6.3 194 etest. Real world fuel consumption will vary depending on a combination of driving  Active  4855 1865 1865 1865 1865 1875 1875 1875 1875 1875 1875 1875 187	2.0 T-GDI Automatic  8.5 12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and Premium  mm mm 1597 mm / 1604 mm  985 mm / 960 mm  1426 mm 995 mm /1435 mm 462 L Premium Alloy 18 x 7.51 +52.5 2354/5 R18 98' (Michelin Pilot Sport 3) Full size alloy Premium  • • • • • • • • • • • • • • • • • •
Combined (L/100km) Urban (L/100km) Extra Urban (L/100km) Extra Urban (L/100km) CO <sub>2</sub> - combined (g/km) Felt lank volume (g/km)	2.4.GDI Automatic  8.3 12.1 6.3 194 7 et est. Real world fuel consumption will vary depending on a combination of driving  Active  485 1865 1865 1865 1865 1865 1865 1865 18	2.0 T-G01 Automatic  8.5 12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and  Premium  The man are such as road, traffic and such as road, traffic and remium  The man are such as road, traffic and remium  The man are such as road, traffic and remium  The man are such as road, traffic and remium  The man are such as road, traffic and remium  The man are such as road, traffic and remium  The man are such as road, traffic and remium  The man are such as road, traffic and remium  The man are such as road, traffic and remium  The man are such as road, traffic and remium  The man are such as road, traffic and remium  The man are such as road, traffic and remium  The man are such as road, traffic and remium  The man are such as road, traffic and remium  The man are such as road, traffic and remium  The man are such as road, traffic and remium  The man are such as road, traffic and remium  The man are such as road, traffic and remium  The man are such as road, traffic and remium  The man are such as road, traffic and remium are such as road, traffic and remium are such as road, and remium are
Combined (L/100km) Urban (L/100km) Extra Urban (L/100km) Extra Urban (L/100km) CO <sub>2</sub> - combined (g/km) Fell tank volume *Source Australian Design Rule 81/02 static laboratory combined average city and highway cycl weather conditions. ADR 81/02 test results are meant for comparison purposes only. Dimensions Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear High groom front / rear High groom front / rear Leg room front / rear Cargo area - VDA/SAE Wheel type Wheel type Wheel type Wheel type Wheel type Urban Gonveniche Cruise Control Electronic Parking Brake (EPB) (with auto hold function) One touch turn signal - 3, 5, or 7 flashes Rain sensing wipers Smart Key with push button start Steering wheel mounted controls - audio, phone, cruise control, & trip computer Titl & telescopic steering column Driving engagement Driving engagement Driving engagement Drive Mode - 3 settings (Comfort, Eco, Sport) Drive Mode - 4 settings (Comfort, Eco, Sport) Brake Assist System (BAS) Electronic Extaking System (ABS) Brake Assist System (BAS) Electronic Extaking System (ABS) Brake Assist System (BAS) Electronic Extakings (Statibution (EBD)	2.4 GDI Automatic  8.3 12.1 6.3 194 194 195  e test. Real world fuel consumption will vary depending on a combination of driving  Active  4855 1866 1866 1475 1866 1475 1867 1869 1869 1869 1875 1869 1869 1875 1869 1875 1879 1870 1870 1870 1870 1870 1870 1870 1870	2.0 T-GDI Automatic  8.5 12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and  Premium  mm mm smm smm 1597 mm / 1604 mm mm 985 mm / 960 mm  /1426 mm 995 mm /462 L Premium Alloy 18 7.51 +52.5 2.35/45 R18 98Y (Michelin Pilot Sport 3) Full size alloy Premium  • • • • • • • • • • • • • • • • • •
Combined (L/100km) Urban (L/100km) Extra Urban (L/100km) CO3 - combined (g/km) Feltra Urban (L/100km) CO3 - combined (g/km) Feltra knowlaid (g/km) Feltra knowla	2.4.GDI Automatic  8.3 12.1 6.3 194  e test. Real world fuel consumption will vary depending on a combination of driving  Active  4855 1865 1865 1475 1602 mm / 1609 mm 135  1025 mm / 975 mm 1404 mm 1155 mm 1470 mm 510 L.  Active Alloy 17 x 7.0.1 +50 215/58 RTy 94W (Continental ContiPremiumContact™ 5) Full size alloy Active	2.0 T-GDI Automatic  8.5 12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and  Premium  mm mm smm smm 1597 mm / 1604 mm mm 985 mm / 960 mm  /1426 mm 995 mm /462 L Premium Alloy 18 7.51 +52.5 2.35/45 R18 98Y (Michelin Pilot Sport 3) Full size alloy Premium  • • • • • • • • • • • • • • • • • •
Combined (L/100km) Urban (L/100km) Extra Urban (L/100km) Extra Urban (L/100km) CO <sub>2</sub> - combined (g/km) Felt lata k volume	2.4.GDI Automatic  8.3 12.1 6.3 194  e test. Real world fuel consumption will vary depending on a combination of driving  Active  4.555 4.655 1.8655	2.0 T-GDI Automatic  8.5 12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and promium  mm mm mm 1597 mm / 1604 mm mm 985 mm / 960 mm  1426 mm 985 mm / 960 mm  1426 mm 985 mm / 960 mm  1435 mm 462 L  Premium Alloy 18 x7.51 +52.5 23545 R18 98Y (Michelin Pilot Sport 3) Full size alloy Premium  • • • • • • • • • • • • • • • • • •
Combined (L/100km)  Urban (L/100km)  Extra Ur	2.4 GDI Automatic  8.3 12.1 6.3 194 72.1 6.3 194 8455 8455 8465 8465 8465 8465 8465 846	2.0 T-GDI Automatic  8.5  12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and Premium  mm mm mm 1597 mm / 1604 mm  7905 mm 14326 mm 1433 mm 462 L Premium Alloy 18 x7.51 +52.5 2354/5 R18 98' (Michelin Pilot Sport 3) Full size alloy Premium  • • • • • • • • • • • • • • • • • •
Combined (L/100km)  Extra Urban (L/100km)  Extra Urban (L/100km)  Extra Urban (L/100km)  CO <sub>2</sub> - combined (g/km)  Felul tank volume  "Source: Australian Design Rule 81/02 static laboratory combined average city and highway cycl weather conditions. ADR 81/02 test results are meant for comparison purposes only.  Dimensions  Exterior  Length  Width  Height  Wheelbase  Wheel track - front / rear  Minimum ground clearance (based on kerb weight)  Interior  Head room front / rear  Leg dimensions  Tyre dimensions  Tyr	2.4 GDI Automatic  8.3 12.1 6.3 194 72.1 6.3 194 8455 8455 8465 8465 8465 8465 8465 846	2.0 T-G01 Automatic  8.5 12.2 6.3 198 0 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and premium  mmm
Combined (L/100km) Urban (L/100km) Extra Urban (L/100km) Extra Urban (L/100km) CO <sub>2</sub> - combined (g/km) Felt lank volume (g/km)	2.4 GDI Automatic  8.3 12.1 6.3 194 72.1 6.3 194 8455 8455 8465 8465 8465 8465 8465 846	2.0 T-GDI Automatic  8.5 12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and Premium  mm mm 1597 mm / 1604 mm mm 985 mm / 960 mm  1426 mm 995 mm /1426 mm Alloy 18 x 7.5J +52.5 235/45 R18 98Y (Michelin Pilot Sport 3) Full size alloy Premium  - • • • • • • • • • • • • • • • • • •
Combined (L/100km)  Extra Urban (L/100km)  Extra Urban (L/100km)  Extra Urban (L/100km)  CO <sub>2</sub> - combined (g/km)  Felul tank volume  "Source: Australian Design Rule 81/02 static laboratory combined average city and highway cycl weather conditions. ADR 81/02 test results are meant for comparison purposes only.  Dimensions  Exterior  Length  Width  Height  Wheelbase  Wheel track - front / rear  Minimum ground clearance (based on kerb weight)  Interior  Head room front / rear  Leg dimensions  Tyre dimensions  Tyr	2.4 GDI Automatic  8.3 12.1 6.3 194 72.1 6.3 194 8455 8455 8465 8465 8465 8465 8465 846	2.0 T-GDI Automatic  8.5 12.2 6.3 198 0 habits, the condition of the vehicle, and other factors such as road, traffic and  Premium  Imm Imm Imm Imm Imm Imm Imm Imm Imm

Other features		
Emergency Stop Signal (ESS) Park Assist System (PAS) - front (4 sensors, with guidance display)	-	<u> </u>
Park Assist System (PAS) - rear (4 sensors, with guidance display)	•	•
Rear view camera with dynamic guide lines  Passive safety	Active	• Premium
Airbags		
Front airbags - driver & front passenger Side (thorax) airbags - driver & front passenger	•	•
Side curtain airbags - 1st & 2nd rows	•	•
Doors Impact sensing auto door unlock		•
Rear door child safety locks	•	•
Seatbelts Pretensioners, load limiters & height adjustable upper mounts on front seat belts	•	•
Seat belt reminder - front & rear seatbelts	•	•
Seating Height adjustable front head restraints with tilt function	•	•
Height adjustable rear head restraints	•	•
ISOFIX child restraint anchors (rear outboard seats) Top tether child restraint anchors (rear) - 3 anchors	:	•
Security	Active	Premium
Security system Active lock/unlock operation (user configurable)		
Anti-theft alarm	•	•
Central locking	•	•
Engine immobiliser Remotes	•	•
Smart Key remote - 2x	•	•
Multimedia system Functions	Active	Premium
Apple CarPlay <sup>4</sup> & Android Auto <sup>5</sup> compatibility	•	•
Bluetooth phone connectivity Satellite navigation	•	•
SUNA™ Live Traffic Updates	•	•
Touch screen - 8" display	•	•
Speakers Audio system - 6 speakers	•	•
Audio/media sources		
AM / FM radio AUX / USB audio input with iPod® compatibility	•	•
Bluetooth audio streaming	•	•
Occupant comfort & convenience Upholstery/trim	Active	Premium
Leather <sup>1</sup> appointed seats	-	•
Leather <sup>1</sup> appointed steering wheel & gear knob Front seats	•	•
Driver's seat - height adjustable	•	•
Driver's seat - power adjustable - 12-way (including 4-way lumbar support)	-	•
Passenger's seat - height adjustable Passenger's seat - power adjustable - 8-way (including 2-way lumbar support)	• -	•
Integrated Memory System (IMS) on driver's seat and exterior mirrors	-	•
Front centre console armrest Front centre console storage cubby - power outlets - 2 x 12V outlets	•	•
Front centre console - wireless charging pad (Qi standard) <sup>6</sup>	-	•
Grip handles - 1x (passenger)  Rear seats	•	•
Centre fold down armrest with cupholders	•	•
Grip handles - 2x Rear of centre console - power outlet 1 x 12V	•	•
Real of Centre Console - power outlet 1 x 12 v		
Windows/shades	•	•
Windows/shades Panoramic glass sunroof - dual panel with tilt and slide front panel and power sunblind	-	•
Windows/shades	•	
Windows/shades Panoramic glass sunroof - dual panel with tilt and slide front panel and power sunblind Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's window	•	•
Windows/shodes Panoramic glass sunroof - dual panel with tilt and slide front panel and power sunblind Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type)		•
Windows/shodes Panoramic glass sunroof - dual panel with tilt and slide front panel and power sunblind Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boot/Vailgues Smart Boot (hands-free opening)	•	•
Windows/shodes Panoramic glass sunroof - dual panel with tilt and slide front panel and power sunblind Power windows - front 8 rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boot/voilgote Smart Boot (hands-free opening) Vision & sight	•	•
Windows/shodes Panoramic glass sunroof - dual panel with tilt and slide front panel and power sunblind Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boot/viligite Smart Boot (hands-free opening) Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming	•	•
Windows/shodes Panoramic glass sunroof - dual panel with tilt and slide front panel and power sunblind Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boot/vidigate Smart Boot (hands-free opening) Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors	•	• • • • • • • • • • • • • • • • • • •
Windows/shodes Panoramic glass surroof - dual panel with tilt and slide front panel and power sunblind Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boot/voilgote Smart Boot (hands-free opening) Vision & sjott Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Heated	- Active	• • • • • • • • • • • • • • • • • • •
Windows/shades Panoramic glass sunroof - dual panel with tilt and slide front panel and power sunblind Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boot/roligate Smart Boot (hands-free opening) Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirror Heated Power adjustable Power folding with auto fold function	Active	• • • • • • • • • • • • • • • • • • •
Windows/shades Panoramic glass sunroof - dual panel with tilt and slide front panel and power sunblind Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boot/voligate Smart Boot (hands-free opening) Vision & Ight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster /driving displays Instrument cluster - 35" ITFL CD with trip computer & digital speedometer	- Active	• • • • • • • Premium • •
Windows/shodes Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boot/troilgote Smart Boot (hands-free opening) Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirror Heated Power adjustable Power folding with auto fold function Instrument cluster - 4.2" FIF Colour LCD with trip computer & digital speedometer Supervision Laster - 4.2" FIF Colour LCD with trip computer & digital speedometer	Active	Premium
Windows/shodes Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boot/raligate Smart Boot (hands-free opening) Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster - 3.5° TFT LCD with trip computer & digital speedometer Supervision Lister - 4.2° TFT colour LCD with trip computer & digital speedometer Ventilation & heating Air conditioning	Active  Active	Premium      Premium
Windows/shodes Panoramic glass surroof - dual panel with tilt and slide front panel and power sunblind Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boot/vidigote Smart Boot (hands-free opening) Vision & sjolt Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster - 4.2" FT colour LCD with trip computer & digital speedometer Supervision cluster - 4.2" FT colour LCD with trip computer & digital speedometer Ventilation & heating Air conditioning	Active	Premium  Premium  Premium  Premium  Premium  Premium
Windows/shodes Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boot/tridigate Smart Boot (hands-free opening) Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster - 4.2° TFT colour LCD with trip computer & digital speedometer Supervision cluster - 4.2° TFT colour LCD with trip computer & digital speedometer Ventication & heating Air conditioning Cilimate control - dual zone with auto defog function Cabin air filter Caoling/heating vents - rear centre console	Active  Active	Premium     Premium   Premium  Premium
Windows/shodes Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boot/toiligote Smart Boot (hands-free opening) Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster/driving disploys Instrument cluster-3-5" TEI CD with trip computer & digital speedometer Supenvision cluster - 4.2" FTF colour LCD with trip computer & digital speedometer Ventilation & heating Air conditioning Climate control - dual zone with auto defog function Cabin air filter Cooling/heating ducts - rear centre console Cooling/heating ducts - rear centre console	Active	Premium  Premium  Premium  Premium  Premium  Premium  Premium
Windows/shodes Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boo/tviligote Smart Boot (hands-free opening) Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster/driving displays Instrument cluster-driving displays Instrument cluster-driving displays Supenvision cluster - 4.2" FT colour LCD with trip computer & digital speedometer Supenvision cluster - 4.2" FT colour LCD with trip computer & digital speedometer Cabling/heating year. Air conditioning Climate control - dual zone with auto defog function Cabin air filter Cooling/heating ducts - rear centre console Cooling/heating ducts - rear floor Front seets Air ventilated front seats	Active	Premium  Premium  Premium  Premium  Premium
Windows/shodes Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boot/raligde Smart Boot (hands-free opening) Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster -3.5" FIF LCD with trip computer & digital speedometer Ventilation & heating Air conditioning Climate control - dual zone with auto defog function Cabin air filter Cooling/heating vents - rear centre console Cooling/heating dusts - rear floor Front seeds Air ventilated front seets Air ventilated front seets	Active	Premium  Premium  Premium  Premium  Premium
Windows/shodes Power windows - front & rear Cone touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boot/raligate Smart Boot (hands-free opening) Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster - 4.2° TF Toolour LCD with trip computer & digital speedometer Ventilation & heating Air conditioning Climate control - dual zone with auto defog function Cabin air filter Cooling/heating wents - rear centre console Cooling/heating wents - rear centre console Cooling/heating wents - rear floor Front seeds Air ventilated front seats Heated Forent seats Other feotures Heated front seats	Active	Premium  Premium  Premium  Premium  Premium  Premium  Premium
Windows/shodes Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boot/tridigate Smart Boot (hands-free opening) Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster - 4.2° TFT colour LCD with trip computer & digital speedometer Supervision cluster - 4.2° TFT colour LCD with trip computer & digital speedometer Ventilation & heating Air conditioning Cilimate control - dual zone with auto defog function Cabin air filter Cooling/heating vents - rear centre console Cooling/heating ducts - rear floor Front seats Air ventilated front seats Heated front seats	Active	Premium
Windows/shodes Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boot/tridigate Smart Boot (hands-free opening) Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster - 4.2° TF colour LCD with trip computer & digital speedometer Supervision cluster - 4.2° TF colour LCD with trip computer & digital speedometer Ventication & heating Air conditioning Climate control - dual zone with auto defog function Cabin air filter Cooling/heating vents - rear centre console Cooling/heating ducts - rear floor Front seats Air ventilated front seats Heated front seats Heated rear windshield Exterior styling Front grille - horizontal strips	Active	Premium  Premium  Premium  Premium  Premium  Premium  Premium  Premium
Windows/shodes Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boot/ruilgrte Smart Boot (hands-free opening) Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster/cfriring disploys Instrument cluster - 3.5" TFT LCD with trip computer & digital speedometer Supervision cluster - 4.2" TFT colour LCD with trip computer & digital speedometer Ventiction & heeding Air conditions Cabin air filter Cooling/heating ducts - rear centre console Cooling/heating ducts - rear floor Front seats Heated front seats Other features Heated front seats Heated front seats Other features Heated front seats Other features Front grille - horizontal strips Front grille - dark chrome mesh	Active  Active  Active  Active  Active	Premium  Premium  Premium  Premium  Premium  Premium  Premium  Premium
Windows/shodes Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boot/tridigate Smart Boot (hands-free opening) Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster - 4.2° TF colour LCD with trip computer & digital speedometer Supervision cluster - 4.2° TF colour LCD with trip computer & digital speedometer Ventication & heating Air conditioning Climate control - dual zone with auto defog function Cabin air filter Cooling/heating vents - rear centre console Cooling/heating ducts - rear floor Front seats Air ventilated front seats Heated front seats Heated rear windshield Exterior styling Front grille - horizontal strips	Active  Active  Active  Active  Active  Active	Premium  Premium  Premium  Premium  Premium  Premium  Premium  Premium
Windows/shodes Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boot/raligdee Smart Boot (hands-free opening) Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster -3.5" TFT LCD with trip computer & digital speedometer Supervision cluster - 4.2" TFT colour LCD with trip computer & digital speedometer Ventilation & heating Air conditioning Climate control - dual zone with auto defog function Cabin air filter Cooling/heating vents - rear centre console Cooling/heating dusts - rear floor Front seats Air ventilated front seats Heated front seats Other features Heated Forth seats Other features Front grille - dark chrome mesh Front grille - dark chrome mesh Front grille surround - chrome Front grille is unround - dark chrome Front grille is unround - chrome Front grille surround - chark chrome	Active  Active  Active  Active  Active	Premium
Windows/shodes Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boot/toiligote Smart Boot (hands-free opening) Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster/driving displays Instrument cluster-driving displays Instrument cluster-driving displays Ventilation & heating Air conditioning Climate control - dual zone with auto defog function Cabin air filter Cooling/heating years - rear centre console Cooling/heating ducts - rear floor Front seats Heated front seats Under Grant School Cooling-Front seats Heated front seats Heated front seats Heated rear windshield Exterior syling Front Front grille - winder-driven mesh Front grille surround - dark chrome Front grille surround - dark chrome Front grille surround - dark chrome Front grille inserts - chrome	Active  Active  Active  Active  Active  Active	Premium
Windows/shodes Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (nanual type) Doors/boot/toiligote Smart Boot (hands-free opening) Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster/driving displays Instrument cluster-driving displays Instrument cluster-driving displays Ventilation & Heating Air conditioning Climate control - dual zone with auto defog function Cabin air filter Cooling/heating vents - rear centre console Cooling/heating vents - rear centre console Cooling/heating ducts - rear floor Front seets Heated front seats Heated front sea	Active	Premium
Windows/shodes Power windows - front & rear Gne touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boot/raligite Smart Boot (hands- free opening) Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster - 3.5° TFT LCD with trip computer & digital speedometer Supervision Loster - 4.2° TFT Colour LCD with trip computer & digital speedometer Ventilation & heating Air conditioning Climate control - dual zone with auto defog function Cabin air filter Cooling/heating ducts - rear centre console Cooling/heating ducts - rear floor Front seats Air ventilated front seats Heated front seats Other Features Front grille - horizontal strips Front grille - dark chrome mesh Front grille surround - dark chrome Front grille surround - between the seating heater of the seating heater - chrome Front grille surround - dark chrome Front grille surround - between the seating heater - chrome Front grille surround - between the seating heater - chrome Front grille surround - between the seating heater - chrome Front grille surround - between the seating heater - chrome Front grille surround - between the seating heater - chrome Front grille surround - between the seating heater - chrome Front grille surround - between the seating heater - chrome Front grille surround - between the seating heater - chrome Front grille surround - between the seating heater - chrome Front grille surround - between the seating heater - chrome Front grille surround - between the seating heater - chrome Front grille surround - between the seating heater - chrome Front grille surround - between the surr	Active  Active  Active  Active  Active  Active	Premium
Windows/shodes Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boot/viligitee Smart Boot (hands-free opening) Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster/driving displays Instrument cluster - 3.5 'TFT LCD with trip computer & digital speedometer Ventilotion & heating Air conditioning Climate control - dual zone with auto defog function Cabin air filter Cooling/heating ducts - rear centre console Cooling/heating ducts - rear floor Front seats Air ventilated front seats Other features Heated Front seats Other features Front grille - horizontal strips Front grille - dark chrome mesh Front grille - dark chrome mesh Front grille - dark chrome mesh Front grille is users - charce Door frame & beltline moulding - stafic chrome Exterior door handles - chore	Active	Premium  Pre
Windows/shodes Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boot/roligidee Smart Boot (hands-free opening) Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirror  Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster - 3.5" FIF LCD with trip computer & digital speedometer Supervision cluster - 4.2" TFF colour LCD with trip computer & digital speedometer Ventiation & heating Air conditioning Climate control - dual zone with auto defog function Cabin air filter Cooling/heating vents - rear centre console Cooling/heating ducts - rear floor Front sects Air ventilated front seats Other features Heated front seats Other features Heated front seats Other features Heated rear windsheld Exterior styling Front grille - dark chrome mesh Front grille - bark chrome mesh Front grille surround - dark chrome Mirror caps - black Waistline moulding - dark chrome Mirror caps - black Waistline moulding - dark chrome	Active	• • • • • • • • • • • • • • • • • • •
Windows/shodes Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boot/tridigide Smart Boot (hands-free opening) Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster - 3.5" FIF LCD with trip computer & digital speedometer Supervision cluster - 4.2" TET colour LCD with trip computer & digital speedometer Venitation & heating Air conditioning Climate control - dual zone with auto defog function Cabin air filter Cooling/heating wents - rear centre console Cooling/heating dusts - rear floor Front sects Air ventilated front seats Heated front seats Other features Other features Other features Front grille - dark chrome mesh Front grille - with conditions - dark chrome Front grille surround - chrome Front grille surround - dark chrome Front grille surround - dark chrome Front grille surround - dark chrome Front grille surround - chrome Front grille surround - dark chrome Mirror caps - black Wastiline moulding - dark chrome Exterior door handles - dark chrome Mirror caps - black Wastiline moulding - dark chrome Reor	Active	• • • • • • • • • • • • • • • • • • •
Windows/shodes Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtain feature - front passenger's wind Rear door mirrors  Heated Power adjustable Power folding with auto fold function Instrument cluster - day front feature - front passenger Instrument cluster - 3.5" ET LC ow with trip computer & digital speedometer  Supervision cluster - 4.2" FT colour LCD with trip computer & digital speedometer  Ventication & heating Air conditions  Cilimate control - dual zone with auto defog function Cabin air filter  Cooling/heating ducts - rear centre console Cooling/heating ducts - rear floor  Front seats  Heated front seats  Unter features  Heated front seats  Heated front seats  Unter features  Heated front seats  Deter features  Heated ront seats  Other features  Heated ront seats  Deter front grille - horizontal strips  Front grille - dark chrome mesh Front grille surround - dark chrome  Front grille surround - dark chrome  Front grille inserts - chrome  Exterior door handles - chrome  Exterior door handles - dark chrome  Mirror caps - black  Wastline moulding - dark chrome  Mirror caps - black  Wastline moulding - dark chrome  Interior Styling	Active  Active	Premium
Windows/shodes Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boot/tridigite Smart Boot (hands-free opening) Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument Custer/driving disploys Instrument Custer/driving disploys Instrument Custer-2-2-1 (LC with trip computer & digital speedometer Supervision displays Air conditions Climate control - dual zone with auto defog function Cabin air filter Cooling/heating ducts - rear floor Front seats Heated rear windshield Exterior-Styling Front grille - horizontal strips Front grille - horizontal strips Front grille - windown displays Front grille - windown displays Exterior door handles - chrome Front grille inserts - chrome Exterior door handles - chrome Back headlining Treotments	Active	Premium
Windows/shodes Power windows - front 8 rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boot/voiligate Smart Boot (hands-free opening) Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster/driving disploys Instrument cluster - 4.2° TFF Coolur LCD with trip computer & digital speedometer Ventilation & heating Air conditioning Climate control - dual zone with auto defog function Cabin air filter Cooling/heating vents - rear centre console Cocoling/heating ducts - rear floor Front seets Air ventilated front seats Other features Heated front seats Other features Front grille - horizontal strips Front grille - dark chrome mesh Front grille surround - dark chrome Exterior door handles - dark chrome Exterior Goor handles - dark chrome Exterior door handles - dark chrome E	Active  Active  Active  Active  Active  Active  Active	Premium
Windows/shodes Panoramic glass sunroof - dual panel with tilt and slide front panel and power sunblind Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boof/toiligote Smart Boot (hands-free opening) Wision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster/driving disploys Instrument cluster-driving disploys Instrument cl	Active	Premium
Windows/shodes Panoramic glass sunroof - dual panel with tilt and slide front panel and power sunblind Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boofVoiligote Smart Boot (hands-free opening) Wision & slight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power adjustable Power adjustable Power digital with auto fold function Instrument cluster/driving displays Instrument cluster-42" FTF colour LCD with trip computer & digital speedometer Supenvision cluster - 4.2" FTF colour LCD with trip computer & digital speedometer Ventilation & Heating Air conditioning Climate control - dual zone with auto defog function Cabin air filter Cooling/heating ducts - rear centre console Cooling/heating ducts - rear floor Front sects Air ventilated front seats Heated front seats Heated front seats Unter features Heated rear windshield Exterior skyling Front Front grille - horizontal strips Front grille - horizontal strips Front grille is pround - dark chrome Front grille is pround - dark chrome Front grille is pround - dark chrome Front grille is merulund - dark chrome Exterior door handles - chrome Mirror caps - black Walstline moulding - stain chrome Exterior door handles - chrome Exterior door handles - chrome Mirror caps - black Walstline moulding - stain chrome Exterior door handles - chrome Mirror caps - black Maloy effect insien (door handles) Alloy ef	Active	Premium
Windows/shodes Panoramic glass sunroof - dual panel with tilt and slide front panel and power sunblind Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boot/viligitee Smart Boot (hands-free opening) Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster - 3.7 'IFT LCD with trip computer & digital speedometer Supervision cluster - 4.2 'TFT colour LCD with trip computer & digital speedometer Ventilation & heating Air conditioning Climate control - dual zone with auto defog function Cabin air filter Cooling/heating ducts - rear centre console Cooling/heating ducts - rear floor Front seots Air ventilated front seats Heated fear windshield Exterior of syling Front grille - horizontal strips Front grille - surround - dark chrome Front grille surround - chrome Front grille surround - chrome Front grille is urround - dark chrome Front grille is urround - dark chrome Front grille is urround - dark chrome Exterior door handles - dark chrome Exterior door handles - chrome Exterior door handles - dark chrome Exterior for the seats - dark chrome Exterior for handles - chrome Exterior door handles - chrome	Active	Premium
Windows/shodes Panoramic glass sunroof - dual panel with tilt and slide front panel and power sunblind Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window One touch window up & down function with anti-pinching safety feature - front passenger's wind Rear door curtains (manual type) Doors/boofVoiligote Smart Boot (hands-free opening) Wision & slight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power adjustable Power adjustable Power digital with auto fold function Instrument cluster/driving displays Instrument cluster-42" FTF colour LCD with trip computer & digital speedometer Supenvision cluster - 4.2" FTF colour LCD with trip computer & digital speedometer Ventilation & Heating Air conditioning Climate control - dual zone with auto defog function Cabin air filter Cooling/heating ducts - rear centre console Cooling/heating ducts - rear floor Front sects Air ventilated front seats Heated front seats Heated front seats Unter features Heated rear windshield Exterior skyling Front Front grille - horizontal strips Front grille - horizontal strips Front grille is pround - dark chrome Front grille is pround - dark chrome Front grille is pround - dark chrome Front grille is merulund - dark chrome Exterior door handles - chrome Mirror caps - black Walstline moulding - stain chrome Exterior door handles - chrome Exterior door handles - chrome Mirror caps - black Walstline moulding - stain chrome Exterior door handles - chrome Mirror caps - black Maloy effect insien (door handles) Alloy ef	Active	Premium

Lighting	Active	Premium
Exterior lighting - front	Activo	Tromani
Daytime Running Lights (DRL) - LED	•	•
Headlight functions - automatic dusk sensing with escort and welcome	•	•
Headlight type - LED (low/high beam)		•
Headlight type - projector beam	•	-
Positioning lights - LED	•	•
Exterior lighting - rear		·
High mount stop light (HMSL) - LED	•	•
Rear combination lights - LED (bulb indicator and reverse lights)		•
Exterior lighting - others		
Courtesy lights - LED, in front door handles	•	•
Puddle lights - LED, in side mirrors	-	•
Safety reflectors - integrated in bumper (rear)	•	•
Side repeaters - LED, integrated into side mirrors	•	•
Interior lighting - front		
Ambient lighting - centre console	•	•
Front room lights and map lights	•	-
Front room lights and map lights - LED	-	•
Glovebox compartment light	•	•
Vanity mirror lights	•	•
Interior lighting - rear		
Centre room light	•	=
Rear room lights and map lights (outboard) - LED	=	•
Interior lighting - others		
Cargo area light	•	•
Interior light fade-out delay	•	•
Safety lights - integrated in doors (front)	•	•
Storage Solutions	Active	Premium
Front seats		
Centre console - deluxe type	-	•
Cup holders - centre console	•	•
Front seat back pockets	•	•
Glovebox compartment	•	•
Retractable sunglasses compartment	•	•
Ticket holders - sunvisors (driver and front passenger)	•	•
Rear seats		
Coat hooks - 3x	•	-
Coat hooks - 4x	-	•
Cup holders - armrest	•	•
Rear seating split folding - 60:40	•	•
Others		
Doors - map pockets and bottle bulges (front and rear)	•	•

- Doors map pockets and bottle buiges (tront and rear)
  Notes:

  1. Finishes specified as leather may contain elements of genuine leather, polyurethane leather (leather substitute) or man-made materials, or a combination thereof.

  2. Feature only available when fitted with optional panoramic glass sunroof.

  3. Feature not available when fitted with optional panoramic glass sunroof.

  4. Apple CarPlay requires iPhone 5 or subsequent model (lightning cable) in order to operate.

  5. Android Auto requires a device with Android 5.0 operating system or subsequent version in order to operate.

  6. Wireless charging requires a Qi-enabled smartphone or adapter in order to operate.

- Key:

   = Feature is available on trim

   = Feature is not available on trim