

HYUNDAI. NEW THINKING. NEW POSSIBILITIES.

At Hyundai, we understand that life is about continual change. Our progress as a company isn't measured by our actions in the past but by how we respond to our environment and listen to our customers.

Our focus today is on producing cars that embody quality, variety, innovation and individuality. Cars that are underpinned by 5-star quality in design, build, features, accessories and safety.

As a testament to our worldwide commitment to quality, Hyundai has become one of the world's fastest growing car companies. We believe there is a difference between a brand that makes cars and a brand that makes cars that make a difference. This is why we have adopted a new brand direction to demonstrate our commitment to the pursuit of new thinking, which in turn creates new possibilities for people and the planet. Our aim is to challenge and question the way things are done to create bigger new ideas and better quality solutions to enrich our customers' life experiences.

Only by re-imagining what tomorrow's world will bring, can we continue to evolve and meet your needs now and into the future. We invite you to join us on our journey.





BEHIND YOU ALL THE WAY.

The Veloster is backed by Australia's First 5 Year Unlimited Kilometre Warranty and up to seven years Roadside Assist*. It's Hyundai's standard promise of excellence.

*Conditions apply. For full details visit www.hyundai.com.au







A FRESH TAKE ON URBAN COMMUTING



The all-new Hyundai Veloster is a car like no other. It combines the exciting styling cues and aggressive stance of a sports car with the space and everyday practicality of a hatch.

The Veloster offers a spirited performance and a fun driving experience that's made even more pleasurable through exceptional fuel economy and low emissions.

At the same time, its also been designed to meet the demands of today's modern world, and matches its impertinent good looks with the down-to-earth functionality that makes a hatch so practical.

That means there's room for all your stuff, as well as driving comfort for four occupants.

Just like your portable electronic devices, the Veloster is packed with all the technology you need to keep connected to the things that matter most. What's more, it's loaded with safety features that will also help to keep you connected to the road.

As exciting to drive as it is to look at, the Veloster is a fresh take on urban commuting.

Veloster + model shown in Blue Ocean.





With its confident and energetic design lines, unique 1+2 asymmetric door configuration and bold colour palette that extends through to alloys with painted inserts*, the Veloster brings to the street all the exhilaration, excitement and flair you'd expect from a futuristic concept car.

In developing the Veloster,
Hyundai has broken new
ground by thinking beyond the
limits of conventional coupés
to create an innovative vehicle
that combines sports car style
and dynamics with hatchback
practicality. Similarly, while
maintaining the classic twodoor look of a coupé, the
Veloster incorporates a hidden
third door on the passenger
side for safe and easy kerbside
access to the rear seats.

* Available on **Veloster** -

1+2 door configuration

Setting it apart from the competition, the Veloster features one large door on the driver side and two doors on the passenger side.



Hidden door handle

To maintain the integrity of the Veloster's two-door coupé styling, the handle to the third door is hidden in the window frame.



Generous boot space

Even opening the Veloster's tailgate reveals a pleasant surprise. With 440 litres of luggage space, plus the versatility of 60:40 split folding rear seats, there's more than enough room to hold everything you need for a holiday.



Unconventional and highlyindividual, the Veloster reflects the spirit of a new generation that thinks differently and sets the trend for others to follow.

Muscular wheel arches combine with a low stance, hood detailing and character lines that continually ebb and flow, to create a sense of movement and balance. The coupé styling is further reinforced by wraparound headlights and taillights, as well as a dynamic rear design with centred chrome finished dual exhaust outlets and a black lower fascia that complements the assertive front grille.

A lively and bold colour palette including red, orange, yellow, green, blue, white, silver and black means you can choose a hue that suits you. Plus having 18" alloys with painted inserts*, adds even further distinction and personality.

Sculpted fluidic design language

Aerodynamic character lines inspired by Hyundai's "Fluidic Sculpture" design language, create a streamlined exterior that looks as though it's been carved by light rays.



Projection headlamps*

Veloster's wraparound headlamps project a bright, accurate beam focus onto the road ahead and are audaciously garnished with LEDs.



Chrome radiator grille

An aggressive interpretation of Hyundai's signature hexagonal front grille provides the Veloster with a confident, dynamic and daring face to the world.



Bonnet character lines

The aggressive hood, with its character lines and shallow bonnet cut outs, adds to the sporty look and distinguishes the Veloster from the competition.




Dual centre exhaust

Chrome finished and flush with the rear bumper, the dual centre exhaust outlets provide the perfect mix of style and performance.

*available on Veloster +








Designed for the digital age, the Veloster delivers as much fun to passengers as it does to the driver. The roomy and comfortable interior is inspired by the design elements of a high-performance motorbike, with the centre fascia shaped like a fuel tank and the air vents fashioned like exhaust pipes.

When you want to experience the thrill of driving with the top-down, one press of a button in the Veloster will open the full-length panoramic sunroof and let the world around you rush in. (Veloster + only)

INNER BEAUTY







Cup holder and storage space A cup holder and storage space located in the rear console provides a convenient place to hold drinks and other items.



Sunglass compartment
Located in the front centre
ceiling, the sunglass case can be
easily accessed by both driver
and front seat passenger.
(Veloster + only)



Alloy sports pedals
Distinctive alloy pedals
complement the sports flair in
the interior and enhance the
sports driving experience.

With the touch of a button, the full length two-piece panoramic sunroof transforms the comfortable cabin by

filling it with light and air.
(**Veloster +** only)

Front sports bucket seats
Bolstered sports comfort
bucket seats for the driver and
front passenger enhance the
coupé feel and provide high
levels of support to reduce
fatigue during long journeys.



Push button start and Proximity smart key

Starting the Veloster's engine is as simple as pushing the start button while the key is still in your pocket or bag.

(Veloster + only)

Steering wheel remote controls

Remote control switches on the steering wheel enable fingertip operation of the audio and Bluetooth® functions as well as the auto cruise control.

Auto air conditioning

Once you've set the desired temperature, the auto air conditioning system takes care of the rest, ensuring the interior climate remains constant and comfortable. (**Veloster +** only)

Premium sound system

The Premium audio system powered by an external amplifier and featuring 5 speakers, 2 tweeters and an 8-inch subwoofer turns the Veloster into a mobile sound lounge.

The Bluetooth® word mark and logos are owned by the Bluetooth SIG, Inc. and used by Hyundai under license. ^Bluetooth v2.0 supports Hands Free Profile (HFP) v1.5, Object Push Profile (OPP) v1.0, Advanced Audio Distribution Profile (A2DP) v1.0 and Audio/Video Remote Control Profile (AVRCP) v1.0.

RICH TECHNOLOGY AT YOUR COMMAND

Inside and out, the
Veloster is a showcase of
cutting-edge innovation.
Throughout, smart and
intuitive technologies
have been pushed to
the limits to make your
driving experience
safer, easier and more
enjoyable.

An impressive 7-inch multimedia touchscreen dominates the centre console and supports a range of advanced applications and systems that keep you connected, informed and entertained. Stream music, talk hands free[^] on your mobile or watch movies when you're parked. All with intuitive one-touch functionality.







The 6-speed double clutch transmission with steering-wheel-mounted paddle shifters, enables fast gear changes and features an electric motor-type clutch that provides fast and smooth automated gear changes and an uninterrupted transfer





Manual Transmission The 6-speed manual transmission is built with a key and ball-type synchromesh, and optimised gear teeth for enhanced precision and smoother shifting.



Tuned suspension

The Veloster has been designed to achieve outstanding weight efficiency, which in turn allows greater agility, performance and fuel efficiency.



Aerodynamics

The Veloster's low coupe profile enhances its aerodynamics, while its smooth contours provide lower fuel consumption with a Coefficient drag rating of 0.32.

Gamma 1.6 G	Di Petrol Engine	
Displacement	1,59	1 cc
Maximum Power	103 kW @	6300 RPM
Maximum Torque	166 Nm @ 4850 RPM	
	Manual	Auto
Fuel Consumption*	6.4	6.4
CO ₂ (g/100k)	153	151


^{*}Based on Australian Design Rule 81/02 static laboratory combined average city and highway cycle test for Veloster Gamma 1.6 GDi. Fuel consumption will

Out on the open road, the spirited performance of the Veloster's all-aluminium Gamma 1.6 litre engine makes for an invigorating drive.

Using a highly efficient and robust new engine is lightweight, quiet and vibration manual, or 6-speed double clutch transmission, this reduced fuel consumption and low emissions

been specifically tuned for **Australian road conditions** and features a range of engineering technologies that nimble handling.





At Hyundai, safety is one of our highest considerations and begins at the design stage of each vehicle. It influences our choice of superior materials in chassis construction (such as high tensile strength steel, produced using Australian iron ore) and continues through to exacting engineering practices.

The Veloster achieved the maximum 5-star ANCAP safety rating. It comes standard with numerous active and passive safety technologies and measures, which are designed to help the driver stay in control at all times, and reduce the possibility of injury should an accident occur.

Plus with features like a rear view camera that allows you to see what's behind you via the centre console's 7-inch LCD screen, and a rear park assist system that uses sensors to deliver an audible alert when the back of the car is getting too close to an object – the Veloster makes sure your driving remains as safe as the vehicle itself.





To provide further protection in a collision, both the dash cross member and side members, as well as the roof structure and pillars are made from reinforced sheet steel



Hillstart Assist Control (HAC)

Hillstart Assist Control minimises the Veloster from rolling backwards when starting from a complete stop on a steep ascent. (DCT only)

Traction Control System (TCS)

Working in tandem with ESC, the Traction Control System helps the driver prevent wheel spin under hard acceleration, when starting on a slippery surface or driving up a steep incline.

ABS with Electronic Brake-force Distribution

The four-wheel disc brakes with Anti-lock Braking System (ABS) are enhanced by Electronic Brake-force Distribution, which balances braking forces for each brake of the vehicle, depending on road conditions, speed and load.

Brake Assist System (BAS)


The Brake Assist System minimises the stopping distance in an emergency braking situation by applying the maximum braking force.

Vehicle Stability Management (VSM)

The VSM system uses state-of-the-art technology to help keep you in control of the vehicle by applying counter steering assistance when needed, guiding you to the correct steering position.


Electronic stability control (ESC)

Electronic stability control (ESC) improves the safety of a vehicle's stability by detecting and minimising skids. When ESC detects loss of steering control, it automatically applies the brakes to help "guide" the vehicle where the driver intends to go.





EXTERIOR COLOURS



INTERIOR TRIMS




Cloth + Leatherette*

Leather + Leatherette* option (**Veloster** + only)
*Finishes specified as leather and/or leatherette may contain elements of genuine leather, polyurethane leather (leather substitute) or man-made materials, or a combination thereof.

Black one tone (RY)

WHEELS



18-inch twin-spoke alloy wheels

18-inch alloy wheels with single colour inserts (Veloster + only)

ADD EXTRA CONVENIENCE AND A PERSONAL TOUCH.

While the Veloster offers a comprehensive range of quality inclusions, you can further enhance your driving pleasure and ownership pride by choosing from a wide range of Genuine Hyundai Accessories that reflect your personality and add extra ease and enjoyment to your lifestyle pursuits.

Importantly, Genuine Hyundai Accessories are an astute way to help keep your new Veloster in original showroom condition and further enhance its already high levels of built-in occupant safety.

All Genuine Hyundai Accessories are covered by Hyundai's 5 Year/Unlimited Kilometre Accessories Warranty – an Australian first. Please refer to www.hyundai.com.au/Veloster for full details.

Velos	ter	
Genuine Hyundai Accessories	Veloster	Veloster +
Technology		
Auxiliary Cable	0	0
Interior		
Tailored Carpet Floor Mats (set of 4)	0	0
Dash Mat	0	0
Cargo Liner (rubber)*	0	0
Cargo Liner (fabric)*	0	0
Luggage Net	0	0
Fabric Rear Bumper Protector	0	0
Portable Cooler¹- 12 volt 15 Litre	0	0
Exterior		
Tinted Stylevisors - front pair only (set of 2)*	0	0
Front & Rear Mudflaps² (set of 2)*	0	0
Safety		
First Aid Kit (4 Pocket)	0	0
Front Park Assist Module ³	0	0
Front Park Assist Sensors (4 head) ³	0	0



Cargo Liner (Fabric)

- Contoured to fit your bo
 High quality material



Fabric rear bumper protector

- Sturdy
 Custom designed





Tailored Carpet floor Mats (set of 4)

- High-grade



Front & Rear Mudflaps-sold separately (set of 2)



Front Park Assist

- Automatic Activation
 Four sensor system

Only available for use with a retractable seatbeit.
 Please note that mudflaps cannot be fitted to vehicles with a full body kit or rear skirt. Full body kits or rear skirts cannot be fitted to vehicles with mudflaps.
 Park Assist is designed as a driver assist function only and should not be used as a substitute for skilled driving and safe parking practices.
 Accessory currently in final stages of development, please contact your dealer for confirmation on availability



Dash Mat

- UV-Stabilised




Tinted Stylevisors (set of 2)

- Slimline UV Resistant







Hyundai **Veloster +** model shown in Vitamin C is accessorised with Genuine Hyundai tinted Stylevisors – front pair only (set of 2) and Front Park Assist (4 head).

B HYUNDRI VELOSTER

MacPherson Strut	99 Manual 6.4 8.4 5.3 153	Length Width Height Wheelbase Wheelbase Wheeltrack - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Leg room front / rear Shoulder room front / rear Hip room front / rear Cargo area (SAE/VDA) Weight Kerb / GVM Manual DCT Fuel Consumption* Extra Combined Urban Extra Combined g/km) Extra Col (Combined g/km)
AscPherson Strut MacPherson Strut piled Torsion Beam Axie according to the frake Assist System accor	999 Manual 64 84 87	Length Midth Height Height Height Wheelbase Wheelbase Wheel track – front / rear Whathour front / rear Had room front / rear Leag room front / rear Head room front / rear Head room front / rear Head room front / rear Journal SAE/VDA) Weight Valual Loan Loan Loan Loan Loan Loan Loan Loa
MacPherson Strut pled Torsion Be am Axle pled Torsion Be am Axle pled Torsion Be am Axle t circuit, power assisted with Electronic stribution and Brake Assist System ensor Anti-skid braking system (ABS) 80 mm ventilated disc 80 mm solid disc 262 mm solid disc 262 mm solid disc 1790 mm 1190 mm 1195 mm 1195 mm 1114 mm / 805 mm 11114 mm / 805 mm 11114 mm / 1377 mm 1371 mm	999 Manual 1 1 1 64 64 64 65 65 65 65 65 65 65 65 65 65 65 65 65	ength leight leight Mheelbase Wheelbase Wheel track – front / rear Whinimum ground clearance based on kerb weight) Interior lead room front / rear lead room front / rear leag room front / rear lip room front / rear argo area (SAE/VDA) Matint Watint Valual DCT Crel Consumption* Combined Libran
MacPherson Strut MacPherson Strut pled Torsjon Beam Axle tricruit, power assisted with Electronic stribution and Brake Assist System ansor Anti-skid braking system (ABS) 80 mm ventilated disc 262 mm solid disc 262 mm solid disc 4220 mm 1790 mm 1790 mm 1399 mm 1399 mm 13570 mm 13570 mm 1357 mm 10114 mm / 805 mm 1114 mm / 1371 mm 1351 mm / 1371 mm 1311 mm / 1371 mm 1412 mm / 1370 kg 180 - 1230 / 1700 kg 215 - 1265 / 1700 kg DCT 6.4 8 3	99 Manual 1 6.4 8.4	ength leight leight wheelbase Wheelbase Wheelbase Wheel track – front / rear Whinnum ground dearance based on kerb weight) merior lead room front / rear dear one front / rear dip room front / rear
MacPherson Strut MacPherson Strut piled Torsion Beam Axie t circuit, power assisted with Electronic stribution and Brake Assist System nsor Anti-skid braking system (ABS) 80 mm ventilated disc 262 mm solid disc 262 mm solid disc 262 mm solid disc 262 mm solid disc 1399 mm 1399 mm 1399 mm 1399 mm 11343 mm 1357 mm 11557mm / 1370 mm 11141 mm / 805 mm 1111 mm / 1371 mm 1331 mm / 1337 mm 13131 mm / 1337 mm 140 Litres / 320 Litres 180 - 1230 / 1700 kg 215 - 1265 / 1700 kg	999 Manual	Length Ideight
MacPherson Strut pled Torsjon Beam Axle pled Torsjon Beam Axle t circuit, power assisted with Electronic stribution and Brake Assist System ansor Anti-skid braking system (ABS) 80 mm ventilated disc 262 mm 1790 mm 1790 mm 1399 mm 1399 mm 1399 mm 16250 mm 1139 mm 1670 mm 1137 mm 1137 mm 1111 mm / 1377 mm 1351 mm / 1377 mm 1371 mm	99 1	ength leight leight leight Mheelbase Wheel track – front / rear Wheel track – front / rear Wheel track – front / rear lead room front / rear lead room front / rear lead room front / rear lip room front / rear
2.88 MacPherson Strut MacPherson Strut piled Torsjon Beam Axle piled Torsjon Beam Axle t circuit, power assisted with Electronic stribution and Brake Assist System nsor Anti-skid braking system (ABS) 80 mm ventilated disc 262 mm solid disc 262 mm solid disc 262 mm solid disc 1790 mm 1399 mm 1399 mm 1399 mm 1399 mm 1370 mm 1371 mm 1351 mm / 1371 mm 1311 mm / 1371 mm 1412 mm / 1371 mm	90	ength Midth leight leight leight Wheelbase Wheelbase Wheelbase Wheelbase Wheel track - front / rear Minimum ground dearance based on kerb weight) nterior lead room front / rear lip room front / rear
Z38 MacPherson Strut MacPherson Strut piled Torsjon Beam Axle piled Torsjon Beam Axle tt circuit, power assisted with Electronic stribution and Brake Assist System nsor Anti-skid braking system (ABS) 80 mm ventilated disc 262 mm solid disc 262 mm solid disc 262 mm solid mm 1399 mm 1399 mm 1399 mm 1399 mm 1357 mm 1114 mm / 805 mm 1114 mm / 805 mm 1114 mm / 1371 mm 1351 mm / 1337 mm 400 Litres / 320 Litres 180 – 1230 / 1700 kg 180 – 1230 / 1700 kg	90	ength leight leight wheelbase Wheelbase Wheelbase Wheel track – front / rear Whinnum ground dearance based on kerb weight) merior lead room front / rear lead room front / rear lead room front / rear dip room front / rear
288 MacPherson Strut pled Torsjon Beam Axle pled Torsjon Beam Axle pled Torsjon Beam Axle t circuit, power assisted with Electronic stribution and Brake Assist System ensor Anti-skid braking system (ABS) 80 mm ventilated disc 262 mm solid disc 262 mm solid disc 262 mm 1790 mm 1399 mm 2650 mm 1399 mm 2650 mm 1139 mm 2650 mm 1139 mm 2650 mm 1155/mm / 1570 mm 1157 mm 143 mm 155/mm / 1371 mm 131 mm 131 mm 132 mm / 337 mm 135 mm / 337 mm	999	Length Ideight
Z.88 MacPherson Strut pled Torsion Beam Axie t circuit, power assisted with Electronic tribution and Brake Assist System ansor Anti-skid braking system (ABS) 80 mm ventilated disc 262 mm solid disc 4220 mm 1790 mm 1399 mm 2650 mm 1399 mm 1790 mm 1139 mm 16557mm / 1570 mm 1137 mm 1111 mm / 485 / 896 mm 1311 mm / 1371 mm 1351 mm / 1371 mm 1351 mm / 1371 mm	99	ength leight leight leight Mheelbase Wheel track – front / rear Whinimum ground clearance based on kerb weight) niarior lead room front / rear lead room front / rear leig room front / rear lip room front / rear lip room front / rear lip room area (SAE/VDA) Maight Maight Midth
2.88 MacPherson Strut pled Torsjon Beam Axle pled Torsjon Beam Axle t circuit, power assisted with Electronic stribution and Brake Assist System ensor Anti-skid braking system (ABS) 80 mm ventilated disc 262 mm 1790 mm 1399 mm 2650 mm 1399 mm 1557mm / 1570 mm 113 mm 1111 4 mm / 805 mm 1412 mm / 1371 mm 1351 mm / 1371 mm 1351 mm / 1371 mm	99	Andth Midth Height Wheelbase Wheelbase Wheeldrack - front / rear Minimum ground dearance based on kerb weight) hatafor hatafor hatafor lead room front / rear lead room front / rear agro area (SAE/VDA)
Z388 MacPherson Strut MacPherson Strut It circuit, power assisted with Electronic stribution and Brake Assist System onsor Anti-skid braking system (ABS) 80 mm ventilated disc 262 mm solid disc 262 mm solid disc 262 mm solid mm 1790 mm 1790 mm 1890 mm 1399 mm 2650 mm 1399 mm 1399 mm 1399 mm 1397 mm 1114 mm / 805 mm	99	And the rear length len
2.88 MacPherson Strut MacPherson Strut pled Torsjon Beam Axle pled Torsjon Beam Axle t circuit, power assisted with Electronic stribution and Brake Assist System nsor Anti-skid braking system (ABS) 80 mm ventilated disc 262 mm solid disc 262 mm solid disc 262 mm 1790 mm 1790 mm 1399 mm 2650 mm 1399 mm 2650 mm 1399 mm 2650 mm 1139 mm 143 mm 1657mm / 1377 mm 1157mm / 1377 mm 1114 mm / 1387 mm	90	Length Midth Height Leight Wheelbase Wheelbase Wheel track - front / rear Minimum ground dearance based on kerb weight) Metior Head room front / rear Lead room front / rear
2.88 MacPherson Strut pled Torsion Beam Axie pled Torsion Beam Axie t circuit, power assisted with Electronic stribution and Brake Assist System ensor Anti-skid braking system (ABS) 80 mm ventilated disc 262 mm solid disc 262 mm solid disc 262 mm 1390 mm 1399 mm 1399 mm 1557mm / 1570 mm 1139 mm 1137 mm 1114 mm 11114 mm 905 mm	90	ength Midth Height Height Mheel track – front / rear Mheel track – front / rear Martior Martior Head room front / rear
2.88 MacPherson Strut pled Torsion Beam Axle pled Torsion Beam Axle t circuit, power assisted with Electronic tribution and Brake Assist System ansor Anti-skid braking system (ABS) 80 mm ventilated disc 262 mm 1790 mm 1399 mm 1399 mm 1657 mm 1857 mm / 1870 mm 113 mm 1645 / 896 mm	95	ength width leight leight Mheelbase Wheel track - front / rear Wheel track - front / rear based on kerb weight) ntarior ntarior head room front / rear
2.88 MacPherson Strut MacPherson Strut It circuit, power assisted with Electronic stribution and Brake Assist System ansor Anti-skid braking system (ABS) 80 mm ventilated disc 262 mm solid disc 262 mm 1790 mm 1790 mm 1790 mm 1857mm / 1570 mm 1857mm / 1570 mm	00	ength Midth leight leight Wheelbase Wheelbase Wheelbase Wheelbase on kerb weight) based on kerb weight) based on front / rear
2.88 MacPherson Strut MacPherson Strut piled Torsjon Beam Axle piled Torsjon Beam Axle t circuit, power assisted with Electronic stribution and Brake Assist System nsor Anti-skid braking system (ABS) 80 mm ventilated disc 262 mm solid disc 4220 mm 1790 mm 1399 mm 2650 mm 1399 mm 2650 mm		ength Midth leight Wheelblase Wheelblase Wheel track - front / rear Whinimum ground dearance based on kerb weight)
2.88 MacPherson Strut pled Torsjon Beam Axle pled Torsjon Beam Axle t circuit, power assisted with Electronic stribution and Brake Assist System ansor Anti-skid braking system (ABS) 80 mm ventilated disc 262 mm solid disc 262 mm 1790 mm 1399 mm 260 mm 270 mm 2850 mm		ength Midth leight leight Wheelbase Wheelbase Wheel track - front / rear Minimum ground dearance
2.88 MacPherson Strut pled Torsion Beam Axle pled Torsion Beam Axle t circuit, power assisted with Electronic stribution and Brake Assist System ansor Anti-skid braking system (ABS) 80 mm ventilated disc 262 mm solid disc 262 mm 1790 mm 1399 mm 2650 mm 1399 mm		track
2.88 MacPherson Strut pled Torsion Beam Axle pled Torsion Beam Axle t circuit, power assisted with Electronic tribution and Brake Assist System ansor Anti-skid braking system (ABS) 80 mm ventilated disc 262 mm solid disc 4220 mm 1790 mm 1790 mm 1399 mm 2650 mm		ength Width leight Wheelbase
Z.88 MacPherson Strut MacPherson Strut piled Torsjon Beam Axle t circuit, power assisted with Electronic stribution and Brake Assist System nsor Anti-skid braking system (ABS) 80 mm ventilated disc 262 mm solid disc 262 mm 1790 mm 1790 mm 1399 mm		ength Width Height
2.88 MacPherson Strut plied Torsion Beam Axie t circuit, power assisted with Electronic stribution and Brake Assist System and Brake Assist System 80 mm ventilated disc 262 mm solid disc 4220 mm 1790 mm		ength Width
2.88 MacPherson Strut pled Torsion Beam Axle pled Torsion Beam Axle t circuit, power assisted with Electronic stribution and Brake Assist System nsor Anti-skid braking system (ABS) 80 mm ventilated disc 262 mm solid disc		ength
2.88 MacPherson Strut pled Torsjon Beam Axle pled Torsion Beam Axle t circuit, power assisted with Electronic stribution and Brake Assist System ensor Anti-skid braking system (ABS) 80 mm ventilated disc 262 mm solid disc	ı	
2.88 MacPherson Strut MacPherson Strut pled Torsjon Beam Axle pled Torsion Beam Axle tricruit, power assisted with Electronic stribution and Brake Assist System gnsor Anti-skid braking system (ABS) 80 mm ventilated disc 262 mm solid disc		Exterior
2.88 MacPherson Strut MacPherson Strut pled Torsjon Beam Axle pled Torsion Beam Axle tt circuit, power assisted with Electronic stribution and Brake Assist System stribution and Brake Assist System nsor Anti-skid braking system (ABS) 80 mm vertilated disc 262 mm solid disc		Dimensions
2.88 MacPherson Strut MacPherson Beam Axle pled Torsion Beam Axle t circuit, power assisted with Electronic tribution and Brake Assist System stribution and Brake Assist System stronger Anti-skid braking system (ABS) 80 mm ventilated disc		Rear
2.88 MacPherson Strut pled Torsion Beam Axle t circuit, power assisted with Electronic stribution and Brake Assist System here Assist System	2	Front
2.88 MacPherson Strut pled Torsion Beam Axle tcircuit, power assisted with Electronic terbution and Back Acciet Suctors	A-channel / A se	ARS
2.88 MacPherson Strut pled Torsion Beam Axle	Dual-diagonal, spli Brakeforce Die	General
2.88 MacPherson Strut piled Torsion Beam Axle		Brakes
2.88 MarPherson Strut	Соп	Rear
2.88		Front
2.88		IUFNS IOCK TO IOCK
		Number of steering wheel
10.4m		diameter between kerbs / walls
		Vinimum turning circle
Driven Power Steering), Rack & Pinion Manual Tilt & Telescopic	MDPS (Motor Dr	Type
JI,		Steering
4.813 (1st, 2nd, Reverse)	4.267	Final
4.531	3.545	Reverse
0.743	0.727	6th
0.939	0.839	5th
0.943	1.036	4th
1.303	1.370	3rd
1.955	1.955	2nd
3615	3615	154
DCT	Manual	Gear ratio
6 Speed Double Clutch Transmission	6 Speed	Double Clutch Transmission
6 speed manual		Manual
		Transmission
//.U IIIII X 85.4 IIIIII		Compression ratio
Gasoline Direct Injection (GDI)	OSEG	Fuel System
166 Im @ 4850 RPM		Maximum torque
103 kW @ 6,300 RPM		Maximum power
16 Valve (MLA)		Valve system
4 in-line DOHC		Number of cylinders
1.6 litres (1,591 cc)		Cylinder capacity
Transverse front mounted driving front wheels	Transverse fr	Configuration

•	•	Steering wheel mounted audio and phone controls
•	•	streaming)
•	•	audio input with digital iPod® compatibility
•	•	Premium audio system featuring 4 speakers, 2 tweeters, centre speaker, and sub-woofer all powered by an external amplifier
•	•	7" LCD touchscreen with Divx MP3 CD player and AM/FM radio tuner
Veloster +	Veloster	Sound System
•		Push button start with proximity smart key
•	•	Keyless entry with burglar alarm
•	•	Impact sensing door unlock sustem
•	•	Hyundai Active Locking Operation (HALO) including speed sensing auto door locking, auto door unlock and inside door unlock function
•	•	Engine immobiliser
•	•	Central locking
Veloster +	Veloster	Security
•	•	2 child restraint anchors in rear
		Seating
•	•	Front seat belts with pretensioners and load limiters
		Seat belts
		Side impact intrusion bars in doors
•	•	Child safety door locks on rear door
		Body
•	•	
•	•	Driver and front passenger side (thorax) SRS airbags
•		Driver and front passenger SRS airbans
velosiei .	Acionici	Airhans
		Rear view camera (integrated into 7" LCD)
•	•	Rear park assist
•	•	Day / night rear view mirror
•	•	Escort light
•	•	Warning lights (seatbelt, door ajar, check engine)
•	•	Warning chime (seatbelt)
•	1	Projector beam headlamps
•	•	LED side repeater integrated into side mirrors
•	•	LED high mount stop lamp (HMSL)
	•	neadignib reveiling pevice (variual)
•	•	Laytime running lamps (UKL)
•	•	Automatic dusk sensing headlamps
		Features
		Control (ESC) & Traction Control System (TCS)
•	•	Hill-start Assist Control (HAC) (DCT only)
•	•	Anti-lock Braking System (ABS) with Electronic Brakeforce Distribution (EBD) & Brake Assist System (BAS)
Acionici .	Actions	Systems
Velocio:	Valorta:	lemporary steel wheel & lyre
•		18" x 7.5J alloy wheels (Colour Inserted) with 215/40 R18 tyres
1	•	18" x 7.5J alloy wheels with 215/40 R18 tyres

Trip computer with instant and average fuel consumption, distance to empty, trip listance, average speed & elapsed time readout Tupe Pressure Monitoring System Ambient temperature and digital clock display Electric fumbar support diriver's sate than the eight with manual recline Electric fumbar support diriver's sate to console Electric fumbar support diriver's sate the end recipied external mirrors Manual foding side mirrors Manual foding side mirrors Headed external mirrors Headed ex	•	•	lingana nat hook
nguler with instant and average fuel consumption, distance by the presence of the present of the	•	•	Ticket holder on front sunvisor (driver's side)
nguler with instant and average fuel consumption, distance lub, thip distance, average speed & elapsed time readout ressure Monitoring System I charer's seat base side, bit and height with manual recline Lumbar support (chiraer's side) Control with steering wheel mounted controls Y power outlets in centre console I folding side mirrors I folding side mirrors	•	•	Illuminated glove box compartment
mputer with instant and average fuel consumption, distance ty, trip distance, average speed & elapsed time readout the result of driver's seat base silide, tilt and height with manual recline control with steering wheel mounted controls Vi power outlets in centre console I folding side mirrors I folding side mirro	•	•	Front map pockets in door
mputer with instant and average fuel consumption, distance by the pressure Monitoring Sustem ressure Monitoring Sustem dinner's seat base side, tilt and height with manual redine Llumbar Support (driver's side) Llumbar Support (driver's side) Lledescopic (reach) adjust steering wheel mounted controls V power outlets in centre console I folding side mirrors I folding folding folding folding folding in conditioning I folding in cantile console box I folding folding in folding in folding in conditioning I folding in cantile console box I fol	•	•	Bottle holders on front doors
mputer with instant and average fuel consumption, distance by, tip distance, average speed & elapsed time readout tressure Monitoring Sustem It itemperature and digital clock display It climbar support (driver's side) Lumbar support (driver's side) Lewten all mirrors I folding side mirror with motorised sunblind I folding side mirror with LED side repeater I folding side mirror with LED side repeater I folding side mirror with LED side repeater I folding wheel and gear knob I folding wheel I	•		Sunglass holder
inputier with instant and average fuel consumption, distance ressure Monitoring System It lemperature and digitial clock display It lemperature and digitial clock display It lemperature and digitial clock display It lember support (driver's side) I control with steering wheel mounted controls IV power outlets in centre console I folding side mirrors I folding side mirror with timer) I for for for a feet band I feature I feat	•	•	2 rear cup holders
imputer with instant and average fuel consumption, distance ressure Monitoring System It temperature and digital clock display It leaces with steering wheel mounted controls It leaces with steering wheel mounted controls It leaces with steering wheel mounted controls It power outlets in centre console It folding side mirrors It folding side mirror with timer) It folding side mirror with LED side restraints It folding side mirror with LED side repeater It folding side mirror with LED side repeater It folding side mirror with cover It folding side mirror with cover It folding side mirror with cover It mitter seats It filter It folding side mirror with cover It mitter seats It filter It fil	•	•	Cup holders in centre console box
mputer with instant and average fuel consumption, distance ressure Monitoring System It temperature and digital clock display It elabors support (driver's side) Control with steering wheel mounted controls V power outlets in centre console I telescopic (reach) adjust steering wheel (Manual) I folding side mirrors I external mirror with shade band Galystable for act restraints I external mirror with LED side repeater I expliting I coloured bumper (piano black intake grille + chrome I coloured side mirror with LED side repeater I complaine I com	•	•	_
mputer with instant and average fuel consumption, distance ressure Monitoring System It temperature and digital clock display It elabors support (driver's seat base slide, tilt and height with manual recline I clumbar support (driver's side) I colding side mirrors I folding side mirrors I external mirror with shade band one-touch sate seats adjustable front active head restraints - e - e - e - e - e - e - e - e - e -	Veloster +	Veloster	Storage Solutions
mputer with instant and average fuel consumption, distance ressure Monitoring System It temperature and digital clock display It temperature and digital clock display Control with steering wheel mounted controls V power outlets in centre console I telescopic (reach) adjust steering wheel (Manual) I folding side mirrors Folding Fold	•	•	Cabin air filter
mputer with instant and average fuel consumption, distance ressure Monitoring System ressure Monitoring System It temperature and digital clock display I driver's seat base slide, tilt and height with manual recline Control with steering wheel mounted controls V power outlets in centre console I folding slde mirrors I folding slde mirror with timer) I for symbol for passenger slde power windows I for symbol for passenger slde power windows I feature I folding for mot active head restraints I folding slde mirror with LED slde repeater I folding slde mirror with LED slde repeater I folding slde mirror with LED slde repeater I folding slde mirror with dot matrix centre display I for serving wheel and gear knob I Leatherette* seats I folding slde mirror with cover I folding wheel and gear knob I Leatherette with dot matrix centre display I for driver & passenger I light fade-out delay I for driver & passenger I folding the delay I for driver & passenger I folding the delay I for driver & passenger I folding the delay I for driver & passenger I folding the delay I for driver & passenger I folding the delay I folding the display I folding the delay I folding t	•		Auto climate control air conditioning
mputer with instant and average fuel consumption, distance ressure Monitoring Sustem to temperature and digital clock display oriver's seat base slide, tilt and height with manual recline control with steering wheel mounted controls V power outlets in centre console I rioding side mirrors I rolding side mirrors I resternal mirrors I resternal mirrors I restenal mirrors I rest seats surroof with motorised sunblind glass with shade band rear glass (Heated with timer) ports bucket seats adjustable driver's seat adjustable front active head restraints adjustable rear head restraints adjustable rear head restraints adjustable rear head restraints one trear passenger side power windows one-touch auto up/down incorporating anti-pinching feature Miper (aero blade) Weloster veloster oloured bumper (piano black intake grille + chrome oloured side mirror with LED side repeater oloured side mirror with centre display - com lamp (non panoramic sunroof only) ns steering wheel and gear knob Veloster room lamp (non panoramic sunroof only) ns steering wheel and gear knob veloster oloured side mirror with cover oloured side mirror with seats oloured side mirror seats oloured side seats oloured side seats oloured side seats oloured side seats oloured	velostel .	Velosie	Manual air-ronditioning
mputer with instant and average fuel consumption, distance (su, trip lotstance, average speed & elapsed time readout ressure Monitoring Sustem Limbar support (driver's side) Control with steering wheel mounted controls V power outlets in centre console I folding side mirrors I folding side mirror with LED side repeater I folding side mirror with LED side repeater I folding wheel and gear knob I folding wheel and wheel wheel wheel wheel wheel wheel wheel wheel whee	Veloster +	Veloctor	Interior Ventilation
mputer with instant and average fuel consumption, distance ressure Monitoring Sustem temperature and digital clock display It temperature and digital clock display control with steering wheel mounted controls V power outlets in centre console I telescopic (reach) adjust steering wheel (Manual) I roiding side mirrors I folding side mirror	•	•	Map lamp for driver & passenger
mputer with instant and average fuel consumption, distance ressure Monitoring System ressure Monitoring System It temperature and digital clock display Control with steering wheel mounted controls Lumbar support (driver's side) Control with steering wheel mounted controls I folding side mirrors I folding side mirror with timer) poorts bucket seats adjustable front active head restraints adjustable front active head restraints adjustable front active head restraints adjustable rear head restraints adjustable rear head restraints adjustable rear head restraints adjustable front active head restraints adjustable rear head restraints adjustable front active head restraints adjustable rear head restraints adjustable rear head restraints adjustable front active head restraints adjustable rear head restraints adjustable front active head restraints adjustable rear head restraints • • Veloster rolloured bumper (piano black intake grille + chrome foliumed side mirror with LED side repeater • • Veloster rolloured side mirror with LED side repeater • • Veloster rolloured side mirror with LED side repeater • • Veloster rolloured side mirror with cover • • Veloster rolloured with integrated LED high mount stop lamp • • • • • • • • • • • • • • • • • • •	•	•	Interior light fade-out delay
mputer with instant and average fuel consumption, distance (ty, trip distance, average speed & elapsed time readout ressure Monitoring System It temperature and digital clock display It temperature and digital clock display Lumbar support (driver's side) Control with steering wheel mounted controls I folding side mirrors I texternal mirrors I external mirrors I conduct seats adjustable driver's seat adjustable front active head restraints adjustable front active head restraints adjustable front active head restraints adjustable front blade power windows none-touch auto up/down incorporating anti-pinching feature Mper (aero blade) Weloster olouared bumper (piano black intake grille + chrome olouared side mirror with LED side repeater fog lamps ppe rear combination lamps ppe rear combination lamps ppe rear combination lamps Leatherette* seats	•	•	Illuminated vanity mirrors with cover
mputer with instant and average fuel consumption, distance ressure Monitoring Sustem to temperature and digitial clock display It temperature and digitial clock display I troing Sustem control system of the scopic (reach) adjust steering wheel mounted controls I folding side mirrors I resternal mirror I restrict seats I resternal mirror I restrict seats I		•	unroof
mputer with instant and average fuel consumption, distance fug., trip distance, average speed & elapsed time readout ressure Monitoring Sustem temperature and digital clock display It temperature and digital clock display control with steering wheel mounted controls It doding side mirrors I folding side mirrors I folding side mirrors I resternal mirrors I external mirror I external m	Veloster +	Veloster	Interior Lighting
mputer with instant and average fuel consumption, distance (t.g., trip distance, average speed & elapsed time readout ressure Monitoring Sustem (temperature and digitial clock display control with steering Sustem (control with steering wheel mounted controls vp power outlets in centre console I troding side mirrors (reach) adjust steering wheel (Manual) • I tolding side mirrors control with staering wheel mounted controls vp power outlets in centre console I treatescopic (reach) adjust steering wheel (Manual) • I tolding side mirrors console sunvisors with vanity mirrors console sunvisors with vanity mirrors console with state band glass sunroof with motorised sunblind glass sunroof with motorised sunblind glass with shade band rear glass (Heated with timer) sports bucket seats • adjustable driver's seat adjustable front active head restraints and rear passenger side power windows • adjustable front active head restraints and rear passenger side power windows • adjustable front active head restraints one-touch auto up/down incorporating anti-pinching • adjustable front active head restraints • adjustable front active head restraints one-touch auto up/down incorporating anti-pinching • adjustable front active head restraints • ad	•	•	
mputer with instant and average fuel consumption, distance (ug., trip lotstance, average speed & elapsed time readout ressure Monitoring Sustem Limbar support (driver's seat base slide, tilt and height with manual recline	•	1	
mputer with instant and average fuel consumption, distance it, it in distance, average speed & elapsed time readout ressure Monitoring System **Cumbar Support (driver's side)** Control with steering wheel mounted controls **V power outlets in centre console** I folding side mirrors I folding side mirrors I folding side mirrors I folding side mirrors I folding side mirrors I folding side mirrors I folding side mirrors I folding side mirrors I folding side mirrors I folding side mirrors I folding side mirror with timer) - adjustable front active head restraints - adjustable front active head restraints adjustable front active head restraints - adjustable front active head restraint	•	•	Door scuff plates
mputer with instant and average fuel consumption, distance ty, trip distance, average speed & elapsed time readout ressure Monitoring System It temperature and digital clock display I driver's seat base slide, tilt and height with manual recline Lumbar support (driver's side) Control with steering wheel mounted controls V power outlets in centre console I folding side mirrors I folding side mirror with timer) poloured bumper (piano black intake grille + chrome roloured side mirror with LED side repeater folding) I folding side mirror with LED side repeater	•	1	Leather/Leatherette* seats
mputer with instant and average fuel consumption, distance full, trip distance, average speed & elapsed time readout ressure Monitoring Sustem to temperature and digital clock display control with steering wheel mounted controls control with steering wheel mounted controls tolding side mirrors console trolding side mirrors control with vanity mirrors exidence in control with steering wheel (Manual) end controls in cloding side mirrors console sunvisors with vanity mirrors exidence in console with shade band rear glass sunroof with motorised sunblind end casually stable front active head restraints adjustable driver's seat adjustable front active head restraints and rear passenger side power windows enone-touch auto up/down incorporating anti-prinching enable one-touch auto up/down incorporating anti-prinching enable one-touch auto up/down incorporating anti-prinching enable one one one of the prinching enable one of the prin	1	•	Cloth + Leatherette* seats
mputer with instant and average fuel consumption, distance (ty, trip distance, average speed & elapsed time readout ressure Monitoring Sustem: control with steering sustem: control with steering wheel mounted controls Lumbar support (driner's side) control with steering wheel mounted controls Py power outlets in centre console It reding side mirrors It folding side mirrors I external mirror I rear glass sunroof with motorised sunblind glass with shade band one-touch auto up/ down incorporating anti-pinching one-touch auto up/ down incorporating anti-pinching feature Miper (aero blade) Weloster Togling Joloured side mirror with LED side repeater ooloured with integrated LED high mount stop lamp Veloster Veloster	•	•	Alloy pedals
mputer with instant and average fuel consumption, distance full, trip distance, average speed & elapsed time readout ressure Monitoring System themperature and digital clock display control with steering wheel mounted controls control with steering wheel mounted controls control with steering wheel mounted controls to telescopic (reach) adjust steering wheel (Manual) to telescopic (reach) adjust steering wheel (Manual) to tolding side mirrors folding side mirror seat adjustable front active head restraints adjustable front active head restraints folding side mirror with LED side repeater folding) foldured side mirror with LED side repeater folding) foldured side mirror with LED side repeater folding with integrated LED high mount ston large.	Veloster +	Veloster	Interior Styling
mputer with instant and average fuel consumption, distance (ty, trip distance, average speed & elapsed time readout ressure Monitoring Sustem t temperature and digital clock display driver's seat base silde, tilt and height with manual recline control with steering wheel mounted controls control with steering wheel mounted controls control with steering wheel mounted controls t redescopic (reach) adjust steering wheel (Manual) e tolding side mirrors f rolding side mirrors f olding side mirrors f olding side mirrors e tolding side mirrors e tolding side mirrors e adjustable driver's seat adjustable front active head restraints e e e e e e e e e e e e e e e e e e e	•		Door spoiler with integrated LED high mount ston James
mputer with instant and average fuel consumption, distance fug, trip distance, average speed & elapsed time readout ressure Monitoring Sustem t temperature and digital clock display driver's seat base silde, tilt and height with manual recline clumbar support (driver's side) control with steering wheel mounted controls v power outlets in centre console 1 telescopic (reach) adjust steering wheel (Manual) 1 troiding side mirrors 2 folding side mirrors 2 folding side mirrors 3 lexternal mirrors 4 external mirrors 5 lexternal mirrors 6 lexternal mirrors 7 external mirrors 8 lexternal mirrors 8 lexternal mirrors 9 lexternal mirrors 9 lexternal mirrors 1 external mirrors 1 ex	•	•	Front rog lamps
mputer with instant and average fuel consumption, distance fug., trip distance, average speed & elapsed time readout ressure Monitoring Sustem t temperature and digital clock display driver's seat base silde, tilt and height with manual recline climbar support (driver's side) control with steering wheel mounted controls V power outlets in centre console I telescopic (reach) adjust steering wheel (Manual) sunvisors with vanity mirrors I tolding side mirrors f folding side mirrors f colding side mirrors f lexternal mirrors f external mirrors e external mirrors f external mirrors e external mirror	•	•	Body coloured side mirror with LED side repeater
mputer with instant and average fuel consumption, distance tig, trip distance, average speed & elapsed time readout ressure Monitoring Sustem t temperature and digital clock display	•	•	1
mputer with instant and average fuel consumption, distance it, tit pid istance, average speed & elapsed time readout ressure Monitoring System **Tersure Monitoring System **Tersure Monitoring System **Tersure Monitoring System **Terminal	vel obite!	Ve looke	limber (biano black intake grille +
mputer with instant and average fuel consumption, distance it, it, trip distance, average speed & elapsed time readout ressure Monitoring System **Tersure Monitoring wheel mounted controls **Tersure Monitoring wheel mounted with manual real mounted	•	Volenter.	Front Wiper (aero blade)
mputer with instant and average fuel consumption, distance it, thing distance, average speed & elapsed time readout ressure Monitoring System **Tersure Monitoring Wheel mounted controls **Tersure Monitoring Wheel Mo	•		safety feature
mputer with instant and average fuel consumption, distance it, trip distance, average speed & elapsed time readout ressure Monitoring System • Interperature Monitoring System • Interperature Monitoring System • Interperature and digital clock display I chiver's seat base slide, tilt and height with manual recline Control with steering wheel mounted controls I power outlets in centre console I telescopic (reach) adjust steering wheel (Manual) I telescopic with vanity mirrors I folding side mirrors I folding side mirrors I folding side mirrors I folding side mirrors I external mirrors I	•	•	Driver one-touch auto up/down incorporating anti-pinching
mputer with instant and average fuel consumption, distance ty, trip distance, average speed & elapsed time readout ressure Monitoring System 1 tremperature and digitial clock display 1 driver's seat base slide, tilt and height with manual recline 2 control with steering wheel mounted controls 1 power outlets in centre console 1 telescopic (reach) adjust steering wheel (Manual) 1 tolding side mirrors 1 folding side mirrors 1 folding side mirrors 1 folding side mirrors 1 resternal mirrors 1 external mirrors 2 external mirrors 3 external mirrors 4 external mirrors 5 external mirrors 6 external mirrors 1 external mirrors 1 external mirrors 1 external mirrors 2 external mirrors 3 external mirrors 4 external mirrors 5 external mirrors 6 external mirrors 8 external mirrors 9 external mirrors 1 external mirrors 2 external mirrors 3 external mirrors 4 external mirrors 5 external mirrors 6 external mirrors 8 external mirrors 9 external mirrors 1 external mirrors 1 external mirrors 1 external mirrors 1 external mirrors 2 external mirrors 3 external mirrors 4 external mirrors 5 external mirrors 6 external mirrors 8 external mirrors 9 external mirrors 1 external mirrors 1 external mirrors 1 external mirrors 2 external mirrors 3 external mirrors 4 external mirrors 5 external mirrors 6 external mirrors 8 external mirrors 9 external mirrors 1 external mirrors 2 external mirrors 3 external mirrors 4 external mirrors 6 external mirrors 9 external mirrors 1 external mirrors 9 external mirrors 1 external mirrors 2 external mirrors 9 external mirrors 1 external mirrors 9 external mirrors 1 external mirrors 1 external mirrors 1 external mirrors 1	•	•	Front and rear passenger side power windows
mputer with instant and average fuel consumption, distance tigt, trip distance, average speed & elapsed time readout ressure Monitoring Sustem tt temperature and digital clock display tt temperature and digital clock display control with steering by the manual recline tumbar support (driver's side) control with steering wheel mounted controls V power outlets in centre console tolding side mirrors folding side side side side side side side side	•	•	Height adjustable rear head restraints
mputer with instant and average fuel consumption, distance tig, trip distance, average speed & elapsed time readout ressure Monitoring Sustem tt temperature and digital clock display tt temperature and digital clock display control with steering wheel mounted controls v power outlets in centre console t telescopic (reach) adjust steering wheel (Manual) t redescopic (reach) adjust steering wheel (Manual) t redescopic reach) adjust steering wheel (Manual) t redescopic reach adjust steering wheel (Manual)	•	•	Height adjustable front active head restraints
mputer with instant and average fuel consumption, distance tigt, ir ip distance, average speed & elapsed time readout ressure Monitoring Sustem t temperature and digital clock display driver's seat base slide, tilt and height with manual recline climbar support (driver's slide) control with steering wheel mounted controls v power outlets in centre console l telescopic (reach) adjust steering wheel (Manual) l troding side mirrors c folding side mirrors folding side mirrors folding side mirrors rexternal mirrors lexternal mirrors folding side mirrors	•	•	Height adjustable driver's seat
mputer with instant and average fuel consumption, distance tig, trip distance, average speed & elapsed time readout ressure Montoring Sustem tt temperature and digital clock display tt temperature and digital clock display circles seat base slide, tilt and height with manual recline clumbar support (driver's slide) control with steering wheel mounted controls V power outlets in centre console 1 telescopic (reach) adjust steering wheel (Manual) sunvisors with vanity mirrors 1 trioding side mirrors c folding side mirrors - external mirrors	•	•	rear glass (Heated With
nt and average fuel consumption, distance werage speed & elapsed time readout g System od digital clock display eside, tilt and height with manual recline (driver's side) fing wheel mounted controls necentre console no tentre console no adjust steering wheel (Manual) ity mirrors fors -	•	•	glass with shade band
nt and average fuel consumption, distance werage speed & elapsed time readout 9 System 9 Syst	•		Panoramic glass sunroof with motorised sunblind
nd average fuel consumption, distance gge speed & elapsed time readout ystem gystel clock display ide, tilt and height with manual redine ver's side) wheel mounted controls antre console indijust steering wheel (Manual) mirrors mirrors mirrors	•	1	Heated external mirrors
nd average fuel consumption, distance gge speed & elapsed time readout ystem gytal clock display ide, tilt and height with manual recline ver's side) wheel mounted controls antre console djust steering wheel (Manual) mirrors •	•		Electric folding side mirrors
dut end in the control of the contro		•	Manual folding side mirrors
dut end	•	•	Front sunvisors with vanity mirrors
p computer with instant and average fuel consumption, distance empty, trip distance, average speed & elapsed time readout re Pressure Monitoring System nbient temperature and digital clock display actric driver's seat base slide, tilt and height with manual recline ectric lumbar support (driver's side) uise control with steering wheel mounted controls o 12V power outlets in centre console •	•	•	Tilt and telescopic (reach) adjust steering wheel (Manual)
p computer with instant and average fuel consumption, distance empty, trip distance, average speed & elapsed time readout re Pressure Monitoring System nibient temperature and digitial clock display actric driver's seat base slide, tilt and height with manual recline ectric lumbar support (driver's side) uise control with steering wheel mounted controls •	•	•	Two 12V power outlets in centre console
ip computer with instant and average fuel consumption, distance empty, trip distance, average speed & elapsed time readout re Pressure Monitoring System ne Pressure Monitoring System bibient temperature and digitial clock display ctric driver's seat base side, tilt and height with manual recline ctric lumbar support (driver's side)	•	•	Cruise control with steering wheel mounted controls
ip computer with instant and average fuel consumption, distance empty, trip distance, average speed & elapsed time readout re Pressure Monitoring System The Pressure Monitoring System The Pressure and digital clock display The Pressure Monitoring System The Pressure Monitoring System Syst	•	•	Electric lumbar support (driver's side)
p computer with instant and average fuel consumption, distance empty, trip distance, average speed & elapsed time readout re Pressure Monitoring System • Pressure Monitoring System	•		Allibert driver's seat base slide tilt and bejobt with manual recline
p computer with instant and average fuel consumption, distance empty, trip distance, average space 8 elapsed time readout	•		Ambient temporature and digital clock displan
p computer with instant and average fuel consumption, distance		,	Turo Descrizo Monitorina Suntom
	•	•	Trip computer with instant and average fuel consumption, distance

*Finishes specified as leather may contain elements of genuine leather, polyurethane leather (leather substitute) or man-made materials, or a combination thereof.

Bluetooth 2.0 supports Hands Free Profile (HPP) v.1.5, Object Push Profile (OPP) v1.0, Advanced Audio Distribution Profile (AZDP) v1.0 and Audio/Video Remote Control Profile (AVRCP) v1.0.

