Hyundai i30 Specifications (April 2017) Engine	20	ı GDi	1.6	5 CRDi	1.61	-gDi	
Engine Family	N	Nu		U-II	Gar	nma	
Configuration Cylinder capacity		ted driving front wheels (1,999 cc)	Transverse front mounted driving front wheels 1.6 litres (1,582 cc)		Transverse front mounted driving front wheels 1.6 litres (1,591 cc)		
Number of cylinders		a-line am (DOHC), Dual Continuously	4 in-line		4 in-line 16 Valve, Double Overhead Cam (DOHC), Dual Continuously		
Valve system Intake system	Variable Valve	Timing (D-CVVT) induction system	·	16 Valve, Double Overhead Cam (DOHC)		iming (D-CVVT)	
Maximum power		6,200 RPM	100 kW (Variable Geometry Turbocharger (VGT) 100 kW @ 4,000 RPM		Turbocharger 150 kW @ 6,000 RPM	
Maximum torque	203 Nm @	4,700 RPM	MT: 280 Nm @ 1,500 - 3,000 RPM DCT: 300 Nm @ 1,750 - 2,500 RPM CRDi (Common Rail Direct Injection)		265 Nm @ 1,500 - 4,500 RPM T-GDi (Turbo Gasoline Direct Injection)		
Fuel system		Direct Injection) E10 compatible					
Fuel type Emissions standard	Eu	ro 5	Diesel Euro 5		91 RON (ULP), E10 compatible Euro 5		
Bore x stroke Compression ratio		x 97.0 mm .5:1	77.2 mm x 84.5 mm 16.0:1		77.0 mm x 85.44 mm 9.5:1		
Transmission	2.0	GDi	1.6 CRDi 6 speed manual		1.6 T-GDi 6 speed manual		
Manual Automatic		d manual sequential manual mode	-		-		
Dual Clutch Transmission (DCT) Gear ratio	Manual	Automatic	7 speed DCT (dry clutch) v Manual	with sequential manual mode DCT	7 speed DCT (dry clutch) w Manual	th sequential manual mode DCT	
1st 2nd	3.308 1.962	4.440 2.726	3.636 1.962	3.786 2.261	3.308 1.962	3.643 2.174	
3rd	1.257	1.834	1.189	1.957	1.294	1.826	
4th 5th	0.976 0.778	1.392 1.000	0.844 0.702	1.023 0.778	0.976 0.778	1.024 0.809	
6th 7th	0.633	0.774	0.596	0.837 0.681	0.633	0.854 0.717	
Reverse	3.583	3.440	3.583	5.074	3.583	4.696	
Final	4.333	3.270	3.706	4.176 (1st, 2nd, 4th, 5th) 3.087 (3rd, 6th, 7th, Reverse)	4.467	4.467 (1st, 2nd, 4th, 5th) 3.611 (3rd, 6th, 7th, Reverse)	
Engine/transmission availability	2.0 Manual	GDi Automatic	1.6 Manual	6 CRDi DCT	1.6 T Manual	-GDi DCT	
Active	•	•	•	•		-	
Elite Premium	-	-	-	•	-	-	
SR	-	-	-	-	•	•	
SR Premium Steering	2.0	- I GDi		6 CRDi		-GDi	
Type Minimum turning circle diameter between kerbs / walls				ower Steering (C-MDPS), rack & pinic 0.6 m	on		
Number of steering wheel turns lock to lock) GDi		2.57 6 CRDi		-GDi	
Suspension Front	2.0		MacPh	erson strut			
Rear Brakes	2.0	Torsion b	peam axle 1.6	6 CRDi	-	i-link -GDi	
System		Dual-diagonal, split circu	it, power assisted with Electronic	Brakeforce Distribution (EBD) and E	Brake Assist System (BAS)		
Front brake type Front disc dimensions			x 23 mm		Ventilated disc 305 mm x 25 mm		
Rear brake type			d disc Standard handbra	ake: 262 mm x 10 mm		l disc e: 262 mm x 10 mm	
Rear disc dimensions		10 mm	Electronic Parking Bra	ke (EPB): 284 mm x 10 mm	Electronic Parking Brake	(EPB): 284 mm x 10 mm	
Weight	Manual	GDi Automatic	Manual	6 CRDi DCT	Manual	-GDi DCT	
Kerb weight - lightest Kerb weight - heaviest	1251 kg 1357 kg	1276 kg 1382 kg	1312 kg 1418 kg	1339 kg 1445 kg	1315 kg 1407 kg	1344 kg 1436 kg	
Gross Vehicle Mass (GVM)	1820 kg	1850 kg	1880 kg	1900 kg	1850 kg	1880 kg	
Towing capacity	Manual	Automatic	Manual	6 CRDi DCT	Manual	-GDi DCT	
Braked Unbraked	1300 kg 600 kg	1300 kg 600 kg	1300 kg 600 kg	1300 kg 600 kg	1300 kg 600 kg	1300 kg 600 kg	
Maximum towball weight	75 kg	75 kg	75 kg	75 kg	75 kg	75 kg '- GD i	
Fuel consumption*	Manual	Automatic	Manual	DCT	Manual	DCT	
Combined (L/100km) Urban (L/100km)	7.3 9.7	7.4 10.1	4.5 5.4	4.7 5.6	7.5 10.0	7.5 9.4	
Extra Urban (L/100km)	5.9	5.9	4.0	4.1	6.1	6.3	
,	5.9 170	5.9 173	119	4.1 124 50 L		6.3 175	
Extra Urban (L/100km) CO ₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined as	170 verage city and highway cycle test.	173	119	124 50 L	6.1 176	175	
Extra Urban (L/100km) CO ₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined avand weather conditions. ADR 81/02 test results are meant for comp	170 verage city and highway cycle test.	173	119	124 50 L	6.1 176	175	
Extra Urban (L/100km) CO ₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined avand weather conditions. ADR 81/02 test results are meant for comp	170 verage city and highway cycle test.	173 Real world fuel consumption will v	119 ary depending on a combination	124 50 L of driving habits, the condition of th Premium 4340 mm	6.1 176 e vehicle, and other factors such a	175 s road, traffic	
Extra Urban (L/100km) CO ₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined as and weather conditions. ADR 81/02 test results are meant for compositions Exterior Length Width	170 verage city and highway cycle test.	173 Real world fuel consumption will v	119 ary depending on a combination	124 50 L of driving habits, the condition of th Premium 4340 mm 1795 mm	6.1 176 e vehicle, and other factors such a	175 s road, traffic	
Extra Urban (L/100km) CO ₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined avand weather conditions. ADR 81/02 test results are meant for complimensions Exterior Length Width Height Wheelbase	170 verage city and highway cycle test.	173 Real world fuel consumption will v Active	119 ary depending on a combination Elite	124 50 L of driving habits, the condition of th Premium 4340 mm 1795 mm 1455 mm 2650 mm	6.1 176 e vehicle, and other factors such a SR	175 s road, traffic SR Premium	
Extra Urban (L/100km) CO ₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined as and weather conditions. ADR 81/02 test results are meant for compoint of the compoint of	170 verage city and highway cycle test.	173 Real world fuel consumption will v	119 ary depending on a combination Elite 1553 mn	124 50 L of driving habits, the condition of th Premium 4340 mm 1795 mm 1455 mm	6.1 176 e vehicle, and other factors such a SR 1549 mm	175 s road, traffic	
Extra Urban (L/100km) CO ₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined avand weather conditions. ADR 81/02 test results are meant for complimensions Exterior Length Width Height Wheelbase Wheel track - front / rear	170 verage city and highway cycle test.	173 Real world fuel consumption will v Active 1559 mm / 1568 mm	119 ary depending on a combination Elite 1553 mn	124 50 L of driving habits, the condition of th Premium 4340 mm 1795 mm 1455 mm 2650 mm	6.1 176 e vehicle, and other factors such a SR 1549 mm	175 s road, traffic SR Premium / 1563 mm	
Extra Urban (L/100km) CO ₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined as and weather conditions. ADR 81/02 test results are meant for complimensions Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Leg room front / rear	170 verage city and highway cycle test.	173 Real world fuel consumption will v Active 1559 mm / 1568 mm	119 ary depending on a combination Elite 1553 mn	124 50 L of driving habits, the condition of th Premium 4340 mm 1795 mm 1455 mm 2650 mm 1/1562 mm 994 / 977 mm 1073 / 883 mm	6.1 176 e vehicle, and other factors such a SR 1549 mm	175 s road, traffic SR Premium / 1563 mm	
Extra Urban (L/100km) CO ₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined as and weather conditions. ADR 81/02 test results are meant for compimensions Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Shoulder room front / rear Cargo area - VDA (minimum / maximum)	170 verage city and highway cycle test.	Active Active 1559 mm / 1568 mm 140 mm	119 ary depending on a combination Elite 1553 mn 14	124 50 L of driving habits, the condition of th Premium 4340 mm 1795 mm 1455 mm 2650 mm 10 mm 994 / 977 mm 1073 / 883 mm 1427 / 1406 mm 395 L / 1301 L	6.1 176 e vehicle, and other factors such a SR 1549 mm 140	175 s road, traffic SR Premium / 1563 mm mm	
Extra Urban (L/100km) CO ₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined avand weather conditions. ADR 81/02 test results are meant for complimensions Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Lead room front / rear Shoulder room front / rear	170 verage city and highway cycle test.	173 Real world fuel consumption will v Active 1559 mm / 1568 mm	119 ary depending on a combination Elite 1553 mn	124 50 L of driving habits, the condition of th Premium 4340 mm 1795 mm 1455 mm 2650 mm 1/1562 mm 10 mm 994 / 977 mm 1073 / 883 mm 1427 / 1406 mm	6.1 176 e vehicle, and other factors such a SR 1549 mm	175 s road, traffic SR Premium / 1563 mm	
Extra Urban (L/100km) CO ₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined as and weather conditions. ADR 81/02 test results are meant for complimensions Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Shoulder room front / rear Cargo area - VDA (minimum / maximum) Wheels & tyres Wheel type Wheel dimensions	170 verage city and highway cycle test.	Active Active Active Active Active Active Alloy 16 x 6.5J +48	ary depending on a combination Elite 1553 mn 14 Elite Alloy 17 x 7.0J +51	124 50 L of driving habits, the condition of th Premium 4340 mm 1795 mm 1455 mm 2650 mm 1/1562 mm 10 mm 994 / 977 mm 1073 / 883 mm 1427 / 1406 mm 395 L / 1301 L Premium Alloy 17 x 7.0J +51	6.1 176 e vehicle, and other factors such a SR 1549 mm 140 SR Alloy 18 x 7.5J +53	SR Premium SR Premium SR Premium Alloy 18 x 7.5J +53	
Extra Urban (L/100km) CO ₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined as and weather conditions. ADR 81/02 test results are meant for compimensions Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Leg room front / rear Shoulder room front / rear Cargo area - VDA (minimum / maximum) Wheels & tyres Wheel type Wheel dimensions Tyre dimensions Spare wheel type	170 verage city and highway cycle test.	Active Active 1559 mm / 1568 mm 140 mm Active Active Alloy 16 x 6.5J +48 205/55 R16 91H Full size alloy	ary depending on a combination Elite 1553 mn 14 Elite Alloy 17 x 7.0J +51 225/45R17 91W Full size alloy	124 50 L of driving habits, the condition of th Premium 4340 mm 1795 mm 1455 mm 2650 mm 1795 mm 1795 mm 1795 mm 1795 mm 1795 mm 1795 mm 1795 mm 1795 mm 1795 mm 1795 mm 1795 mm 1795 mm 1795 mm 1795 mm 1795 mm 1795 mm 1795 mm 1795 mm 1797 mm 1797 1797	6.1 176 e vehicle, and other factors such a SR 1549 mm 140 SR Alloy 18 x 7.5J +53 225/40R18 88V Temporary space saver	SR Premium / 1563 mm mm SR Premium Alloy 18 x 7.5J +53 225/40R18 88V Temporary space saver	
Extra Urban (L/100km) CO ₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined avand weather conditions. ADR 81/02 test results are meant for complimensions Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Lead room front / rear Shoulder room front / rear Cargo area - VDA (minimum / maximum) Wheels & tyres Wheel type Wheel dimensions Tyre dimensions	170 verage city and highway cycle test.	Active Active Active 1559 mm / 1568 mm 140 mm Active Alloy 16 x 6.5J +48 205/55 R16 91H	ary depending on a combination Elite 1553 mm 14 Elite Alloy 17 x 7.0J +51 225/45R17 91W	124 50 L of driving habits, the condition of th Premium 4340 mm 1795 mm 1455 mm 2650 mm 1/1562 mm 10 mm 1073 / 883 mm 1427 / 1406 mm 395 L / 1301 L Premium Alloy 17 x 7.0J +51 225/45R17 91W	6.1 176 e vehicle, and other factors such a SR 1549 mm 140 SR Alloy 18 x 7.5J +53 225/40R18 88V	SR Premium SR Premium Alloy 18 x 7.5J +53 225/40R18 88V	
Extra Urban (L/100km) CO ₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined as and weather conditions. ADR 81/02 test results are meant for complimensions Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Leg room front / rear Shoulder room front / rear Cargo area - VDA (minimum / maximum) Wheels & tyres Wheel type Wheel dimensions Tyre dimensions Spare wheel type Driving convenience Cruise control Electronic Parking Brake (EPB) (with auto hold function)	170 verage city and highway cycle test.	Active Active 1559 mm / 1568 mm 140 mm Active Alloy 16 x 6.5J +48 205/55 R16 91H Full size alloy Active Active Active Alloy 16 x 6.5J +48	ary depending on a combination Elite 1553 mn 14 Elite Alloy 17 x 7.0J +51 225/45R17 91W Full size alloy Elite •	124 50 L of driving habits, the condition of th Premium 4340 mm 1795 mm 1455 mm 2650 mm n/1562 mm 1073 / 883 mm 1427 / 1406 mm 395 L / 1301 L Premium Alloy 17 x 7.0J +51 225/45R17 91W Full size alloy Premium •	6.1 176 e vehicle, and other factors such a SR 1549 mm 140 SR Alloy 18 x 7.5J +53 225/40R18 88V Temporary space saver SR	SR Premium SR Premium / 1563 mm mm SR Premium Alloy 18 x 7.5J +53 225/40R18 88V Temporary space saver SR Premium SR Premium SR Premium •	
Extra Urban (L/100km) CO ₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined avand weather conditions. ADR 81/02 test results are meant for complimensions Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Leg room front / rear Shoulder room front / rear Cargo area - VDA (minimum / maximum) Wheels & tyres Wheel dimensions Tyre dimensions Spare wheel type Driving convenience Cruise control	170 verage city and highway cycle test.	Active Active 1559 mm / 1568 mm 140 mm Active Active Alloy 16 × 6.5J + 48 205/55 R16 91H Full size alloy Active Active	ary depending on a combination Elite 1553 mn 14 Elite Alloy 17 × 7.0J +51 225/45R17 91W Full size alloy Elite	124 50 L of driving habits, the condition of th Premium 4340 mm 1795 mm 1455 mm 2650 mm 10 mm 1073 / 883 mm 1427 / 1406 mm 395 L / 1301 L Premium Alloy 17 x 7.0J +51 225/45R17 91W Full size alloy Premium •	6.1 176 e vehicle, and other factors such a SR 1549 mm 140 SR Alloy 18 × 7.5J +53 225/40R18 88V Temporary space saver SR SR	SR Premium SR Premium / 1563 mm mm SR Premium Alloy 18 x 7.5 J +53 225/40R18 88V Temporary space saver SR Premium	
Extra Urban (L/100km) CO ₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined avand weather conditions. ADR 81/02 test results are meant for complimensions Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Leg room front / rear Shoulder room front / rear Cargo area - VDA (minimum / maximum) Wheels & tyres Wheel type Wheel dimensions Tyre dimensions Spare wheel type Driving convenience Cruise control Electronic Parking Brake (EPB) (with auto hold function) One touch turn signal - 3, 5, or 7 flashes	170 verage city and highway cycle test.	Active Active 1559 mm / 1568 mm 140 mm Active Alloy 16 x 6.5J +48 205/55 R16 91H Full size alloy Active	ary depending on a combination Elite 1553 mn 14 Elite Alloy 17 x 7.0J +51 225/45RJ 91W Full size alloy Elite • • • • • • •	124 50 L of driving habits, the condition of th Premium 4340 mm 1795 mm 1455 mm 2650 mm 1795 mm 1455 mm 2650 mm 1797 mm 1073 / 883 mm 1427 / 1406 mm 395 L / 1301 L Premium Alloy 17 x 7.0J +51 225/45R17 91W Full size alloy Premium • • • •	6.1 176 e vehicle, and other factors such a SR 1549 mm 140 SR Alloy 18 x 7.5J +53 225/40R18 88V Temporary space saver SR • (DCT only)	SR Premium SR Premium Alloy 18 x 7.5J +53 225/40R18 88V Temporary space saver SR Premium • • •	
Extra Urban (L/100km) CO ₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined as and weather conditions. ADR 81/02 test results are meant for complimensions Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Leg room front / rear Shoulder room front / rear Cargo area - VDA (minimum / maximum) Wheels & tyres Wheel type Wheel dimensions Tyre dimensions Spare wheel type Driving convenience Cruise control Electronic Parking Brake (EPB) (with auto hold function) One touch turn signal - 3, 5, or 7 flashes Rain sensing wipers Rear wiper - 2-stage, with auto wipe on reverse Smart Key with push button start Steering wheel mounted controls - audio, phone, cruise control, & to	erage city and highway cycle test.	173 Real world fuel consumption will v Active 1559 mm / 1568 mm 140 mm 140 mm Active Alloy 16 x 6.5J +48 205/55 R16 91H Full size alloy Active	ary depending on a combination Elite 1553 mn 14 Elite Alloy 17 x 7.0J +51 225/45R17 91W Full size alloy Elite • • • • • • • • • • • • • • • • • •	124 50 L of driving habits, the condition of th Premium 4340 mm 1795 mm 1455 mm 2650 mm 1795 mm 1073 / 883 mm 1073 / 883 mm 1427 / 1406 mm 395 L / 1301 L Premium Alloy 17 x 7.0J +51 225/45R17 91W Full size alloy Premium • • • • • • • • • • • • • • • • • •	6.1 176 e vehicle, and other factors such a SR 1549 mm 140 18 x 7.5J +53 225/40R18 88V Temporary space saver SR • (DCT only) • • • • •	SR Premium SR Premium Alloy 18 x 7.5J +53 225/40R18 88V Temporary space saver SR Premium • • • • • • • • • •	
Extra Urban (L/100km) CO ₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined avand weather conditions. ADR 81/02 test results are meant for compilmensions Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Leg room front / rear Shoulder room front / rear Cargo area - VDA (minimum / maximum) Wheels & tyres Wheel type Wheel dimensions Tyre dimensions Tyre dimensions Spare wheel type Driving convenience Cruise control Electronic Parking Brake (EPB) (with auto hold function) One touch turn signal - 3, 5, or 7 flashes Rain sensing wipers Rear wiper - 2-stage, with auto wipe on reverse Smart Key with push button start Steering wheel mounted controls - audio, phone, cruise control, & tr Tilt & telescopic steering column Driving engagement	erage city and highway cycle test.	173 Real world fuel consumption will v Active 1559 mm / 1568 mm 140 mm 140 mm Active Alloy 16 x 6.5J +48 205/55 R16 91H Full size alloy Active	ary depending on a combination Elite 1553 mn 14 Elite Alloy 17 x 7.0J +51 225/45R17 91W Full size alloy Elite • • • • • • • •	124 50 L of driving habits, the condition of th Premium 4340 mm 1795 mm 1455 mm 2650 mm 1795 mm 1073 / 883 mm 1427 / 1406 mm 395 L / 1301 L Premium Alloy 17 x 7.0J +51 225/45R17 91W Full size alloy Premium • • • • • • • • • • • • • • • • • •	6.1 176 e vehicle, and other factors such a SR 1549 mm 140 18 x 7.5J +53 225/40R18 88V Temporary space saver SR • (DCT only) • • • •	SR Premium SR Premium Alloy 18 x 7.5J +53 225/40R18 88V Temporary space saver SR Premium • • • • • •	
Extra Urban (L/100km) CO ₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined as and weather conditions. ADR 81/02 test results are meant for compimensions Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Leg room front / rear Shoulder room front / rear Cargo area - VDA (minimum / maximum) Wheels & tyres Wheel dimensions Tyre dimensions Spare wheel type Driving convenience Cruise control Electronic Parking Brake (EPB) (with auto hold function) One touch turn signal - 3, 5, or 7 flashes Rain sensing wipers Rear wiper - 2-stage, with auto wipe on reverse Smart Key with push button start Steering wheel mounted controls - audio, phone, cruise control, & tr Tilt & telescopic steering column Driving engagement Drive Mode - 3 settings (Normal, Eco, Sport)	erage city and highway cycle test.	173 Real world fuel consumption will v Active 1559 mm / 1568 mm 140 mm 140 mm Active Alloy 16 x 6.5J +48 205/55 R16 91H Full size alloy Active	ary depending on a combination Elite 1553 mm 14 Elite Alloy 17 x 7.0J +51 225/45R17 91W Full size alloy Elite	124 50 L of driving habits, the condition of th Premium 4340 mm 1795 mm 1455 mm 2650 mm 1795 mm 1994 / 977 mm 1073 / 883 mm 1427 / 1406 mm 395 L / 1301 L Premium Alloy 17 x 7.0J +51 225/45R17 91W Full size alloy Premium • • • • • • • • • • • • • • • • • •	6.1 176 e vehicle, and other factors such a SR SR 1549 mm 140 18 x 7.5J +53 225/40R18 88V Temporary space saver SR • (DCT only) • • • • SR • (DCT only)	SR Premium Alloy 18 x 7.5J +53 225/40R18 88V Temporary space saver SR Premium • • • • • • • • • • • • •	
Extra Urban (L/100km) CO ₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined avand weather conditions. ADR 81/02 test results are meant for complimensions Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Leg room front / rear Cargo area - VDA (minimum / maximum) Wheels & tyres Wheel type Wheel dimensions Tyre dimensions Spare wheel type Driving convenience Cruise control Electronic Parking Brake (EPB) (with auto hold function) One touch turn signal - 3, 5, or 7 flashes Rain sensing wipers Rear wiper - 2-stage, with auto wipe on reverse Smart Key with push button start Steering wheel mounted controls - audio, phone, cruise control, & tr Tilt & telescopic steering column Driving engagement Drive Mode - 3 settings (Normal, Eco, Sport) Paddle shifters Active safety	erage city and highway cycle test.	Active Active Alloy 16 x 6.5 J +48 205/55 R16 91H Full size alloy Active	ary depending on a combination Elite 1553 mm 14 Elite Alloy 17 x 7.0J +51 225/45R17 91W Full size alloy Elite	124 50 L of driving habits, the condition of th Premium 4340 mm 1795 mm 1455 mm 2650 mm 1795 mm 10 mm 1073 / 883 mm 1427 / 1406 mm 395 L / 1301 L Premium Alloy 17 x 7.0J +51 225/45R17 91W Full size alloy Premium • • • • • • • • • • • • • • • • • •	6.1 176 e vehicle, and other factors such a SR SR 1549 mm 140 18 x 7.5J +53 225/40R18 88V Temporary space saver SR • (DCT only) • • • • • • SR	SR Premium SR Premium Alloy 18 x 7.5J +53 225/40R18 88V Temporary space saver SR Premium SR Premium SR Premium SR Premium SR Premium SR Premium SR Premium SR Premium	
Extra Urban (L/100km) CO ₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined avand weather conditions. ADR 81/02 test results are meant for compimensions Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Leg room front / rear Shoulder room front / rear Cargo area - VDA (minimum / maximum) Wheels & tyres Wheel type Wheel dimensions Tyre dimensions Tyre dimensions Tyre dimensions Spare wheel type Driving convenience Cruise control Electronic Parking Brake (EPB) (with auto hold function) One touch turn signal - 3, 5, or 7 flashes Rain sensing wipers Rear wiper - 2-stage, with auto wipe on reverse Smart Key with push button start Steering wheel mounted controls - audio, phone, cruise control, & tr Tilt & telescopic steering column Driving engagement Drive Mode - 3 settings (Normal, Eco, Sport) Paddle shifters Active safety Electronic Stability Control (ESC) including; Anti-lock Braking System (ABS)	erage city and highway cycle test.	173 Real world fuel consumption will v Active 1559 mm / 1568 mm 140 mm 140 mm Active Alloy 16 × 6.5J +48 205/55 R16 91H Full size alloy Active	ary depending on a combination Elite 1553 mn 14 Elite Alloy 17 x 7.0J +51 225/45R17 91W Full size alloy Elite • • • • • • • • • • • • • • • • • •	124 50 L of driving habits, the condition of th Premium 4340 mm 1795 mm 1455 mm 2650 mm 10 mm 1073 / 883 mm 1427 / 1406 mm 395 L / 1301 L Premium Alloy 17 x 7.0J +51 225/45R17 91W Full size alloy Premium • • • • • • • • • • • • • • • • • •	6.1 176 e vehicle, and other factors such a SR SR 1549 mm 140 18 x 7.5J +53 225/40R18 88V Temporary space saver SR • (DCT only) • • • • • • • • • • • • • • • • • • •	SR Premium SR Premium Alloy 18 x 7.5 J + 53 225/40R18 88V Temporary space saver SR Premium SR Premium SR Premium SR Premium SR Premium SR Premium SR Premium SR Premium SR Premium •	
Extra Urban (L/100km) CO ₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined avand weather conditions. ADR 81/02 test results are meant for compimensions Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Leg room front / rear Shoulder room front / rear Cargo area - VDA (minimum / maximum) Wheels & tyres Wheel type Wheel dimensions Tyre dimensions Spare wheel type Driving convenience Cruise control Electronic Parking Brake (EPB) (with auto hold function) One touch turn signal - 3, 5, or 7 flashes Rain sensing wipers Rear wiper - 2-stage, with auto wipe on reverse Smart Key with push button start Steering wheel mounted controls - audio, phone, cruise control, & tr Tillt & telescopic steering column Driving engagement Driving engagement Driving engagement Drive Mode - 3 settings (Normal, Eco, Sport) Paddle shifters Active safety Electronic Stability Control (ESC) including; Anti-lock Braking System (ABS) Brake Assist System (BAS)	erage city and highway cycle test.	173 Real world fuel consumption will v Active 1559 mm / 1568 mm 140 mm 140 mm Active Alloy 16 x 6.5J +48 205/55 R16 91H Full size alloy Active	ary depending on a combination Elite 1553 mn 14 Elite Alloy 17 x 7.0J +51 225/45R17 91W Full size alloy Elite • • • • • • • Elite • • Elite • • • • • • • • • • • • • • • • • • •	124 50 L of driving habits, the condition of th Premium 4340 mm 1795 mm 1455 mm 2650 mm 1795 mm 10 mm 1073 / 883 mm 1427 / 1406 mm 395 L / 1301 L Premium Alloy 17 x 7.0J +51 225/45817 91W Full size alloy Premium • • • • • • • • • • • • • • • • • •	6.1 176 e vehicle, and other factors such a SR SR Alloy 18 × 7.5J +53 225/40R18 88V Temporary space saver SR • (DCT only) • s SR • (DCT only) • (DCT only) • (DCT only) • SR • (DCT only) • SR • (DCT only) SR	SR Premium SR Premium Alloy 18 x 7.5J +53 225/40R18 88V Temporary space saver SR Premium SR Premium SR Premium SR Premium SR Premium SR Premium SR Premium SR Premium SR Premium SR Premium SR Premium	
Extra Urban (L/100km) CO ₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined avand weather conditions. ADR 81/02 test results are meant for complimensions Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Leg room front / rear Cargo area - VDA (minimum / maximum) Wheels & tyres Wheel type Wheel dimensions Tyre dimensions Spare wheel type Driving convenience Cruise control Electronic Parking Brake (EPB) (with auto hold function) One touch turn signal - 3, 5, or 7 flashes Rain sensing wipers Rear wiper - 2-stage, with auto wipe on reverse Smart Key with push button start Steering wheel mounted controls - audio, phone, cruise control, & tr Tilt & telescopic steering column Driving engagement Drive Mode - 3 settings (Normal, Eco, Sport) Paddle shifters Active safety Electronic Brakeforce Distribution (EBD) Hill-start Assist Control (HAC)	erage city and highway cycle test.	Active Active Active Alloy 16 x 6.5J +48 205/55 R16 91H Full size alloy Active	ary depending on a combination Elite 1553 mm 14 Elite Alloy 17 x 7.0J +51 225/45R17 91W Full size alloy Elite • • • • • • • • • • Elite • • • • • • • • • • • • • • • • • • •	124 50 L of driving habits, the condition of th Premium 4340 mm 1795 mm 1455 mm 2650 mm 17562 mm 10 mm 994 / 977 mm 1073 / 883 mm 1427 / 1406 mm 395 L / 1301 L Premium Alloy 17 x 7.0J +51 225/45R17 91W Full size alloy Premium • • • • • • • • • • • • • • • • • •	6.1 176 e vehicle, and other factors such a SR SR Alloy 18 x 7.5J +53 225/40R18 88V Temporary space saver SR • (DCT only) • • • • SR • (DCT only) • (DCT only) • (DCT only) SR	SR Premium Alloy 18 x 7.5 J +53 225/40R18 88V Temporary space saver SR Premium • • • • • SR Premium SR Premium • • • • • • • SR Premium • • • • • • • • • • • • • • • • • • •	
Extra Urban (L/100km) CO ₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined avand weather conditions. ADR 81/02 test results are meant for compimensions Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Leg room front / rear Shoulder room front / rear Cargo area - VDA (minimum / maximum) Wheels & tyres Wheel type Wheel dimensions Tyre dimensions Tyre dimensions Spare wheel type Driving convenience Cruise control Electronic Parking Brake (EPB) (with auto hold function) One touch turn signal - 3, 5, or 7 flashes Rain sensing wipers Rear wiper - 2-stage, with auto wipe on reverse Smart Key with push button start Steering wheel mounted controls - audio, phone, cruise control, & tr Tilt & telescopic steering column Driving engagement Drive Mode - 3 settings (Normal, Eco, Sport) Paddle shifters Active safety Electronic Stability Control (ESC) including; Anti-lock Braking System (BAS) Electronic Brakeforce Distribution (EBD) Hill-start Assist Control (HAC) Traction Control System (TCS)	erage city and highway cycle test.	173 Real world fuel consumption will v Active 1559 mm / 1568 mm 140 mm 140 mm Active Alloy 16 x 6.5J +48 205/55 R16 91H Full size alloy Active	ary depending on a combination Elite 1553 mn 14 Elite Alloy 17 x 7.0J +51 225/45R17 91W Full size alloy Elite • • • • • • • Elite Elite • • • • • • • • • • • • • • • • • • •	124 50 L of driving habits, the condition of th Premium 4340 mm 1795 mm 1455 mm 2650 mm 10 mm 1073 / 883 mm 1427 / 1406 mm 395 L / 1301 L Premium Alloy 17 x 7.0J +51 225/45R17 91W Full size alloy Premium • • • • • • • • • • • • • • • • • •	6.1 176 e vehicle, and other factors such a SR SR 1549 mm 140 18 x 7.5J +53 225/40R18 88V Temporary space saver SR • (DCT only) • • • • • SR • (DCT only) • (DCT only) • SR • (DCT only) • SR • (DCT only)	SR Premium SR Premium Alloy 18 x 7.5 J +53 225/40R18 88V Temporary space saver SR Premium	
Extra Urban (L/100km) CO₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined as and weather conditions. ADR 81/02 test results are meant for complimensions Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Leg room front / rear Shoulder room front / rear Cargo area - VDA (minimum / maximum) Wheels & tyres Wheel type Wheel dimensions Tyre dimensions Spare wheel type Driving convenience Cruise control Electronic Parking Brake (EPB) (with auto hold function) One touch turn signal - 3, 5, or 7 flashes Rain sensing wiper - 2-stage, with auto wipe on reverse Smart Key with push button start Steering wheel mounted controls - audio, phone, cruise control, & tr Tilt & telescopic steering column Driving engagement Drive Mode - 3 settings (Normal, Eco, Sport) Paddle shifters Active sofety Electronic Stability Control (ESC) including; Anti-lock Braking System (ABS) Brake Assist System (BAS) Electronic Brakeforce Distribution (EBD) Hill-start Assist Control (HAC) Traction Control System (TCS) Vehicle Stability Management (VSM) Hyundai SmartSense ™ including;	erage city and highway cycle test.	173 Real world fuel consumption will v Active 1559 mm / 1568 mm 140 mm 140 mm Active Alloy 16 x 6.5J +48 205/55 R16 91H Full size alloy Active	119 ary depending on a combination Elite 1553 mn 14 Elite Alloy 17 x 7.0J +51 225/45RJ 791W Full size alloy Elite Elite Elite Elite	124 50 L of driving habits, the condition of th Premium	6.1 176 e vehicle, and other factors such a SR SR 1549 mm 140 18 x 7.5J +53 225/40R18 88V Temporary space saver SR • (DCT only) • SR • (DCT only) • (DCT only) • (DCT only) • SR • (DCT only)	SR Premium SR Premium Alloy 18 x 7.5J +53 225/40R18 88V Temporary space saver SR Premium SR Premium SR Premium SR Premium SR Premium SR Premium	
Extra Urban (L/100km) CO₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined avand weather conditions. ADR 81/02 test results are meant for complimensions Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Leg room front / rear Shoulder room front / rear Cargo area - VDA (minimum / maximum) Wheels & tyres Wheel type Wheel dimensions Tyre dimensions Tyre dimensions Spare wheel type Driving convenience Cruise control Electronic Parking Brake (EPB) (with auto hold function) One touch turn signal - 3, 5, or 7 flashes Rain sensing wipers Rear wiper - 2-stage, with auto wipe on reverse Smart Key with push button start Steering wheel mounted controls - audio, phone, cruise control, & tr Tilt & telescopic steering column Driving engagement Drive Mode - 3 settings (Normal, Eco, Sport) Paddle shifters Active sofety Electronic Stability Control (ESC) including; Anti-lock Braking System (ABS) Brake Assist System (BAS) Electronic Brakeforce Distribution (EBD) Hill-start Assist Control (HAC) Traction Control System (TCS) Vehicle Stability Management (VSM) Hyundai SmartSense ™ including; Autonomous Emergency Braking (AEB) with pedestrian detection Blind Spot Detection (BSD)	erage city and highway cycle test.	Active Active Active Active Alloy 16 x 6.5J +48 205/55 R16 91H Full size alloy Active Active (Automatic & DCT only) Active (Automatic & DCT only) Active Active Active Active Active Active Active	119 ary depending on a combination Elite 1553 mm 14 Elite Alloy 17 x 7.0J +51 225/45R17 91W Full size alloy Elite • • • • • • Elite • • Elite • • • • • • • • • • • • • • • • • • •	124 50 L of driving habits, the condition of th Premium	6.1 176 e vehicle, and other factors such a SR SR Alloy 18 x 7.5J +53 225/40R18 88V Temporary space saver SR • (DCT only) • • • • • • SR • (DCT only) • SR • (DCT only) • SR • (DCT only) • (DCT only) SR	SR Premium Alloy 18 x 7.5J +53 225/40R18 88V Temporary space saver SR Premium • • • • • SR Premium • • SR Premium • • • • • • • • • • • • • • • • • •	
Extra Urban (L/100km) CO₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined avand weather conditions. ADR 81/02 test results are meant for compilements. Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Leg room front / rear Shoulder room front / rear Cargo area - VDA (minimum / maximum) Wheels & tyres Wheel type Wheel dimensions Tyre dimensions Tyre dimensions Spare wheel type Driving convenience Cruise control Electronic Pathing Brake (EPB) (with auto hold function) One touch turn signal - 3, 5, or 7 flashes Rain sensing wipers Rear wiper - 2-stage, with auto wipe on reverse Smart Key with push button start Steering wheel mounted controls - audio, phone, cruise control, & tr Till & telescopic steering column Driving engagement Drive Mode - 3 settings (Normal, Eco, Sport) Paddle shifters Active safety Electronic Stability Control (ESC) including; Anti-lock Braking System (ABS) Brake Assist System (BAS) Electronic Stability Control (HAC) Traction Control System (TCS) Vehicle Stability Management (VSM) Hyundai SmartSense ™ including; Autonomous Emergency Braking (AEB) with pedestrian detection Blind Spot Detection (BSD) Driver Attention Alert (DAA)	erage city and highway cycle test.	173 Real world fuel consumption will v Active 1559 mm / 1568 mm 140 mm 140 mm Active Alloy 16 x 6.5J +48 205/55 R16 91H Full size alloy Active	119 ary depending on a combination Elite 1553 mm 14 Elite Alloy 17 x 7.0J +51 225/45R17 91W Full size alloy Elite • • • • • • • • Elite • • • • • • • • • • • • • • • • • • •	124 50 L of driving habits, the condition of th Premium	6.1 176 e vehicle, and other factors such a SR SR Alloy 18 x7.5J +53 225/40R18 88V Temporary space saver SR • (DCT only) • SR • (DCT only) • (DCT only) SR • (DCT only)	SR Premium Alloy 18 x 7.5J +53 225/40R18 88V Temporary space saver SR Premium • • • • • SR Premium • • • • • • • • • SR Premium • • • • • • • • • • • • • • • • • •	
Extra Urban (L/100km) CO₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined avand weather conditions. ADR 81/02 test results are meant for compilements. Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Leg room front / rear Cargo area - VDA (minimum / maximum) Wheels & tyres Wheel type Wheel dimensions Tyre dimensions Spare wheel type Driving convenience Cruise control Electronic Parking Brake (EPB) (with auto hold function) One touch turn signal - 3, 5, or 7 flashes Rain sensing wipers Rear wiper - 2-stage, with auto wipe on reverse Smart Key with push button start Steering wheel mounted controls - audio, phone, cruise control, & tr. Tilt & telescopic steering column Driving engagement Drive Mode - 3 settings (Normal, Eco, Sport) Paddle shifters Active safety Electronic Stability Control (ESC) including; Anti-lock Braking System (ABS) Brake Assist System (BAS) Electronic Brakeforce Distribution (EBD) Hill-start Assist Control (HAC) Traction Control System (TCS) Vehicle Stability Management (VSM) Hyundai SmartSense ™ including; Autonomous Emergency Braking (AEB) with pedestrian detection Blind Spot Detection (BSD) Driver Attention Alert (DAA) Forward Collision Warning (FCW) Lane Change Assist (LCA)	erage city and highway cycle test.	173 Real world fuel consumption will v Active 1559 mm / 1568 mm 140 mm 140 mm Active Alloy 16 x 6.5J +48 205/55 R16 91H Full size alloy Active	119 ary depending on a combination Elite 1553 mn 14 Elite Alloy 17 x 7.0J +51 225/45RJ 91W Full size alloy Elite Elite Elite	124 50 L of driving habits, the condition of th Premium	6.1 176 e vehicle, and other factors such a SR SR Alloy 18 x 7.5 J +53 225/40R18 88V Temporary space saver SR • (DCT only) • (DCT only) • (DCT only) SR • (DCT only)	SR Premium	
Extra Urban (L/100km) CO₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined avand weather conditions. ADR 81/02 test results are meant for complimensions Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Leg room front / rear Cargo area - VDA (minimum / maximum) Wheels & tyres Wheel dimensions Tyre dimensions Spare wheel type Driving convenience Cruise control Electronic Parking Brake (EPB) (with auto hold function) One touch turn signal - 3, 5, or 7 flashes Rain sensing wipers Rear wiper - 2-stage, with auto wipe on reverse Smart Key with push button start Steering wheel mounted controls - audio, phone, cruise control, & tr Tilt & telescopic steering column Driving engagement Drive Mode - 3 settings (Normal, Eco, Sport) Paddle shifters Active sofety Electronic Stability Control (ESC) including; Anti-lock Braking System (BAS) Brake Assist System (BAS) Electronic Brakeforce Distribution (EBD) Hill-start Assist Control (HAC) Traction Control System (TCS) Vehicle Stability Management (VSM) Hyundai SmartSense ™ including; Autonomous Emergency Braking (AEB) with pedestrian detection Blind Spot Detection (BSD) Driver Attention Alert (DAA) Forward Collision Warning (FCW)	erage city and highway cycle test.	173 Real world fuel consumption will v Active 1559 mm / 1568 mm 140 mm 140 mm Active Alloy 16 x 6.5 J +48 205/55 R16 91H Full size alloy Active	119 ary depending on a combination Elite 1553 mm 14 Elite Alloy 17 x 7.0J +51 225/45R17 91W Full size alloy Elite	124 50 L of driving habits, the condition of th Premium	6.1 176 e vehicle, and other factors such a SR SR Alloy 18 x 7.5 J +53 225/40R18 88V Temporary space saver SR • (DCT only) • (DCT only) SR • (DCT only) • (DCT only) • (DCT only) • (DCT only) • (DCT only) • (DCT only) • (DCT only) • (DCT only) • (DCT only)	SR Premium	
Extra Urban (L/100km) CO2 - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined as and weather conditions. ADR 81/02 test results are meant for compositions Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Leg room front / rear Cargo area - VDA (minimum / maximum) Wheels & tyres Wheel dimensions Tyre dimensions Tyre dimensions Spare wheel type Driving convenience Cruise control Electronic Parking Brake (EPB) (with auto hold function) One touch turn signal - 3, 5, or 7 flashes Rain sensing wipers Rear wiper - 2-stage, with auto wipe on reverse Smart Key with push button start Sterring wheel mounted controls - audio, phone, cruise control, & tr Tilt & telescopic steering column Driving engagement Drive Mode - 3 settings (Normal, Eco, Sport) Paddle shifters Active safety Electronic Stability Control (ESC) including; Anti-lock Braking System (ABS) Brake Assist System (BAS) Electronic Brakeforce Distribution (EBD) Hill-start Assist Control (HAC) Traction Control System (TCS) Vehicle Stability Management (VSM) Hyundai SmartSense including; Autonomous Emergency Braking (AEB) with pedestrian detection Blind Spot Detection (BSD) Driver Attention Alert (DAA) Forward Collision Warning (FCW) Lane Change Assist (LCA) Lane Keeping Assist System (LKAS) Rear Cross Traffic Alert (RCTA) Smart Cruise Control (SCC)	erage city and highway cycle test.	173 Real world fuel consumption will v Active 1559 mm / 1568 mm 140 mm 140 mm Active Alloy 16 x 6.5J +48 205/55 R16 91H Full size alloy Active	119 ary depending on a combination Elite 1553 mn 14 Elite Alloy 17 x 7.0J +51 225/45R17 91W Full size alloy Elite Elite Elite Elite	124 50 L of driving habits, the condition of th Premium	6.1 176 e vehicle, and other factors such a SR SR Alloy 18 x 7.5J +53 225/40R18 88V Temporary space saver SR • (DCT only) • (DCT only) • (DCT only) SR • (DCT only)	SR Premium SR Premium Alloy 18 x 7.5 J +53 225/40R18 88V Temporary space saver SR Premium SR Premium SR Premium SR Premium SR Premium SR Premium	
Extra Urban (L/100km) CO₂ - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined as and weather conditions. ADR 81/02 test results are meant for comp Dimensions Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Leg room front / rear Shoulder room front / rear Cargo area - VDA (minimum / maximum) Wheels & tyres Wheel dimensions Tyre dimensions Tyre dimensions Spare wheel type Driving convenience Cruise control Electronic Parking Brake (EPB) (with auto hold function) One touch turn signal - 3, 5, or 7 flashes Rain sensing wipers Rear wiper - 2-stage, with auto wipe on reverse Smart Key with push button start Steering wheel mounted controls - audio, phone, cruise control, & tr Tilt & telescopic steering column Driving engagement Drive Mode - 3 settings (Normal, Eco, Sport) Paddle shifters Active sofety Electronic Brakeforce Distribution (EBD) Hill-start Assist Control (HAC) Traction Control System (ABS) Brake Assist System (BAS) Electronic Brakeforce Distribution (EBD) Hill-start Assist Control (HAC) Traction Control System (TCS) Vehicle Stability Management (VSM) Hyundoi SmartSense ™ including; Autonomous Emergency Braking (AEB) with pedestrian detection Blind Spot Detection (BSD) Driver Attention Alert (DAA) Forward Collision Warning (FCW) Lane Keeping Assist System (LKAS) Rear Cross Traffic Alert (RCTA) Smart Cruise Control (SCC) Other features Emergency Stop Signal (ESS)	erage city and highway cycle test.	173 Real world fuel consumption will v Active 1559 mm / 1568 mm 140 mm 140 mm 140 mm Active Alloy 16 x 6.5J +48 205/55 R16 91H Full size alloy Active	119 ary depending on a combination Elite 1553 mn 14 Elite Alloy 17 x 7.0J +51 225/45RJ 91W Full size alloy Elite Elite Elite	124 50 L of driving habits, the condition of th Premium	6.1 176 e vehicle, and other factors such a SR SR Alloy 18 x 7.5J +53 225/40R18 88V Temporary space saver SR • (DCT only) • (DCT only) • (DCT only) SR • (DCT only)	175 s road, traffic SR Premium Alloy 18 x 7.5J +53 225/40R18 88V Temporary space saver SR Premium SR Premium SR Premium SR Premium	
Extra Urban (L/100km) CO2 - combined (g/km) Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined as and weather conditions. ADR 81/02 test results are meant for compinensions Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Leg room front / rear Cargo area - VDA (minimum / maximum) Wheels & tyres Wheel dimensions Tyre dimensions Tyre dimensions Spare wheel type Driving convenience Cruise control Electronic Parking Brake (EPB) (with auto hold function) One touch turn signal - 3, 5, or 7 flashes Rain sensing wipers Rear wiper - 2-stage, with auto wipe on reverse Smart Key with push button start Steering wheel mounted controls - audio, phone, cruise control, & tr Tilt & telescopic steering column Driving engagement Drive Mode - 3 settings (Normal, Eco, Sport) Paddle shifters Active safety Electronic Stability Control (ESC) including; Anti-lock Braking System (ABS) Brake Assist System (BAS) Electronic Brakeforce Distribution (EBD) Hill-start Assist Control (HAC) Traction Control System (TCS) Vehicle Stability Management (VSM) Hyundai Smart Cruise of Stability Management (VSM) Hyundai Smart Cruise (LCA) Lane Keeping Assist System (LKAS) Rear Cross Traffic Alert (DAA) Forward Collision Warning (FCW) Lane Change Assist (LCA) Lane Keeping Assist System (LKAS) Rear Cross Traffic Alert (RCTA) Smart Cruise Control (SCC) Other features	erage city and highway cycle test.	173 Real world fuel consumption will v Active 1559 mm / 1568 mm 140 mm 140 mm 140 mm Active Alloy 16 x 6.5 J +48 205/55 R16 91H Full size alloy Active	119 ary depending on a combination Elite 1553 mm 14 Elite Alloy 17 x 7.0J +51 225/45R17 91W Full size alloy Elite	124 50 L of driving habits, the condition of th Premium	6.1 176 e vehicle, and other factors such a SR SR Alloy 18 x7.5J +53 225/40R18 88V Temporary space saver SR • (DCT only) • SR • (DCT only) • (DCT only) SR • (DCT only)	175 s road, traffic SR Premium Alloy 18 x 7.5J +53 225/40R18 88V Temporary space saver SR Premium SR Premium SR Premium SR Premium	
Extra Urban (L/100km) CO₂ - combined (g/km) Fuel tank volume **Source: Australian Design Rule 81/02 static laboratory combined as and weather conditions. ADR 81/02 test results are meant for compoints Exterior Length Width Height Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Leg room front / rear Leg room front / rear Shoulder room front / rear Cargo area - VDA (minimum / maximum) Wheels & tyres Wheel type Wheel dimensions Spare wheel type Driving convenience Cruise control Electronic Parking Brake (EPB) (with auto hold function) One touch turn signal - 3, 5, or 7 flashes Rain sensing wipers Rear wiper - 2-stage, with auto wipe on reverse Smart Key with push button start Steering wheel mounted controls - audio, phone, cruise control, & tr Tilt & telescopic steering column Driving engagement Drive Mode - 3 settings (Normal, Eco, Sport) Paddle shifters Active soflety Electronic Brakeforce Distribution (EBD) Hill-start Assist Control (HAC) Traction Control System (RAS) Brake Assist System (BAS) Electronic Brakeforce Distribution (EBD) Hill-start Assist Control (HAC) Traction Control System (TCS) Vehicle Stability Management (VSM) Hyundoi SmartSense ™ including; Autonomous Emergency Braking (AEB) with pedestrian detection Blind Spot Detection (BSD) Driver Attention Alert (DAA) Forward Collision Warning (FCW) Lane Keeping Assist System (LKAS) Rear Cross Traffic Alert (RCTA) Smart Cruise Control (SCC) Other features Emergency Stop Signal (ESS) Park Assist System (PAS) - front (4 sensors, with guidance display)	rip computer	173 Real world fuel consumption will v Active 1559 mm / 1568 mm 140 mm 140 mm Active Alloy 16 x 6.5J +48 205/55 R16 91H Full size alloy Active	119 ary depending on a combination Elite Elite Alloy 17 x 7.0J +51 225/45R17 91W Full size alloy Elite Elite Elite	124 50 L of driving habits, the condition of th Premium	6.1 176 e vehicle, and other factors such a SR SR Alloy 18 x 7.5J +53 225/40R18 88V Temporary space saver SR • (DCT only) • (DCT only) • (DCT only) SR • (DCT only)	175 s road, traffic SR Premium Alloy 18 x 7.5J +53 225/40R18 88V Temporary space saver SR Premium SR Premium SR Premium SR Premium SR Premium	

Hyundai i30				22	
Passive safety Airbags Front airbags - driver & front passenger	Active	Elite	Premium	SR •	SR Premium
Knee airbag - driver Side (thorax) airbags - driver & front passenger	•	•	•	•	•
Side curtain airbags - 1st & 2nd rows Doors	•	•	•	•	•
Impact sensing auto door unlock Rear door child safety locks	•	•	•	•	•
Seatbelts Pretensioners, load limiters & height adjustable upper mounts on front seat belts Seat belt reminder - front & rear seatbelts	•	•	•	•	•
Seating Height adjustable front head restraints with tilt function	•	•	•	•	•
Height adjustable rear head restraints ISOFIX child restraint anchors (rear outboard seats)	•	•	•	•	•
Top tether child restraint anchors (rear) - 3 anchors Security	• Active	• Elite	• Premium	• SR	SR Premium
Security system Active lock/unlock operation (user configurable) Anti-theft alarm	•	•	•	•	•
Central locking Engine immobiliser	•	•	•	•	•
Remotes Keyless entry remote - 2x	•	-	-	-	-
Smart Key remote - 2x Multimedia system Functions	- Active	Elite	Premium	SR	SR Premium
Apple CarPlay ⁴ & Android Auto ⁵ compatibility Bluetooth phone connectivity	•	•	•	•	:
Satellite navigation SUNA™ Live Traffic Updates	•	•	•	•	•
Touch screen - 8" display Speakers	•	•	•	•	•
Audio system - 6 speakers Audio/media sources AM/FM radio	•	•	•	•	•
Radio (DAB+) Radio Data System (RDS)	•	•	•	•	•
AUX / USB audio input with iPod* compatibility Bluetooth audio streaming	•	•	•	•	•
Occupant comfort & convenience Upholstery/trim	Active	Elite	Premium	SR	SR Premium
Leather¹ appointed interior - seats, steering wheel & gear knob Front seats Driver's seat - height adjustable	-	•	•	•	•
Driver's seat - power adjustable - 10-way (including 2-way lumbar support) Front centre console armrest - sliding function	-	-	•	-	•
Front centre console armrest storage box - power outlet - 1 x 12V outlet Front centre console storage cubby - power outlet - 1 x 12V outlet	-	•	•	• (DCT only) • (DCT only)	•
Front centre console storage cubby - power outlets - 2 x 12V outlets Front centre console - wireless charging pad (Qi standard) ⁶	-	•	•	• (Manual only) •	•
Grip handles - 1x (passenger) Sports front seats with extended bolsters Rear seats	-	-	•	:	:
Centre fold down armrest Grip handles - 2x	•	•	•	•	•
Windows/shades Panoramic glass sunroof - dual panel with tilt and slide front panel and power sunblind	-	o²	•	o ²	•
Power windows - front & rear One touch window down function - driver's window	•	-	-	•	-
One touch window up & down function with anti-pinching safety feature - all windows Convenience opening/closing function with remote - all windows Solar control glass	-	•	•	-	•
Sunvisor extensions - driver and front passenger Doors/boot/tailgate	-	-	•	-	•
Doors/boot/tailgate Luggage area power outlet - 1 x 12V outlet Vision & sight	- - Active	- - Elite	• • • Premium	- - SR	• • SR Premium
Doors/boot/tailgate Luggage area power outlet - 1 x 12V outlet	-	-	•	-	•
Doors/boot/tailgate Luggage area power outlet - 1 x 12V outlet Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable	Active	Elite -	Premium •	- SR	SR Premium
Doors/boot/tailgate Luggage area power outlet - 1 x 12V outlet Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster/driving displays	- Active	- Elite	Premium • • • • • • • •	- SR	SR Premium • • • • • •
Doors/boot/tailgate Luggage area power outlet - 1 x 12V outlet Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function	Active	Elite -	Premium •	- SR	SR Premium • • •
Doors/boot/tailgate Luggage area power outlet - 1 x 12V outlet Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster/driving displays Instrument cluster - 3.5" TFT LCD with trip computer & digital speedometer Supervision cluster - 4.2" TFT colour LCD with trip computer & digital speedometer Ventilation & heating Air conditioning Climate control - dual zone with auto defog function	Active Active Active	Elite	Premium Premium Premium Premium	- SR	SR Premium SR Premium SR Premium
Doors/boot/tailgate Luggage area power outlet - 1 x 12V outlet Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster/driving displays Instrument cluster - 3.5" TFT LCD with trip computer & digital speedometer Supervision cluster - 4.2" TFT colour LCD with trip computer & digital speedometer Ventilation & heating Air conditioning Climate control - dual zone with auto defog function Manual controls Cabin air filter	Active	Elite - Elite - Elite - Elite	Premium Premium Premium Premium Premium	- SR	SR Premium SR Premium SR Premium SR Premium
Doors/boot/tailgate Luggage area power outlet - 1 x 12V outlet Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster/driving displays Instrument cluster - 3.5" TFT LCD with trip computer & digital speedometer Supervision cluster - 4.2" TFT colour LCD with trip computer & digital speedometer Ventilation & heating Air conditioning Climate control - dual zone with auto defog function Manual controls	Active Active Active Active	Elite	Premium Premium	- SR	SR Premium SR Premium SR Premium SR Premium
Doors/boot/tailgate Luggage area power outlet - 1 x 12V outlet Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster/driving displays Instrument cluster - 3.5" TFT LCD with trip computer & digital speedometer Supervision cluster - 4.2" TFT colour LCD with trip computer & digital speedometer Ventilation & heating Air conditioning Climate control - dual zone with auto defog function Manual controls Cabin air filter Cluster ioniser (clean air function) Cooling/heating vents - rear centre console Front seats Air ventilated front seats Heated front seats	Active Active Active	Elite Elite Elite Elite	Premium Premium Premium Premium Premium	- SR	SR Premium SR Premium SR Premium SR Premium
Doors/boot/tailgate Luggage area power outlet - 1 x 12V outlet Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster - 3.5" TFT LCD with trip computer & digital speedometer Supervision cluster - 4.2" TFT colour LCD with trip computer & digital speedometer Ventilation & heating Air conditioning Climate control - dual zone with auto defog function Manual controls Cabin air filter Cluster ioniser (clean air function) Cooling/heating vents - rear centre console Front seats Air ventilated front seats Heated front seats Heated rear windshield	Active Active Active Active	Elite Elite Flite	Premium	SR	SR Premium SR Premium SR Premium SR Premium
Doors/boot/tailgate Luggage area power outlet - 1 x 12V outlet Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster/driving displays Instrument cluster - 3.5" TFT LCD with trip computer & digital speedometer Supervision cluster - 4.2" TFT colour LCD with trip computer & digital speedometer Ventilation & heating Air conditioning Climate control - dual zone with auto defog function Manual controls Cabin air filter Cluster ioniser (clean air function) Cooling/heating vents - rear centre console Front seats Air ventilated front seats Heated front seats Other features	Active Active Active Active	Elite Elite Elite	Premium	- SR	SR Premium SR Premium SR Premium SR Premium O SR Premium O O O O O O O O O O O O O
Doors/boot/tailgate Lugage area power outlet - 1 x 12V outlet Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster/driving displays Instrument cluster - 3.5" TFT LCD with trip computer & digital speedometer Supervision cluster - 4.2" TFT colour LCD with trip computer & digital speedometer Ventilation & heating Air conditioning Climate control - dual zone with auto defog function Manual controls Cabin air filter Cluster ioniser (clean air function) Cooling/heating vents - rear centre console Front seats Air ventilated front seats Heated front seats Other features Heated rear windshield Exterior styling Front Front grille surround - chrome Front grille inserts - chrome Side	Active Active Active Active Active	Elite Elite Elite Elite	Premium Premium Premium Premium Premium Premium Premium	- SR	SR Premium SR Premium SR Premium SR Premium SR Premium SR Premium
Doors/boot/tailgate Lugagae area power outlet - 1 x 12V outlet Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster/driving displays Instrument cluster - 3.5" TFT LCD with trip computer & digital speedometer Supervision cluster - 4.2" TFT colour LCD with trip computer & digital speedometer Ventilation & heating Air conditioning Climate control - dual zone with auto defog function Manual controls Cabin air filter Cluster ioniser (clean air function) Cooling/heating vents - rear centre console Front seats Air ventilated front seats Heated front seats Other features Heated rear windshield Exterior styling Front Front grille surround - chrome Front grille inserts - chrome Side Door frame & beltline moulding - satin chrome Rear	Active Active Active Active Active Active	Elite Elite Elite Elite Flite Flite Flite Flite Flite Flite Flite	Premium Premium Premium Premium Premium Premium Premium	- SR	SR Premium SR Premium SR Premium SR Premium SR Premium SR Premium
Doors/boot/tailgate Luggage area power outlet - 1 x 12V outlet Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirros Heated Power adjustable Power folding with auto fold function Instrument cluster/driving displays Instrument cluster - 3.5" TFT LCD with trip computer & digital speedometer Supervision cluster - 4.2" TFT colour LCD with trip computer & digital speedometer Ventilation & heating Air conditioning Climate control - dual zone with auto defog function Manual controls Cabin air filter Cluster ioniser (clean air function) Cooling/heating vents - rear centre console Front seats Air ventilated front seats Heated front seats Heated rear windshield Exterior styling Front Front grille surround - chrome Front grille inserts - chrome Side Door frame & beltline moulding - satin chrome Rear Dual exhaust tips - chrome Spoiler - black, hatch mounted	Active Active Active Active Active Active	Elite	Premium Premium Premium Premium Premium Premium	- SR	SR Premium SR Premium SR Premium SR Premium SR Premium SR Premium O O O O O O O O O O O O
Doors/boot/tailgate Luggage area power outlet - 1 x 12V outlet Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster/driving displays Instrument cluster - 3.5" TFT LCD with trip computer & digital speedometer Supervision cluster - 4.2" TFT colour LCD with trip computer & digital speedometer Ventilation & heating Air conditioning Climate control - dual zone with auto defog function Manual controls Cabin air filter Cluster ioniser (clean air function) Cooling/heating vents - rear centre console Front seats Air ventilated front seats Heated front seats Heated front seats Heated rear windshield Exterior styling Front Front grille inserts - chrome Front grille inserts - chrome Side Door frame & beltline moulding - satin chrome Rear Dual exhaust tips - chrome Spoiler - black, hatch mounted Interior Styling Treatments Black headlining	Active Active Active Active Active	Elite	Premium Premium Premium Premium Premium Premium Premium	- SR	SR Premium SR Premium SR Premium SR Premium SR Premium SR Premium O O O O O O O O O O O O
Doors/boot/tailgate Luggage area power outlet - 1 x 12V outlet Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster (driving displays Instrument cluster - 3.5" TFT LCD with trip computer & digital speedometer Supervision cluster - 4.2" TFT colour LCD with trip computer & digital speedometer Ventilation & heating Air conditioning Climate control - dual zone with auto defog function Manual controls Cabin air filter Cluster ioniser (clean air function) Cooling/heating vents - rear centre console Front seats Air ventilated front seats Heated front seats Heated front seats Heated front seats Heated rear windshield Exterior styling Front Front grille surround - chrome Front grille inserts - chrome Side Door frame & beltline moulding - satin chrome Rear Dual exhaust tips - chrome Spoiler - black, hatch mounted Interior Styling Treatments Black headilining Coloured stitching & piping - red (seats, steering wheel, front armrest and gearshift boot) Coloured seatbelts - red	Active Active Active Active Active Active	Elite	Premium Premium Premium Premium Premium Premium Premium Premium Premium	- SR	SR Premium
Doors/boot/tailgate Luggage area power outlet - 1 x 12V outlet Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster - 3.5" TFT LCD with trip computer & digital speedometer Supervision cluster - 4.2" TFT colour LCD with trip computer & digital speedometer Ventilation & heating Air conditioning Climate control - dual zone with auto defog function Manual controls Cabin air filter Cluster ioniser (clean air function) Cooling/heating vents - rear centre console Front seats Air ventilated front seats Heated front seats Other features Heated rear windshield Exterior styling Front Front grille inserts - chrome Side Door frame & beltline moulding - satin chrome Rear Dual exhaust tips - chrome Spoiler - black, hatch mounted Interior Styling Treatments Black headellining Coloured stitching & piping - red (seats, steering wheel, front armrest and gearshift boot) Coloured seatbelts - red Metallic red inserts (air vents, start button, steering wheel & ventilation controls) Materials	Active Active Active Active Active Active Active Active	Elite	Premium Premium Premium Premium Premium Premium Premium Premium	SR	SR Premium O O O O O O O O O O O O
Doors/boot/tailgate Luggage area power outlet - 1 x 12V outlet Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster / driving displays Instrument cluster - 3.5" FFT LCD with trip computer & digital speedometer Supervision cluster - 4.2" TFT colour LCD with trip computer & digital speedometer Ventilation & heating Air conditioning Climate control - dual zone with auto defog function Manual controls Cabin air filter Cluster ioniser (clean air function) Cooling/heating vents - rear centre console Front seats Air ventilated front seats Heated front seats Heated rear windshield Exterior styling Front Front grille surround - chrome Front grille inserts - chrome Side Door frame & beltline moulding - satin chrome Rear Dual exhaust tips - chrome Spoiler - black, hatch mounted Interior Styling Treatments Black headlining Coloured stitching & piping - red (seats, steering wheel, front armrest and gearshift boot) Coloured stitching & piping - red (seats, steering wheel & ventilation controls) Materiols Cloth headlining Sports pedals - alloy	Active Active Active Active Active Active	Elite	Premium Premium Premium Premium Premium Premium Premium Premium Premium	- SR	SR Premium
Doors/boot/tailgate Luggage area power outlet - 1 x 12V outlet Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster/driving displays Instrument cluster - 3.5" TFT LCD with trip computer & digital speedometer Supervision cluster - 4.2" TFT colour LCD with trip computer & digital speedometer Ventilation & heating Air conditioning Climate control - dual zone with auto defog function Manual controls Cabin air filter Cluster ioniser (clean air function) Cooling/heating vents - rear centre console Front seats Air ventilated front seats Heated front seats Heated front seats Other features Heated rear windshield Exterior styling Front Front grille surround - chrome Front grille inserts - chrome Side Door frame & beltline moulding - satin chrome Rear Dual exhaust tips - chrome Spoiler - black, hatch mounted Interior Styling Treatments Black headlining Coloured stitiching & piping - red (seats, steering wheel, front armrest and gearshift boot) Coloured stitiching & piping - red (seats, steering wheel & ventilation controls) Materiols Cloth headlining Sports pedals - alloy Lighting Exterior lighting - front Daytime Running Lights (DRL) - LED	Active Active Active Active Active Active	Elite	Premium Premium Premium Premium Premium Premium Premium Premium	SR	SR Premium O SR Premium
Doors/boot/tailgate Luggage area power outlet - 1 x 12V outlet Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster/driving displays Instrument cluster - 3.5" TFT LCD with trip computer & digital speedometer Supervision cluster - 4.2" TFT colour LCD with trip computer & digital speedometer Ventilation & heating Air conditioning Climate control - dual zone with auto defog function Manual controls Cabin air filter Cluster ioniser (clean air function) Cooling/heating vents - rear centre console Front seats Air ventilated front seats Heated front seats Heated front seats Heated rear windshield Exterior stylling Front Front grille inserts - chrome Side Door frame & beltline moulding - satin chrome Rear Dual exhaust tips - chrome Spoiler - black, hatch mounted Interior Styling Treatments Black headlining Coloured stitching & piping - red (seats, steering wheel, front armrest and gearshift boot) Coloured seatbeits - red Metallic red inserts (air vents, start button, steering wheel & ventilation controls) Materials Cloth headlining Sports pedals - alloy Lighting Exterior lighting - front Daytime Running Lights (DRL) - LED Headlight functions - automatic dusk sensing with escort and welcome Headlight functions - automatic dusk sensing with escort and welcome	Active Active Active Active Active Active Active Active	Elite	Premium	- SR	SR Premium
Doors/boot/tailgate Luggage area power outlet - 1 x 12V outlet Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster - 3.5" TFT LCD with trip computer & digital speedometer Supervision cluster - 4.2" TFT colour LCD with trip computer & digital speedometer Ventilation & heating Air conditioning Climate control - dual zone with auto defog function Manual controls Cabin air filter Cluster ioniser (clean air function) Cooling/heating vents - rear centre console Front sects Air ventilated front seats Heated front seats Other features Heated rear windshield Exterior styling Front Front grille inserts - chrome Side Door frame & beltiline moulding - satin chrome Rear Dual exhaust tips - chrome Spoiler - black, hatch mounted Interior Styling Treatments Black headlining Coloured stitching & piping - red (seats, steering wheel, front armrest and gearshift boot) Coloured seatbelts - red Metallic red inserts (air vents, start button, steering wheel & ventilation controls) Materiols Cloth headlining Sports pedals - alloy Lighting Exterior lighting - front Daytime Running Lights (DRL) - LED Headlight type - LED (low/high beam)	Active Active Active Active Active Active Active Active Active	Elite	Premium	- SR	SR Premium
Doors/boot/tailgote Luggage area power outlet - 1 x 12V outlet Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster / a.5" TFT LCD with trip computer & digital speedometer Supervision cluster - 3.5" TFT LCD with trip computer & digital speedometer Ventilation & heading Air conditioning Cimate control - dual zone with auto defog function Manual controls Cabin air filter Cluster ioniser (clean air function) Cooling/heating vents - rear centre console Front seats Air ventilated front seats Heated front seats Heated front seats Heated rear windshield Exterior styling Front Front grille surround - chrome Front grille surround - chrome Front grille surround - chrome Side Door frame & beltiline moulding - satin chrome Recr Dual exhaust tips - chrome Spoiler - black, hatch mounted Interior Styling Treatments Black headlining Coloured stitching & piping - red (seats, steering wheel, front armrest and gearshift boot) Coloured seatbelts - red Metallic red inserts (air vents, start button, steering wheel & ventilation controls) Metariols Cloth headlining Sports pedals - alloy Lighting Exterior lighting - front Daytime Running Lights (DRL) - LED Headlight type - projector beam Indicator lights - LED Positioning lights - LED Positioning lights - LED Positioning lights - LED Positioning lights - LED Exterior lighting - reor	Active Active Active Active Active Active Active	Elite	Premium	- SR	SR Premium
Doors/Doot/Toilgote Luggage area power outlet - 1x 12V outlet Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming Exterior mirrors Heated Power adjustable Power folding with auto fold function Instrument cluster / Ativing displays Instrument cluster - 3.5" TFT LCD with trip computer & digital speedometer Supervision cluster - 4.2" TFT colour LCD with trip computer & digital speedometer Vertiliction & heacting Air conditioning Climate control - dual zone with auto defog function Manual controls Cabin air filiter Cluster ioniser (clean air function) Cooling/heating vents - rear centre console Front seats Air ventilated front seats Heated front seats Heated front seats Other features Heated rear windshield Exterior styling Front Front grille surround - chrome Front grille inserts - chrome Side Door frame & beltline moulding - satin chrome Rear Dual exhaust tips - chrome Side Door frame & beltline moulding - satin chrome Rear Coloured stitching & piping - red (seats, steering wheel, front armrest and gearshift boot) Coloured seatbelts - red Metallic red inserts (air vents, start button, steering wheel & ventilation controls) Moteriols Cloth headlining Sports pedals - alloy Headlight type - LED (low/high beam) Headlight type - IED (low/high beam) Headlight type - IED (low/high beam) Headlight type - projector beam Indicator lights - LED Positioning lights - LED (bubl indicator and reverse lights)	- Active	Elite	Premium Output O	SR	SR Premium
Doors/Doot/toilgate	- Active	Elite	Premium	SR	SR Premium O O O O O O O O O O O O O O O O O O
Doors/Doot/toilgotte Luggage area power outlet - 1 x 12V outlet Vision & slight Interior mirror	Active Active Active Active Active Active Active Active	Elite	Premium	SR	SR Premium
Luggage area power outlet - 1 x 12V outlet	Active Active Active Active Active Active Active Active Active	Elite	Premium	SR	SR Premium O O O O O O O O O O O O
Loggage area power outlet - 1x 12V outlet	Active Active	Elite	Premium	- SR	SR Premium O O O O O O O O O O O O
Loggage area power outlet - 1 x 12V outlet	Active Active Active Active Active Active Active Active Active	Elite	Premium	SR	SR Premium

torage Solutions	Active	Elite	Premium	SR	SR Premium
ront seats					
entre console - deluxe type	-	•	•	• (DCT only)	•
up holders - centre console	•	•	•	•	•
ont seat back pockets	•	•	•	•	•
lovebox compartment	•	•	•	•	•
etractable sunglasses compartment	•	•	•	•	•
cket holders - sunvisors (driver and front passenger)	•	•	•	•	•
ear seats .					
oat hooks - 4x	•	•	•	•	•
up holders - armrest	•	•	•	•	•
ear seating split folding - 60:40	•	•	•	•	•
oot/Luggage area					
ag hooks - 2x	•	•	•	•	•
uggage compartment - 4x tie down hooks	•	•	•	•	•
uggage floor - 2x mounting heights (for flat folding rear seats)	-	•	•	•	•
uggage net	-	•	•	-	•
thers					
oors - map pockets and bottle bulges (front and rear)	•	•	•	•	•
otes: Finishes specified as leather may contain elements of genuine leather, polyurethane leathe Feature only available when fitted with optional panoramic glass sunroof. Feature not available when fitted with optional panoramic glass sunroof. Apple CarPlay requires iPhone 5 or subsequent model (lightning cable) in order to operate. Android Auto requires a device with Android 5.0 operating system or subsequent version in Wireless charging requires a Qi-enabled smartphone or adapter in order to operate.		s, or a combination thereof.			

- Key:

 = Feature is available on trim

 ∘ = Feature is available on trim only as part of an option pack

 = Feature is not available on trim