



NEW THINKING.
NEW POSSIBILITIES.

iMax shuttle



About Hyundai.

Hyundai is one of the world's fastest growing car companies. We've achieved this position by applying a process of continual improvement and re-imagination. Our focus today is on producing cars that embody quality, variety, innovation and individuality... cars like the Hyundai iMax that inspire and create desire.

We believe that our progress isn't measured by our actions in the past, but by how we respond to our environment and listen to our customers. Only by re-imagining what tomorrow's world will bring, can we continue to evolve and meet your needs now and into the future. If that's the journey you're after, it's the direction we're heading.



Hyundai iMax shuttle shown in Timeless Black

The Hyundai iMax boasts inspired styling and dynamic refinement in a feature-packed shuttle.



Hyundai iMax shuttle

Live large

Combining business efficiency with lifestyle practicality, stylish Hyundai iMax offers exceptional seating flexibility for 8 people plus cargo, in a prestigious designed shuttle.

A dynamic two tone exterior with 16" alloy wheels and a fully-equipped elegant cabin are complemented by world-class safety features and performance, making Hyundai iMax the optimal choice for business or family leisure mobility. You can also select from a range of Genuine Hyundai Accessories to customise your Hyundai iMax experience.

Space to the max... The Hyundai iMax.



01 Style

02 Space

04 Comfort

06 Safety

08 Performance

10 Accessories & Features

12 Colours & Finish

13 Specifications

01




Space

Live Large

02

Hyundai iMax features a roomy interior that readily adapts to suit a variety of business and recreational purposes. The versatile seating configuration features a sliding centre row and accommodates the driver and up to 7 passengers in spacious comfort, whilst retaining a generous rear cargo area or luggage space.





03

Comfort & Convenience

The sleek appearance of Hyundai iMax is matched by its sheer spaciousness, quality finishes and thoughtful inclusions. Two sliding side doors for passenger entry and exit plus a rear lift gate to the cargo/luggage area means the vehicle is easily accessible from all angles.

Drivers will appreciate the ergonomic design and thoughtful touches in the cabin which include the convenience of an overhead console, tilt steering column, and front power windows and mirrors. Front fog lamps, reverse park assist sensors and keyless entry with alarm plus central locking also provide added confidence and peace of mind.

Drivers will
appreciate the
ergonomic design
and thoughtful
touches





Overseas model shown.

Passengers can sit back and relax surrounded by a four-speaker audio system with Bluetooth®*, iPod® and MP3 player connectivity, and enjoy dual zone air conditioning featuring roof-mounted rear ventilation. Other attributes include CD player, front power windows and mirrors, driver and passenger armrest, cup holders, power outlet, vanity mirrors with covers and full-length windows.



From the rigid chassis and Electronic Stability Control (ESC) to the airbag system and child seat anchor points (second row seats), the array of active and passive safety features in Hyundai iMax further demonstrate Hyundai's commitment to the protection of every vehicle occupant and their cargo at all times.

Safe

Safety


- Electronic Stability Control (ESC) and Traction Control System (TCS)
- 4-channel Anti-Skid Braking System (ABS) with Electronic Brakeforce Distribution (EBD) and 4 disc brakes (ventilated)
- 4 Star ANCAP safety rating
- Dual front airbags
- Height-adjustable front seatbelts with pretensioner
- Reverse park assist sensors and front fog lamps
- Keyless entry + immobiliser + security alarm + central locking
- Semi-bonneted design
- Four ring strengthened body with rigid cabin



4 ring construction



Disc brakes (ventilated)





Performance & Economy

Whether you choose the petrol or high-output turbo Diesel engine, Hyundai iMax delivers outstanding rear wheel drive performance with excellent fuel economy.

Macpherson strut front suspension provides superb handling, while the space-saving multi-link rear coil spring suspension improves both ride and rigidity, and creates additional luggage space.

The 4-channel Anti-Skid Braking System (ABS) acts on ventilated front and rear discs with a 10" booster for exceptional stopping power; and the Electronic Stability Control (ESC) with Traction Control System (TCS) monitors engine response and helps control wheel slippage in hazardous braking situations.

The 2.4 petrol engine with 4-speed automatic transmission and the choice between 6-speed manual or the gutsy 5-speed automatic 2.5 Diesel engine deliver outstanding power and torque, while advanced technology ensures thrifty fuel consumption and long-haul reliability.

2.4 CVVT petrol

- Power = 129kW
- Torque = 228Nm
- Economy = 10.6 litres** per 100kms (automatic only)
- Continuously Variable Valve Timing (CVVT) synchronises power with economy

2.5 CRDi turbo Diesel*

- Power = 100kW (manual), 125kW (auto)
- Torque = 343Nm (manual), 441Nm (auto)
- Economy = 8.1 litres** per 100kms (manual), 9 litres** per 100kms (auto)
- Variable Geometry Turbo (VGT) for accelerated efficiency at higher speeds and Common Rail Direct injection (CRDi) Diesel fuel delivery system with intercooled turbo



2.4 CVVT petrol

2.5 CRDi turbo Diesel

09

** Australian Design Rule 81/02 static laboratory combined average city & highway cycle test. Fuel consumption will vary depending on a combination of driving habits and the condition of the vehicle. *From February 2012 production.

Genuine Hyundai iMax Accessories

 | **Genuine Accessories**



DVD Entertainment



Tailored Carpet Floor Mats



Dash Mat



Headlight Protectors (Set of 2)



Tinted Stylevisors (Front pair only)



Towbar, Towball & Trailer Wiring Harness¹



Portable Cooler 12V, 15L⁴



Front Park Assist (4 head)²



Aero Design Roof Racks (2 bar set)³



Ski & Snowboard Carrier



Roof Mounted Bike Carrier

**AUSTRALIA'S FIRST
5 YEAR UNLIMITED KM WARRANTY**

Genuine Hyundai Accessories for all Hyundai iLoad vans, Hyundai iLoad crew vans and Hyundai iMax shuttles are covered by Australia's First 5-year/Unlimited Kilometre Accessories Warranty.


All Genuine Hyundai Accessories are subject to warranty conditions. See your nearest Hyundai Dealer or visit our website at hyundai.com.au for full warranty terms and usage recommendations. Accessories pictured are all sold separately at an additional cost.



Hyundai iMax 8 seat 2.5 litre CRDi is accessorised with: Aero Design Roof Racks (2 Bar Set), Surfboard Carrier, Tinted Stylevisors (frontpair only) and Front Park Assist (4 head). All sold separately at additional cost.

1. Maximum ball download 150 kg. Towbar (1500 kg braked & 750 kg unbraked – petrol and CRDi automatic) or (2000 kg braked & 750 kg unbraked – with CRDi manual). Towbar capacity subject to regulatory requirements, Towbar design, vehicle design and towing equipment limitations. 2. Park Assist Sensors are designed as driver assist function only and should not be used as a substitute for skilled driving and safe parking practices. The area into which the vehicle is heading must be visually monitored by the driver. 3. Load capacity = 100 kg evenly distributed across 2 bars with secure lock functions. 4. Only suitable for use with retractable seatbelt. 5. Bluetooth v2.0 supports Hands Free Profile (HFP) v1.5, Object Push Profile (OPP) v1.0, Advanced Audio Distribution Profile (A2DP) v1.0 and Audio/Video Remote Control Profile (AVRCP). Bluetooth® is a registered trademark of Bluetooth SIG, Inc. 6. iPod® is a registered trademark of Apple computer Inc., registered in the U.S. and other countries.

Hyundai iMax Features



ESC + TCS



Ventilated disc brakes with ABS and EBD



Dual airbags



Seatbelt pretensioners and height
adjustable seatbelts



Reverse Park Assist



Foglights



8 seats plus 851L luggage capacity



Tilt steering column
Steering wheel audio controls



Keyless entry (2 remote keys)
with burglar alarm



Power windows and mirrors



2 sliding doors for easy access



Retractable sunglasses compartment



Bluetooth® media streaming
and Handsfree⁵



Aux & USB with iPod® connectivity⁶



12 volt power outlet



Cup and bottle holders



Two tone interior and exterior



Air conditioning – dual zone system with
roof mounted side vents for centre & rear



Illuminated vanity mirrors with covers



Dual glovebox compartments



Twin front door pockets



16" alloy wheels



2.4L CVVT petrol (auto)



2.5L CRDi high output turbo Diesel

Hyundai iMax Colours & Finish

Horizon Blue

Creamy White

Magnetic Grey

Timeless Black

Tricott Suede / Grey



Hyundai iMax shuttle shown in
Timeless Black

Engine	2.4 Petrol	2.5 CRDi	Suspension	Front	2.4 Petrol	2.5 CRDi	Exterior Styling
Configuration	Longitudinal front-mounted driving rear wheels	Longitudinal front-mounted driving rear wheels					Body coloured exterior door handles
Cylinder capacity	4 litres (2359cc)	4 litres (2475cc)					Chrome radiator grille
Number of cylinders	4-in-line	4-in-line					Two tone paint (grey lower body, moulding and bumpers)
Valve system	DOHIC (4 Valve/Cyl)	DHC (4 Valve/Cyl)					Interior Styling
Maximum power	129 kW @ 6000 RPM	100 kW @ 3800RPM (manual) 125 kW @ 3800RPM (auto)					Aluminium effect on front centre console (fascia), A/C controls and gear knob
Maximum torque	228 Nm @ 4200 RPM	343 Nm @ 1500-2500 RPM (manual) 441 Nm @ 2000-2250 RPM (auto)					Aluminium effect on interior door handles and steering wheel inserts
Fuel System	Sequential multi-point fuel injection	Common Rail Direct Injection (CRDI)					Two tone interior
Bore x stroke	88.0 mm x 97.0 mm	91.0 mm x 98.0 mm					Interior Lighting
Compression ratio	10.5:1	16.4:1					Delayed fade-out front interior light
Transmission	2.4 Petrol	2.5 CRDi					Door courtesy lamps on front and sliding doors
Automatic	-	6 speed manual					Door courtesy reflector on rear of sliding doors
Gear ratio	Auto	Manual	Auto				Green illuminated instrument cluster, dash audio and A/C controls
1st	2.804	2.337	2.308				Illuminated cigarette lighter surround and ash tray
2nd	1.531	1.000	1.519				Illuminated ignition keyhole surround
3rd	-	0.705	1.000				Illuminated vanity mirrors
4th	-	-	0.784				Individual map lamps for front passengers
5th	-	-	0.679				Interior lights in centre and rear
6th	-	-	-				Interior Ventilation
Reverse	2.393	4.253	2.740				Dual zone air conditioning with pollen filter
Final	4.222	3.692	2.629				Independent rear seat air conditioning control for rear passengers
Steering	2.4 Petrol	2.5 CRDi					Rotary-type air conditioning controls
Type	Hydraulic Power Assisted Rack and Pinion	Energy absorbing dual collapsible steering column with tilt adjustment					Side roof vent for rear seat passengers
Column	-	-					Storage Solutions
Minimum turning circle diameter	11.22 m	3.57					Bottle bulges and storage compartments for 3rd row passengers
Number of steering wheel turns lock to lock	-	-					Coat hook on rear assist, grip handle
Brakes	2.4 Petrol	2.5 CRDi					Door pockets with bottle bulges in sliding door trims
General	Hydraulic, power assisted braking system	300 mm ventilated disc, 2 spot calliper brake with pad wear warning device					Dual door pockets in front door trims
Front	-	324 mm ventilated disc, 1 sponson anti-squeal brake system					Dual glove box compartments
Rear	-	and drum in-hat parking brake system					Driver and front passenger illuminated vanity mirrors with ticket holder
AES	-	-					Front seatback pockets
Dimensions	2.4 Petrol	2.5 CRDi					Retractable sunglasses compartment
Exterior							Rubber-lined storage compartment on top of dashboard
Length	5125 mm	1920 mm					Genuine Hyundai Accessories*
Width	1925 mm	1920 mm					Interior
Height	3200 mm	3200 mm					DVD Entertainment
Wheelbase	1685 / 1660 mm	1685 / 1660 mm					Tailored Carpet Floor Mats (front, middle & rear seat configuration)
Wheel track - front/rear	190 mm	190 mm					Dash Mat
Minimum ground clearance (based on kerb weight)	-	-					Fold Down Cargo Box
Interior							Fabric Rear Bumper Protection
Head room 1st / 2nd / 3rd row	1017 / 1018 / 1010 mm	1041 / 995 / 925 mm					Portable Cooler - 12V, 15 L ³
Leg room 1st / 2nd / 3rd row	1610 / 1650 / 1575 mm	1530 / 1652 / 1460 mm					Exterior
Shoulder room 1st / 2nd / 3rd row	842 L	842 L					Headlight Protectors (front pair only)
Hip room 1st / 2nd / 3rd row	-	-					Tinted Stylevisors (front pair only)
Cargo Capacity (VDA)	-	-					Towbar ⁴ and Towball - 50mm chrome
Weight	2.4 Petrol	2.5 CRDi					Trailer Wing Harness
Baked/unbaked	4430 kg	5030 kg					7 Pin Large Round Adapter
Manual	-	-					7 Pin Small Round Adapter
Automatic	2128 / 2930 kg	802 kg					Universal Lock Nuts (set of 4)
GCM							Roof Racks and Lifestyle
Manual	-	-					Whispbar ⁵ Quiet Roof Racks (2 bar set) ⁶
Kerb/GVM	1500 / 750 kg	815 kg					Root Racks (3 bar set)*
Manual	-	-					Root Mounted Bike Carrier
Automatic	150 / 75 kg	800 kg					Ski & Snowboard Carrier
Load Capacity	2.4 Petrol	2.5 CRDi					Surfboard Carrier
Baked/unbaked	1500 / 750 kg	2000 / 750 kg (Manual) 1500 / 750 kg (Auto)					Safety
Maximum towball weight	150 kg	150 kg					First Aid Kit - Personal (4 pack)*
Maximum roof load 2 / 3 rack system	100 / 125 kg	100 / 125 kg					Front Park. Assist?
Fuel Consumption Figures*	2.4 Petrol	2.5 CRDi					
Transmission	Manual	Auto					
Combined (l/100kms)	10.6	8.1 / 9					1 Maximum ball download 150 kg. Towing capacity=11500 kg braked & 750 kg unbraked - petrol and CRDi automatic or 2000 kg braked & 750 kg unbraked - CRDi manual. Towbar capacity subject to regulatory requirements, towbar design and towing equipment limitations. A towbar may be required for certain vehicles. While the Park Assist sensor or monitor object is on approach by the driver at low speeds, it may be necessary for the driver to stop the vehicle to move the object away from the area. While the Park Assist sensor or monitor object is on approach by the driver at low speeds, it may be necessary for the driver to stop the vehicle to move the object away from the area.
Urban	13.3	10.2 / 11.6					2 Maximum ball download 150 kg. Towing capacity=11500 kg braked & 750 kg unbraked - petrol and CRDi automatic or 2000 kg braked & 750 kg unbraked - CRDi manual. Towbar capacity subject to regulatory requirements, towbar design and towing equipment limitations. A towbar may be required for certain vehicles. While the Park Assist sensor or monitor object is on approach by the driver at low speeds, it may be necessary for the driver to stop the vehicle to move the object away from the area.
Extra	9	6.8 / 7.5					3 Load capacity = 150 kg. Towing capacity=11500 kg braked & 750 kg unbraked - petrol and CRDi manual. Towbar capacity subject to regulatory requirements, towbar design and towing equipment limitations. A towbar may be required for certain vehicles. While the Park Assist sensor or monitor object is on approach by the driver at low speeds, it may be necessary for the driver to stop the vehicle to move the object away from the area.
CO ₂ Combined (g/km)	250	213 / 238					4 Load capacity = 150 kg. Towing capacity=11500 kg braked & 750 kg unbraked - petrol and CRDi manual. Towbar capacity subject to regulatory requirements, towbar design and towing equipment limitations. A towbar may be required for certain vehicles. While the Park Assist sensor or monitor object is on approach by the driver at low speeds, it may be necessary for the driver to stop the vehicle to move the object away from the area.
Fuel tank capacity	75 L	75 L					5 Only suitable for use with removable seats.

*Source ADTB 02. Fuel economy consumption will vary depending on a combination of driving habits and the condition of the vehicle. iPod® is a registered trademark of Apple Computer Inc. Registered to Apple Inc. for use in the U.S. and other countries. The iMedia system is a trademark of LG Electronics. iPod® and iPhone® are trademarks of Apple Computer Inc. registered to Apple Inc. in the U.S. and other countries. The iMedia system is a trademark of LG Electronics.

¹ Maximum ball download 150 kg. Towing capacity=11500 kg braked & 750 kg unbraked - petrol and CRDi automatic or 2000 kg braked & 750 kg unbraked - CRDi manual. Towbar capacity subject to regulatory requirements, towbar design and towing equipment limitations. A towbar may be required for certain vehicles. While the Park Assist sensor or monitor object is on approach by the driver at low speeds, it may be necessary for the driver to stop the vehicle to move the object away from the area.

² Maximum ball download 150 kg. Towing capacity=11500 kg braked & 750 kg unbraked - petrol and CRDi automatic or 2000 kg braked & 750 kg unbraked - CRDi manual. Towbar capacity subject to regulatory requirements, towbar design and towing equipment limitations. A towbar may be required for certain vehicles. While the Park Assist sensor or monitor object is on approach by the driver at low speeds, it may be necessary for the driver to stop the vehicle to move the object away from the area.

³ Load capacity = 150 kg. Towing capacity=11500 kg braked & 750 kg unbraked - petrol and CRDi manual. Towbar capacity subject to regulatory requirements, towbar design and towing equipment limitations. A towbar may be required for certain vehicles. While the Park Assist sensor or monitor object is on approach by the driver at low speeds, it may be necessary for the driver to stop the vehicle to move the object away from the area.

⁴ Load capacity = 150 kg. Towing capacity=11500 kg braked & 750 kg unbraked - petrol and CRDi manual. Towbar capacity subject to regulatory requirements, towbar design and towing equipment limitations. A towbar may be required for certain vehicles. While the Park Assist sensor or monitor object is on approach by the driver at low speeds, it may be necessary for the driver to stop the vehicle to move the object away from the area.

⁵ Only suitable for use with removable seats.