



HYUNDAI. NEW THINKING. NEW POSSIBILITIES.

At Hyundai, we understand that life is about continual change. Our progress as a company isn't measured by our actions in the past but by how we respond to our environment and listen to our customers.

Our focus today is on producing cars that embody quality, variety, innovation and individuality... cars that are underpinned by 5-star quality in design, build, features, accessories and safety.

And as a testament to our worldwide commitment to quality, Hyundai is now one of the world's fastest growing automotive brands. Our aim is to challenge and question the way things are done to create bigger new ideas and better quality solutions to enrich our customers' life experiences. Only by re-imagining what tomorrow's world will bring, can we meet our customers' needs now and into the future. We invite you to join us on our journey.

A NEW BENCHMARK IN SERVICE AND SUPPORT

Your ix35 Series II ownership is supported by all the benefits of the Hyundai iCare program, which demonstrates our commitment to back every vehicle we build and to make Hyundai ownership an enjoyable, worry-free experience. iCare includes:

- The peace-of-mind of Australia's first five-year unlimited kilometre warranty*
- Hyundai iCare Capped Price Service, which further reduces the cost of owning a Hyundai
- The confidence of Hyundai Roadside Assist for up to 7 years*
- · The convenience and exclusive benefits of myHyundai
- The support of our 24/7 Customer Care Centre
- The assurance of a complimentary 1,500km vehicle inspection
- The satisfaction of having your vehicle serviced by qualified Hyundai factory–trained technicians using only Hyundai Genuine Parts
- The timeliness of updated mapping and content for factory installed satellite navigation through the NAVTEQ™ MapCare™ Planˆ



Introducing the powerful new ix35 Series II

A compact SUV that's tough enough to handle anything.

The ix35 is the compact SUV that changed everything, and the new ix35 Series II is just as impressive. Beautifully engineered, with a powerful engine, versatile seating and a host of smart technologies, it's tough enough to handle anything.

So whether you're after an urban cruiser or capable off-roader, the new ix35 Series II is built to handle any road you choose to take.





Form meets Function

Developed in conjunction with Hyundai's European–based design and technical centre, the ix35 Series II boasts an exterior based on Hyundai's 'Fluidic Sculpture' design philosophy with a muscular presence, sweeping curves and sharp creases that create a sophisticated athletic look.

It's a Compact SUV that will turn heads and make your heart beat faster. Yet at the same time, every aspect of the design has been developed to improve safety, increase passenger comfort and optimise driving pleasure. The ix35 Series It's sleek body shape ensures a superior aerodynamic performance that delivers impressive fuel economy and greater road stability.







Smart thinking and styling is evident throughout and continues across every aspect of the ix35 Series II's superbly appointed five-seat interior. Comfort has been optimised with a roomy cabin that offers ample legroom and headroom, while a generous cargo space and a myriad of storage compartments ensure there's a place for everything you need, whether you're travelling cross-city or out into the countryside.

To help you maintain your concentration on the road, the instrument cluster has been positioned so that all key information is available at-a-glance, while blue backlighting provides exceptional clarity. The fully adjustable electric driver's seat* takes the strain out of driving and provides a commanding view of the road.

From your first look, and right through all your journeys, you'll discover that every facet of the ix35 Series II's exceptional design goes beyond stylish looks to deliver superior functionality.











As comfortable as it is tough

Take a seat in the powerful new ix35 Series II and you'll find yourself surrounded by superior comfort and style. We believe that what surrounds you is important, so we've designed an interior that is ergonomic, tactile and easy on the eye. Rigorous attention to detail, quality materials and an unerring eye for sensuous flair see to that.

While you want things to be just right, you also want to be able to change them around. That's why the ix35 Series II comes equipped with a multitude of seat arrangements - enough to suit your changing lifestyle.







Reclining rear seats

At Hyundai, we believe everyone deserves to travel in comfortnot just those in the front. So we've equipped the ix35 Series II with rear seats that recline at the touch of a lever. Something your rear seat passengers will certainly appreciate.

Keeping your focus on the road

Whether you're negotiating peak hour traffic, zipping along the freeway or out on the open road, your comfort contributes to safe driving. From an easy-to-view instrument panel and height adjustable seats offering lumbar support, through to smart technologies such as cruise control, steering wheel mounted controls and dusk sensing headlights, the ix35 has been designed to help remove unneeded distractions and give you more time to stay focussed on the road.



*Available on Elite and Highlander models only.

Taking safety to the next level

All ix35 Series II's are equipped with a comprehensive array of advanced safety features that help you control the vehicle in challenging conditions. With so much attention to safety and occupant protection, no matter where you go in the ix35 you'll find peace-of-mind.





Vehicle Stability Management (VSM)

Introducing the next generation in safety. Vehicle Stability Management (VSM) uses state-of-the-art technology to help keep you in control. In slippery conditions or sudden cornering scenarios the VSM system helps maintain control of the vehicle by applying counter-steering assistance, guiding the driver to the correct steering position.

Standard on all models, this innovative safety technology combines the intelligence of Electronic Stability Control (ESC) with Motor–Driven electric Power Steering (MDPS) to help maintain the correct steering position in instances where the driver reacts too slowly or tries to apply the incorrect steering input.

The Anti–skid Braking System (ABS) increases safety by preventing your brakes from locking up while Electronic Brakeforce Distribution (EBD) distributes braking force according to your vehicle's load.

Multiple layers of protection

By reinforcing sections of the chassis with ultra-high tensile strength steel, the ix35's body shell is stronger and stiffer - as well as lighter. Similarly, excellent structural integrity is provided by side impact beams, integrated front and rear crumple zones, strengthened window sills and safety engineered doors with internal quard beams.

Airbags front and back

With six airbags standard, the ix35 Series II provides comprehensive occupant safety. The protection of driver and front passenger airbags is reinforced by dual–side front (thorax) airbags, while roof–mounted side curtain airbags extend from front to rear.

Other standard protections include front-seat active head restraints that automatically shift forward in the event of an impact to reduce head, neck and shoulder injuries, as well as three-point retractable seat belts for all occupants.

Active locking

For additional safety and security, the speed sensing Hyundai Active Locking Operation (HALO) system, locks all the doors once your speed exceeds 15kph and then unlocks them when in park.* Front seat occupants can override the system to easily exit the vehicle.

Reverse with ease

All ix35 Series II models are equipped with Rear Park Assist reverse sensors that alert you with a warning sound when you get too close to objects behind the vehicle. The Elite and Highlander models are also fitted with a built-in rear-view camera that shows an LCD colour image displayed on the 7" touch screen.

Packed with smart, cutting edge technology

The ix35 Series II showcases our passion for making rich technology and cutting edge innovation accessible to everyone.

Throughout the ix35 Series II you'll find an array of smart technologies working intuitively behind the scenes to make driving safer, easier and more enjoyable.



Updates include:

- Live SUΠA™ traffic updates†: provides alternate routes, delay times and estimated arrival times

- Dead Reckoning: uses the vehicle inputs to continue to calculate your location in the case of satellite signal loss
- Points of Interest: displays places of interest including restaurants, hotels, petrol stations and parking
- Driver Alerts: identifies accident black spots and knows hazards to help you avoid dangerous situations.















Streaming music via Bluetooth®

The audio system in the ix35 Series II enables you to stream your favourite tunes quickly and easily from Bluetooth® enabled devices via a touchscreen display (5" for Active model and 7" for Elite and Highlander). You'll enjoy full iPod® connectivity, CD, Radio, MP3 and USB all delivered through a six speaker system with tweeters.

Panorama glass roof[^]

Let the light in and the spirits soar for both front and rear passengers with ix35 Series II's audacious panorama glass roof.

Safety window

To prevent accidental injury, the driver's side window will automatically stop and go down if it is travelling upwards and any part of your body - or any other object - is in its path.

Proximity Smart Key and Push Button Start*

Proximity Smart Key technology enables you to unlock and lock your ix35 Series II without taking the key from your pocket - something you'll really appreciate when your arms are full, or when you're rushing to escape the elements. Turning on the engine is as easy as pushing the start button - there's no need to insert a key. Just as importantly, your proximity key offers greater security and theft deterrence than a conventional key.

Rear-view camera*

Reverse with safety and ease with a rear camera display, including Smart Park Assist guide, cleverly and conveniently displayed on the 7" touch screen.*

Electric folding mirrors and a light to see you to the door

When manoeuvring into a tight space, you can fold-in the side mirrors by simply pushing the controls located on the door. Just as convenient, the headlamps remain lit for 30 seconds after you close the ix35 Series Il's doors, lighting your way to the front door or along a pathway.


*Available on Elite and Highlander models. ^Available on Highlander models. "MapCare™ Plan only applies to new vehicles with factory-fitted satellite navigation. NAVTEQ and MapCare™ are registered trademarks of Nokia Corporation. Maximum number of 2 updates, delivered on an annual cycle within 3 years of the vehicle's initial purchase. Free map updates only apply if the vehicle is serviced at a participating authorised Hyundai dealer. †SUNA™ Traffic channel coverage is available in the following metropolitan areas only: Adelaide, Brisbane, Canberra, Gold Coast, Melbourne, Perth and Sydney. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. *Please check your Bluetooth® device's capabilities to ensure compatibility.

Tough enough for the city and the open road

The power to handle any road you choose to take.

Powerful enough to tackle the toughest roads, while also being extremely economical, the ix35 Series II has an engine that's versatile enough to suit all your needs. Especially tuned for Australian road conditions, it's capable enough to handle any road from the city streets to the outback.





^Australian Design Rule 81/02 static laboratory combined CO $_2$ emission for 2.0 R-series Diesel. CO $_2$ emissions will vary depending on a combination of driving habits and the condition of the vehicle.

[†]MY14 vehicles built in Korea

Choose the performance and economy that meets your needs

The ix35 Series II offers three engine variants across its model line-up.

All terrain capability

A true crossover, the ix35 is available in the Active 2–wheel drive (2WD), the Elite (2WD or AWD) and Highlander ondemand All–Wheel–Drive (AWD) models. Whether your driving keeps you within urban limits, or you prefer the flexibility to venture out into all terrains, there's an ix35 model that meets your needs and delivers an exceptional driving experience.

The ix35 Series II suspension system has been developed and tuned especially for Australian road conditions† to ensure agile handling and responsive steering on a wide variety of road surfaces. While a compact rear multi–link suspension improves responsiveness whilst maximising interior cabin space.

The revolutionary R-series Diesel

The R-series turbo Diesel engine benefits from being the third generation of Bosch's common rail system, whose piezo-electronic injectors deliver fuel at 1800 bar with an unprecedented degree of accuracy and control, resulting in greater power, lower fuel consumption with CO₂ emissions a very low 189q/100km.

Helping you drive cleaner and smarter

To help you get the best efficiency and reduce your running costs, the ix35 Series II includes a standard trip computer that provides distance to empty, average fuel consumption, average vehicle speed, elapsed time and instant fuel economy.

Du 2 0 GD

Available with the Active model, this latest generation all aluminium four cylinder petrol engine delivers 122kW power via 6 speed manual or optional 6 speed automatic transmission and delivers smooth performance and a 8.2L/100km* fuel economy.

Theta-II 2.4 GD

This double overhead cam petrol engine delivers extra power and torque for the all wheel drive Elite and Highlander models, yet has 9.8L/100km* fuel economy.

2 N D-corioc CDDi

Available with the all wheel drive Highlander and Elite (optional), the power leading 2.0 R-series CRDi Turbo Diesel engine delivers 135kW of power. And with a staggering 392Nm torque, similar to much larger engines, the ix35 2.0 R-series delivers sporty acceleration and agility yet with the economy of a small car - just 7.2L/100km.*

^{*}Australian Design Rule 81/02 static laboratory combined average city and highway cycle test.



Fully Featured



Alloy wheels

The ix35 Series II's dynamic looks are further enhanced by sporty new 17" and 18" alloy wheels. Multi-spoked, elegant and racy, they're optimally ventilated to prevent the brakes overheating.

(18" alloy wheel shown)



Push button start

(Elite and Highlander)

The push button start, which can only be activated by an ID signal sent from your Proximity Smart Key, offers cutting edge convenience and ease, while adding a further level of theft deterrence.





Rear-view camera (Elite and Highlander)

For parking with safety and ease, Elite and Highlander models are fitted with a reversing camera that's built into the vehicle's 7" touch screen providing an LCD colour image of the area behind the vehicle. For additional safety, colour distance indicators show the width of the ix35 Series II and the distance to an object behind the vehicle.



Dusk sensing auto headlights

(Elite and Highlander)

To increase driving safety and the visibility of your vehicle to other drivers, headlights are automatically turned on as light begins to fade.



Driver Information

To help you maintain your concentration on the road, the instrument cluster has been positioned so that all key information is available at-a-glance, while blue backlighting provides exceptional clarity.



Dual-zone air conditioning unit with cluster ionizer


The standard easy-to-use manual temperature control air conditioning has separate vents for back seat passengers. Elite and Highlander models feature automatic dual-zone climate control with cluster ionizer that automatically cleans the air when the air conditioner or heater is running.





Touch screen Multimedia Player with USB/iPod® /Aux/ Bluetooth® connectivity#

The touch screen display (5" for Active model and 7" for Elite and Highlander) allows you to play your favourite music in your preferred format and keep the whole family entertained and happy with this six-speaker audio system that includes iPod® connectivity. Steering wheel audio controls add convenience and safety.



Heated front seats

(Highlander)

For an extra touch of comfort and luxury, the Highlander features heated front seats.

iPod® is a registered trademark of Apple Computer Inc., registered in the U.S. and other countries. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. #Please check your Bluetooth® device's capabilities to ensure compatibility.

ix35



Highlander model shown in Sleek Silver

Exterior Colour



Pure White# (PKW) - Solid



Grey Titanium (TAK) – Metallic



Phantom Black (TCM) – Mica



Remington Red (SAZ) – Mica

Atomic Orange (TA5) – Mica



Cobalt Coast (PU5) – Mica

Interior Colour

Active



Elite

Black Leather appointed seats* with Black Cloth

Highlander



Black Leather appointed seats*

Variants	Active	Elite	Highlander
2.0 2WD	✓	√ ^	
2.4 AWD		\checkmark	\checkmark
2.0 R-series AWD		✓	✓

^{*}Leather appointed seats means parts of the seats have a combination of genuine and artificial leather, but are not wholly leather. ^2.0L 2WD Elite model only available with Automatic transmission. *Colour available from May 2013 production.

HYUNDAI GENUINE ACCESSORIES

Hyundai Genuine Accessories can enhance your driving pleasure and ownership pride by adding extra ease and enjoyment to your lifestyle pursuits. Importantly, Hyundai Genuine Accessories are an astute way to help keep your new ix35 in original showroom condition.

All Hyundai Genuine Accessories are backed by a 5 year warranty if purchased at the time of a new Hyundai vehicle and fitted by an authorised Hyundai dealer.†

Hyundai Genuine Accessories	Active	Elite	Highlander
Technology			
Auxiliary Cable	0	0	0
iPad® Holder¹	0	0	0
Interior			
Laser Shades (set of 2)	0	0	0
Cargo Barrier	0	0	0
Tailored Carpet Floor Mats (set of 4)	0	0	0
Tailored Rubber Floor Mats (set of 4)	0	0	0
Dash Mat	0	0	0
Cargo Liner	0	0	0
Fabric Rear Bumper Protector	0	0	0
Portable Cooler² (12 volt, 15 litre)	0	0	0
Cargo Organiser	0	0	0
Exterior			
Headlight Protectors (set of 2)	0	0	0
Bonnet Protector (clear)	0	0	0
Bonnet Protector (smoked)	0	0	0
Tinted Stylevisors (set of 4)	0	0	0
Side Steps	0	0	0
Alloy Nudge Bar	0	0	0
Towbar, Towball & Trailer Wiring Harness ³	0	0	0
Styling			
Side Garnish	0	0	0
Illuminated Scuff Plates (set of 4)	0	0	0
17" Alloy Wheels - (sold separately - tyres not included)	0	0	-
18" Alloy Wheels – (sold separately – tyres not included)	0	-	-
Roof Racks and Lifestyle			
Whispbar™ Quiet Roof Racks⁴	0	0	0
Roof Mounted Bike Carrier	0	0	0
Thule® Bike Rack (wheel on)	0	0	0
Roof Mounted Kayak Holder	0	0	0
Ski & Snowboard Carrier	0	0	0
Surfboard Carrier	0	0	0
Safety			
First Aid Kit (4 Pockets)	0	0	0
Front Park Assist ⁵	0	0	0



Allou Nudae Bar

Premium-grade Polished Aluminium



Illuminated Scuff Plates (set of 4)



Towbar, Towball & Trailer Wiring Harness³

- Engineered to suit Australian conditions Trouble-free towing



Tinted Stylevisors (set of 4)

- · Reduces fogging without you getting wet



Side Garnish



Cargo Liner

• Protects your boot • High quality



Laser Shades (set of 2)

- Staus secure when window is up or down



Tailored Carpet Floor Mats (set of 4)

- Contoured and ColourfastDriver's side locating clip
- 1. iPad® is a registered trade mark of Apple Inc. The iPad® holder has been designed to hold iPad® models 1 and 2 securely. To ensure occupants are protected in the event of a collision, the screen protector must be fitted to the iPad® when in use. iPad® not included.
- 2. Only suitable for use with a retractable seatbelt.
- to regulatory requirements, towbar design, vehicle design and towing equipment limitations. 4. Load capacity = 100kg (Standard Roof) and 75kg (Glass Roof) evenly distributed over 2 bars.
- 5. Park assist is designed as driver assist function only and should not be used as a substitute for skilled driving and safe parking practices. While the park assist sensors monitor objects on approach, there may be occasions where blind spots affect the sensitivity of the sensors and as a result the area into which the vehicle is heading must be visually monitored by the driver at all times while parking.

†All Hyundai Genuine Accessories are subject to warranty conditions. See your nearest Hyundai Dealer or visit our website at www.hyundai.com.au for full warranty terms and usage recommendations.







The Hyundai ix35 Active model featured above in Pure White is accessorised with Hyundai Genuine Whispbar™ Quiet Roof Racks⁴, Surfboard Carrier, Front Park Assist⁵, Bonnet Protector, Headlight Protectors (set of 2), Tinted Stylevisors (set of 4), Towbar, Towball and Trailer Wiring Harness³, Side Garnish, 17" Alloy Wheels, Side Steps and Alloy Nudge Bar. All sold separately at an additional cost. Surfboard not included.

Hyundai Motor Company Australia Pty Ltd Corner of 394 Lane Cove Road & Hyundai Drive, Macquarie Park NSW 2113 T.02 8873 6000 F.02 8873 6005

Hyundai Motor Company (HMC) and the Hyundai Motor Company Australia (HMCA) each reserve the right to alter vehicle specifications and equipment levels without notice. iCare Terms (from inside cover) "5 year/unlimited km warranty: 5 year unlimited km warranty only applies to new passenger vehicles used for private/domestic purposes. Vehicles used at any time for high mileage/commercial purposes are excluded. Refer to full warranty conditions. *12 months free Roadside Assist: Complimentary 12 months Roadside Assist when you purchase a new Hyundai vehicle (excluding rental buyers). Roadside Assist extensions are valid for 12 months from the date of scheduled maintenance service at a participating authorised Hyundai dealer. Does not apply to vehicles when they reach 84 months from original new car sale date. "MapCare*" Mapcare*" Mapnonly applies to new vehicles with factory-fitted satellite navigation. INAYTEQ and MapCare*" are registered trademarks of Nokia Corporation. Maximum number of 2 updates, delivered on an annual cycle within 3 years of the vehicle's initial purchase. Free map updates only apply if the vehicle is serviced at a participating authorised Hyundai dealer. "Capped Price Service: Applies to new Hyundai vehicles first registered from 1/8/12, private and nominated small business customers only, for the first 3 years/45,000km, whichever comes first. Vehicles sold to rental, government, not-for-profit and fleet customers are not eligible. Eligible vehicles entitled to capped (maximum) price for standard scheduled maintenance (ie, logbook) services at participating authorised Hyundai dealers. Terms and required maintenance (ie, logbook) services at participating authorised Hyundai dealers. Terms and required maintenance (ie, logbook) services at participating authorised Hyundai dealers. Terms and required maintenance (ie, logbook) services at participating authorised Hyundai dealer. Terms and required maintenance (ie, logbook) services at participating authorised Hyundai dealer.

autnorised Hyundai dealer. "Lapped Price Service: Applies to new Hyundai vehicles first registered from 1/8/12, private and nominated small business customers only, for the first 3 years/45,000km, whichever comes first. Vehicles sold to rental, government, not-for-profit and fleet customers are not eligible. Eligible vehicles entitled to capped (maximum) price for standard scheduled maintenance (le, logbook) services at participating authorised Hyundai dealers. Terms and conditions apply to all warranty and Hyundai iCare offers, visit www.hyundai.com.au/icareterms for full terms, conditions, exclusions and eligibility details. To the extent permitted by the law, neither HMC nor HMCA shall be liable to any person as a result of reliance on the content of this spec sheet. Please consult your Hyundai dealer for the latest specifications, equipment levels, options, prices, colours and vehicle availability. Metallic and mica paint are optional extras. Note: Information in this spec sheet is current as at 21/02/2014. Part No: LM0314B HMCA7034





Bectronically-controlled on-demand AWD including driver selectable centre differential lock for \$9/\$0 from/rear for selectable centre differential manual mode	3.385 2.4 AVID (Petrot) (Motor Driven Power Steering), Rack & Pin Manual Tilt & Fleescopic 10.6 metres 2.83 2.4 AVID (Petrot) L power assisted with Electronic Brakeford Stylen (ABS) with Electronic Brakeford Brakeford (Bass) 2.4 AVID (Petrot) 4.410 mm 1820 mm 1820 mm 1820 mm 1820 mm 1820 mm 1955 / 1958 mm 1957 / 1958 mm 1957 / 1958 mm 1170 mm (1015 mm) 785 mm 1170 mm (1015 mm) 1795 mm 11570 / 1200 free (465 / 1436 fitres) 2.4 AVID (Petrot) 1595 / 2080 kg 2.4 AVID (Petrot) 1595 / 2080 kg 2.4 AVID (Petrot) 1599 / 730 fitres (465 / 1436 fitres) 2.4 AVID (Petrot)	2.0.2WID (Petrol) Dual-diagonal, split dro. 262 mm solid disc. 262 mm solid disc. 4 - channel / 4 sensos Anti-si 2.0.2WID (Petrol) 2.0.2WID (Petrol) 2.0.2WID (Petrol) 1.470 / 1995 kg 1.485 / 2016 kg 2.0.2WID (Petrol) 1.600 7.50	Number of steering wheel turns lock to lock Balkes General Front Rear ABS Dimensions Exterior Length Width Height With roof rails) Wheel base Wheel base Wheel base Wheel read - front / rear Whereing ground dearance (based on ket weight) Approad / departure / ramp brake over angle Interior Head room front / rear Leg room front / rear Leg room front / rear The proom front / rear Hand con front / rear Hand con front / rear Head room front / rear
Bectronically-Controlled on-demand AWD Including driver selectable centre differential lock for SD/95 from/rear bronatic with electronic sequential manual mode Auto	3.385 3.385 3.395 2.4 AWD (Petro) (Motor Driven Power Steering), Rack & Pin Manual Till & Telescopic 10.6 metres 2.83 2.4 AWD (Petro) 1. power assisted with Electronic Brakeford assisted with Electronic Brakeford Braking System (ABS) with Electronic Brakeford Braking System (ABS) with Electronic Brakeford min 1820 mm 1820 mm 1820 mm 1850 mm (1680 mm) 1650 mm (1680 mm) 1758 / 1788 mm 11000 / 994 mm 1047 / 992 mm 1100 / 994 mm 1107 / 1335 mm 11367 / 1335 mm 1170 mm (1015 mm) 785 mm 1170 mm (1015 mm) 785 mm 1170 mm (1015 mm) 1795 mm 1170 mm (1015 mm) 1795 / 24 AWD (Petro) 1586 / 2080 kg 2.4 AWD (Petro) 1587 / 2380 kg 2.4 AWD (Petro)	2.0 2WD (Petrol) Dual-diagonal, split dro. 262 mm solid discs 4 - charnel / 4 sensor Anti-si 2.0 2WD (Petrol) 2.0 2WD (Petrol) 2.0 2WD (Petrol) 2.0 2WD (Petrol) 1.470 / 1955 kg 1.470 / 1955 kg 1.470 / 1956 kg	Inumber of steering wheel turns lock to lock Brakes General Front Rear ABS Ulimensions Exterior Length Wright Height (With roof rails) Wheelbase Wheel tread - front / rear Whientum ground dearance (based on kert weight) Head room front / rear Eagroom front / rear Hip room front / rear Hip room front / rear Hip room front / rear Leagroowerall wight (between wheel arches) Cargo overall reight Cargo owlume seats down / up VIDA 211 / 2141 (Min / Max) Weight Manual
Bectronically-Controlled on-demand AWD Including driver	3.385 3.395 2.4 AWD (Petrol) (Motor Driven Power Steering), Rack & Pin Manual Tilt & Rescopic 10.6 metres 2.83 2.4 AWD (Petrol) L power assisted with Electronic Brakeford Stylem (ABS) with Electronic Brakeford Stylem (ABS) with Electronic Brakeford Stylem (ABS) with Electronic Brakeford (AB	2.0 2WD (Petrol) Duel-diagonal, split dro. 262 mm solid diss. 4 - channel / 4 sensor, Anti-si 2.0 2WD (Petrol) 2.0 2WD (Petrol) 2.0 2WD (Petrol) 2.0 2WD (Petrol)	Inumber of steering wheel turns lock to lock Brakes General Front Rear ABS Dimensions Exterior Length Width Height (With roof rails) Wheel base Wheel tread - front / rear Whimmum ground dearance (based on kerb weight) Approad / departure / ramp brake over angle Interior Head room front / rear Head room front / rear Head room front / rear Cargo overall width (rear Hip room front / rear Hip room front / rear Legion overall width (between wheel arches) Cargo overall width (between wheel arches)
Bectronically-controlled on-demand AWD Including driver selectable centre differential lock for SD/95 front/rear control of the centre differential lock for SD/95 front/rear control of the centre differential lock for SD/95 front/rear control of the centre differential lock for SD/95 front/rear control of the centre differential lock for SD/95 front/rear control of the centre differential lock for SD/95 front control	3.385 2.4 AVID (Petrot) (Motor Driven Power Steering), Rack & Pin Manual Tilt & Fleescopic 10.6 metres 2.83 2.4 AVID (Petrot) L power assisted with Electronic Brakeford Stylen (Petrot) 4.410 mm 1820 mm 1820 mm 1820 mm 1650 mm (1680 mm) 1655 mm 1785 / 1986 mm 1185 / 1986 mm 1185 / 1986 mm 1185 / 1980 mm 1185 / 1480 mm 1187 / 1380 mm	2.0 2WD (Petrol) Duel-diagonal, split dro. 262 mm solid diss. 4 - channel / 4 sensor, Anti-si 2.0 2WD (Petrol) 2.0 2WD (Petrol)	Inumber of steering wheel turns lock to lock Brakes General Front Rear ABS Unimensions Exterior Length Width Height (with roof rails) Wheelbase Wheel tread - front / rear Minimum ground dearance (based on keep weight) Approach / departure / ramp brake over angle Interior Head room front / rear Shoulder room front / rear He ard noom front / rear Leg room front / rear Head room front / rear Cargo overall ength Cargo overall ength Cargo overall height Cargo volume: seats down / up (DIA 211 / 214) (Min / Max) Weight Manual Manual
Bectronically-Controlled on-demand AWD Including driver selectable centre differential lock for SSU-91 front/rear bronatic with electronic sequential manual mode Auto	3.385 3.385 2.4 AVID (Petrot) (Motor Driven Power Steering), Rack & Pin Manual Tilt & Rescopic 10.6 metres 2.83 2.4 AVID (Petrot) L power assisted with Electronic Brakeford 2.4 AVID (Petrot) 4.410 mm 1820 mm 1820 mm 1820 mm 1850 mm (1680 mm) 1655 mm 1658 mm 1658 mm 1785 / 1986 mm 1185 / 1986 mm 1185 / 1980 mm 1185 / 1380 mm 1187 / 1380 mm 1187 / 1380 mm 1187 / 1380 mm	2.0 2WD (Petrol) Duel-diagonal, split dro. 262 mm solid discs. 4 - channel / 4 sensor, Anti-si 2.0 2WD (Petrol)	Inumber of steering wheel turns lock to lock Brakes General Front Rear ABS Unimensions Exterior Length Width Height (with roof rails) Wheelbase Wheelbase Wheel tread—front / rear Whimum ground dearance (based on keerb weight) Approach / departure / ramp brake over angle Interior Head room front / rear Leg room front / rear Head room front / rear Cargo overall ength Cargo overall ength Cargo overall height Cargo volume: seats down / up (DIA 211 / 214) (Min / Max) Weight Kerb / KSW Weight Kerb / KSW Weight
Bectronically-controlled on-demand AWD Including driver	3.385 2.4 AVID (Petrot) (Motor Driven Power Steering), Rack & Pin Manual Tilt & Fleescopic 10.6 metres 2.83 2.4 AVID (Petrot) 1, power assisted with Electronic Brakeford Steering and more with Electronic Brakeford Braking System (ABS) with Electronic Brakeford Brakef	2.02WD (Petrol) Duel-diagonal, split dro. 262 mm solid diss. 4 - channel / 4 sensor Anti-si. 2.02WD (Petrol)	Inumber of steering wheel turns lock to lock Brakes General Front Rear ABS Ulmansfore Exterior Length Width Height (With roof rails) Wheelbase Wheel tread - front / rear Minimum ground dearance (based on kero weight) Maeloweight) Wheelbase Head room front / rear Leg room front / rear Shoutler room front / rear Lag or owerall height Cargo overall width (between wheel arches)
Electronically-Controlled on-demand AWD Including driver	3.385 2.4 AVID (Petrot) (Motor Driven Power Steering), Rack & Pin Manual Till & Fleescopic 10.6 metres 2.83 2.4 AVID (Petrot) L power assisted with Electronic Brakeford Styleten (ABS) with Electronic Brakeford Braking System (ABS) with Electronic Brakeford Braking System (ABS) with Electronic Brakeford (Back) 300 mm vertilated discs 200 mm 1820 mm 1820 mm 1820 mm 1650 mm 1650 mm 1658 mm 1758 mm 1007 / 982 mm 1007 / 982 mm 1057 / 1336 mm 1367 / 1336 mm 1367 / 1336 mm 1367 / 1336 mm 1378 mm 1785 mm 1795 mm 1795 mm	2.02WD (Petrol) Duel-diagonal, split dro. 262 mm solid diss. 262 mm solid diss. 4 - channel / 4 sensor Anti-si 2.02WD (Petrol)	Inumber of steering wheel turns lock to lock Brakes General Front Rear ABS Ulmansfore Exterior Length Width Height (With roof rails) Wheelbase Wheel tread - front / rear Minimum ground dearance (based on kero weight) Wheelbase Head room front / rear Leg room front / rear Leg room front / rear Shoulder room front / rear Lag oo overall height Cargo overall width (between wheel arches) Cargo overall height
Bectronically-Controlled on-demand AWD Including driver selectable centre differential lock for SU/91 front/rear bronatic with electronic sequential manual mode	3.385 3.385 3.395 2.4 AVID (Petrot) (Motor Driven Power Steering), Rack & Pin Manual Trift & Rescopic 10.6 metres 2.83 2.4 AVID (Petrot) L power assisted with Electronic Brakeford 2.4 AVID (Petrot) 4.410 mm 1820 mm 1820 mm 1820 mm 1650 mm (1680 mm) 1655 mm 1785 / 1986 mm 1785 / 1980 mm 1785 mm 1785 / 1400 mm 1785 mm 1785 / 1400 mm 1785 mm 1785 mm 1785 mm 1787 / 1336 mm	2.0 2WD (Petro) Dual-diagonal, split dro. 2.0 2mm solid discs. 4 - channel / 4 sensor Anti-si 2.0 2WD (Petro))	Inumber of steering wheel turns lock to lock Brakes General Front Rear ABS Ulmansfore Exterior Length Width Height (With roof rails) Wheelbase Wheel tread - front / rear Minimum ground dearance (based on lace weight) Meet weight) Head room front / rear Leg room front / rear Shoutler room front / rear Leg or om front / rear Leg or om front / rear Shoutler room front / rear Leg or om front / rear Leg or owerall length Cargo overall width (between wheel arches)
Bectronically-Controlled on-demand AWD including driver	3.385 3.395 2.4 AVID (Petrot) (Motor Driven Power Steering), Rack & Pin Manual Tilt & Fleescopic 10.6 metres 2.83 2.4 AVID (Petrot) L power assisted with Electronic Brakeford Braking System (ABS) with Electronic Brakeford Braking System (ABS) with Electronic Brakeford Braking System (ABS) with Electronic Brakeford Brakefo	2.02WD (Patrol) Dual-diagonal, split dro. 2.02WD (Patrol) 2.02WD (Patrol)	Inumber of steering wheel turns lock to lock Brakes Brakes General Front Rear ABS Ulmansfore Exterior Length Width Height (With roof rails) Wheelbase Wheel tread - front / rear Minimum ground dearance (based on lace) with roof front / rear Minimum ground dearance (based on lace) with roof front / rear Minimum ground fleerance (based on lace) with roof front / rear
Bect onically-Controlled on-demand AwD Including driver selectable centre differential lock for SU/91 front/rear block for SU/9	3.385 3.395 2.4 AVID (Petrol) Manual Till & Telescopic 10.6 metres 2.83 2.4 AVID (Petrol) L, power asserting, Rack & Pin Manual Till & Telescopic 300 mis retent discs 300 mis verbilated discs 300 mis verbilated discs 224 AVID (Petrol) 4410 mm 1650 mm (1680 mm) 1650 mm (1680 mm) 165 mm 1650 mm 1050 / 994 mm 1047 / 982 mm 1047 / 982 mm 1047 / 982 mm	2.0 2WD (Petro) Dual-diagonal, split dro. 262 mm solid discs. 4 - channel / 4 sensor Anti-si 2.0 2WD (Petro))	Inumber of steering wheel turns lock to lock Brakes General Front Rear ABS Dimensions Exterior Length Width Height (With roof rails) Wheel base Wheel base Wheel ground dearance (based on kerb weight) Minimum ground dearance (based on kerb weight) Length of the front / rear Manual Trear Leg froom front / rear Head room front / rear Head room front / rear
Bect onically-controlled on-demand AWD including driver selectable centre differential lock for SD/91 front/rear leaferchale centre differential manual mode Auto Auto Auto Auto Auto 1386 1386 1386 1386 1386 1386 1386 1386	3.385 3.195 2.4 AVID (Petrol) [Motor Driven Power Steering), Rack & Pin Manual Till & Telescopic 10.6 metres 2.83 2.4 AVID (Petrol) 1, power assisted with Electronic Brakeford discs 2.83 2.4 AVID (Petrol) 4.410 mm 4.410 mm 1820 mm 1820 mm 1850 mm (1880 mm) 1585 / 1596 mm 1655 mm 1656 mm 1056 mm 1057 / 984 mm 1000 / 994 mm 1000 / 994 mm 1000 / 994 mm	2.02WD (Petro) Dual-diagonal, split dro 262 mm solid discs 4 - charnel / 4 sensor Anti-si 2.02WD (Petro))	Inumber of steering wheel turns lock to lock Brakes General Front Rear ABS Dimensions Exterior Length Wright Height (With roof rails) Wheelbase Wheel tread - front / rear Whinmum ground clearance (based on kerb weight) Approach / departure / ramp brake over angle Interior
Electronically-controlled on-demard AWD including driver	3.385 2.4 AVID (Petrol) 10.6 metres 2.83 2.4 AVID (Petrol) 1. power assisted with Electronic Brakeford 300 mm vertilated discs 300 mm vertilated discs 300 mm (1680 mm) 1820 mm 1820 mm 1820 mm 1820 mm 1826 mm 1658 mm 1585 / 1596 mm 165 mm 1000 / 994 mm 1000 / 994 mm	2.02WD (Petrol) Dual-diagonal, split dro. 262 mm solid discs 4 - charnel / 4 sensor Anti-si 2.02WD (Petrol)	Inumber of steering wheel turns lock to lock Brakes General Front Rear ABS Dimensions Exterior Length Width Height (With roof rails) Wheelbase Wheel tread - front / rear Whinmum ground clearance (based on kerb weight) Approach / departure / ramp brake over angle Interior I
Electronically-controlled on-demand AwD including driver	3385 3385 34 AVID (Petrol) 2.4 AVID (Petrol) Manual Tilt 8 Telescopic 10.6 metres 2.83 2.4 AVID (Petrol) L, power assisted with Electronic Brakeford 300 mm vertilated discs 300 mm vertilated discs 300 mm vertilated fiscs 44410 mm 1820 mm 1820 mm 1826 mm 1826 mm 1555 mm 1558 mm 1558 mm 1585 mm 1585 mm	2.02WD (Petrol) Dual-diagonal, split dro. 262 mm solid discs 4 - channel / 4 sensor Anti-sl 2.02WD (Petrol)	Inumber of steering wheel turns lock to lock Brakes General Front Rear ABS Dimensions Exterior Length Whith Height (With roof rails) Wheel base Wheel I read - front / rear Minimum ground clearance (based on kerb weight) Approach / departure / ramp brake over angle Unterior
Electronically-controlled on-demard AWD including driver	3.385 2.4 AVD (Petrol) 2.4 AVD (Petrol) Manual Tilt & Fleescopic 10.6 metres 2.83 2.4 AVD (Petrol) L power assisted with Electronic Brakeford 300 mm vertilated discs 300 mm vertilated discs 300 mm vertilated retrol 4410 mm 1820 mm 1820 mm 1820 mm 1820 mm 1850 mm (1880 mm) 2.40 mm 1850 mm (1880 mm)	2.02WD (Patrol) Dual-diagonal, split dro. 2.62 mm solid discs 4 - channel / 4 sensor Anti-sl 2.02WD (Patrol)	Inumber of steering wheel turns lock to lock brakes General Front Rear Rear Rear Length Width Height (With roof rails) Wheel base Wheel tread – front / rear Minimum ground dearance (based on kerb weight) Approach / departure / ramp brake over angle
Electronically-controlled on-demard AWD including driver	3.385 2.4 AWD (Petrol) Who ID Piven Power Steering), Rack & Pin Marual Tilt & Fleescopic 10.6 metres 2.83 2.4 AWD (Petrol) L power assisted with Electronic Brakeford and wertilated discs 300 mm wertilated discs 300 mm vertilated mrs. 284 mm solid di Braking System (ABS) with Electronic Brakeford (Petrol) 4.410 mm 18.20 mm 18.20 mm 18.50 mm (1880 mm) 2.540 mm 1555 mm	2.02WD (Patrol) Dual-diagonal, split dro. Z62 mm solid discs. 4 - channel / 4 sensor Anti-sl 2.02WD (Patrol)	Inumber of steering wheel turns lock to lock Brakes General Front Rear Rear Rear Length Width Height (With roof rails) Wheelbase Wheel tread – front / rear Whishum gound clearance (based on kerb weight)
Electronically-controlled on-demand AwD including driver	3385 2.4 AVID (Petrol) 2.4 AVID (Petrol) Manual Tilt 8 Telescopic 10.6 metres 2.83 2.4 AVID (Petrol) L power assisted with Electronic Brakeford 300 mm vertilated discs 300 mm vertilated discs 300 mm vertilated fire between the Brakeford 1820 mm 1820 mm 1820 mm 1820 mm 1826 mm 1826 mm	2.02WD (Patrol) Dual-diagonal, split dro. 2.62 mm solid discs 4 - channel / 4 sensor Anti-sl 2.02WD (Patrol)	Il fumber of steering wheel turns lock to lock Brakes General Front Rear Rear Rear Length Wheel with roof rails! Wheel base Wheel tread – front / rear
Electronically-controlled on-demand AWD including driver	3.385 2.4 AWD (Petrol) (Motor Driven Power Steering), Rack & Pin Manual Tilt & Fleescopic 10.6 metres 2.83 2.4 AWD (Petrol) L power assisted with Electronic Brakeford 300 mm ventilated discs 300 mm ventilated flass 300 mm Ventilated flass 4410 mm 1820 mm (1880 mm) 1650 mm (1880 mm)	2.02WD (Patrol) Dual-diagonal, spill, clin. Dual-diagonal, spill, clin. 262 mm solid discs. 4 - Channel / 4 sensor Anti-sk 2.02WD (Patrol)	Number of steering wheel turns lock to lock Brakes General Front Rear ABS Dimensions Length Width Height (With roof rails) Wheelbase
Electronically-controlled on-demand AWD including driver	3.385 2.4 AWD (Petrol) (Motor Driven Power Steering), Rack & Pin Manual Tilt & Fleescopic 10.6 metres 2.83 2.4 AWD (Petrol) L power assisted with Electronic Brakeford 300 mm ventilated flass 300 mm ventilated flass 300 mm Ventilated flass 4.410 mm 18.20 mm 18.50 mm (1880 mm)	2.02WD (Petrol) Dual-diagonal, split dro. Dual-diagonal, split dro. 262 mm solid discs 4 - channel / 4 sensos Anti-sk 2.02WD (Petrol)	Number of steering wheel turns lock to lock Brakes General Front Rear ABS Dimensions Uninensions Length Width Width Height (With roof rails)
Bectronically-controlled on-demand AwD including driver selectable centre differential lock for SD/SD from/rear bromatic with electronic sequential manual mode	3.385 3.195 2.4 AVID (Petrot) (Motor Driven Power Steering), Rack & Pin Manual Tilt & Fleescopic 10.6 metres 2.83 2.4 AVID (Petrot) L power assisted with Electronic Brakeford 2.80 mm ventilated discs 300 mm ventilated discs 300 mm ventilated fiscs 4.4 AVID (Petrot) 4.410 mm 18.20 mm	2.02WD (Patrol) Dual-diagonal split dro. Dual-diagonal split dro. 262 mm solid discs. 4 - channel / 4 sensor Anti-sl. 2.02WD (Patrol)	Number of steering wheel turns lock to lock Brakes Brakes Front Front Rear Rear ABS Dimensions Liength Width
Bectronically-controlled on-demand AwD including driver	3.385 3.195 2.4 AWD (Petrot) (Motor Driven Power Steering), Rack & Pin Manual Titl & Reescopic 10.6 metres 2.83 2.4 AWD (Petrot) L. power assisted with Electronic Brakeford 2.80 mm ventilated discs 300 mm ventilated discs 300 mm ventilated office CBV mm solid di 8 aking System (ABS) with Electronic Brakeford 2.4 AWD (Petrot) 4.410 mm	202WD (Patrol) Dual-diagonal, split dro. Dual-diagonal, split dro. 262 mm solid discs 4 - channel / 4 sensor Anti-sk 202WD (Patrol)	Number of steering wheel turns lock to lock Brakes General Front Rear Rear ABS Differsions Exterior Lendth
Bectronically-controlled on-demand AWD including driver selectable centre differential lock for SD/91 front/rear and selectable centre differential rearrange for the selectable centre differential rearrange for the selectable centre differential rearrange for the selectable centre differential manual mode Auto 1,000 1,	3.385 3.195 2.4 AWD (Petrol) (Motor Driven Power Steering), Rack & Pin Manual Till & Telescopic 10.6 metres 2.83 2.4 AWD (Petrol) 2.83 2.4 AWD (Petrol) 2.80 mm vertilated discs 280 mm vertilated discs 4.4 AWD (Petrol) 4.4 AWD (Petrol) 6.5 yestem (ABS) with Electronic Bradeford	2.0 2WD (Petro)) Dual –diagonal, split circu 262 mm solid discs 4 – channel / 4 sensor Anti–sk 2.0 2WD (Petro))	Number of steering wheel turns lock to lock Brakes General Front Rear ABS Dimensions Dimensions
Electronically-controlled on-demand AND Including driver	3.385 2.4 AWD (Petro) Motor Driven Prover Steering), Rack & Pin Manual Titl. & Telescopic 10.6 metres 2.83 2.4 AWD (Petro) L, power assisted with Electronic Brakeford 300 mm ventilated discs 284 mm solid di Braking System (ABS.) with Electronic Brakeford	2.0 2WD (Petrol) Dual-diagonal, split circu Dual-diagonal, split circu 2.62 mm solid discs 4 - channel / 4 sensor Anti-sk	Number of steering wheel turns lock to lock Brakes General Front Rear ABS
Electronically-controlled on-demand AWD including driver	3385 3385 34 Avio (Petro) Al Avio (Petro) Motor Driven Power Steering), Rack & Pin Manual Title & Telescopic 10.6 metres 2.83 2.4 Avio (Petro) L power assisted with Electronic Brakeford 300 mm ventilated discs 284 mm solid di	2.0 zWD (Petrol) Dual-diagonal, split circu 262 mm solid discs	Number of steering wheel turns lock to lock Brakes General Front Rear
Electronically-controlled on-demard AWD including driver	3385 3195 2.4.A.W.D. (Petrot) Mohoul Thiven Power Steering), Rank & Pin Mahual Title 8 Telescopic 10.6 metres 2.83 2.4.A.W.D. (Petrot) 1, power assisted with Electronic Brakeford 300 mm ventilated discs	2.0 2WD (Petrol) Dual-diagonal, split dircu	Number of steering wheel turns lock to lock Brakes General Front
Electronically-controlled on-demard AWD including driver	3385 3195 2.4 AVID (Petrol) (Motor Driven Power Steering), Rack & Pin-Manual Title 8 Telescopic 10.6 metres 2.83 2.4 AVID (Petrol) 2.4 AVID (Petrol) 1, power assisted with Electronic Brakefort	2.0 2WD (Petrol) Dual-diagonal, split circu	Number of steering wheel turns lock to lock Brakes General
Bectronically-controlled on-demand AWD including driver	3385 3195 2.4 AWD (Petrol) Monual Till: 8 Telescopic 10.6 metres 2.83 2.4 AWD (Petrol)	2.0 2WD (Petrol)	Number of steering wheel turns lock to lock Brakes
Bectronically-controlled on-demand AWD including driver	3385 3195 2.4 AVID (Petro) Motor Driven Power Steering), Rack & Pin Manual Title & Telescopic 10.6 metres 2.83		Dumber of steering wheel turns lock to lock
Selectable control direction AWD including driver	3385 3195 2.4 AVID (Petrol) [Motor Driven Power Steering), Rack & Pin Manual Tilt & Telescopic		Detween Kerbs
Electronically-controlled on-demand AWD including driver	3385 3.195 2.4 AWD (Petrol) (Motor Driven Power Steering), Rack & Pin Manual Tilt & Telescopic		Minimum turning circle diameter
Electronically-controlled on-demand AWD including driver	3.855 3.195 2.4 AWD (Petrol) 2.4 AWD (Petrol)		Column
Selectable control differential cock for SSU-ST (montrear selectable centre differential centre		2.0 2WD (Petrol)	Steering
Selectable centre differential tack for \$0/90 front/rear		5.231 (Reverse) / 3.648	Final drive ratio
including driver 1/50 front/rear 1/50 front/re	200.0	4533 (1st, 2nd, 3rd, 4th, 5th, 6th	reverse
Discluding driver (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	277.0	0.7447.0.776	on on
D including driver D including d	1.000	0.884 / 1.000	5th
Di including driver Di Stoffrent/rear Auto 4252 22554 11804	1.386	1.079 / 1.369	4th
)/SO front/rear)/SO front/rear - Auto 4252 2,654	1.800	1.387 / 1.772	3rd
)/50 front/rear - - Auto	2637	2.080 / 2.575	2nd
)/50 front/rear	4212	3.769 / 4.162	Tet Tetro
)/50 front/rear	tomatic with electronic sequential manual	b speed a	Automatic
		6 speed manual	Manual
	Electronically-controlled on-deman selectable centre differential lock	1	AWD (All-Wheel Drive) System
2.4 AWD (Petrol) 2.0 AWD (Diesel) 18* × 651 al	2.4 AWD (Petrol)	2.0 2WD (Petrol)	Transmission
16:1	11.3:1	11.5:1	Compression ratio
will able beolified Julioo Wheels & T. 88.0 mm × 97.0 mm 84.0 mm × 90.0 mm		81.0 mm x 97.0 mm	Bore x stroke
Gasoline Direct Injection (GDI) (CRD) with electronic control Variable Geometric Turko	-	Gasoline Direct Injection (GDi)	Fuel System
392 Nm @ 1800-2500 RPM		205 Nm @ 4000 RPM	Maximum torque
135 kW @ 4000 RPM		122 kW @ 6200 RPM	Maximum power
16 Valve DOHC with Dual Continuously Variable Valve Timino (10-CVVT) 4 valves per cylinder CO ₂ (Combin		16 Valve DOHC with Dual Continuously Variable Valve	Valve system
line DOHC	4 in-line DOH	4 in-line	Number of cylinders
2.4 litres (2,359 cc) 2.0 litres (1,995 cc) Lombined II.	2,4 litres (2,359 cc)	2.0 litres (1,999 cc)	Cylinder capacity
Transverse front mounted driving front and rear wheels	Transverse front mounted driving	Transverse front mounted driving front wheels	Configuration
2.4 AWD (Petrol) 2.0 AWD (Diesel) Fuel Consur	2.4 AWD (Petrol)	2.0 2WD (Petrol)	Engine

Ble Highlander Ble Highlander Ble Highlander Highlander Highlander Highlander Highlander	Active		Keyless entry with bur glar alarm Keyless entry with bur glar alarm Engine Immobiliser Hyundal Active Locking Operation (HALO)* Including Speed sensing alou door locking, alou door unlock wines in Park for grinton key
	tive		Lentral locking Keyless entry with burglar alarm Engine immobiliser
	tive		Keyless entry with burglar alarm
	tive		Lentral locking
	ttive		- 1 11 III
	•	A	Security Security
			(driver & front passenger active headrests)
			Anti-submarining front seat base steel pans 5 height-adjustable headrests
	•		Child seat top tether strap anchor point brackets fitted to all 3 rear seat positions
			Seating
	•		3 point retractable seat belts for all occupants
	•		Pretensioners, load limiters & height adjustable
			Seat belts
	•		Third safety year door look
	•		Side impact intrusion bars in all doors
	•		Reinforced body / chassis, with rigid cabin and crush zones front & rear
			Body
	•		Front and rear passenger side curtain airbags
	•		Dual side front (thorax) airbags
-		1	Driver and front passenger airbags
	Active	Ac	Airhans
	The state of the s	2	Dusk sensing headights (with override switch)
	•		Warning lights (seatbelt, door ajar, check engine)
	•		Rear high mount centre stop lamp
	•		Rear park assist (parking sensors)
	-		Rear view camera (display integrated into satellite navigation unit)
	1		Electrochromatic (auto-dimming) rear view mirror (ECM) with compass
	•		Day / night rear view mirror
	•		Rear fog lamps
			Front fog lamps
			LED light guide (Upper portion of headlamp)
	•		LED light guide (Lower portion of headlamp)
	•		Vehicle Stability Management (VSM)
	•		Hill-start Assist Control (HAC)
	•		Downhill Brake Control (DBC)
	•		Electronic Stability Control (ESC) incorporating Traction Control System (TCS)
	•		Anti-skid Braking System (ABS) 4 channel with Electronic Brakeforce Distribution (EBD)
	Active	A	Active Safety
	'		Spare full size ture on standard wheel rim
	•		225 / 60 R17 tyres
•			18* x 6.5J alloy wheels
	1		17" x 6.5J alloy wheels
	·	Ī	17* x 6.5J steel wheels
Elite Highlander	Active	A	Wheels & Tures
MacPherson Strut System	MacP		Front
2.4 AWD (Petrol) 2.0 AWD (Diesel)	2.0 2WD (Petrol) 2	2.0 2WE	Suspension
			Fuel tank volume (L)
	200	197	CO ₂ (Combined g/km)
74 60	5.8	6.7	Extra (I /100km)
	8.4	82	Combined (L/100km)
	П	Man	
2.4 AWD (Petrol) 2.0 AWD (Diesel)	2.0 2WD (Petrol) 2	2.0 2WE	Fuel Consumption †

*Leather appointed seeks means parts of the seats have a combination of genuine and artificial leather, but are not wholly beather. *Source ADRBI/02. Fuel consumption will vary depending on a combination of driving habits and the condition of the vehicle "Features can be independently deschwated at an authorised Hyundai Dealer, "Pode" is a registered trademark of Apple Inc., registered in the U.S. and other countries. Bluetooth'sis a registered trademark of Bluetooth'sis in the "Pode" in the Vehicle service and a participating authorised Hyundai dealer.

Napicing*Plan only applies to new whiches with factory-fitted seatellite paraglation. IAVTED and Mapiciare** are registered trademarks of floola Corporation. Maximum number of 2 updates, delivered on an annual cycle within 3 years of the vehicle's initial purchase. Free map updates only apply if the vehicle is serviced at a participating authorised Hyundai dealer.

Roof rail load limit

ī

<u>8</u>

00

Exterior Styling	Active	Elite	Highlander
oured side min	1 •		
Black surround upper front grille	•	1	1
Panorama glass roof (with interior sliding blind)	1 1	1 •	
Lower door sporty black side garnish Metal effect roof rails	• 1		
Front and rear mud flaps	•	•	•
Rear roof spoiler Multimedia System	Active	Elite	Highlander
Satellite navigation with 7* touch screen with 3 uears MapCare [™] ^	ı		•
5" touch screen radio	•	1	1
MP3 / CD player with AM/FM tuner DVD / MP3 / CD player with AM / FM tuner		• 1	• 1
Bluetooth® telephone & audio streaming*	•	•	•
6 speakers including tweeters USB audio input with iPod®o compatibility			
Auxiliary audio input jack (to connect external audio source)	•	•	
Rear roof mounted aerial	•	•	
Steering wheel audio controls			
Occupant Comfort Front and rear power windows	Active	• Elite	Highlander
Driver one-touch auto up/down with driver's side safetu window	•	•	•
Push button start with proximity smart key	ı		•
Height adjustable driver's seat cushion Electric adjust driver seat with lumbar support			
Headlamp escort function	•	•	•
Survisor with vanity mirror	.		
Slide out sun extension covers on survisor	ı		•
Premium wrapped steering wheel rim & transmission shift knob	1	•	•
Electric folding side mirrors	. 1	1	•
Heated front seats	1 •		
Privacy glass	1	1	•
hook in rear	•		
One touch triple turn signal			
2 x 12V power outlets: front & rear cargo area	•	•	•
Trip computer with average km / hr, trip km, distance to empty, average & instant fuel consumption L / 100km	•	•	•
Portable ash tray & cigarette lighter		•	
Leather appointed seats*		• 1	• 1
Interior Ventilation	Active	Elite	Highlander
Full auto, dual zone climate control with cluster		•	•
Rear heated glass	•	•	•
Delayed fade-out interior lights	Active _	Elite	Highlander
Courtesy reflectors on front doors	•	•	•
Individual driver & front passenger map lamps in overhead console	•	•	•
Luggage lamp Illuminated vanity mirrors			
Illuminated glove box compartment	1		
Storage Solutions 60 / 40 split forward folding rear seats	Active	Elite	Highlander
Fold down sunglasses compartment in roof mounted console	•	•	•
Front seat back pockets	•		•
Lentre floor console with storage compartment & dual cup holders			
Fold down rear armrest with dual cup holders Map pockets with bottle bulges in all door trims			
Ticket holder in sun visor (driver's side)	•	•	•
Lockable glove box compartment			
Cargo net with flat mounting			.
Retractable cargo area security blind	•		
the second of the second of the second			

