

#### MODEL HIGHLIGHTS

MODEL	TECHNICAL DATA	TRANSMISSION	KEY HIGHLIGHTS
Sport MKBH492BD	2.0 DOHC 16V dual (VVT) 1,998cc, 4 cylinder 115kW, 190Nm Front wheel drive	5-speed manual transmission including Hill Start Assist (HSA)	17-inch alloy wheels finished in tech silver Air conditioning Auto dimming rear view mirror Front and rear fog lights Heated Premium cloth bucket seats Leather-wrapped steering wheel with audio and cruise controls Remote central locking with illuminated entry Sentry Key* antitheft engine immobilizer
Sport MKBH4924C	2.0 DOHC 16V dual (VVT) 1,998cc, 4 cylinder 115kW, 190Nm Front wheel drive	Continuously Variable Automatic Transaxle (CVT2) with AutoStick	Uconnect® 135 CD/MP3 radio with audio jack input for mobile devices Uconnect® Voice Command with Bluetooth®
North MKBR4924R	2.0 DOHC 16V dual (VVT) 1,998cc, 4 cylinder 115kW, 190Nm Front wheel drive	Continuously Variable Automatic Transaxle (CVT2) with AutoStick	17-inch alloy wheels finished in mineral grey Deep tint glass from B-Pillar back Heated Premium Vinyl-trimmed seats with Sport Mesh Coth inserts Park-view rear backup camera Uconnect 731N system featuring 6.5-inch colour touchscreen, CD/DVD player, AM/FM radio, MP3/HDD compatibility and Navigation Uconnect Voice Command with Bluetooth*
Limited MKUP4926F	2.4 DOHC 16V dual (VVT) Petrol 2,360cc, 4 cylinder 125kW, 220Nm Freedom Drive I 4WD system with selectable lock feature	Continuously Variable Automatic Transaxle (CVT2) with AutoStick	18-inch alloy wheels with polished mineral grey finish and machined facings Boston Acoustics 9 speaker audio system with subwoofer & two articulating liftgate speakers  Climate control air conditioning  Freedom Drive I 4WD system with selectable lock feature  Heated Perforated Leather-trimmed front bucket seats  Power 6-way adjustable driver's seat with manual lumbar adjust  Uconnect 731N system featuring 6.5-inch colour touchscreen, CD/DVD player,  AM/FM radio, MP3/HDD compatibility and Navigation  Uconnect* Voice Command with Bluetooth*

Disclaimer: All product illustrations and specifications are based upon current information. FCA Australia Pty Ltd ABN 23 125 956 505 trading as FCA Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in Australia from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Jeep dealer.

### MODEL HIGHLIGHTS

SPORT STANDARD E	QUIPMENT
------------------	----------

Interior	ос	Exterior	ос	Safety & Security	ос
12-volt power outlet	JKP	17-Inch Tech Silver aluminium alloys	WFW	Active head restraints	CBD
4 speakers	RCD	• 215/60R17 tyres	TMD	Anti-lock Braking System (ABS)	BGE
Air conditioning	HAA	Acoustic glass windscreen	GAK	Electronic Roll Mitigation (ERM)	BNS
<ul> <li>Audio jack input for mobile devices</li> </ul>	RSU	Black headlight bezels	MFA	Electronic Stability Control (ESC)	BNB
Cruise control	NHM	Body-color accents grille with chrome trim	MF3	Hill Start Assist (manual only)	BNG
Driver seat height adjuster	CDH	Body-color door handles	MNK	Mutli-stage driver and front passenger airbags	CG1
Illuminated cup holders	CWP	Body-colour fascias	MLA	Remote keyless/Illuminated entry	GXP
Leather wrapped steering wheel	SCC	Full size spare	TBB	Security alarm	LSD
Premium cloth bucket seats	C7*	Halogen projector headlights	LMC	Sentry Key® Antitheft Engine Immobilizer	GXX
<ul> <li>Rear reclining 60/40 split folding seats</li> </ul>	CAX	Headlight levelling system	JKL	Speed sensitive power locks	JPH
Rear-view auto dimming mirror	GN5	Power folding heated mirrors	GUL	Supplemental side-curtain front/rear airbags	CJ4
Remote USB port	RSX	Power windows with driver's one-touch down	JPD		
Steering wheel mounted audio controls	RDZ	Premium front fog lights	LNN	Groups	
Tilt adjustable steering column	SUA	Rear fog lights	LPG	Safety and comfort group	AJ1
Ucconect voice command with bluetooth	RSQ	Rear window defroster	GFA	Heated front seats	CMA
Uconnect 135 CD/MP3 radio	REL	Rear window wiper/washer	JHB	Supplemental front seat-mounted side air bags	CJ1
		Silver side roof rails	MW3	Tire pressure monitoring warning lamp	LAB
NORTH STANDARD EQUIPMENT IN ADDITION TO  Interior  Premium Vinyl-trimmed seats with sport mesh coth inserts Uconnect 731N CD/DVD/HDD/NAV radio with 6.5-inch touchscreen	OR RE  OC  G7*  RHP	Exterior  17-Inch Mineral Gray aluminium alloys 215/60R17 tyres Body-colour exterior mirrors Body-colour fascias with bright inserts	OC WFJ TMQ LEP MCZ	Safety & Security Parkview* rear back-up camera	OC XAC
		Deep tint sunscreen glass	GEG		
LIMITED STANDARD EQUIPMENT IN ADDITION T	O OR RI	EPLACING NORTH			
Interior	ос	Exterior	ос	Groups	
40GB hard drive with 28GB available	XRF	18-Inch aluminium wheel	WPT	Technology Group	ADG
Climate control air conditioning	HAB	• 215/55R18 tyres	TMZ	2 articulating liftgate speakers	RFS
Manual driver lumbar adjustment	CDL	Body-colour fascias with bright inserts	MCY	9 Boston Acoustics speakers	RC9
Perforated Leather-trimmed front bucket seats	SL*	Bright exhaust tip	NEC		
Power 6-way drivers seat	JPS	Bright grille accent	MFD		
	5. 5		5		

	SPORT	NO NH	LIMITED	U O
GROUPS AND OPTIONS				
Blackhawk Package  17-inch Black aluminum wheels  Black side roof rails  Body-color rear bumper with step pad  Gloss Black Compass badge  Gloss Black grille mesh and surrounds  Gloss Black Jeep badge	0	N/A	N/A	AHG
Comfort / Convenience Group Deep-tint sunscreen glass	0	S	S	AFB
Power Sunroof	N/A	0	0	GWG

S = Standard N/A = Not Available O = Optional

MODEL HIGHLIGHTS

		. X O d s	NORT	Σ –	O
ALLOY WHEELS					
	17-inch alloy wheels with tech silver finish F/R: 215/60 R17	S	N/A	N/A	WFW
	17-inch alloy wheels with gloss black finish F/R: 215/60 R17 (Only available as part of Blackhawk package)	0	N/A	N/A	WFP
	17-inch alloy wheels with mineral grey finish F/R: 215/60 R17	N/A	S	N/A	WFJ
	18-inch alloy wheels with mineral grey pocket and polished finish F/R: 215/55 R18	N/A	N/A	S	WPT

S = Standard N/A = Not Available O = Optional

18-inch 5-twinspoke alloy wheels

F/R: 215/55 R18

N/A

N/A

0

PORT	ОКТН	LIMITED	U
SP	Z		0

INTERIOR COLOURS & MATERIAL (ACTUAL COLOUR MAY VARY FROM SAMPLE)

INTERIOR COLOURS & MATERIAL (ACTUAL COLOUR MAY VARY FROM SA	MPLE)			
	Duet/Cubic Cloth  Dark Slate Gray with Gray matching accent stitching	N/A	N/A	C7DV
	Duet/Cubic Cloth Light Pebble Beige with Beige matching accent stitching	N/A	N/A	C7DK
Jeep Jeep	McKinley Vinyl /Sport Mesh Cloth  Dark Slate Gray/Black with Light Slate Gray accent stitching  N/A	S	N/A	G7DV
	McKinley Vinyl /Sport Mesh Cloth  Light Pebble Beige with Tangerine accent stitching	NCO	N/A	G7DK
	McKinley Premium Perforated Leather Trim  Dark Slate Gray with Light Slate Gray accent stitching  N/A	N/A	S	SLDV
O CO	McKinley Premium Perforated Leather Trim Saddle Brown with Light Frost accent stitching	N/A	NCO	SLVT
	McKinley Premium Perforated Leather Trim N/A Light Pebble Beige with matching accent stitching	N/A	NCO	SLDK

Overseas model images shown above

S = Standard N/A = Not Available O = Optional NCO = No Cost Option

Disclaimer: All product illustrations and specifications are based upon current information. FCA Australia Pty Ltd ABN 23 125 956 505 trading as FCA Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in Australia from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Jeep dealer.

METALLIC DAINT (ACT	HAL COLOUR MAY VARY FROM CAMPLE)		
METALLIC PAINT (ACT	UAL COLOUR MAY VARY FROM SAMPLE)		
	Bright White Clear Coat	All	PW7
	Black Clear Coat	All	PX8
	Deep Cherry Red Crystal Pearl	All	PRP
	Billet Silver Metallic	All	PSC
	True Blue Pearl Coat (Not Available with Blackhawk Pack)	All	PBU
	Granite Crystal Metallic	All	PAU

#### MODEL HIGHLIGHTS

#### TECHNICAL INFORMATION

	rt	North	Limited
Powertrain			
Engine 2.0 DOHC 16V dua	l VVT, 4-cylinder	2.0 DOHC 16V dual VVT, 4-cylinder	2.4 DOHC 16V dual VVT, 4-cylinder
Displacement (cu cm) 1,99	8	1,998	2,360
kW (hp) @ rpm 115 kW (156 h	p) @ 6,300	115 kW (156 hp) @ 6,300	125 kW (170 hp) @ 6,000
Torque (Nm @ rpm) 190 @ 9	5,100	190 @ 5,100	220 @ 4,500
Fuel System Sequential multiport, el	ectronic fuel injection	Sequential multiport, electronic fuel injection	Sequential multiport, electronic fuel injection
Exhaust System Oversized displacement m	nuffler for reduced back	Oversized displacement muffler for reduced back	Oversized displacement muffler for reduced back
pressure and noise	; long-life design	pressure and noise; long-life design	pressure and noise; long-life design
Transaxle 5-speed manual*	'	Continuously Variable Automatic II (CVT2)	Continuously Variable Automatic II (CVT2)
Continuously Variable	Automatic II (CV12)		
Drive systems Front wheel drive (2WD) trans	saxle with constant-velocity	Front wheel drive (2WD) transaxle with constant-velocity	Freedom Drive I active full-time 4-wheel drive (4WD)
joints and equal-le	ngth half-shafts	joints and equal-length half-shafts	with selectable LOCK mode (requires 2.4)
Tyres Standard version 215/60	) D17	215/60 R17	215/55 R18
	) KI/	215/60 R17	215/55 KI8
Body/Suspension/Chassis	ith a atmost and a Color	Hatting and analysis and the second of the s	11.25 - 1.1 - 1 1 1 1.
Body Design Unitised steel construction w		Unitised steel construction with a structural safety cage	Unitised steel construction with a structural safety cage
utilizing advanced hot-stamped	· ·	utilizing advanced hot-stamped, tailor-rolled, dual-phase steel	utilizing advanced hot-stamped, tailor-rolled, dual-phase steel
technologies and advanced joir reduced weight and improve	•	technologies and advanced joint design for added strength, reduced weight and improved NVH; front crumple zone	technologies and advanced joint design for added strength,
Steering Power-assisted, r	•	Power-assisted, rack and pinion	reduced weight and improved NVH; front crumple zone Power-assisted, rack and pinion
Kerb-to-kerb turning circle (m)	•	10.8m	11.3m
Brake System (ABS)  ABS 4-wheel disc hydra		ABS 4-wheel disc hydraulic, power-assisted,	ABS 4-wheel disc hydraulic, power-assisted,
294mm x 26mm vented front		294mm x 26mm vented front / 262mm x 10mm solid rear	294mm x 26mm vented front / 262mm x 10mm solid rear
Electronic Stability Control (ESC) 4-channel, 4-wheel antilock	with active wheel speed.	4-channel, 4-wheel antilock with active wheel speed,	4-channel, 4-wheel antilock with active wheel speed,
vehicle-speed, steering-wh	neel angle, yaw-rate and	vehicle-speed, steering-wheel angle, yaw-rate and	vehicle-speed, steering-wheel angle, yaw-rate and
lateral-acceleration sensors, ve		lateral-acceleration sensors, vehicle stability management	lateral-acceleration sensors, vehicle stability management
with 2-stage activation switch	n, all-speed traction control,	with 2-stage activation switch, all-speed traction control,	with 2-stage activation switch, all-speed traction control,
Brake Assist, Electronic	Roll Mitigation (ERM)	Brake Assist, Electronic Roll Mitigation (ERM)	Brake Assist, Electronic Roll Mitigation (ERM)
and Electronic Brake	-force Distribution	and Electronic Brake-force Distribution	and Electronic Brake-force Distribution
Suspension, Euro-tuned			
Front Independent with MacPhe	erson struts, coil springs	Independent with MacPherson struts, coil springs	Independent with MacPherson struts, coil springs
over gas-charged shoo	cks and stabilizer bar	over gas-charged shocks and stabilizer bar	over gas-charged shocks and stabilizer bar
Rear Independent multilink with		Independent multilink with coil springs, gas-charged	Independent multilink with coil springs, gas-charged
shocks and link-ty	pe stabilizer bar	shocks and link-type stabilizer bar	shocks and link-type stabilizer bar
Exterior (millimeters)			
Wheelbase 2,63		2,635	2,635
Overall Length 4,46		4,465	4,465
Overall Width 1,81		1,812	1,812
Track (front/rear) 1,520 /		1,520 / 1,520	1,520 / 1,520
Overall Height (without roof rails) 1,66		1,663	1,663
Running Clearance 209		209	205
Approach Angle (degrees) 20		20	20
Breakover Angle (degrees) 20		20	20
Departure Angle (degrees) 28		28	28

Disclaimer: All product illustrations and specifications are based upon current information. FCA Australia Pty Ltd ABN 23 125 956 505 trading as FCA Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in Australia from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Jeep dealer.

### MODEL HIGHLIGHTS

#### TECHNICAL INFORMATION

	Sport	North	Limited
Interior (millimeters) (front/rear)			
Seating Capacity	5 adults	5 adults	5 adults
Head Room (without sunroof)	1,033 / 1,013	1,033 / 1,013	1,033 / 1,013
Leg Room	1,032 / 1,001	1,032 / 1,001	1,032 / 1,001
Shoulder Room	1,387 / 1,372	1,387 / 1,372	1,387 / 1,372
Hip Room	1,328 / 1,295	1,328 / 1,295	1,328 / 1,295
Cargo Volume (rear seat up/folded) (litres)	650 / 1515	650 / 1515	650 / 1515
Weights & Towing Capacities (kg) (Manual/CVT)			
Tare Mass	1,437 / 1,447	1,459	1,522
GVM	2,010	2,010	2,010
Maximum Towing Mass (Braked Trailer)	454	454	907
Maximum Towing Mass (Non-Braked Trailer)	400	450	750
Fuel Consumption (Manual/CVT)			
Combined (L/100km)	7.6 / 8.2	8.2	8.6
Urban (L/100km)	10.2 / 10.7	10.7	11.3
Extra Urban (L/100km)	6.1 / 6.7	6.7	7.0
CO2 (g/km)	175 / 190	190	199