Jeep Grand Cherokee

jeep.com.au

Capababe Style

From the moment Jeep₆ Grand Cherokee appeared on the world's stage, it transformed expectations and created an entirely new class of transportation. Today, Grand Cherokee continues to raise the bar with a long list of lavish standard features and an impressive catalogue of available luxuries. Whether you choose to take Grand Cherokee on-road or off, its capability and handling will prove to be world-class. You'll drive away in one of the strongest vehicles on earth, with standards and options that fully outfit your Grand Cherokee with every bell and whistle, including a premium leather-trimmed interior, and a Media Centre radio with GPS navigation combined with a Universal Customer Interface (UCI) that allows a full integration of iPod[®] controls. Grandeur on wheels with a performance that inspires and delights. A modern-day classic.



Get dirty and have some clean fun.

Tackle a rock-laden mountaintop or cruise over city streets flooded from rain with complete confidence. Jeep, Grand Cherokee's 4WD systems and engines deliver, Quadra-Drive® II, with its front and rear Electronic Limited-Slip Differentials (ELSD), can help transfer 100 percent torque to any one wheel with traction.

Quadra-Trac II® offers All-speed Traction Control (ASTC) to help keep you on course. If wheel slippage is detected, up to 100 percent of the available torque can be routed to the axle with the most traction. Shift into low range for rock-crawling prowess.

The 3.0-litre V6 CRD engine with its Variable Geometry Turbocharger (VGT) produces maximum torque at just 1,600 rpm. When properly equipped, Grand Cherokee can tow up to 3,500 kg of fun.

The 6.1-litre SRT HEMI® V8 serves up a whopping 313 kW that can shoot the strong-hearted from 0-100 km/h in about five seconds. Only available on Grand Cherokee SRT8.



Grand Cherokee Laredo shown in Jeep Green

Jeep vehicles are designed to perform in a variety of off-road conditions identified by five performance categories.


ARTICULATION

large obstacles.


The ability to keep tyres in contact with the ground, providing traction to climb over







terrain.







GROUND CLEARANCE

The ability to drive over large obstacles or logs in combination with approach/ departure/breakover angles.

WATER FORDING⁽¹⁾

The ability to cross a specific depth of water at a specific speed.

¹Do not attempt water fording unless depth is known to be less than 508 mm. Traversing water can cause damage that may not be covered by the new vehicle warranty. Always off-road responsibly in approved areas.



Good looks that get you somewhere.

Above: Jeep Grand Cherokee SRT8 leather-trimmed interior shown in Dark Slate Grey.

Far right: Jeep Grand Cherokee SRT8 shown in Brilliant Black Crystal Pearl.



King of the thrill.

SRT8. Hold on tight. Settle into the luxurious heated leather interior of SRT8 to command a thrilling 313 kW 6.1-litre SRT HEMI[®] V8 engine with 569 N.m of torque and a top speed of over 240 km/h.

This beast can launch you from 0-100 km/h in about five seconds, on either wet or dry roads. That's fast enough to earn a standing ovation from any crowd.

Only the beefed-up SRT 4WD system with its active full-time transfer case and All-speed Traction Control (ASTC) has the guts to handle this kind of action. All that tractive power is matched to massive 20-inch polished alloy wheels shod in 255/45ZR20 front and 285/40ZR20 rear high-performance tyres.

The incredible velocity of SRT8 is countered by its fourpiston Brembo[®] Performance brake calipers. They grip massive rotors measuring 360mm front and 350mm rear, cooled by integrated, fully functional brake ventilation ducts. Each component works together to provide optimal stopping power.

Even the cabin is built for speed and style. Raceinspired leather-trimmed seating is finished with an embroidered SRT logo and features additional side bolstering to keep the driver and passenger firmly planted when cornering.

A refined aluminium finish on the instrument panel, shifter bezel and floor console combine with graphite accents to complete the SRT8's sporty look.

Twin chrome 100mm exhaust tips over a genuine dual exhaust system with 70mm diameter pipes speak volumes about the legendary power that is the very essence of the one and only Grand Cherokee SRT8.







The practicalities of refined value.

LAREDO. Jeep_® Grand Cherokee Laredo comes equipped with the Quadra-Trac II[®] full-time 4WD system and combines all the capabilities of authentic Jeep brand DNA with Grand Cherokee's most valued finery.

The standard 3.0-litre CRD V6 turbo diesel engine provides efficient and reliable performance, utilising a highly pressurised fuel rail connected to piezo injectors that help fuel burn more completely. A Variable Geometry Turbocharger helps reduce fuel consumption, exhaust emissions and engine noise.

The standard Electronic Stability Control (ESC)⁽ⁿ⁾ helps maintain vehicle control during challenging driving situations, plus a Tyre Pressure Monitoring System provides immediate notification of low tyre pressure.

An array of storage bins and pockets help keep things tidy, along with the standard reversible rear cargo tray — one side is carpeted and the other is a waterproof cargo insert ready for what ever you can throw at it. A generous cargo capacity of 1,554-litres with second row seats folded holds plenty of gear.

Jeep Grand Cherokee Laredo is packed with all the features to make every day more comfortable and convenient. The leather-wrapped steering wheel features buttons to operate the MP3-compatible audio system remotely, plus access to the standard cruise control. Some of the niceties include dual-zone climate control air-conditioning, power driver and front passenger seats, remote central locking with alarm, power windows and mirrors. Laredo also comes standard with Uconnect Phone⁽²⁾. This voice-activated communication system allows you to talk on your Bluetooth[®] compatible phone virtually hands-free.

Properly secure all cargo. No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESC warning light in the speedometer flashes, the driver needs to use less throttle and adapt speed and driving behaviour to prevailing road conditions. Always drive carefully, consistent with conditions. Always wear your seat belt. See your dealer for a current list of compatible mobile phones and any limitations your phone may have.

Shiny objects attract attention.

LIMITED. There's something about shiny objects that attracts attention. When it comes to Jeep_o Grand Cherokee Limited, plenty of attention will be bestowed. The exterior gleams with a spectacular finish, including 17-inch alloy wheels, chrome exterior accents and chrome roof rack side rails.

Limited also boasts a standard 3.0-litre CRD turbo diesel engine, an efficient performer that utilises a highly pressurised fuel rail connected to piezo injectors that help fuel burn more completely.

The elegant interior includes chic Olive Ash Burl trim on the centre console and doors which swirls together with subtle tones, resulting in a powerful statement of beauty. The beauty is more than skin deep, as Limited also offers ParkView[™] reversing camera, ParkSense[®] front and rear parking sensors⁽¹⁾ and Uconnect[™] Media Center 435 which provides entertainment, information and communication, at the touch of a button. A 30GB hard drive lets you store photos, playlists, and songs as well as rip, stash, organise, and shuffle thousands of digital music files from CDs or via the integrated USB port. A 16.5 cm touch screen LCD monitor lets you move seamlessly through the Uconnect functions.

Adjust the tilt/telescopic leather-wrapped steering wheel for customised comfort, then enjoy the constant-grip safety of steering wheel-mounted controls to navigate the Electronic Vehicle Information Centre (EVIC), cruise control and multimedia system.

The available sunroof with convenient one-touch express operation offers an instant breath of fresh air, along with a warm dose of sunshine. Or enjoy the standard dual-zone climate control and create a personalised interior temperature for you and your passengers. The standard Jeep Memory System will recall the ideal seating position, favourite radio stations and mirror position for two drivers at the touch of a button.

The standard Royale leather-trimmed seating - with two heat settings for the driver and front passenger completes your tailored luxury environment for enjoying adventures that only a Jeep can deliver.







Air of confidence.



Jeep, Grand Cherokee's robust Electronic Stability Control (ESC)⁽¹⁾ includes Electronic Roll Mitigation (ERM), anti-lock brake system (ABS) and Brake Assist, All-speed

Traction Control (ASTC), and standard Trailer Sway Control (TSC). By alternating brake pressure, TSC helps reduce trailer sway and improves handling in adverse towing conditions caused by crosswinds and traffic. When the network of ESC sensors detect that you're veering off your intended path, this system instantaneously takes action to help keep you moving forward.

Hill Start Assist (HSA) and Hill Descent Control (HDC) are standard features on the Laredo and Limited employing automatic braking to help get you up and down the mountain. Choose the available ParkView[™] reversing camera[∞], to assist in the detection of hidden obstacles during reversing manoeuvres. High Intensity Discharge (HID) headlamps with auto-levelling are standard on STR8 to improve nighttime visibility by casting a beam of light three times brighter down the road. Standard side-curtain and advanced multistage front air bags[®] work in tandem to provide protection. Grand Cherokee's available ParkSense[®] front and rear parking sensors[®] help make sure you park safely and securely. Ultrasonic sound waves give an audible and visual warning when driving in reverse at speeds below 15 km/h. The available Rain-Sensing Automatic Wiper System goes into action the moment raindrops hit the windshield.

"No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESC warning lamp in the speedometer flashes, the driver needs to use less throttle and adapt speed and driving behavior to prevailing road conditions. Always drive carefully, consistent with conditions. Always wear your seat belt. "Always check entire surroundings before reversing. "Always sit properly in the seat with the seat belt fastened. Always observe the passenger air bag indicator light to determine if the Occupant Classification System (OCS) is appropriate. Children under 12 years and under should always be in the backseat correctly using an infant or child restraint system or the seat belt positioned correctly for the child's age and weight.

Inflation issues solved.

Grand Cherokee's standard Tyre Pressure Monitoring Display System gets your attention by displaying the tyre pressure of each individual wheel. This helps identify when additional air is needed to minimise rolling resistance and maximise fuel economy. In addition, a 'LOW TYRE' message and audible alert notify you if any tyre loses significant pressure. Proper tyre inflation is an important part of on- and off-road safety.



Sky-high tech.



Introducing Uconnect[™], the Jeep_e brand's greatest, high-tech in-vehicle multimedia system. This collection of integrated digital systems lets you bundle communication, entertainment and visual capabilities into your own invehicle information hub.

The available Uconnect Media Center 435 provides entertainment, information, and communication through an AM/FM/CD/DVD/30GB HDD mulitimedia system. The 16.5 cm touch screen and 30GB hard drive allows you to store photos, playlists, and songs, as well as rip, stash, organise, and shuffle thousands of digital music files from CDs or via the integrated USB port. The touch screen allows you to easily change radio stations and play digital audio files.

Or, step up to Uconnect Media Centre 731N, which includes all the same great features, and adds the convenience of full mapping navigation. The world-renowned six-speaker Boston Acoustics[®] premium speaker system is also included with Uconnect Media Centre 731N.

The included Uconnect Phone⁽¹⁾ provides hands-free, voice-activated capability with your Bluetooth[®] compatible phone virtually hands-free.



⁽⁹See your dealer for a current list of compatible mobile phones and any limitations your phone may have

Specifications

Engine	3.0L CRD V6	6.1L HEMI® V8
Displacement (cc)	2,987	6,100
Power (kW @ rpm)	160 @ 4,000	313 @ 6,000
Forque (N.m @ rpm)	510 @ 1,600-2,400	569 @ 4,600
Bore x Stroke (mm)	83.0 x 92.0	103.0 x 90.9
Compression Ratio	18.0:1	10.3:1
Alternator	180 amp	160 amp
Battery, WithBattery Saver Feature	800 amp maintenance-free	730 amp maintenance-free
Service Interval, Primary (km)	10,000	10,000
Fuel System	Common-rail	Sequential multipoint
	direct injection	electronic fuel injection
Fuel Economy - Combined, Urban, Extra-urban (L/100km)	10.2, 13.1, 8.6	16 1 01 0 10 6
Jrban, Extra-urban (L/ TOORIII)	10.2, 13.1, 6.0	16.1, 21.8, 12.6
ransmission		
5-speed automatic with Electronic Range S		
Brake-Park Interlock and electronically mod	lulated converter clutch	St
OUR-WHEEL-DRIVE SYSTEM (trar		
	ISIEI Casej	
Active full-time; 2-speed with low range (2.7 electronically controlled clutch pack coupling		DIIT,
	· ·	
rear differentials	· ·	Std on Laredo and Limite
	· ·	Std on Laredo and Limite
rear differentials		
rear differentials Quadra-Drive* II NV245 Active full-time; 2-speed with low range (2.7 electronically controlled clutch pack couplir	72:1) and neutral, 48/52 front/rear torque sp ig in centre differential and front and rear E	blit, lectronic
rear differentials Quadra-Drive* II NV245 Active full-time; 2-speed with low range (2.7	72:1) and neutral, 48/52 front/rear torque sp ig in centre differential and front and rear E	blit, lectronic
rear differentials Quadra-Drive [®] II NV245 Active full-time; 2-speed with low range (2.7 electronically controlled clutch pack couplin Limited-Slip Differentials	72:1) and neutral, 48/52 front/rear torque sp ig in centre differential and front and rear E	blit, lectronic
rear differentials Quadra-Drive* II NV245 Active full-time; 2-speed with low range (2.7 electronically controlled clutch pack couplin Limited-Slip Differentials SRT NV146	72:1) and neutral, 48/52 front/rear torque sp ig in centre differential and front and rear E	blit, lectronicOff-Road Grou
rear differentials Quadra-Drive [®] II NV245 Active full-time; 2-speed with low range (2.7 electronically controlled clutch pack couplin Limited-Slip Differentials	72:1) and neutral, 48/52 front/rear torque sp ig in centre differential and front and rear E orque split, electronically controlled clutch	blit, lectronic Off-Road Grou pack in centre
rear differentials Quadra-Drive* II NV245 Active full-time; 2-speed with low range (2.7 electronically controlled clutch pack couplir Limited-Slip Differentials SRT NV146 Active full-time; single-speed with variable t	72:1) and neutral, 48/52 front/rear torque sp ig in centre differential and front and rear E orque split, electronically controlled clutch	blit, lectronic Off-Road Grou pack in centre
rear differentials Quadra-Drive* II NV245 Active full-time; 2-speed with low range (2.7 electronically controlled clutch pack couplin Limited-Slip Differentials SRT NV146 Active full-time; single-speed with variable t differential and open front and rear different	72:1) and neutral, 48/52 front/rear torque sp ig in centre differential and front and rear E orque split, electronically controlled clutch	blit, lectronic Off-Road Grou pack in centre Std on SRT
rear differentials Quadra-Drive* II NV245 Active full-time; 2-speed with low range (2.7 electronically controlled clutch pack couplin Limited-Slip Differentials SRT NV146 Active full-time; single-speed with variable t differential and open front and rear different	72:1) and neutral, 48/52 front/rear torque sp ig in centre differential and front and rear E orque split, electronically controlled clutch ials	blit, lectronic Off-Road Grou pack in centre Std on SRT
rear differentials Quadra-Drive® II NV245 Active full-time; 2-speed with low range (2.7 electronically controlled clutch pack couplin Limited-Slip Differentials SRT NV146 Active full-time; single-speed with variable t differential and open front and rear different CAPACITIES/WEIGHTS Fuel Tank (L) (petrol/diesel) Cooling System (L)	72:1) and neutral, 48/52 front/rear torque sp ig in centre differential and front and rear E corque split, electronically controlled clutch ials	blit, lectronicOff-Road Grou pack in centreStd on SRT 79.9/83.
rear differentials	72:1) and neutral, 48/52 front/rear torque sp ig in centre differential and front and rear E corque split, electronically controlled clutch ials	blit, lectronicOff-Road Grou pack in centreStd on SRT 79.9/83. 13.
rear differentials Quadra-Drive® II NV245 Active full-time; 2-speed with low range (2.7 electronically controlled clutch pack couplin Limited-Slip Differentials SRT NV146 Active full-time; single-speed with variable t differential and open front and rear different CAPACITIES/WEIGHTS Fuel Tank (L) (petrol/diesel) Cooling System (L) 3.0L CRD V6	72:1) and neutral, 48/52 front/rear torque sp ig in centre differential and front and rear E corque split, electronically controlled clutch ials	blit, lectronicOff-Road Grou pack in centreStd on SRT 79.9/83. 13.
rear differentials Quadra-Drive® II NV245 Active full-time; 2-speed with low range (2.7 electronically controlled clutch pack couplin Limited-Slip Differentials SRT NV146 Active full-time; single-speed with variable t differential and open front and rear different CAPACITIES/WEIGHTS Fuel Tank (L) (petrol/diesel) Cooling System (L) 3.0L CRD V6	72:1) and neutral, 48/52 front/rear torque sp ig in centre differential and front and rear E corque split, electronically controlled clutch ials	blit, lectronicOff-Road Grou pack in centreStd on SRT 79.9/83. 13.
rear differentials Quadra-Drive* II NV245 Active full-time; 2-speed with low range (2.7 electronically controlled clutch pack couplin Limited-Slip Differentials SRT NV146 Active full-time; single-speed with variable t differential and open front and rear different CAPACITIES/WEIGHTS Fuel Tank (L) (petrol/diesel) Cooling System (L) 3.0L CRD V6 Base Kerb Weight (kg) 3.0L CRD V6	2:1) and neutral, 48/52 front/rear torque spig in centre differential and front and rear E corque split, electronically controlled clutch ials	Diit, lectronic Off-Road Grou pack in centre Std on SRT 79.9/83. 13. 13. 2,135 - 2,23
rear differentials Quadra-Drive* II NV245 Active full-time; 2-speed with low range (2.7 electronically controlled clutch pack couplin Limited-Slip Differentials SRT NV146 Active full-time; single-speed with variable t differential and open front and rear different CAPACITIES/WEIGHTS Evel Tank (L) (petrol/diesel) Cooling System (L) 3.0L CRD V6 6.1L HEMI V8 Base Kerb Weight (kg)	2:1) and neutral, 48/52 front/rear torque spig in centre differential and front and rear E corque split, electronically controlled clutch ials	Diit, lectronic Off-Road Grou pack in centre Std on SRT 79.9/83. 13. 13. 2,135 - 2,23
rear differentials Quadra-Drive® II NV245 Active full-time; 2-speed with low range (2.7 electronically controlled clutch pack couplin Limited-Slip Differentials SRT NV146 Active full-time; single-speed with variable t differential and open front and rear different CAPACITIES/WEIGHTS Fuel Tank (L) (petrol/diesel) Cooling System (L) 3.0L CRD V6 6.1L HEMI V8 Base Kerb Weight (kg) 3.0L CRD V6	2:1) and neutral, 48/52 front/rear torque spig in centre differential and front and rear E corque split, electronically controlled clutch ials	Diit, lectronic Off-Road Grou pack in centre Std on SRT 79.9/83. 13. 13. 13. 2,135 - 2,23 2,135 - 2,19
rear differentials	72:1) and neutral, 48/52 front/rear torque sp ig in centre differential and front and rear E corque split, electronically controlled clutch ials	Diit, lectronic Off-Road Grou pack in centre Std on SRT 79.9/83. 13. 13. 13. 2,135 - 2,23 2,135 - 2,19 2,155 - 2,19 2,75
rear differentials	72:1) and neutral, 48/52 front/rear torque sp ig in centre differential and front and rear E corque split, electronically controlled clutch ials	Diit, lectronic Off-Road Grou pack in centreStd on SRT 79.9/83. 13. 13. 13. 2,135 - 2,23 2,135 - 2,19 2,75
rear differentials	72:1) and neutral, 48/52 front/rear torque spig in centre differential and front and rear E corque split, electronically controlled clutch ials	Diit, lectronicOff-Road Grou pack in centreStd on SRT 79.9/83. 79.9/83. 13. 13. 2,135 - 2,23 2,135 - 2,19 2,75 3,50
rear differentialsActive full-time; 2-speed with low range (2.7 electronically controlled clutch pack coupling Limited-Slip Differentials	72:1) and neutral, 48/52 front/rear torque spig in centre differential and front and rear E corque split, electronically controlled clutch ials	Diit, lectronic Off-Road Grou pack in centreStd on SRT 79.9/83. 79.9/83. 13. 13. 135 - 2,23 2,135 - 2,29 2,135 - 2,19 2,75 3,50
rear differentials	72:1) and neutral, 48/52 front/rear torque spig in centre differential and front and rear E corque split, electronically controlled clutch ials	Diit, lectronic Off-Road Grou pack in centreStd on SRT 79.9/83. 79.9/83. 13. 13. 135 - 2,23 2,135 - 2,29 2,135 - 2,19 2,75 3,50

Body Design UniFrame construction - all-steel body sheet metal and frame structural members welded and bonded into a single unit Suspension Short/long arm independent design with gas-charged, twin-tube coil-over shock absorbers, upper and lower control arms and stabiliser bar Live axle, five-link with tubular track bar twin-tube coil-over shock absorbers and stabiliser bar

High-performance suspension tuning with Bilstein® monotube shock absorbers on front and rear stabiliser bar _

BODY/SUSPENSION/CHASSIS (CONTINUED)

Steering Rack-and-pinion, power-assisted; variable ratio	17.4:1, 15.5:1
Turns (lock-to-lock)	3.15 2.85
Turning Diameter (m) (kerb-to-kerb) SRT8	11.8 12.0

BRAKE SYSTEMS

Front

Power-assisted vented disc brakes; 328mm rotor diameter (SRT8 360mm vented disc)

Rear

Power-assisted solid disc brakes; 320mm rotor diameter (SRT8 350mm vented disc)

Electronic Stability Control (ESC)(1):

Four-channel four-wheel anti-lock with active wheel-speed, vehicle-speed, steering-wheel-angle, yaw-rate, and lateralacceleration sensors, vehicle stability management, All-speed Traction Control (ASTC), Brake Assist, Electronic Roll Mitigation (ERM) and Electronic Brake Distribution (EBD)

INTERIOR DIMENSIONS (mm unless otherwise specified)

Head Room, front/rear	1,008/999
Leg Room, front/rear	1,058/901
Shoulder Room, front/rear	1,502/1,485
Hip Room, front/rear	1,452/1,248
Cargo Volume (L) seats up/seats folded	978/1,909
Seating Capacity	5 Adults

EXTERIOR DIMENSIONS (mm unless otherwise specified)

Length	
Wheelbase	2,780
Overall	4,750
Overall (SRT8)	
Overhang, front/rear	855/1,105
Overhang, front/rear (SRT8)	
Width	
Overall (excluding mirrors)	1,870
Overall (with mirrors)	
Track, front/rear	1,575/1,575
– SRT8	1,614/1,578
Height Overall (with roof rails)	1,740
SRT8	
Ground Clearance (at kerb weight)	
Running Ground Clearance	225
SRT8	180
Approach Angle/Departure Angle	23.3°/27.1°
SRT8	15.8°/19.7°
Breakover Angle	20.6°
SRT8	9.7°

"No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESC warning light in the speedometer flashes, the driver needs to use less throttle and adapt speed and driving behaviour to prevailing road conditions. Always drive carefully, consistent with conditions. Always wear your seat belt.

2.149 -4 750 1.740 - 2,780 -

Approach Angle: 23.3 Departure Angle: 27.0° Breakover Angle: 20.6°

L_1,575 ____

Std

Front

Rear

SRT8



Features and Options

		Ľ		S S
CAPABILITY			_	_
	 3.0L CRD V6 with 5-speed automatic transmission 	•	•	
	 – 6.1L HEMI V8 with 5-speed automatic transmission 			•
Four-Wheel-Drive Syste	em – Quadra-Trac II [®] active full-time 4WD	•	•	
a second and a second and a	 Quadra-Drive[®] II active full-time 4WD (packaged with Off-Road Group) 	P	Р	
	- SRT 4WD electronic on-demand			•
Hill Decent Control (HD)C)	•	•	
Hill Start Assist (HSA)		•	•	
EXTERIOR				
	- Solar Control tinted glass	•	•	
	 Deep-tinted rear and guarter windows (packaged with sunroof) 		Р	•
	- Halogen headlamps	•		
	Automatic headlamps (ON/OFF) includes headlamps-on-with-wipers		•	•
	 High Intensity Discharge (HID) headlamps with auto-levelling 		-	
		•	•	•
	- Front and rear fog lamps (water-resistant on front)		•	•
	- Power, heated, foldaway	•		
	 Power folding with memory, heated, driver side auto-dimming 		•	•
	– Black roof rails	•		
	- Bright roof rails		•	
Sunroof -	- Power with express-open/-close and comfort-stop feature and deep-tint rear	0	0	
Charles Con The	and quarter windows	0	0	
Tyres -	- P245/65R17 107H Goodyear all-season	•	•	
and the second	- Front 255/45ZR20, Rear 285/40ZR20 Goodyear 4-season run-flat			•
Wiper System -	- Front; variable intermittent, speed-sensitive with 3.7-litre washer fluid fill		100	
	capacity	•	100	
	- Front; rain-sensing automatic wiper system with moisture-activated, variable			
	intermittent, speed-sensitive with 3.7-litre washer fluid fill capacity features		•	•
	 Rear; window wiper/washer with fixed intermittent 	•	•	•
INTERIOR				
	- Dual-zone automatic temperature control (ATC) with air filtration system	•	•	•
	 Reversible floor panel with storage bin and 4 cargo tie-down loops in floor, 	-	-	-
Cargo Area	quarter trim, covered cargo storage and storage net in trim panel, 2 utility			
	hooks, forward storage bin for jack, tools and first-aid kit			
Canadaa		•	-	
	Overhead with reading lamps and sunglasses bin	-	•	•
	- Front floor console with removable cup holder, storage net, and storage bin	•	•	•
	Electronic, with steering wheel-mounted controls	•	•	•
	Front and rear floors mats	•	•	•
Interior Accents -	 Technical cube aluminium style finish on front door trim panels and 			
and the second	centre stack bezels			
	 Olive Ash finish front door switch, floor console, centre stack bezels 		•	
-	 Refined aluminium front door switch, floor console and lower centre stack 			
	bezels; 2-tone instrument panel/door trim; carbon fibre-patterned leather			•
	instrument panel hood			
Jeep, Memory System	- Programmable features for 2 drivers include driver's power seat positions,		-	
	power exterior mirrors, 12 AM and 12 FM radio presets, and last-station		•	
	settings			
Lighting -	- Glove box lamp, courtesy door lamps, rear-passenger overhead reading/			
	courtesy lamps	•	•	•
	 Illuminated Entry system; activated by Remote Keyless Entry system or by 			
	pulling an exterior door handle	•	•	•
Mirrors -	– Auto-dimming rearview with microphone	•	•	•
	- 12-volt front auxiliary (1 ignition-fed cigarette lighter base/1 battery-fed power	•	•	•
	point)			
	- 12-volt rear cargo area	•	•	•
Seats, Fabric -	Longitude/Wallace II cloth low-back bucket	•		
Seats, Fabric	Royale Leather trim with axis perforated leather inserts low-back bucket	•	•	
Seats, Fabric		•	•	

	The second s	Lared	Limite	
Seats, Front –	- Heated front seats		•	
,	- Continuously variable manual lumbar adjustment	•	•	
	- 8-way driver, 4-way front-passenger power seat adjustment	•	-	
	- 8-way driver, with memory, 4-way front-passenger power seat		•	
	- Rear 60/40 single-action split-folding seatbacks with three height-adjustable			
the state of the second second	head restraints, retractable cup holder			
	- Rear foldaway centre armrest with storage bin		•	
	- Heated second-row seats			
	- Tilt, telescopic with electronic locking shaft	•	•	
and the second	 Colour-keyed vinyl with electronic dual-note horn, Jeep badge and cruise control stalk 	•		
	- Colour-keyed two-tone leather-wrapped with electronic dual-note horn, Jeep badge, audio controls and cruise control stalk		•	
-	- Leather-wrapped includes steering wheel-mounted audio controls	•	•	Γ
Nindows –	- Power with driver and front-passenger one-touch auto-up/down	•	•	T
SAFETY AND SECURIT	ΓY	-	10	
Air Bags ⁽¹⁾ –	- Multi-stage, driver and front-passenger	•	•	Γ
	- Side-curtain with roll-detection system for front and rear outboard occupants	•	•	Ì
	- 4-wheel disc anti-lock brake system (ABS)	•	•	Í
	- High performance 4-wheel disc anti-lock brake system (ABS)			İ
	- Power with illuminated controls, programmable; child-protection rear	•	•	t
Inhanced Accident Res		•	•	t
	trol (ESC) ²² – Includes Brake Assist, All-speed Traction Control (ASTC),	-	1	İ
	Electronic Roll Mitigation (ERM), Trailer Sway Control (TSC) and Electronic Brake Distribution (EBD)	•	•	
ParkSense® -	Front and rear parking assistance system with sensors and audio-visual indicators		•	İ
ParkView™ Reversing C			•	t
	 Allows operation of radio, power sunroof (available) and windows for up to 			ł
ower Accessory Delay	45 seconds after ignition is turned off or until a door is opened	•	•	
Remote Keyless Entry S	System — Includes two transmitters, Sentry Key* anti-theft engine immobiliser and illuminated entry feature	•	•	I
Security Alarm -	 Monitors doors, flipper glass and liftgate; includes Sentry Key engine immobiliser 	•	•	Ì
Premium Security Alarn	n — Monitors doors, flipper glass and liftgate; includes Sentry Key engine immobiliser and interior intrusions sensor			Ī
Tyre Pressure Monitorin	and display warning in instrument cluster if pressure is too low	•		İ
Tyre Pressure Monitorin	ing Display Warning in Fischiner tyre valve stem-mounted sensors that monitor and display (in EVIC) individual tyre pressures for all four rotating tyres and	1		
	warns if pressure is too low			
JCONNECT™ MULTIN				1
	- Media Centre 135 CD/MP3 radio with audio jack	•		T
	- Media Centre 435 CD/DVD/HDD radio with 16.5 cm touch screen, 30GB			t
	hard drive (6,700 song capacity), Voice Command® and audio jack		•	
	- Media Centre 731N CD/DVD/HDD/NAV radio ⁽⁴⁾ with 16.5 cm touch screen,			t
	GPS Navigation, 30GB hard drive (4,250 song capacity), Voice Command® and Audio Jack (packaged in Navigation & Sound Group)		Ρ	
Audio System -	- 6-speaker system	•	•	Í
PARA PARA	- 6 Boston Acoustics [®] premium speakers with 276-watt digital amplifier.		Р	t
and the market	(packaged in Navigation and Sounds Group)		F	
Jconnect Phone [®] –	- Uconnect Phone® hands-free calling with Address Sync, Bluetooth® and Voice Command®	•	•	I
DAOKAOFO	the second second second second second second second second second second second second second second second s		-	
	Group — Media Centre 731N CD/DVD/HDD/NAV radio ⁽⁴⁾ with 16.5 cm touch			Í
PACKAGES Navigation and Sound G			1000	1
	screen, GPS Navigation, 30GB hard drive (4,250 song capacity), Uconnect		0	
			0	
Navigation and Sound C	screen, GPS Navigation, 30GB hard drive (4,250 song capacity), Uconnect Phone®, Voice Command® and audio Jack, Boston Acoustics® audio system	0	0	

ed do

• = Included. **P** = Available within package noted. **O** = Optional.

(1) Always sit properly in the seat with the seat belt fastened. Always observe the passenger air bag indicator lamp to determine if the Occupant Classification System (OCS) is appropriate. Children 12 and under should always be in the backseat correctly using an infant or child restraint system or the seat belt positioned correctly for the child's age and weight. (2) No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice, and other conditions can affect. When the ESC warning lamp flashes, the driver needs to use less throutle and adapt speed and driving behaviour to prevailing road conditions. Always wear your seat belt (3) Always check entire surroundings before reversing. (4) Never program while driving. GPS mapping may not be detailed in all areas or reflect current road regulations. See your dealer for details. (5) Must use Bluetooth* compatible phone. (6) Requires Uconnect Phone.

aredo

RT8





ROOF BOX CARGO CARRIER. Increase your cargo capacity with this tough, locking thermoplastic carrier.



18-INCH ALLOY WHEEL. These premium wheels are machined to match your Grand Cherokee's specifications exactly for a smooth and balanced ride.



SIDE GUARDS. These rugged, polished stainless steel Side Guards protect the lower extremities of your Grand Cherokee.



DOOR SILL GUARDS. Protect your vehicle's interior sills from scratches. Front Guards prominently feature the Grand Cherokee name. Set of four.

For a full accessories range brochure visit your dealer or jeep.com.au





All product illustrations and specifications are based upon current information at the time of publication approval. Although descriptions are believed correct, accuracy cannot be guaranteed. Chrysler Group LLC reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, colours, materials and to change or discontinue models. See your dealer for details. Jeep, Grand Cherokee, HEMI, Mopar, Overland, Quadra-Trac II, Quadra-Drive, Sentry Key, SRT, SRT8, VES, and the Jeep grille are registered trademarks and Uconnect is a trademark of Chrysler Group LLC. Bluetooth is a registered trademark of Bluetooth SIG, Inc. Boston Acoustics is a registered trademark of Boston Acoustics, Inc. Brembo is a registered trademark of Brembo SpA. iPod is a registered trademark of Apple, Inc. All rights reserved.

PRINTED IN AUSTRALIA SBWH2010 06/10