

2008MY Jeep Grand Cherokee



Whats New in 2008

What's New for 2008

Exterior

- Two new paint colours: Olive Green Metallic & Modern Blue Pearl
- Restyled headlamps, grille and front fascia
- All wheels have been restyled

Interior

- Two new interior seat colours: Dark Slate Cloth & Dark Slate / Light Greystone two toned leather
- Fully redesigned instrument cluster, centre stack, top cover and HVAC vents
- New generation of radios
- Telescoping steering wheel
- Heated 2nd-row seats

Performance/Functional

- Trailer Sway Control
- Hill Start Assist
- Hill Descent Control
- Redesigned steering wheel now includes EVIC control function

Engines

 New 4.7L V8 engine features a whopping 31% increase in kW's and 5% improved fuel economy

Safety and Security

- Rear Back-Up Camera is now available independent of navigation radio
- HID Headlamps with auto leveling and washers



Air Bags: Multistage Front and Supplemental Side-Curtain*

 Additional protection for all passengers during severe frontal or side impact

Electronic Stability Programme (ESP)[†]

Adjusts brakes and throttle for improved directional stability

• Tyre Pressure Monitoring System

 Alerts driver if one or more tyres are over- or under-inflated

ISOFIX/LATCH

- Rear seats include three pairs of child-seat anchors
- Auto-leveling HID headlamps
- Rear Park Assist System[‡]
- Rear Back-Up Camera



Space

- 60/40 split-folding, fold-flat rear seat
- 901 mm of rear-seat leg room

Storage Features

 Reversible cargo storage tray, cargo area holddown loops, three rear storage bins

Towing Capacity

- Maximum trailer weight of 3500 kg when properly equipped
- One-piece welded tow assembly for superior strength



Advanced Technology Features & Materials

- Automatic Dual Zone Climate Control on all models
- U-Connect® hands-free and bluetooth connectivity.
- Available MYGIG™ Multimedia Infotainment
 System with GPS Navigation

Quality and Durability

- Tough UniFrame construction
- Excellent corrosion protection

Service Intervals

CRD: 20,000 km

- V8: 10,000 km



Modern Powertrains

- 3.0L CRD Turbo Diesel V6 with 160 kW / 510 Nm of torque
- New, more powerful 4.7L SOHC V8 petrol engine delivers 223 kW / 445 Nm of torque
- 5.7L HEMI® V8 petrol engine provides 240
 kW / 500 Nm of torque and includes Multi Displacement System for improved fuel economy
- 6.1L HEMI V8 petrol engine provides 313 kW / 569 Nm of torque
- 5-speed automatic transmission with Electronic Range Select (ERS)

Three State-of-the-Art 4WD Systems

- Quadra-Trac II[®] active full-time 4WD with all-speed traction control (ASTC) standard on 3.0 CRD, 4.7L V8 and 5.7L HEMI V8
- Quadra-Drive II[®] active full-time 4WD with Electronic Limited-Slip Differentials (ELSDs)
 Option on 3.0 CRD, 4.7L V8 and 5.7L HEMI V8
- SRT8 active full-time 4WD with electronically controlled clutch pack in centre differential (6.1L HEMI)



Athletic, Powerful Stance

- Traditional Jeep_® look (seven-slot grille, round headlamps) updated restyled headlamps, grille and front fascia
- New restyled wheels

Component Integration

- Front and Rear Park Assist sensors integrated (and colour-keyed) into front and rear bumper
- Front fog lamps integrated into front fascia

• Luxurious Interior

- Available two-tone seats and trim for a brighter, more refined interior
- Improved front dash design for a simpler luxurious effect.
- New soft touch trim to centre console, armrests and dash


^{*} Certified to the U.S. regulations that allow less forceful front air bags. Always use seat belts. Children 12 and under should always be in a backseat correctly using an infant or child restraint system, or the seat belt positioned correctly for the child's age and weight.

[†] No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESP warning lamp in the speedometer flashes, the driver needs to use less throttle and adapt speed and driving behavior to prevailing road conditions. Always drive carefully, consistent with conditions. Always wear your seat belt.

[‡] Always check entire surroundings before backing up.

Technical Specifications*

	Jeep _® Grand Cherokee			
	Laredo	Limited	SRT8®	
Wheelbase	27	80	2780	
Overhang — Front/Rear	890/1105	855/1105	890/1105	
Overall length	47	50	4785	
Overall width	21	49	1870	
 — with mirrors folded 	18	70	1930 (w/ tube steps)	
Overall height	1710	1740	1710	
— with roof rack and cross bars	(at centre of roof)	1785	(at centre of roof)	
Running ground clearance — Front/ Rear Axle	Э			
— 3.0L	210.5	/ 209.6		
— 4.7L	214.5	/ 209.6		
— 5.7L	213.8/	208.7		
— 6.1L			190.5 / 177.8	
Approach angle, with air dam installed	23	.3°	15.8	
Breakover angle	20.6°		9.7	
Departure angle	27	.1°	19.7	
Water-fording depth				
Track — Front/Rear	1575	/1575	1605/1605	
Seating Capacity	5			
Head room — Front/Rear		1008/999		
Leg room — Front/Rear	1058/901			
Shoulder room — Front/Rear	1502/1485			
Hip room — Front/Rear	1452/1248			
Cargo volume L — seats up/seats folded		978/1909		
Drivetrain		4WD		



	Jeep _® Grand Cherokee							
Engine	3.0L CRD 4.7L V8 5.7L HEMI® V8 HEMI® V8							
Power kW @ RPM	160 @ 4000	223 @ 5650	240 @ 5000	313 @ 6000				
Torque Nm @ RPM	510 @ 1600-2400							
Transmission	5-speed automatic							

4 Wheel Drive System				
Standard	Quadra-Trac II®	Quadra-Trac II®	Quadra-Trac II®	SRT Full-Time 4WD
Optional	Quadra-Drive II®	Quadra-Drive II®	Quadra-Drive II®	N/A

Fuel Consumption (L/100 km)						
Combined cycle	10.2	13.9	15.6	16.1		
Urban cycle	13.1	19.2	21.6	21.8		
Ex-urban cycle	8.6	10.9	12.1	12.6		
Combined CO ₂ (g/km)	270	332	371	380		

Performance				
Acceleration (0-100 km/h; sec.)	9.0	8.9	7.4	5.0
Maximum speed (km/h)	200	205	208	245





Laredo Limited

	Jeep _⊚ Grand Cherokee			
Engine	3.0L CRD	4.7L V 8	5.7L HEMI® V8	6.1L SRT HEMI® V8
Weights, kg		•	1	
Laredo				
Kerb weight	2135	_	_	_
Gross vehicle weight	2750	_	_	_
Gross vehicle weight rating	2750	_	_	_
Limited				
Kerb weight	2135	2135	2175	_
Gross vehicle weight	2750	2750	2750	_
Gross vehicle weight rating	2750	2750	2750	_
SRT8	·			
Kerb weight	_	_	_	2135
Gross vehicle weight	_	_	_	2750
Gross vehicle weight rating	_	_	_	2750

Capacities, kg						
Maximum towing (incl. tongue load)		3500 1585				
Maximum tongue load		140				
Maximum roof load		68				
Fuel tank, L	83.3	83.3 79.9				
Oil, L	9.5	9.5 5.7 6.6				
Engine coolant, L	13.25 13.25 13.7 13.7					
Washer fluid reserve, L	6.2 (w/hea	6.2 (w/headlamp cleaners)/5.0 (w/o headlamp cleaners)				

Service and Warranty		
Oil Change Intervals		
— Schedule A (km)	20,000	10,000
— Schedule B (km)	10,000	5,000
Service Intervals	·	
— Schedule A (km)	20,000	10,000
— Schedule B (km)	10,000	5,000
Warranty Duration		3 years / 100,000 kilometers

Colours and Features

	Jeep _® Grand Cherokee				
Wheels & Tyres	Laredo Limited		SRT8		
Wheel Type, Material	17" Ronin II machine faced		20" Polished Alloy - 5 Spoke		
Tyres (Standard)	P245/ all-se	255/45ZR20 (front) 285/40ZR20 (rear) performance run-flat			
Tyres (Optional)	P245/65R1	_			
Spare tyre	Full-	_			

Steering — All Models		
Туре	Hydraulic power-assisted rack-ar	nd-pinion
Overall ratio	Variable ratio 17.4:1, 15.49:1	16.5:1, 14.6:1
Turns lock-to-lock	3.15	2.85
Turning diameter m (kerb-to-kerb)	11.8	

Brakes mm (in)		
Discs — Front	328x30 ventilated	360x32 (14.2x1.3) ventilated
— Rear	320x14 solid	350x28 (13.8x1.1) solid
Calipers — Front	48 diameter dual-piston sliding	4-piston fixed Brembo®
— Rear	48 diameter single-piston sliding	4-piston fixed Brembo®

		II	NTERIOR COLOU	RS	
Colour Availability	Lare	do	Lim	ited	SRT8
EXTERIOR COLOURS	Dark Slate Grey	Khaki	Dark Slate Grey/Light Greystone	Dark Khaki/Light Greystone	Dark Slate Grey
Black	X	Х	X	Х	
Bright Silver Metallic	Х		Х		Х
Brilliant Black Crystal Pearl	Х	Х	X	Х	Х
Jeep Green Metallic	X	Χ	X	Х	
Light Greystone Pearl	Х	Х	X	Х	
Mineral Grey Metallic	Х		X		
Modern Blue Pearl(1)	Х	Х	X	Х	
Olive Green Metallic(1)	Х	Х	Х	Х	
Steel Blue Metallic	Х		Х		Х
Stone White	X	Х	X	Х	

⁽¹⁾ New for 2008 MY.

		Jeep _® Grand Cherokee		erokee
		Laredo	Limited	SRT8
Air Bags ⁽¹⁾	Multistage, driver and front-passenger, deploy during a severe-force frontal or near-frontal impact	•	•	•
	— Advanced side-curtain, provide additional protection to			
	front and rear outboard occupants in the event of a collision	•	•	•
Air Conditioning	g — Infrared Dual Zone Climate Control with solar sensors and			
	rear-seat outlets	•	•	•
Alternator	— 160-ampere (included with petrol engines)	•	•	•
	— 180-ampere (included with CRD engine)	Р	Р	
Assist Handles	— For front and rear passenger with integrated reading lamp	•	•	•
Axle Ratio	— 3.55:1 (included with CRD engine)	•	Р	
	— 3.73:1 (included with V8 petrol engines)		•	•
Battery	 730-ampere maintenance-free with Battery-Saver Feature (included with petrol engines) 		•	•
	 800-ampere maintenance-free with Battery-Saver Feature (included with CRD engine) 	•	Р	
Brake-Park Inte	erlock — Cannot shift out of Park unless brake pedal is applied	•	•	•
Brake System	— Electronic Stability Programme (ESP) includes vehicle stability management system, Brake Assist, all-speed traction control, and 4-channel antilock brake system	•	•	•
Brakes	— 4-wheel disc	•	•	
	Performance 4-wheel disc with Electronic Brake-force Distribution (EBD), Brembo® calipers and brake ducts			•
Cargo Area	— Reversible floor panel with storage bin and 4 cargo tie- down loops in floor, quarter trim, covered cargo storage and storage net in trim panel, 2 utility hooks, forward storage bin for jack, tools, and first aid kit	•	•	•
Cargo Compart	ment Cover	•	•	•
Child Seat Anch	nor System (ISOFIX/LATCH) — Lower child seat anchors and upper tether anchors help ease the installation of compatible aftermarket seats	•	•	•
Consoles	— Overhead with reading lamps and sunglasses bin	•	•	•
	Front floor console with removable cup holder, storage net, 4-slot coin holder and storage bin	•	•	•
Door Locks	— Child-protection rear	•	•	•
	— Power with illuminated controls, programmable	•	•	•
Electronic Vehic	cle Information Centre (EVIC) — Equipped with customer- programmable features including language, Metric/U.S. measures, door locks, memory (if equipped), remote/ illuminated entry, headlamp and wiper functions, service intervals, compass/temperature display, and trip computer	•	•	•
Enhanced Accid	dent Response System (EARS)	•	•	•
	p — Includes leather-wrapped door panels, parking brake, instrument cluster brow and speakers with bright accent ring		•	•
Exterior Trim	Body-colour fascia, black bodyside and beltline moulding	•		
	Body-colour fascia, chrome bodyside and rear fascia moulding, and bright beltline moulding		•	•

		Jeep _® Grand Cherokee		erokee
		Laredo	Limited	SRT8
Floor Covering	— Carpeted	•	•	•
Floor Mats	— Front and rear	•	•	•
4WD System	— Quadra-Trac II® active full-time (NV245)	•	•	
	— Quadra-Drive II® active full-time, includes NV245 transfer case and Electronic Limited-Slip Differentials for front and rear axles (included with Off Road Group) — SRT active full-time (NV146)	Р	Р	•
Front Grille Trea	,			
	— Body-colour with black texture bars	•		
	— Chrome with black texture bars		•	
	— Body-colour with Grey lattice-patterned design			•
Fuel Tank	— 79.9 L (petrol), 83.3 L (diesel) with fuel filler cap	•	•	•
Glass	Tinted windscreen deep-tinted sunscreen on rear doors, rear quarter and liftgate windows (packaged with sunroof)		Р	•
Glove Box	— Locking	•	•	•
Heat Outlets	— Rear-seat	•	•	•
Hill Descent Co	ntrol (HDC)	•	•	
Hill Start Assist	(HSA)	•	•	
Interior Trim	Technical cube aluminium style finish on front door switch, centre stack bezels	•		
	Olive Ash finish front door switch, floor console, centre stack bezels		•	
	 Refined aluminium front door switch, floor console and lower centre stack bezels; 2-tone instrument panel/door trim; carbon fiber-patterned leather instrument panel hood 			•
Jeep Memory S	ystem — Radio station presets, last station settings, driver's seat position, exterior mirrors		•	•
Liftgate	— Rear fixed intermittent wiper/washer, flipper glass, electric defroster	•	•	•
Lighting				
Exterior	— Halogen headlamps, taillamps, rear fog lamps, CHMSL	•	•	•
	— High Intensity Discharge (HID) Auto-leveling headlamps			•
	 Automatic headlamps (ON/OFF) includes headlamps-on- with-wipers and parade mode features 		•	•
	 Round fog lamps with integrated front fascia, water- resistant 	•	•	•
Interior	 Glove box lamp, courtesy door lamps, rear-passenger overhead reading/courtesy lamps 	•	•	•
Mirrors				
Exterior	— Power folding, heated	•		
	 Power folding with memory, heated, driver-side auto- dimming 		•	•
Interior	— Day/night rearview	•		
	— Auto-dimming rearview		•	•
Off Road Group	— Quadra Drive II 4WD system, 245/65R17 BSW All Terrain Tyres & Skid Plate Group.	0	0	

		Jeep _® Grand Cherokee		erokee
		Laredo	Limited	SRT8
Park Assist Sys	tem — Front and rear parking assistance system with sensors and audio-visual indicators		•	•
Parkview® Rear	Back-Up Camera		•	•
Power Accesso	ry Delay	•	•	•
Power Outlet	Two 12V front auxiliary (1 ignition-fed cigarette lighter base/1 battery-fed power point)	•	•	•
	— 12V rear cargo area	•	•	•
Remote Keyles	s/Illuminated Entry System — Operates door and liftgate locks and liftgate flipper glass release	•	•	•
Roof Rack	— Black roof rails	•		
	— Bright roof rails		•	
Seat Belts	 Height-adjustment, turning loops, pretensioning and load- limiting retractors for front shoulder belts, front and rear lap/ shoulder belts 	•	•	•
Seats	— Telluride/Albi cloth low-back bucket	•		
	 Royale leather trim with Axis perforated leather inserts low- back bucket, includes leather-wrapped steering wheel with audio controls 		•	
	 Royale leather trim with suede microfiber inserts premium low-back bucket with SRT logo 			•
	 Rear 60/40 single-action split-folding seatbacks with 3 height-adjustable head restraints, retractable cup holder 	•	•	•
	Rear foldaway centre armrest with storage bin		•	•
	— Heated front seats		•	•
	— Heated second row seats			•
	— Continuously variable manual lumbar adjustment	•	•	•
	 8-way driver's, 4-way front-passenger power seat adjustment 	•		
	 8-way driver's memory, 4-way front-passenger power seat adjustment 		•	•
Skid Plate Group	Includes fuel tank, transfer case and front suspension skid plates and tow hooks (2 front/1 rear): Included in Off Road Group.	Р	Р	
Sound Systems				
Radios	— REL - AM /FM/CD/MP3 Stereo with auxiliary jack	•		
	— REZ - MyGIG™ Multimedia Entertainment System MW/FM/DVD/HD/MP3/20GB hard drive , U-Connect hands free & 6.5" touch screen & Rear Back-Up Camera		•	
	— REP - MyGIG™ Multimedia Infotainment System MW/FM/DVD/HD/MP3/20GB hard drive with GPSNavigation. U-Connect® hands free, 6.5" touch screen & Rear Back-Up Camera (included with Navigation and Sound Group)		Р	•

		Jeep _® Laredo	Grand Che	erokee SRT8
Speakers	 6-speaker system includes 2 instrument panel-mounted 2.5" tweeters, 2 front-door 6"x9" full-range speakers, 2 rear-door 6.5" full-range speakers 	•	•	
	 Boston Acoustics® Premium Sound System with 6 speakers including 2 instrument panel-mounted 3.5" mid-range/ tweeter hybrid speakers, 2 front-door 6"x9" woofers, 2 reardoor 6.5" full-range speakers and 260-watt amplifier with Digital Signal Processing 		Р	•
	Kicker High Performance System with 460 watt amplifier and 11 Kicker speakers plus 300 watt subwoofer.			0
Spare Tyre	— Full-size	•	•	
	— Tyre Fit			•
Spare Tyre Carr	ier — Underbody mounted with interior winch access	•	•	•
Speed Control	— Electronic with steering wheel-mounted controls	•	•	•
Speedometer	— 230-km/h primary	•	•	
	— 300-km/h primary			•
Steering	— Variable-ratio, power-assisted rack-and-pinion steering with tilt & reach steering column	•	•	•
Steering Wheel	Colour-keyed vinyl with electronic dual-note horn and Jeep badge	•		
	 Colour-keyed two-tone leather-wrapped with electronic dual-note horn, Jeep badge and audio controls 		•	
	 Colour-keyed Carbon Fiber leather/Royale leather-wrapped with electronic dual-note horn, Jeep badge and audio controls 			•
Sun Visors	— Dual with illuminated vanity mirrors	•	•	•
Sunroof	— Power with express-open/close and comfort-stop features		0	•
Suspension	 Front independent short/long arm; rear 5-link solid axle; front and rear stabiliser bars, coil springs and gas-charged shock absorbers 	•	•	•
	High-performance suspension tuning with Bilstein monotube shock absorbers and front and rear stabiliser bars			•
Trailer Sway Co	ntrol	•	•	•
Transmission	 W5J400 5-speed automatic with electronic range select, tow/haul feature, Brake-Park Interlock and lockup torque converter (included with 3.0 V6 CRD) 		Р	
	- W5A580 5-speed automatic with electronic range select, tow/haul feature, Brake-Park Interlock and lockup torque converter (6.1 V8 engines)		1	•
	 545RFE multispeed automatic with electronic range select, tow/haul feature and Brake-Park Interlock (included with 4.7 and 5.7 V8 engines) 		•	
Tyre Pressure M	onitoring Warning System — Features tyre valve stem-mounted			
	sensors that monitor pressure and display warning in instrument cluster if pressure is low or high based on a preset range	•		
Tyre Pressure M	onitoring Display System — Features tyre valve stem-mounted sensors that monitor and display (in EVIC) individual tyre pressures for all 4 rotating tyres and warns if pressure is low or high based on a preset range		•	•

		Jeep _®	Jeep _® Grand Cherokee	
		Laredo	Limited	SRT8
Tyres	P245/65R17 107H Goodyear Wrangler HP black-sidewall all-season	•	•	
	Front 255/45ZR20 - Rear 285/40ZR20 Goodyear Eagle RS-A 4-season run-flat tyres			•
Vehicle Securi	ty System — Monitors doors, flipper glass and liftgate; includes Sentry Key® engine immobiliser	•	•	•
Vehicle Securi	ty System, Premium — Monitors doors, flipper glass and liftgate; includes Sentry Key engine immobiliser and interior intrusions sensor	0	0	•
Wheels	— 17" x 7.5" Ronin II machine faced aluminium - 5 spoke	•		
	— 17" Everest machine faced aluminium - 7 spoke		•	
	- 20" x 9" Front / 20" x 10" Rear Polished Alloy - 5 Spoke			•
Windows	Power driver's lockout with 1-touch open/close and antipinch feature	•	•	•
Windscreen W	lipers			
	 Front with variable intermittent and speed-sensitive and 5.0L washer fluid fill capacity 	•		
	 Rain-sensitive automatic wiper system with rain-sensitive and intermittent front with speed-sensitive and 4.94L washer fluid fill capacity features 		•	•
	D. A. Stelle, Steller and a control of O.D. Head to form the Steller and the first and steller and the steller			

Data contained within this guide is based upon the most current product information available at the time of production.

Source: Cinon database, based upon Germany country code specifications.



I = Included. O = Optional. P = Available within package noted. O/P = Item is a freestanding option and is also included in a package group.

(i) Always sit properly in the seat with the seat belt fastened. Children 12 and under should always be in a backseat correctly using an infant or child restraint system or the seat belt positioned correctly for the child's age and weight.