

MODEL HIGHLIGHTS

	MODEL	TECHNICAL DATA	TRANSMISSION	K EY HIGHLIGHTS
	Laredo WKBH7423E	3.6L Pentastar® V6 Petrol VVT 210kW, 347Nm Rear wheel drive	8-speed automatic transmission with E-shift	18-inch polished aluminum alloys 7 Airbags 7-inch driver configurable instrument cluster Auto high-beam headlight control system Bi-Xenon High Intensity Discharge (HID) headlights Bright side roof rails Cruise control
	Laredo WKUH7423E	3.6L Pentastar® V6 Petrol VVT 210kW, 347Nm Quadra-Trac II active 4WD system	8-speed automatic transmission with E-shift	Dual-Zone Automatic Climate Control Keyless Enter 'n Go™ Leather-wrapped steering wheel with audio, phone & cruise controls LED taillights Power, heated, rear-view mirrors Premium cloth upholstery Projector fog lights Rear back-up camera (does not feature dynamic gridlines)*
	WKUH7422E	3.0L V6 Diesel 184kW, 550Nm Quadra-Trac II active 4WD system	8-speed automatic transmission with E-shift	Selec-Terrain® Terrrain type selector (4x4 models only) Signature LED daytime running lights Steering-wheel mounted paddle shifters Uconnect Voice Command with Bluetooth Uconnect® 5-inch touchscreen radio (4x2 models only) Uconnect® 8.4-inch touchscreen radio with DAB+ (4x4 models only)
	Limited WKUP7423H	3.6L Pentastar® V6 Petrol VVT 210kW, 347Nm Quadra-Trac II active 4WD system	8-speed automatic transmission with E-shift	20-inch polished aluminum alloys with Mineral Gray pockets Alpine® 9-speaker premium audio system Deep tint sunscreen glass (from rear of B-pillar) Dual exhaust Heated 1st and 2nd-row seats Heated steering wheel Leather upholstery
	Limited WKUP7422H	3.0L V6 Diesel 184kW, 550Nm Quadra-Trac II active 4WD system	8-speed automatic transmission with E-shift	ParkSense® Front and Rear Park Assist ParkView® Rear back-up camera with dynamic grid lines Selec-Terrain® Terrrain type selector Uconnect Voice Command with Bluetooth Uconnect® 8.4-inch infotainment system featuring AM/FM/DAB+ radio, single-disc CD player, Bluetooth phone and audio connectivity, and Navigation
	Limited WKUP7428H	5.7L V8 Petrol with Fuel Saver Technology & VVT 259kW, 520Nm Quadra-Trac II active 4WD system	8-speed automatic transmission with E-shift	

^{*}Rear back-up camera is a dealer fitted item on Laredo

Disclaimer: All product illustrations and specifications are based upon current information. FCA Australia Pty Ltd ABN 23 125 956 505 trading as FCA Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in Australia from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Jeep dealer.

MODEL HIGHLIGHTS

MODEL	TECHNICAL DATA	TRANSMISSION	KEY HIGHLIGHTS
Overland* WKUS7423P	3.6L Pentastar* V6 Petrol VVT 210kW, 347Nm Quadra-Drive II 4WD system	8-speed automatic transmission with E-shift	20-inch polished aluminium alloys with Mineral Gray pockets Adaptive Cruise Control with Stop (ACC) Blind Spot Monitoring (BSM) CommandView® Dual-Pane Panoramic Sunroof Deep tint sunscreen glass (from rear of B-pillar) Dual exhaust Forward Collision Warning with Crash Mitigation (FCW) Heated 1st and 2nd-row seats
Overland® WKUS7422P	3.0L V6 Diesel 184kW, 550Nm Quadra-Drive II 4WD system	8-speed automatic transmission with E-shift	ParkView*, Rear back-up camera with dynamic grid lines Quadra-Lift* Air Suspension System Selec-Terrain* Terrrain type selector Uconnect Voice Command with Bluetooth Uconnect* 8.4-inch infotainment system featuring AM/FM/DAB+ radio, single-disc CD player, Bluetooth phone and audio connectivity, and Navigation Ventilated front seats
Overland® WKUS7428P	5.7L V8 Petrol with Fuel Saver Technology & VVT 259kW, 520Nm Quadra-Drive II 4WD system	8-speed automatic transmission with E-shift	
SRT WKUX7427L	6.4L HEMI* V8 Petrol with Fuel Saver Technology & VVT 344kW, 624Nm Quadra-Trac* Active On-Demand 4WD system	8-speed automatic transmission with E-shift	8-way power driver and passenger seats Active noise cancellation Blind Spot Monitoring (BSM) & Rear Cross-Path Detection Dual heat extractors on hood Electronic limited-slip rear differential Heated and ventilated front seats, heated 2nd-row seats Selec-Track* adaptive damping system with Track, Sport, Auto, Snow & Tow modes SRT* 20-inch polished 5-spoke Goliath alloys SRT performance brakes with Red 6-piston front/4-piston rear Brembo* calipers SRT performance-tuned, fully hydraulic steering SRT* heated flat-bottomed steering wheel with paddle shifter Uconnect Voice Command with Bluetooth Uconnect* 8.4-inch infotainment system featuring AM/FM/DAB+ radio, single-disc CD player, Bluetooth phone and audio connectivity, and Navigation

Disclaimer: All product illustrations and specifications are based upon current information. FCA Australia Pty Ltd ABN 23 125 956 505 trading as FCA Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in Australia from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Jeep dealer.

MODEL HIGHLIGHTS

LAREDO STANDARD EQUIPMENT

Interior OC	Exterior	ос	Groups	ос
• 6-speakers RCG	18-inch polished aluminum alloys	WBL	Uconnect 8.4 AM/FM/BT (4x4 only)	RJ3
Acoustic laminated front door glass GAP	265/60 R18 BSW All season tyres	TVM	8.4-inch touchscreen display	RFL
Auto dimming rearview mirror with microphone GN5	Automatic headlight levelling system	JKJ	Digital audio broadasting	RS9
Cruise control NHM	Automatic headlights	LMG	Digital multimedia broadcast	RSG
Dual-Zone Automatic Climate Control HAF	Bi-Xenon HID headlights	LM2	Integrated voice command with Bluetooth	XRB
Illuminated cupholders CWP	Body colour door handles	MNK		
Leather wrapped shift knob CVW	Body colour mirrors	LEP	Luxury Group	AFF
Leather-wrapped steering wheel SCV	Bright side roof rails	MW1	180 Amp Alternator (4x2 only)	BAD
Luxury front/rear floor mats CLZ	Full size spare tyre	TBB	220 Amp Alternator	BAJ
Power 8-way driver/passenger seats JTE	Headlight Washers	JHS	Auto High-Beam Headlight Control system	LMS
 Power driver/passenger 4-way lumbar adjust 	LED daytime running headlights	LMZ	Heated front seats	JPM
Premium cloth trim F7*	LED Taillights	LAY		
• Rear 60/40 folding seat CFN	Power folding multi-function mirrors	GU5	Trailer Tow Prep Group (3.0L only)	AHC
Remote SD card slot RS1	Power front windows, 1-touch up & down	JP3	Normal duty suspension	SDA
Remote USB port RSX	Premium fog lights	LNN	Rear load levelling suspension	SES
Steering wheel mounted audio controls RDZ	Rain sensitive windshield wipers	JHC		
Termperature & Compass Gauge JFJ	Rear window defroster	GFA		
Tilt/telescoping steering column SUD	Rear window wiper/washer	JHB		
Ucconect voice command with Bluetooth				
 Uconnect 5-inch AM/FM/BT with touchscreen display (4x2 RJ2 				
models only)				
Safety & Security				
Active head restraints CBD				
Advanced mutlistage front airbags CG3				
Driver inflatable knee-bolster airbag CGY				
Electronic stability control BNB				
Four wheel traction control (4x4 only) BNR				
Hill start assist				
Keyless Enter-n-Go GX4				
Parview rear back-up camera without dynamic gridlines* XAC				
Quadra-Trac II® Active 4WD System includes 2-speed transfer DKA				
case and Hill Descent Control (HDC) (4x4 models only)				
Remote proximity keyless entry GXD				
Security alarm LSB				
Selec-Terrain — Console dial with five traction control settings XAB				
(4x4 models only)				
Supplemental front seat side airbags CJ1				
Supplemental side airbags CGS				
Supplemental side curtain front/rear airbags CJ2				
Traction control (4x2 only) BNM				
Trailer sway damping BNT				
Tyre pressure monitoring display XGM				

^{*} Parkview Rear Backup camera is a dealer fitted item on Laredo

MODEL HIGHLIGHTS

LIMITED STANDARD EQUIPMENT IN ADDITION TO	ORR	EPLACING LAREDO			
Interior 9 amplified speakers with subwoofer Heated second row seats Heated steering wheel Power 8-way driver seat (with memory) & 8-way passenger seat Premium leather trim Radio/Drivers seat/Mirrors memory Single disc remote CD player Safety & Security Parksense Front/Rear park assist Parkview Rear back-up camerawith dynamic grildines	OC RC3 JPZ NHS JT2 UL* LEW RHI	Exterior 20-inch polished alloys with Mineral Gray pockets 265/50 R20 BSW All season tyres Auto dimming exterior passenger mirror Bright door handles Deep tint sunscreen Dual bright exhaust tips Exterior mirrors with courtesey lights Exterior mirrors with memory Power liftgate	OC WRD TVE LEU MNC GEG NEL LEC LEM JRC	Groups Trailer Tow Prep Group (3.0L & 5.7L only) 220 Amp alternator (5.7L only) Heavy duty engine cooling (5.7L only) Normal duty suspension Rear load levelling suspension Uconnect 8.4N AM/FM/BT/NAV 8.4-inch touchscreen display All VP4 radios Digital audio broadasting Digital multimedia broadcast GPS Antenna input GPS Navigation Integrated voice command with Bluetooth	OC AHC BAJ NMC SDA SES RJ4 RFL R04 RS9 RSG JLP JLN XRB
OVERLAND STANDARD EQUIPMENT IN ADDITION	TO OR	REPLACING LIMITED			
Interior Cargo net Perforated leather trim Under seat lighting Ventilated front seats Wood/leather wrapped steering wheel Safety & Security Deluxe security alarm	OC CKR GL* CCA CAJ SCW	Dual-pane panoramic sunroof Quadra-Trac II (e) 4WD system	OC GWJ DKA	Groups • Quadra-Lift* Air Suspension System • 220 Amp alternator (5.7L only) • Heavy duty engine cooling (5.7L only) • Trailer tow prep group • Advanced Warning/Adaptive Cruise Control • Adaptive cruise control with Stop • Advanced brake assist • Blind spot & Cross path detection • Forward collision warning plus	OC SER BAJ NMC AHC ADG NH3 BGG XAN LSR
SRT STANDARD EQUIPMENT IN ADDITION TO OR	REPLA	CING SUMMIT			
Interior Perforated leather trim SRT* heated flat-bottomed steering wheel with paddle shifter	oc DZ* -	Exterior • 295/45 ZR20 BSW all season run flat tyres • Dual heat extractors on hood • SRT* 20-inch polished 5-spoke Goliath alloys • SRT performance brakes with Red Brembo* calipers • SRT performance-tuned, fully hydraulic steering	OC TW7 - WSG BR4 SBX	Safety & Security Selec-Track* system	OC XAF

Disclaimer: All product illustrations and specifications are based upon current information, FCA Australia Pty Ltd ABN 23 125 956 505 trading as FCA Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories change or discontinue models. All vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Jeep dealer.

GRAND CHEROKEE MODEL HIGHLIGHTS	LAREDO	LIMITED	OVERLAND*	S R T *	
GROUPS AND OPTIONS					
Off-Road Adventure Group II (4WD models with 3.0L and 5.7L engines only) 18-inch aluminium polished wheel 230 mm rear axle 265/60R18 BSW All Season tyres Electronic Limited Slip Differential Front suspension skid plate Fuel tank skid plate Quadra-Drive II Selec-Speed™ Control (3.0L & 5.7L engines only) Skid plate group Transfer case skid plate Underbody skid plate	N/A	0	0	N/A	
Quadra-Lift Air Suspension (4WD models only) 220 Amp alternator (5.7L engine only) Heavy duty engine cooling (5.7L engine only) Trailer Tow Preparation Group	N/A	0	S	N/A	
Luxury Group II Leather trim seats with perforated inserts Ventilated front seats	N/A	0	N/A	N/A	
Single disc remote CD player	0	S	S	S	
Rear DVD Entertainment Centre (Removes RH1) Blu-Ray compatible dual screen video Rear seat video system	N/A	0	0	0	
SRT High Performance Harman Kardon Audio 19-speakers 825 watt amplifier	N/A	N/A	N/A	0	
Power sunroof	0	N/A	N/A	N/A	

S = Standard N/A = Not Available O = Optional NCO = No cost option

CommandView® Dual-Pane Panoramic Sunroof (M/H AJE on SRT model)

ONAND	CITERONEL			®			
MODEL HIGHLI	GHTS	LAREDO	LIMITED	OVERLAND®		S ⊢ ⊗ ⊢	
ALLOY WHEELS							
	18-inch alloy wheels with polished finish F/R: 265/60 R18	S	N/A	N/A	1	√A	
	20-inch alloy wheels with mineral grey pockets and polished finish F/R: 265/50 R20	N/A	S	S	١	N/A	
	20-inch alloy wheels with satin carbon finish F/R: 265/50 R20	N/A	N/A	N/A	١	N/A	
	20-inch SRT Goliath alloy wheels with polished finish F/R: 295/45 R20	N/A	N/A	N/A		S	
	20-inch SRT Spider monkey alloy wheels with black vapor chrome finish F/R: 295/45 R20	N/A	N/A	N/A		0	
	20-inch SRT Spider monkey alloy wheels with satin carbon chrome finish F/R: 295/45 R20	N/A	N/A	N/A		0	

S = Standard N/A = Not Available O = Optional

MODEL HIGHLIGHTS

AREDO	МІТЕО	VERLAND®	₩ *	
ΓA	7	>	S	

INTERIOR COLOURS & MATERIAL (ACTUAL COLOUR MAY VARY FROM SAMPLE)

INTERIOR COLOURS & MATERIAL (ACTUAL COLOUR MAY VARY FROM SAMPLE)					
Wallace II/Sheldon Cloth Morocco - Black Miknasa Black walnut-look ap	S pliqué	N/A	N/A	N/A	
Wallace II/Sheldon Cloth New Zealand – Black/Light Fr Nador Brown walnut-look app		N/A	N/A	N/A	
Capri Leather Trim Morocco - Black Miknasa Black Walnut Wood I	N/A Inserts	S	N/A	N/A	
Capri Leather Trim New Zealand - Black/Light Fr Nador Brown Walnut Wood Ir	_	NCO	N/A	N/A	
Ventilated Axis Perforated Na Morocco - Black Miknasa Black Walnut Wood I	N/A	0	N/A	N/A	
Ventilated Axis Perforated Na New Zealand - Black/Light Fr Nador Brown Walnut Wood Ir	rost Beige N/A	0	N/A	N/A	
Ventilated Axis Perforated Na with accent stitching - Moroco	co - Black N/A	N/A	S	N/A	
Ventilated Axis Perforated Na accent piping — Vesuvio - Inc	ligo Blue/Jeep Brown N/A	N/A	NCO	N/A	
Ventilated Axis Perforated Na accent piping — Nepal - Jeep	ppa Leather Trim with	N/A	NCO	N/A	
Open-Pore Zebrano Wood Ins	serts				

Overseas model images shown above

S = Standard N/A = Not Available O = Optional NCO = No Cost Option

Disclaimer: All product illustrations and specifications are based upon current information. FCA Australia Pty Ltd ABN 23 125 956 505 trading as FCA Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories change or discontinue models. All vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Jeep dealer.

MODEL HIGHLIGHTS

LAREDO	LIMITED	OVERLAND®		SR⊤ *	
--------	---------	-----------	--	----------	--

INTERIOR COLOURS & MATERIAL (ACTUAL COLOUR MAY VARY FROM SAMPLE)

INTERIOR COLOGR'S & MATERIAL (ACTUAL COLOGR MAT VART TROM						
Carlos June 1	Perforated Natura Plus Leather Inserts Morocco - Black Summit® Black Open-Pore Wood Inserts	N/A	N/A	N/A	N/A	
	Perforated Natura Plus Leather Inserts with Copper accent stitching — Grand Canyon - Jeep* Brown					
	Summit® Brown Open-Pore Wood Inserts	N/A	N/A	N/A	N/A	
	Nappa Leather with Axis II Perforated Suede in Black, Light Slate Gray accent stitching and SRT logo — Black	N/A	N/A	N/A	S	
	Miknasa Black Walnut Wood Inserts					
	Perforated Laguna Leather with Silver accent stitching and SRT logo — Sepia	N/A	N/A	N/A	0	
	Miknasa Black Walnut Wood Inserts					

Overseas model images shown above

S = Standard N/A = Not Available O = Optional NCO = No cost option

GRAND CHEROKEE MODEL HIGHLIGHTS OVERLAND LAREDO METALLIC PAINT (ACTUAL COLOUR MAY VARY FROM SAMPLE) Bright White 0 0 0 0 Granite Crystal Metallic 0 (Not avilable with GLUC trim) 0 0 0 (4x4 only) Maximum Steel Metallic 0 0 0 0 (4x4 only) Cashmere Pearl 0 0 0 N/A (4x4 only) Redline Red (Not avilable with GLUC trim) N/A N/A N/A 0 Black Forest Green Pearl (Not avilable with GLUC trim) N/A N/A N/A N/A Billet Silver Metallic 0 0 0 0 Auburn Pearl (Not avilable with GLUC trim) N/A N/A N/A N/A

True Blue Pearl

Deep Cherry Red Crystal Pearl (Not avilable with GLUC trim)

Brilliant Black Crystal Pearl

Disclaimer: All product illustrations and specifications are based upon current information. FCA Australia Pty Ltd ABN 23 125 956 50S trading as FCA Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in Australia from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Jeep dealer.

0

(4x4 only)

0

0

0

0

0

0

0

0

N/A

0

0

MODEL HIGHLIGHTS

	3.6L Pentastar V6 VVT	3.0L V6 Diesel	5.7L V8 VVT with Fuel Saver Technology	6.4L V8 VVT with Fuel Saver Tehcnology
Powertrain				
Displacement (cu cm)	3.604	2.988	5.654	6.417
Power kW @ rpm	210 @ 6,350	184 @ 4,000	259 @ 5,200	344 @ 6,250
Torque (Nm @ rpm)	347 @ 4,300	550 @ 2,000	520@ 4,200	624 @ 4,100
	~ ·		9 .	
Fuel System	Sequential multipoint, electronic fuel injection	Common-rail, solenoid injectors	Sequential multipoint, electronic fuel injection	Sequential multipoint, electronic fuel injection
Transaxle	8-speed automatic transmission with E-shift	8-speed automatic transmission with E-shift	8-speed automatic transmission with E-shift	8-speed automatic transmission with E-shift
Drive systems	0 7 11 11 11 12 13 14 1 1 1	0 7 4 1 1 1 1 1 1 1 1	0 7 11 11 11 12 13 14 1 1 1	
Full-time 4WD	Quadra-Trac II Active 4WD (4x4 models)	Quadra-Trac II Active 4WD (4x4 models)	Quadra-Trac II Active 4WD (4x4 models)	Quadra-Trac Active On-Demand
	Quadra-Drive II 4WD system (4x4 models)	Quadra-Drive II 4WD system (4x4 models)	Quadra-Drive II 4WD system (4x4 models)	
Tyres				
Standard version	265/60 R18 (Laredo)	265/60 R18 (Laredo)	265/50 R20 (Limited/Overland)	295/45 R20 run flat
	265/50 R20 (Limited/Overland)	265/50 R20 (Limited/Overland/Summit)		
Suspension/Chassis				
Steering	18.7:1	18.7:1	18.7:1	17.5:1
Kerb-to-kerb turning circle (m)	11.6	11.6	11.6	11.6
Brake System (ABS)	Power, single-rate, tandem diaphragm vacuum	Power, single-rate, tandem diaphragm vacuum	Power, single-rate, tandem diaphragm vacuum	Power, single-rate, tandem diaphragm vacuum
Front	328 x 30 vented disc	328 x 30 vented disc	328 x 30 vented disc	350x 32 vented disc with 6-piston Brembo Calipe
Rear	320 x 14 disc	320 x 14 disc	320 x 14 disc	330 x 22 disc with 4-piston Brembo Calipers
Electronic Stability Control (ESC)	4-channel. 4-wheel antilock with active wheel	4-channel. 4-wheel antilock with active wheel	4-channel, 4-wheel antilock with active wheel	4-channel, 4-wheel antilock with active wheel
Zicon ormo otazimej comerci (200)	speed, vehicle-speed, steering-wheel angle,	speed, vehicle-speed, steering-wheel angle,	speed, vehicle-speed, steering-wheel angle,	speed, vehicle-speed, steering-wheel angle,
	yaw-rate and lateral-acceleration sensors, vehicle	yaw-rate and lateral-acceleration sensors, vehicle	yaw-rate and lateral-acceleration sensors, vehicle	yaw-rate and lateral-acceleration sensors, vehicle
	stability management with 2-stage activation	stability management with 2-stage activation	stability management with 2-stage activation	stability management with 2-stage activation
		, ,	, ,	, ,
	switch, All-Speed Traction control, Brake Assist,	switch, All-Speed Traction control, Brake Assist,	switch, All-Speed Traction control, Brake Assist,	switch, All-Speed Traction control, Brake Assist,
	Electronic Roll Mitigation (ERM) and Electronic	Electronic Roll Mitigation (ERM) and Electronic	Electronic Roll Mitigation (ERM) and Electronic	Electronic Roll Mitigation (ERM) and Electronic
Commence of the Commence of	Brake-force Distribution	Brake-force Distribution	Brake-force Distribution	Brake-force Distribution
Suspension, Euro-tuned		Charles and Charle		Charles and Charle
Front	Short/long arm (SLA), coil springs, gas-charged,	Short/long arm (SLA), coil springs, gas-charged,	Short/long arm (SLA), coil springs, gas-charged,	Short/long arm (SLA), coil springs, gas-charged,
	twin-tube coil-over shock absorbers, upper	twin-tube coil-over shock absorbers, upper	twin-tube coil-over shock absorbers, upper	twin-tube coil-over shock absorbers, upper
	and lower control arms ("A" arms) and stabilizer	and lower control arms ("A" arms) and stabilizer	and lower control arms ("A" arms) and stabilizer	and lower control arms ("A" arms) and stabilizer
	bar	bar	bar	bar, Bilstein Active Dampening Suspension
Rear	Multilink rear suspension, coil springs, twin-tube	Multilink rear suspension, coil springs, twin-tube	Multilink rear suspension, coil springs, twin-tube	Multilink rear suspension, coil springs, twin-tube
	shocks (including load-leveling for towing),	shocks (including load-leveling for towing),	shocks (including load-leveling for towing),	shocks (including load-leveling for towing),
	aluminum lower control arm and independent	aluminum lower control arm and independent	aluminum lower control arm and independent	aluminum lower control arm and independent
	upper links (tension and camber)	upper links (tension and camber)	upper links (tension and camber)	upper links (tension and camber)
	plus a separate toe link	plus a separate toe link	plus a separate toe link	plus a separate toe link, Bilstein Active Dampenin
	pius a separate toe iirik	pius a separate toe iirik	pius a separate toe iirik	Suspension

MODEL HIGHLIGHTS

 EC	HN	ΔΙ	1.1	ΝF	\cap	RI	м.	ΔΤ	$I \subset$) N

	3.6L V6 Petrol with VVT	3.0L V6 Diesel	5.7L V8 Petrol	6.4L V8 Petrol with VVT
Weights & Capacities (millimeters unless otherwise specified)				
Gross Vehicle Mass (kg)	2,949	2,949	2,949	2,949
Wheelbase	2,915	2,915	2,915	2,915
Overall Length	4,828	4,828	4,828	4,846
Overall Width	1,943	1,943	1,943	1,954
Track (front/rear)	1,628 / 1,634	1,628 / 1,634	1,628 / 1,634	1,669 / 1,661
Overall Height (with roof rails)	1,802	1,802	1,802	1,749
Ground Clearance (Air/Steel)	205/218	205/218	205/218	203
Approach Angle (degrees)	26.0	26.0	26.0	26.0
Breakover Angle (degrees, Air/Steel)	18.0 / 19.0	18.0 / 19.0	18.0 / 19.0	18.0 / 19.0
Departure Angle (degrees)	26.5	26.5	26.5	26.5
Cargo volume (rear seat up/folded)	782/1,554	782/1,554	782/1,554	782/1,554
Water Fording Depth	508	508	508	508
Fuel Tank (Litres)	93.5	93.1	93.5	93.5
Towing Capacities				
Maximum Towing Mass (kg - Braked Trailer)	1,600 (4x2 models), 2,812 (4x4 models)	3,500	3,500	2,949
Max Towing Mass (kg - Non-Braked Trailer)	750	750	750	750
Fuel Consumption (L/100km) (4X2/4X4)				
Combined	10.1 / 10.4	7.5	13.0	14.0
Jrban	14.0 / 14.3	9.3	19.6	20.7
Extra Urban	7.9 / 8.2	6.5	9.2	10.1
CO2 (g/km)	237 / 244	198	304	327