

MODEL HIGHLIGHTS



MODEL HIGHLIGHTS



MODEL	TECHNICAL DATA	TRANSMISSION	KEY HIGHLIGHTS
Rubicon 4-Door JKUS7424R	3.6L Pentastar V6 3,604cc, 6 cylinder 209kW, 347Nm Rock-Trac* 4WD system	5-speed automatic	17-inch alloy wheels finished in mineral grey with polished facings Alpine* premium sound system with 6 speakers plus subwoofer Automatic headlights Black fender flares Cloth upholstery Tinted rear and liftgate windows Black hard top & premium black sunrider soft top with Freedom panels Heavy-duty suspension system Leather-wrapped steering wheel with speed and audio controls Next Generation Dana* 44 heavy-duty front/rear axles Rock rails Tru-Lok* front/rear locking differentials Uconnect voice command with Bluetooth and remote USB port Uconnect* 135 system featuring CD player, MP3 compatibility, and AM/FM radio

MODEL HIGHLIGHTS

SPORT STANDARD EQUIPMENT

Interior	ос	Exterior	ос	Safety & Security	ос
 60/40 split folding rear seats (4-Door only) 	CFM	17-inch alloy wheels	WFF	Airbags - 2 x front	CG3
6-speaker sound system	RGA	• 245/75 R17 on-off road tyres with OWL	TYZ	Airbags - 2 x side seat	CJ1
 Air conditioning with automatic climate control 	HAB	Black fender flares	MUG	All-speed Traction Control	
Auto-dimming rear vision mirror	GNX	Black sunrider soft top	MX4	Anti-lock 4-wheel disc HD brakes (ABS)	BR6
 Carpeted floor mats - front (2 door only) 	CLC	Cruise control	NHM	Brake Assist	
 Carpeted floor mats - front and rear (4 door only) 	CLE	Front and rear fog lights	LNJ/LPG	Brake Lock Differentials	
Cloth upholstery	A7*	Halogen headlights	LMJ	Electronic Roll Mitigation (ERM)	
 Leather-wrapped steering wheel with speed control 	RDZ	Headlight levelling system	JKL	Electronic Stability Control (ESC)	BNB
Torx tool kit	XE4	Power heated folding mirrors	GTB	Hill Start Assist	
 Uconnect® 135 AM/FM/CD/MP3 radio 	REL	Removable, full-framed metal doors	GCF	Matching spare - alloy wheel	TBB
		Skid plates for fuel tank and transfer case	XEE/XEF	Remote key operated lock/unlock	GXW
		Spare tyre cover	CSA	Sentry key engine immobiliser	GXX
		Trail rated badging	MT2	Trailer Sway Control	
				Groups	
		Capability		Connectivity Group	AAJ
		Command-Trac® 4WD system	DHE	Chrome/leather wrapped shift knob	CVC
		Next Generation Dana 30 front axle	DJR	Leather wrapped steering wheel	SCV
		Next Generation Dana® 44 heavy-duty rear axle	DRZ	Remote USB port	RSX
				Tyre pressure monitoring display	XGM
				Uconnect voice command with Bluetooth	RSQ
				Vehicle information centre	LAZ

OVERLAND STANDARD EQUIPMENT IN ADDITION TO OR REPLACING SPORT

Interior	ос	Groups	ос	Groups	
Leather upholstery (Overland only)	AL*/QL*	Dual Top Group	AEM	Uconnect Media Centre 731N CD/DVD/HDD/NAV Radio	RHP
		Freedom panel storage bag	CS2	(Overland only)	
Exterior		Premium black sunrider soft top	MX5	 40GB hard drive with 20GB of available storage 	XRE
18-inch alloy wheels	WFC	Rear window defroster	GFA	6 Alpine speakers plus subwoofer	RC9
• 255/70 R18 BWS on-off Road tyres (Overland only)	-	Rear window wiper/washer	JHB	GPS Navigation	JLN
Automatic headlights	LMG			Integrated voice command with Bluetooth	XRB
Body colour 3-piece hard top (Overland only)	MX1	Leather Trimmed Bucket Seats (Overland only)	AL*	Remote USB port	RSX
Body-colour fender flares (Overland only)	MML	Driver seat height adjustment	CDH	Touch screen display monitor	RDY
Body-colour grille with silver metallic throat surrounds	MF4	Front seatback pockets	CSM	Uconnect hands-free communication	RSQ
Hill Descent Control (HDC)	BNH	Heated front seats	JPM		
Tinted rear and liftgate windows	GCD				
Tubular side steps (Overland only)	MRK				

RUBICON STANDARD EQUIPMENT IN ADDITION TO OR REPLACING OVERLAND

oc	Exterior	oc	Capability	
RC9	17-inch alloy wheels	WFA	Electronic front sway bar disconnect system	SHG
A7*	Black 3-peice hard top	MX3	 Next Generation Dana® 44 heavy-duty front/rear axles 	DJS/DRZ
			Rock rails	MEF
			Rock-Trac® 4WD system	DHW
			Tru-Lok® front/rear locking differentials	DSE
	RC9	RC9 • 17-inch alloy wheels	RC9 • 17-inch alloy wheels WFA	 RC9 17-inch alloy wheels Black 3-peice hard top MX3 Electronic front sway bar disconnect system Next Generation Dana* 44 heavy-duty front/rear axles Rock rails Rock-Trac* 4WD system

Disclaimer: All product illustrations and specifications are based upon current information. FCA Australia Pty Ltd ABN 23 125 956 505 trading as FCA Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Lege dealer.

WRANGLER MODEL HIGHLIGHTS

SPORT OVERLAND RUBICON

GROUPS AND OPTIONS

Renegade Pack: 6 Alpine speakers plus subwoofer Audio jack for mobile devices Black 3-piece hard top Tinted rear and liftgate windows Dual top group Freedom panel storage bag Media Centre 230 6CD/DVD/MP3 Radio Rear window defroster Rear window wiper/washer Tubular side steps	0	N/A	N/A	AEM
Uconnect Media Centre 731N CD/DVD/HDD/NAV radio: 40GB hardrive with 20GB available 6 Alpine speakers plus subwoofer GPS Navigation Integrated voice command with Bluetooth Remote USB port Touch screen display monitor Uconnect handsfree communication	0	S	0	RHP
Leather Trimmed bucket seats: Driver seat height adjustment Front seatback pockets Heated front seats	N/A	S	0	AL*
Media Centre 230 6CD/DVD/MP3 Radio 6 Alpine speakers plus subwoofer Audio jack for mobile devices	N/A	N/A	0	REQ
Body colour 3-piece hard top: Freedom panel storage bag Tinted rear and liftgate windows Rear window defroster Rear window wiper/washer	N/A	S	0	MX1
Body colour fender flares	N/A	S	0	MML M/H MX1

S = Standard N/A = Not Available O = Optional

MODEL HIGHLIGHTS

		SPORT	OVERLA	RUBICON	0
ALLOY WHEELS	S				
000	17-inch Moab cast alloy wheels with sparkle silver finish F/R: 245/75 R17	S	N/A	N/A	WFF
000	18-inch aluminium wheel with high gloss granite crystal painted pockets F/R: 255/70 R18	N/A	S	N/A	WFC
DO D	18-inch 7-spoke alloy wheels with polished finish F/R: 255/70 R18	N/A	0	N/A	WPT
	17-inch alloy wheels with polished mineral grey finish F/R: 245/75 R17	N/A	N/A	S	WFA

S = Standard N/A = Not Available O = Optional

SPORT	OVERLAND	RUBICON	U O
-------	----------	---------	--------

INTERIOR COLOURS & MATERIA	(ACTUAL	COLOUR MAY	VARY FROM	1 SAMPLE)
----------------------------	---------	------------	-----------	-----------

INTERIOR COLOURS & MAIL	RIAL (ACTUAL COLOUR MAY VARY FROM SAMPLE)				
	Sedosa Cloth/Jeep Hex Cloth — Black Black with Black upper and lower instrument panel	S	N/A	S	A7X9
	Sedosa Cloth/Rivet Cloth — Black with Dark Saddle accent stitching Black upper and Dark Saddle lower instrument pane	N/A	N/A	NCO	A7XV
	MOAB Black Leather / Black interior	N/A	S	N/A	NLX9
	MOAB Dark Saddle Leather / Saddle interior	N/A	NCO	N/A	QLXV
	McKinley Leather Trim — Black with Light Slate Gray accent stitching Black upper and lower instrument panel	N/A	N/A	0	ALX9
	McKinley Leather Trim — Black/Dark Saddle Black upper and Dark Saddle lower instrument panel	N/A	N/A	0	ALXV

S = Standard N/A = Not Available O = Optional NCO = No Cost Option

MODEL HIGHLIGHTS

EXTERIOR PAINT (ACT	AL COLOUR MAY VARY FROM SAMPLE)
	Bright White Clear Coat

Bright White Clear Coat	All	PW7
Black Clear Coat	All	PX8
Granite Crystal Metallic Clear Coat	All	PAU
Rhino Clear Coat	All	PSQ
Billet Silver Metallic	All	PSC
Firecracker Red	All	PRC
Tank	All	PGK
Hydro Blue Pearl	All	PBJ
Hypergreen Clear coat	All	PJK
Mojave Sand Clear Coat	All	PTA

MODEL HIGHLIGHTS

TECHNICAL INFORMATION

	Sport (2 door / 4 door)	Sport (4 door)	Overland (2 door / 4 door)	Rubicon (4 door)
Powertrain Displacement (cu cm) Power kW @ rpm Torque (Nm @ rpm) Fuel System	3.6L Pentastar V6 Petrol 3,604 209 @ 6,350 347 @ 4,300 Sequential multipoint, electronic fuel injection	2.8L DOHC I-4 Turbo CRD Diesel 2,777 147 @ 3,600 460@ 1,600-2,600 Direct injection, Common-Rail	3.6L Pentastar V6 Petrol 3,604 209 @ 6,350 347 @ 4,300 Sequential multipoint, electronic fuel injection	3.6L Pentastar V6 Petrol 3,604 209 @ 6,350 347 @ 4,300 Sequential, multipoint, electronic fuel injection
Transmission	6-speed manual with overdrive, synchronized in all gears, multi-rail shift system with top-mounted shift lever 5-speed automatic with overdrive, electronic governor, electronically controlled converter clutch	5-speed automatic with overdrive, electronic governor, electronically controlled converter clutch	5-speed automatic with overdrive, electronic governor, electronically controlled converter clutch	5-speed automatic with overdrive, electronic governor, electronically controlled converter clutch
Drive systems Full-time 4WD	Command-Trac* MP241 Includes fuel tank & transfer case skid plate, part-time, 2-speed, with manual shift-on-the-fly, 2.72:1 low-gear ratio	Command-Trac® MP241 Includes fuel tank & transfer case skid plate, part- time, 2-speed, with manual shift-on-the-fly, 2.72:1 low-gear ratio	Command-Trac* MP241 Includes fuel tank & transfer case skid plate, part- time, 2-speed, with manual shift-on-the-fly, 2.72:1 low-gear ratio	Rock-Trac* MP241 Includes fuel tank & transfer case skid plate, part- time, 2-speed, with manual shift-on-the-fly, 4.0:1 low gear ratio
Tyres Standard version	245/75 R17	245/75 R17	255/70 R18	245/75 R17
Steering/Braking/Suspension Steering type Overall steering ratio Steering Turns (Lock-to-lock) Kerb-to-kerb turning circle (m)	Power, reticulating ball with cross bar linkage and damper 16.7:1/14.7:1 3.2/2.5 10.4 /13.1	Power, reticulating ball with cross bar linkage and damper 14.7:1 2.5 13.1	Power, reticulating ball with cross bar linkage and damper 16.7:1/14.7:1 3.2/2.5 10.4 /13.1	Power, reticulating ball with cross bar linkage and damper 14.7:1 2.5 13.1
Brake System	Heavy duty 4-wheel disc, power-assisted, 332mm vented front / 316mm solid rear	Heavy duty 4-wheel disc, power-assisted, 332mm vented front / 316mm solid rear	Heavy duty 4-wheel disc, power-assisted, 332mm vented front / 316mm solid rear	Heavy duty 4-wheel disc, power-assisted, 332mm vented front / 316mm solid rear
Suspension	Live solid axles, 5-link front/rear, coil springs, leading arms, track/stabilizer bars and front steering damper Shock absorbers high-pressure gas charged monotube	Live solid axles, 5-link front/rear, coil springs, leading arms, track/stabilizer bars and front steering damper Shock absorbers high-pressure gas charged monotube	Live solid axles, 5-link front/rear, coil springs, leading arms, track/stabilizer bars and front steering damper Shock absorbers high-pressure gas charged monotube	Live solid axles, 5-link front/rear, coil springs, leading arms, track/stabilizer bars and front steering damper Shock absorbers high-pressure gas charged monotube Sway bar disconnect system, front axle remote electronically activated
Electronic Stability Control	Four-wheel anti-lock, with on and off-road calibrations, four-channel, active wheel-speed, vehicle-speed, steering-wheel-angle, yaw-rate, and lateral-acceleration sensors, vehicle stability management with 3-stage activation switch, All-Speed Traction Control, Brake Assist, Electronic Roll Mitigation, Electronic Brake Distribution	Four-wheel anti-lock, with on and off-road calibrations, four-channel, active wheel-speed, vehicle-speed, steering-wheel-angle, yaw-rate, and lateral-acceleration sensors, vehicle stability management with 3-stage activation switch, All-Speed Traction Control, Brake Assist, Electronic Roll Mitigation, Electronic Brake Distribution	Four-wheel anti-lock, with on and off-road calibrations, four-channel, active wheel-speed, vehicle-speed, steering-wheel-angle, yaw-rate, and lateral-acceleration sensors, vehicle stability management with 3-stage activation switch, All-Speed Traction Control, Brake Assist, Electronic Roll Mitigation, Electronic Brake Distribution	Four-wheel anti-lock, with on and off-road calibrations, four-channel, active wheel-speed, vehicle-speed, steering-wheel-angle, yaw-rate, and lateral-acceleration sensors, vehicle stability management with 3-stage activation switch, All-Speed Traction Control, Brake Assist, Electronic Roll Mitigation, Electronic Brake Distribution

Disclaimer: All product illustrations and specifications are based upon current information. FCA Australia Pty Ltd ABN 23 125 956 505 trading as FCA Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in Australia from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Deep dealer.

MODEL HIGHLIGHTS

TECHNICAL INFORMATION

	Sport (2 door / 4 door)	Sport (4 door Diesel)	Overland (2 door / 4 door)	Rubicon (4 door)
Exterior (millimeters unless otherwise specified)				
Wheelbase	2,424/2,947	2,947	2,424/2,947	2,947
Overall Length	4,223/4,751	4,751	4,223/4,751	4,751
Overall Width	1,873/1,877	1,877	1,873/1,877	1,877
Track (front/rear)	1,572	1,572	1,572	1,572
Overall Height	1,840 to 1,865	1,840 to 1,865	1,840 to 1,865	1,840 to 1,865
Ground Clearance (at curb weight)	230/228 Front axle	228 Front axle	230/228 Front axle	228 Front axle
	223/220 Rear axle	220 Rear axle	223/220 Rear axle	220 Rear axle
Approach Angle (degrees)	35/35	35	35/35	35
Breakover Angle (degrees)	22/18	18	22/18	18
Departure Angle (degrees)	28/28	28	28/28	28
Water Fording Depth (mm)	760	760	760	760
Interior (millimeters unless otherwise specified)				
Head room (with hardtop)	1,069/1,075 Front	1,075 Front	1,069/1,075 Front	1,075 Front
	1,035/1,025 Rear	1,025 Rear	1,035/1,025 Rear	1,025 Rear
Leg room	1,039/1,039 Front	1,039 Front	1,039/1,039 Front	1,039 Front
	880/921 Rear	921 Rear	880/921 Rear	921 Rear
Shoulder room	1,415/1,415 Front	1,415 Front	1,415/1,415 Front	1,415 Front
	1,514/1,448 Rear	1,448 Rear	1,514/1,448 Rear	1,448 Rear
Hip room	1,394/1,393 Front	1,393 Front	1,394/1,393 Front	1,393 Front
	1,100/1,390 Rear	1,390 Rear	1,100/1,390 Rear	1,390 Rear
Towing Capacities (when properly equipped)				
Maximum Towing Mass (kg - Braked Trailer)	1,000/2,000	2,300	1,000/2,000	2,000
Maximum Towing Mass (kg - Non-Braked Trailer)	750	750	750	750
Capacities/Weights				
Fuel Tank (L)	70.4/85.2	85.2	70.4/85.2	85.2
Gross Vehicle Weight Rating (kg)	2,268/2,540	2,585	2,268/2,540	2,540
	2,200/ 2,340	2,300	2,200/ 2,540	2,340
Gear Ratio/Crawl Ratio	4.46	4.40	4.40	4.46
First gear	4.46 2.72	4.46 2.72	4.46 2.72	4.46
Transfer case (4LO)	2.72 3.73			4.00
Axle Crawl	3.73 49.7	3.73 49.7	3.73 49.7	4.10 73.1
Crawi	43.7	49./	45./	/3.1