





Engine)l Petrol	1.6L T-GDI Petrol		
Engine type	In-line 4 cyl. DOHC G	iDI ² D-CVVT ¹ 16 valve	In-line 4 cyl. DOHC T-GDI ³ D-CVVT ¹ 16 valve		
Capacity (cc)	1,9	99	1,5	1,591	
Max power (kW @ rpm)	129 @	6,500	150 @ 6,000		
Max torque (Nm @ rpm)	209 @	4,700	265 @ 1,750~4,500		
Bore x stroke (mm)	81.0 >	x 97.0	77.0 x 85.0		
Compression ratio	11.5	5:1	9.5 : 1		
Transmission					
6-speed manual		•		•	
6-speed automatic (Sports-matic)	Opti	ional	Optional		
Gear Ratio	6 Speed M/T	6 Speed A/T	6 Speed M/T	6 Speed A/T	
1st	3.615	4.212	3.308	4.639	
2nd	1.962	2.637	1.962	2.826	
3rd	1.294	1.800	1.323	1.841	
4th	1.024	1.386	1.024	1.386	
5th	0.860	1.000	0.825	1.000	
6th	0.756	0.772	0.702	0.772	
Reverse	3.583	3.385	3.583	3.385	
Final gear ratio	4.188	3.195	4.467	3.648	
Dimensions			Coupé		
Overall length x width x height / wheelbase (mm)			x 1,410 / 2,700		
Minimum ground clearance (mm)			40		
Luggage space (L)			/ 378 (SAE)		
Fuel	2.0L GDI Petrol M/T	2.0L GDI Petrol A/T	1.6L T-GDI Petrol M/T	1.6L T-GDI Petrol A/T	
Fuel consumption (L/100km) - Combined* / Urban* / Extra-urban*	7.3 / 10.0 / 5.8	7.4 /10.6 / 5.6	7.7 / 10.2 / 6.2	8.0 / 11.3 / 6.0	
CO ₂ emission (g/km) - Combined / Urban / Extra-urban	175 / 238 / 138	177 / 252 / 133	184 / 243 / 149	190 / 270 / 144	
EURO emission compliant	IV	IV	IV	IV	
Hood insulator			•		
Fuel type recommended		Regular i	ınleaded**		
Fuel tank capacity (L)			50		
Weight					
Tare / Max. kerb / Gross weight (kg)	1,284 / 1,314 / 1,760	1,307 / 1,337 / 1,780	1,334 / 1,364 / 1,810	1,360 / 1,390 / 1,830	
Model Variant	1,204 1,514 1,700	1,507 1,557 1,700	1,554 1,564 1,616	1,500 / 1,550 / 1,050	
Si	•		_	_	
Turbo	-	_			
Turbo with Touring Pack	_	_			
Steering, Brakes & Suspension		! :	Tur	rho	
Power steering system	Si Turbo MDPS ⁴ (Electric power steering)				
FlexSteer system (3 settings - Normal, Comfort, Sport)					
			•		
			•		
Energy absorbing steering column			•		
Energy absorbing steering column Tilt & telescopic adjustable steering column			•		
Energy absorbing steering column Tilt & telescopic adjustable steering column Minimum turning circle (m)	280mm.ver	10	•	ntilated disc	
Energy absorbing steering column Tilt & telescopic adjustable steering column Minimum turning circle (m) Front brakes	280mm ver	10 ntilated disc	• • • • • • • • • • • • • • • • • • •	ntilated disc	
Energy absorbing steering column Tilt & telescopic adjustable steering column Minimum turning circle (m) Front brakes Rear brakes	280mm ver	10 ntilated disc 262mm	• • • 0.6 300mm ver	ntilated disc	
Energy absorbing steering column Tilt & telescopic adjustable steering column Minimum turning circle (m) Front brakes Rear brakes Front suspension	280mm ver	10 ntilated disc 262mm McPhers	One 300mm ver solid disc son strut	ntilated disc	
Energy absorbing steering column Tilt & telescopic adjustable steering column Minimum turning circle (m) Front brakes Rear brakes Front suspension Rear suspension	280mm ver	10 ntilated disc 262mm McPhers	• • • 0.6 300mm ver	ntilated disc	
Energy absorbing steering column Tilt & telescopic adjustable steering column Minimum turning circle (m) Front brakes Rear brakes Front suspension Rear suspension Wheels and Tyres		10 ntilated disc 262mm McPhers Coupled torsi	D.6 300mm ver solid disc son strut ton beam axle		
Energy absorbing steering column Tilt & telescopic adjustable steering column Minimum turning circle (m) Front brakes Rear brakes Front suspension Rear suspension Wheels and Tyres Wheel size & type	17" /	10 ntilated disc 262mm McPhers Coupled torsi	• • • • • • • • • • • • • • • • • • •	Alloy	
Energy absorbing steering column Tilt & telescopic adjustable steering column Minimum turning circle (m) Front brakes Rear brakes Front suspension Rear suspension Wheels and Tyres Wheel size & type Tyres	17" <i>J</i>	10 ntilated disc 262mm McPhers Coupled torsi Alloy 15 R17	o. 0.6 300mm ver solid disc son strut ton beam axle	Alloy .0 R18	
Energy absorbing steering column Tilt & telescopic adjustable steering column Minimum turning circle (m) Front brakes Rear brakes Front suspension Rear suspension Wheels and Tyres Wheel size & type Tyres Spare wheel type	17" /	10 ntilated disc 262mm McPhers Coupled torsi Alloy 15 R17	• • • • • • • • • • • • • • • • • • •	Alloy .0 R18	
Energy absorbing steering column Tilt & telescopic adjustable steering column Minimum turning circle (m) Front brakes Rear brakes Front suspension Rear suspension Wheels and Tyres Wheel size & type Tyres Spare wheel type Safety	17" <i>J</i>	10 ntilated disc 262mm McPhers Coupled torsi Alloy 15 R17	o. 0.6 300mm ver solid disc son strut ton beam axle	Alloy .0 R18	
Energy absorbing steering column Tilt & telescopic adjustable steering column Minimum turning circle (m) Front brakes Rear brakes Front suspension Rear suspension Wheels and Tyres Wheel size & type Tyres Spare wheel type Safety Active Safety	17" / 215/4 Full siz	10 262mm McPhers Coupled torsi Alloy 15 R17 ze alloy	o. 300mm ver solid disc son strut ion beam axle 18" / 225/4 Full siz	Alloy .0 R18 re alloy	
Energy absorbing steering column Tilt & telescopic adjustable steering column Minimum turning circle (m) Front brakes Rear brakes Front suspension Rear suspension Wheels and Tyres Wheel size & type Tyres Spare wheel type Safety Active Safety ABS (Anti-lock Braking System) with EBD ⁵ & BA ⁶	17" / 215/4 Full siz	ntilated disc 262mm McPhers Coupled torsi 4Alloy 15 R17 2e alloy	. 0.6 300mm ver solid disc son strut ion beam axle 18" / 225/4 Full siz	Alloy .0 R18 re alloy	
Energy absorbing steering column Tilt & telescopic adjustable steering column Minimum turning circle (m) Front brakes Rear brakes Front suspension Rear suspension Wheels and Tyres Wheel size & type Tyres Spare wheel type Safety Active Safety ABS (Anti-lock Braking System) with EBD ⁵ & BA ⁶ ESC (Electronic Stability Control) with TCS ⁷ & HAC ⁸	17" <i>I</i> 215/4 Full siz	ntilated disc 262mm McPhers Coupled torsi Alloy 15 R17 2e alloy	o. 0.6 300mm ver solid disc son strut son beam axle 18" / 225/4 Full siz	Alloy O R18 :e alloy •	
Energy absorbing steering column Tilt & telescopic adjustable steering column Minimum turning circle (m) Front brakes Rear brakes Front suspension Rear suspension Wheels and Tyres Wheel size & type Tyres Spare wheel type Safety Active Safety ABS (Anti-lock Braking System) with EBD ^S & BA ^S ESC (Electronic Stability Management)	17" <i>J</i> 215/4 Full siz	10 antilated disc 262mm McPhers Coupled torsi Alloy 15 R17 te alloy	o. 0.6 300mm ver solid disc son strut ion beam axle 18" / 225/4 Full siz	Alloy O R18 re alloy •	
Energy absorbing steering column Tilt & telescopic adjustable steering column Minimum turning circle (m) Front brakes Rear brakes Front suspension Rear suspension Wheels and Tyres Wheel size & type Tyres Spare wheel type Safety Active Safety ABS (Anti-lock Braking System) with EBD ⁵ & BA ⁶ ESC (Electronic Stability Control) with TCS ⁷ & HAC ⁸ VSM (Vehicle Stability Management) ESS (Emergency Stop Signal)	17" <i>I</i> 215/4 Full siz	10 antilated disc 262mm McPhers Coupled torsi Alloy 15 R17 te alloy	o. 0.6 300mm ver solid disc son strut ion beam axle 18" / 225/4 Full siz	Alloy O R18 :e alloy •	
Energy absorbing steering column Tilt & telescopic adjustable steering column Minimum turning circle (m) Front brakes Rear brakes Front suspension Rear suspension Wheels and Tyres Wheel size & type Tyres Spare wheel type Safety Active Safety ABS (Anti-lock Braking System) with EBD ⁵ & BA ⁶ ESC (Electronic Stability Control) with TCS ⁷ & HAC ⁸ VSM (Vehicle Stability Management) ESS (Emergency Stop Signal) Seatbelt warning chime & light on all positions	17" / 215/4 Full siz	10 antilated disc 262mm McPhers Coupled torsi Alloy 15 R17 ree alloy 1	0.6 300mm ver solid disc son strut son beam axle 18" / 225/4 Full siz	Alloy O R18 Ee alloy O R18 O	
Energy absorbing steering column Tilt & telescopic adjustable steering column Minimum turning circle (m) Front brakes Rear brakes Front suspension Rear suspension Wheels and Tyres Wheel size & type Tyres Spare wheel type Safety Active Safety ABS (Anti-lock Braking System) with EBD ⁵ & BA ⁶ ESC (Electronic Stability Management) ESS (Emergency Stop Signal) Seatbelt warning chime & light on all positions Front corner parking sensors with dash display	17" <i>I</i> 215/4 Full siz	10 antilated disc 262mm McPhers Coupled torsi Alloy 5 R17 ce alloy	0.6 300mm ver solid disc son strut ion beam axle 18" / 225/4 Full siz	Alloy O R18 re alloy • • • •	
Energy absorbing steering column Tilt & telescopic adjustable steering column Minimum turning circle (m) Front brakes Rear brakes Front suspension Rear suspension Wheels and Tyres Wheel size & type Tyres Spare wheel type Safety Active Safety ABS (Anti-lock Braking System) with EBD's & BA's ESC (Electronic Stability Control) with TCS' & HAC's VSM (Vehicle Stability Management) ESS (Emergency Stop Signal) Seatbelt warning chime & light on all positions	17" / 215/4 Full siz	ntilated disc 262mm McPhers Coupled torsi Alloy 15 R17 re alloy • • • • • • • • • •	o.6 300mm ver solid disc son strut ton beam axle 18" / 225/4 Full siz	Alloy O R18 ee alloy •	

Safety	Si	Turbo
Active Safety (cont.)	<u>.</u>	14.20
High-mounted rear stop light	•	
LED daytime running light (DRL) & projection type front fog lamps with LED surrounds	_	
Dusk-sensing automatic headlamps	•	•
Front & rear fog lamps		
Speed sensing auto door lock	•	•
Child restraint anchorage points (3)	•	<u> </u>
3-point ELR seatbelts on all positions		<u> </u>
	•	•
Passive Safety		
Driver & front passenger SRS airbags	•	•
Front side SRS airbags (pelvis & thorax protection)	•	:
Curtain SRS airbags (head protection)	· ·	
Front seatbelt pre-tensioners with load limiters	•	•
Security Sec		
Anti-theft immobiliser	•	•
Remote central locking with keyless entry & boot release	•	•
Folding key	•	-
Smart key with push button start	-	•
Burglar alarm with security indicator	•	•
Headlamp escort function	•	•
Remote fuel lid release	•	•
Seating		
Cloth trim seats	•	-
Cloth trim seats with artificial leather bolsters	-	(Not avail. with Touring Pack)
Leather trim seats (with carbon-fibre look pattern inserts)	-	Only avail. with Touring Pack
6-way driver's seat incl. height adjust (pumping device)	•	
Front centre console armrest with sliding function	•	•
Split fold rear seats (60:40)	•	•
Rear centre armrest	•	•
Walk-in device	•	•
Height adjustable headrests (all seats)	•	•
Front seatbelt quides	•	•
Exterior Features	•	•
		_
Black/chrome two-tone 'Schreyer' radiator grille with black high-gloss mesh	<u> </u>	<u> </u>
Premium chrome 'Schreyer' radiator grille with black high-gloss bars		-
High-gloss front & rear bumper highlights	•	•
Carbon-fibre look bumper garnishes (front & rear)	-	•
Body coloured bumpers	•	•
Body coloured outisde door mirrors & handles	•	-
Black high-gloss outisde door mirrors & handles	-	•
Outside door handles with chrome accent	•	•
Outside door handle pocket lamps	=	•
Electric heated folding outside door mirrors with automatic folding function	•	•
Outside mirror mounted side indicators	•	•
Puddle lamp on outside mirrors	-	•
Side skirt	-	•
LED rear combination lamps	-	•
Chrome tip rear muffler (single)	•	-
Chrome tip rear muffler (dual)	-	•
Shark fin	•	•
Tinted glass	•	•
UV cut windscreen with sunband	•	•
Aeroblade front wiper & washer (variable intermittent / 2-speed)		:
nterior Features	•	·
Cruise control with steering wheel mounted controls		
Paddle shifters	A/T only	A/T only
Premium steering wheel & shift knob	•	•
Artificial leather wrapped instrument cluster, door armrest & front centre console armrest	•	•

Dot-matrix type LCD instrument cluster

Multi-function trip computer with user selectable options (Auto door lock / unlock, etc.)

nterior Feat	tures (cont.)			Si			Turbo
Man	ual shift indicator			M/T only			M/T only
Digit	tal clock & ambient temperatu	ıre display		•			•
Fror	Front power windows auto up & down with safety function			•		•	
Allou	y sports pedals			-		•	
Carb	Carbon-fibre look interior trim inserts			•			
	ome look interior highlights (k		or handles)	•		•	
Soft	Soft-touch door trim material		-	•		•	
Inter	Interior lights (front & rear) with delay out			•		•	
	r window defroster with time			•		•	
	12 volt power outlets			•			
	er & passenger extendable su	nvisors with vanitu mirrors 8	& illumination	•			•
torage	er a passeriger exterioasie sa		a marimacion				
	cup holders (2 x front & 4 x re	ar)					
	pockets & bottle holders in fr						
	essory pockets in front & rear			:		<u> </u>	
	glass holder	side diffilest				•	
	ebox with illumination						•
	ling glovebox						•
	tre console storage (with buck	(at trau) 9 floor concelo stor	ago with cliding sover	•		•	
	t back pocket (passenger side		age with sliding tover	<u>.</u>			
	coat hooks (rear sides))				•	
				•		•	
udio	go area under-floor side comp	partments		•			•
	3 compatible CD player with Al	M/EM tupor					
	· ·			•		(Not avail. with Touring Pack)	
	My Music function (MP3 copy function from USB/MP3 CD)			<u> </u>			
	DVD Player (video playback only functional while stationary)				Only avail. with Touring Pack		
	6 speakers (front door, rear panel & front tweeters) Satellite navigation multimedia system with traffic information (SUNA™)		(GLIBLATIN)	•		•	
		jstem with traffic informatio	n (SUNA™)	-		Only avail. with Touring Pack	
4.3" full touch colour LCD screen			•		(Not avail. with Touring Pack)		
	ull touch colour LCD screen		_	-		Only avail. with Touring Pack	
AUX/USB input with iPod® compatibility (on selected iPod® models)		dels)	•		•		
Bluetooth® functionality (phone/media stream)*		•		•			
Steering wheel mounted audio/Bluetooth® controls			•		•		
SDVC (Speed Dependent Volume Control)			•		(Not avail. with Touring Pack)		
	EQ function			-		Only avail. with Touring Pack	
entilation							
Man	nual air-conditioning			•		 (Not avail. with Touring Pack) 	
Dual	l-zone climate control air-con	ditioning		-		Only avail. with Touring Pack	
Clea	n Air module			-		Only avail. with Touring Pack	
Auto	o defog system			-		Only avail. with Touring Pack	
Rea	r air vent			•			•
terior Colo	urs						
Blac	k interior trim with grey head	llining		•			-
	k interior trim with black head			-			•
xterior		_					
olours	Snow White Pearl (SWP)#	Bright Silver (3D)#	Metal Stream (MST)#	Aurora Black (ABP)#	۸L.	Blue (K3U)	Racing Red (DRR)
	SHOW WHITE PEAR (SWP)"	Bright Sliver (5D)"	ivietai Stream (MST)"	AUTOTA BIACK (ABP)"	Abyss	Ding (K20)	Racing Red (DRR)

Consult your dealer on colour availabilities for each model. *Premium paint at additional cost.

Not available • Standard

Kla's unlimited km 7 year warranty. Note: 7 year/150,000km warranty for vehicles used for the following: rental vehicles, hire cars, taxis, courier vehicles, driving school vehicles, security vehicles, bus and tour vehicles. For full terms and conditions, visit www.kia.com.au Kia Motors Australia ABN 97110 483 353 PO Box 7506, Silverwater NSW 2128. Specifications apply to 2014 model year Cerato Koup. Kia Motors Australia reserves the right to discontinue or change the models, features, specifications, options, designs and prices of products referred to in this sheet without incurring any liability whatsoever to any purchaser or prospective purchaser of any such products. Some of the items herein are optional at additional cost. Consult your Kia dealer for the latest information on models, specifications, features, prices, options and availability, iPod is a registered trademark of Apple Computer Inc., registered in the U.S. and other countries. Compatible on selected iPod models. Bluetooth is a registered trademark of Bluetooth SIG. Not all mobile phones will be compatible with the vehicle's Bluetooth® system. *Leather trim includes some leather-like material on selected high impact surfaces. *Fuel consumption figures are based on ADR81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven. **E10 Compatible. D-CVVT - Dual Continuous Variable Valve Timing. 2GDI - Gasoline Direct Injection. 3Turbo Gasoline Direct Injection. 4MDPS - Motor-Driven Power Steering. 5EBD - Electronic Brake Distribution. 6BA - Brake Assist. 7TCS - Traction Control System. 8HAC - Hill-start Assist Control.





