



Engine	1.25L MP	l Petrol
Engine type	In-line 4 cyl. DOHC MPI¹ D-CVVT² 16 valve	
Capacity	1,248cc	
Max power	62kW @ 6,000rpm	
Max torque	122Nm @ 4,000rpm	
Bore x stroke	71mm x 78.8mm	
Compression ratio	10.5 : 1	
Transmission	Manual	Automatic
\$	•	·
Gear Ratio	5 Speed M/T	4 Speed A/T
1st	3.545	2.919
2nd	1.895	1.551
3rd	1.192	1.000
4th	0.906	0.713
5th		-
	0.719	2.480
Reverse	3.636	
Final gear ratio Dimensions	4.235 5 Door I	4.587
Overall length		
Overall width	3,595mm 1,595mm	
Overall height	1,485mm	
Wheelbase	2,400mm 141mm	
Minimum ground clearance		
Luggage space (rear seats up) (L, VDA)	255	
Luggage space (rear seats down) (L, VDA) Fuel	1,010	
Fuel consumption (L/100km) - Combined *	1.25L MPI Petrol M/T	1.25L MPI Petrol A/T
	5.0	5.8
	5.0	5.8
Fuel consumption (L/100km) - Urban *	6.3	7.9
Fuel consumption (L/100km) - Urban * Fuel consumption (L/100km) - Extra-urban *	6.3	7.9 4.6
Fuel consumption (L/100km) - Urban * Fuel consumption (L/100km) - Extra-urban * CO2 emission (g/km) - Combined	6.3 4.2 117	7.9 4.6 134
Fuel consumption (L/100km) - Urban * Fuel consumption (L/100km) - Extra-urban * CO2 emission (g/km) - Combined CO2 emission (g/km) - Urban	6.3 4.2 117 147	7.9 4.6 134 180
Fuel consumption (L/100km) - Urban * Fuel consumption (L/100km) - Extra-urban * CO2 emission (g/km) - Combined CO2 emission (g/km) - Urban CO2 emission (g/km) - Extra-urban	6.3 4.2 117 147 99	7.9 4.6 134 180
Fuel consumption (L/100km) - Urban * Fuel consumption (L/100km) - Extra-urban * C02 emission (g/km) - Combined C02 emission (g/km) - Urban C02 emission (g/km) - Extra-urban Fuel type recommended	6.3 4.2 117 147 99	7.9 4.6 134 180 107
Fuel consumption (L/100km) - Urban * Fuel consumption (L/100km) - Extra-urban * CO2 emission (g/km) - Combined CO2 emission (g/km) - Urban CO2 emission (g/km) - Extra-urban Fuel type recommended Fuel tank capacity	6.3 4.2 117 147 99	7.9 4.6 134 180 107
Fuel consumption (L/100km) - Urban * Fuel consumption (L/100km) - Extra-urban * C02 emission (g/km) - Combined C02 emission (g/km) - Urban C02 emission (g/km) - Extra-urban Fuel type recommended Fuel tank capacity Weight	6.3 4.2 117 147 99 Regular un	7.9 4.6 134 180 107
Fuel consumption (L/100km) - Urban * Fuel consumption (L/100km) - Extra-urban * CO2 emission (g/km) - Combined CO2 emission (g/km) - Urban CO2 emission (g/km) - Extra-urban Fuel type recommended Fuel tank capacity Weight Tare weight	6.3 4.2 117 147 99 Regular un 350	7.9 4.6 134 180 107 sleaded**
Fuel consumption (L/100km) - Urban * Fuel consumption (L/100km) - Extra-urban * C02 emission (g/km) - Combined C02 emission (g/km) - Urban C02 emission (g/km) - Extra-urban Fuel type recommended Fuel tank capacity Weight Tare weight Steering, Brakes & Suspension	6.3 4.2 117 147 99 Regular un 351	7.9 4.6 134 180 107 sleaded**
Fuel consumption (L/100km) - Urban * Fuel consumption (L/100km) - Extra-urban * C02 emission (g/km) - Combined C02 emission (g/km) - Urban C02 emission (g/km) - Extra-urban Fuel type recommended Fuel tank capacity Weight Tare weight Steering, Brakes & Suspension Power steering system	6.3 4.2 117 147 99 Regular un 35I 976kg	7.9 4.6 134 180 107 sleaded**
Fuel consumption (L/100km) - Urban * Fuel consumption (L/100km) - Extra-urban * C02 emission (g/km) - Combined C02 emission (g/km) - Urban C02 emission (g/km) - Extra-urban Fuel type recommended Fuel tank capacity Weight Tare weight Steering, Brakes & Suspension Power steering system Energy absorbing steering column	6.3 4.2 117 147 99 Regular un 351	7.9 4.6 134 180 107 sleaded**
Fuel consumption (L/100km) - Urban * Fuel consumption (L/100km) - Extra-urban * C02 emission (g/km) - Combined C02 emission (g/km) - Urban C02 emission (g/km) - Extra-urban Fuel type recommended Fuel tank capacity Weight Tare weight Steering, Brakes & Suspension Power steering system Energy absorbing steering column Tilt adjustable steering column	6.3 4.2 117 147 99 Regular un 351 976kg S MDP	7.9 4.6 134 180 107 sleaded** L 995kg
Fuel consumption (L/100km) – Urban * Fuel consumption (L/100km) – Extra-urban * C02 emission (g/km) – Combined C02 emission (g/km) – Urban C02 emission (g/km) – Extra-urban Fuel type recommended Fuel tank capacity Weight Tare weight Steering, Brakes & Suspension Power steering system Energy absorbing steering column Tilt adjustable steering column Minimum turning circle radius	6.3 4.2 117 147 99 Regular un 35I 976kg S MDF	7.9 4.6 134 180 107 sleaded** 995kg
Fuel consumption (L/100km) - Urban * Fuel consumption (L/100km) - Extra-urban * C02 emission (g/km) - Combined C02 emission (g/km) - Urban C02 emission (g/km) - Extra-urban Fuel type recommended Fuel tank capacity Weight Tare weight Steering, Brakes & Suspension Power steering system Energy absorbing steering column Tilt adjustable steering column Minimum turning circle radius Front brakes	6.3 4.2 117 147 99 Regular un 351 976kg S MDP 4.71	7.9 4.6 134 180 107 Illeaded** L 995kg
Fuel consumption (L/100km) - Urban * Fuel consumption (L/100km) - Extra-urban * C02 emission (g/km) - Combined C02 emission (g/km) - Urban C02 emission (g/km) - Extra-urban Fuel type recommended Fuel tank capacity Weight Tare weight Steering, Brakes & Suspension Power steering system Energy absorbing steering column Tilt adjustable steering column Minimum turning circle radius Front brakes Rear brakes	6.3 4.2 117 147 99 Regular un 35I 976kg S MDP 4.7r 256mm vent	7.9 4.6 134 180 107 sleaded** L 995kg
Fuel consumption (L/100km) - Urban * Fuel consumption (L/100km) - Extra-urban * C02 emission (g/km) - Combined C02 emission (g/km) - Urban C02 emission (g/km) - Extra-urban Fuel type recommended Fuel tank capacity Weight Tare weight Steering, Brakes & Suspension Power steering system Energy absorbing steering column Tilt adjustable steering column Minimum turning circle radius Front brakes Rear brakes Front suspension	6.3 4.2 117 147 99 Regular un 351 976kg S MDP 4.71 256mm vent 234mm si	7.9 4.6 134 180 107 Ileaded** 995kg m tilated disc on strut
Fuel consumption (L/100km) - Urban * Fuel consumption (L/100km) - Extra-urban * C02 emission (g/km) - Combined C02 emission (g/km) - Urban C02 emission (g/km) - Extra-urban Fuel type recommended Fuel tank capacity Weight Tare weight Steering, Brakes & Suspension Power steering system Energy absorbing steering column Tilt adjustable steering column Minimum turning circle radius Front brakes Rear brakes Front suspension Rear suspension	6.3 4.2 117 147 99 Regular un 35I 976kg S MDP 4.7r 256mm vent	7.9 4.6 134 180 107 Ileaded** 995kg m tilated disc on strut
Fuel consumption (L/100km) - Urban * Fuel consumption (L/100km) - Extra-urban * C02 emission (g/km) - Combined C02 emission (g/km) - Urban C02 emission (g/km) - Extra-urban Fuel type recommended Fuel tank capacity Weight Tare weight Steering, Brakes & Suspension Power steering system Energy absorbing steering column Tilt adjustable steering column Minimum turning circle radius Front brakes Rear brakes Front suspension Rear suspension Wheels & Tyres	6.3 4.2 117 147 99 Regular un 35I 976kg S MDF 4.71 256mm vent 234mm s McPhersc Coupled torsio	7.9 4.6 134 180 107 Ideaded** 995kg SS3 m tilated disc on strut In beam axle
Fuel consumption (L/100km) - Urban * Fuel consumption (L/100km) - Extra-urban * C02 emission (g/km) - Combined C02 emission (g/km) - Urban C02 emission (g/km) - Extra-urban Fuel type recommended Fuel tank capacity Weight Tare weight Steering, Brakes & Suspension Power steering system Energy absorbing steering column Tilt adjustable steering column Minimum turning circle radius Front brakes Rear brakes Front suspension Wheels & Tyres Wheel type	6.3 4.2 117 147 99 Regular un 351 976kg S MDP 4.71 256mm vent 234mm se McPherse Coupled torsio	7.9 4.6 134 180 107 Ileaded** 995kg m tilated disc olid disc on strut n beam axle
Fuel consumption (L/100km) - Urban * Fuel consumption (L/100km) - Extra-urban * CO2 emission (g/km) - Combined CO2 emission (g/km) - Extra-urban CO2 emission (g/km) - Extra-urban Fuel type recommended Fuel tank capacity Weight Tare weight Steering, Brakes & Suspension Power steering system Energy absorbing steering column Tilt adjustable steering column Minimum turning circle radius Front brakes Rear brakes Front suspension Rear suspension Wheels & Tyres Wheel type Wheel size	6.3 4.2 117 147 99 Regular un 35I 976kg S MDP 4.7r 256mm vent 234mm sc Coupled torsio	7.9 4.6 134 180 107 Isleaded** L 995kg PS3 m tilated disc olid disc on strut In beam axle el
Fuel consumption (L/100km) - Urban * Fuel consumption (L/100km) - Extra-urban * C02 emission (g/km) - Combined C02 emission (g/km) - Urban C02 emission (g/km) - Extra-urban Fuel type recommended Fuel tank capacity Weight Tare weight Steering, Brakes & Suspension Power steering system Energy absorbing steering column Tilt adjustable steering column Minimum turning circle radius Front brakes Rear brakes Front suspension Wheels & Tyres Wheel type	6.3 4.2 117 147 99 Regular un 351 976kg S MDP 4.71 256mm vent 234mm se McPherse Coupled torsio	7.9 4.6 134 180 107 Ileaded** 995kg ps3 m cillated disc on strut in beam axle el if R14

Safety	S
Active Safety	
ABS (Anti-lock Braking System) with EBD ⁴ & BA ⁵	•
ESC (Electronic Stability Control) with TCS ⁶	•
VSM (Vehicle Stability Management)	•
HAC (Hill-start Assist Control)	•
ESS (Emergency Stop Signal)	•
Seatbelt reminders on all positions	•
Reverse parking sensors	•
Rear view camera with dynamic parking guidelines	•
High-mounted rear stop light	•
Dusk-sensing automatic headlights	•
Halogen DRL (Daytime Running Light)	•
Rear fog light	•
Child restraint anchorage points (3)	•
ISOFIX (2 positions)	•
3-point ELR seatbelts on all positions	•
Passive Safety	
Driver & front passenger SRS airbags	•
Front side SRS airbags	•
Curtain SRS airbags	•
Front seatbelt pre-tensioners with load limiters	•
Side door impact beams	•
Child-proof rear door locks	•
Impact sensing auto door unlocking	•
Security	
Anti-theft immobiliser	•
Remote central locking with keyless entry & boot release	•
Folding key x 2	•
Burglar alarm with security indicator	•
Remote fuel lid release	•
Seating	
Seat capacity	5
Cloth trim seats	•
6-way driver's seat incl. height adjust	•
Split fold rear seats (60:40)	•
Height adjustable headrests (all seats)	•
Exterior Features	
Satin Silver 'Schreyer' grille surround	•
Body coloured bumpers	•
Body coloured door handles	•
Body coloured outside door mirrors	•
Electric & heated outside door mirrors	•
Rear spoiler	•
Front wiper & washer (variable intermittent / 2-speed)	•
Rear wiper & washer (1-speed)	•
Interior Features	
Cruise control with steering wheel mounted controls	•
2.6" instrument shorter with Multi-function trip computer	_

2.6" instrument cluster with Multi-function trip computer

Digital clock (in-audio)

	I .
Power windows (front & rear)	•
Driver's window auto up/down with safety function	•
Driver's foot rest	•
Metallic finish dash fascia	•
Satin silver interior trim (steering wheel, door handles, air vent surrounds, gear shifter surround)	•
Interior light (front)	•
Interior light with delay out	•
Rear window defroster with timer	•
Day & night rear view mirror	•
12 volt power outlet (front console)	•
1 x USB charging port (front console)	•
Driver & passenger sunvisors with vanity mirrors	•
Storage	
2 x cup holders (floor console)	•
2 x bottle holders (front doors)	•
Map pockets in front doors	•
Glovebox	•
Floor console storage tray	•
Front passenger seat back pocket	•
Coat hook (1 x rear side)	•
Luggage net hooks (cargo area)	•
Luggage screen	•
Audio	
7" colour LCD touch screen with MP3 compatible audio player and AM/FM tuner	•
4 speakers (front & rear doors)	•
Bluetooth® connectivity (phone/address book/media stream)†	•
AUX/USB input with iPod® compatibility (on selected iPod® models)	•
Android Auto™ with voice recognition	•
Apple CarPlay™ with voice recognition	•
Steering wheel mounted audio controls	•
Roof mounted antenna	•
Ventilation	
Manual air-conditioning	•
	– Not available • Standar

Ambient temperature display (within instrument cluster)

 $For full terms and conditions, visit www.kia.com/au\,Kia\,Motors\,Australia\,ABN\,97110\,483\,353\,Locked\,Bag\,2207, North\,Ryde\,BC\,NSW\,1670.$

 $Specifications\ apply\ to\ 2018\ model\ year\ Picanto.\ Kia\ Motors\ Australia\ reserves\ the\ right\ to\ discontinue\ or\ change\ the\ models\ , features,$ specifications, options, designs and prices of products referred to in this sheet without incurring any liability whatsoever to any

purchaser or prospective purchaser of any such products. Some of the items herein are optional at additional cost. Consult your Kia dealer for the latest information on models, specifications, features, prices, options and availability. iPod® is a registered trademark

of Apple Computer Inc., registered in the U.S. and other countries. Apple CarPlay™ connectivity requires compatible i0S device. See apple.com.au for more details. Android Auto™ connectivity requires compatible Android device. See android.com/intl/en_au/ for more

details. Apple CarPlay™ is a registered trademark of Apple Inc. Android Auto is a registered trademark of Google Inc. [‡]Not all mobile $phones \ will \ be \ compatible \ with \ the \ vehicle's \ Bluetooth^{@} \ system. \ "Fuel \ consumption \ figures \ are \ based \ on \ ADR81/02 \ test \ results. \ They \ consumption \ figures \ are \ based \ on \ ADR81/02 \ test \ results.$ are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven. **E10 Compatible. 'MPI - Multi Point Injection. ²D-CVVT - Dual Continuous Variable Valve Timing. 3MDPS - Motor Driven Power Steering. 4EBD - Electronic Brakeforce Distribution. 5BA - Brake Assist.


⁶TCS - Traction Control System.

FEATURES



















Exterior Colours





Titanium Silver

Aurora Black (ABP)*










*Premium paint at additional cost.

Interior Colour

Cloth Trim Seats



Engine



14" Steel



1.25L Petrol

For full terms and conditions on Kia's 7 Year Unlimited Km warranty, visit www.kia.com.au. Note: 7 year/150,000km warranty for vehicles used for the following: rental vehicles, hire cars, taxis, courier vehicles, driving school vehicles, security vehicles, bus and tour vehicles. Bluetooth® is a registered trademark of Bluetooth SIG. *Not all mobile phones will be compatible with the vehicle's Bluetooth® system. *Apple CarPlay™ connectivity requires compatible iOS device. See apple.com.au for more details. Android Auto connectivity requires compatible Android device. See android.com/intl/en_au/ for more details. Apple CarPlay™ and iPhone® are registered trademarks of Apple Inc. Android Auto is a



registered trademark of Google Inc.





