

12. Specifications

		Neo	Maxx	Genki
Bodystyles				
3-door hatch		X	X	-
5-door hatch		X	X	X
Powertrain				
Engine type		1.5 litre in-line 4 cylinder 16 valve DOHC S-VT		
Engine capacity		1,498 cc		
Bore and stroke		78.0 x 78.4 mm		
Compression ratio		10.0 : 1		
Maximum power		76kw @ 6,000rpm		
Maximum torque		137Nm @ 4,000rpm		
0-100kmh	Man	10.0 seconds		
Top speed	Man	181km/h		
	Auto	168km/h		
Throttle control		Electronic (drive-by-wire)		
Fuel system		Electronic fuel injection		
Fuel tank capacity		42 litres		
Recommended fuel		Regular unleaded (min. 91RON)		
Fuel consumption **1	man (combined)	6.4 litres per 100km		
	auto (combined)	6.8 litres per 100km		
CO ₂		152g/km		
Emissions standard		Euro Stage IV		
Manual transmission		5-speed		
Automatic transmission		4-speed		
Gear ratio (man/auto)	1st	3.416 / 2.816		
	2nd	1.842 / 1.553		
	3rd	1.290 / 1.000		
	4th	0.972 / 0.695		
	5th	0.775 / -		
	reverse	3.214 / 2.279		
	final drive	4.105 / 4.147		
Chassis				
Brake type	front	Ventilated disc		
	rear	Drum		
Steering type		Electronic power assist steering		
Steering wheel turns	lock to lock	2.7		
Suspension	front	MacPherson strut		
	rear	Torsion beam		
Turning circle	kerb to kerb	9.8 m		
Tyre size		185/55R15 82V	195/45R16 80W	
Wheel size		15 x 6.0 JJ	16 x 6.5 JJ	
Wheel type		Steel	Alloy	
Wheel type (spare)		Temporary		

		Neo	Maxx	Genki
Dimensions				
Ground clearance	laden	119 mm	119 mm	119 mm
Overall height		1,475 mm	1,475 mm	1,475 mm
Overall length		3,885 mm	3,885 mm	3,895 mm
Overall width		1,695 mm	1,695 mm	1,695mm
Track	front	1,475 mm	1,475 mm	1,465 mm
	rear	1,465 mm	1,465 mm	1,455 mm
Wheelbase		2,490 mm	2,490 mm	2,490 mm
Cargo room	volume (VDA)	250 litres	250 litres	250 litres
	volume (VDA) ^{*2}	469 litres	469 litres	469 litres
Kerb weight (3-door hatch)	man	1,002-1,011 kg	1,003-1,011 kg	-
	auto	1,023-1,032 kg	1,024-1,032 kg	-
Kerb weight (5-door hatch)	man	1,012-1,019 kg	1,012-1,019 kg	1,022-1,025 kg
	auto	1,033-1,040 kg	1,033-1,040 kg	1,043-1,046 kg
Towing capacity ^{*3}	braked	700 kg	700 kg	700 kg
	unbraked	500 kg	500 kg	500 kg

^{*1} Fuel consumption figures are based on ADR81/01 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.

^{*2} Measured with rear seats folded down and up to tonneau cover

^{*3} Subject to State or Territory regulations.

13. Features

		Neo	Maxx	Genki
Exterior				
Body kit comprising:	aero bumper (front)	-	-	X
	rear roof spoiler	-	X	X
	side skirts	-	-	X
Door handles (body coloured)		-	X	X
Fog-lamps (front)		-	-	X
Front and rear bumpers (body coloured)		X	X	X
Front centre roof mounted aerial		X	X	X
Green tinted windscreen, side and rear windows		X	X	X
Headlamps (halogen)		X	X	X
Mudflaps (front and rear)		X	X	-
Power mirrors (body coloured)		X	X	X
Power windows		X	X	X
Interior				
Air-conditioning		X	X	X
Cigarette lighter and removable ashtray		X	X	X
Cupholders		X	X	X
Digital clock		X	X	X
Door ajar warning light		X	X	X
Door map pockets (front)		X	X	X
Driver's left footrest		X	X	X
Glove box with magazine rack		X	X	X
Illuminated entry system with delayed fade		X	X	X
Instrument panel light dimmer		X	X	X
Interior illumination:	dome lamp	X	X	X
	cargo room lamp	X	X	X
Interior release for fuel filler door		X	X	X
Leather-wrapped:	gear shift knob	-	-	manual only
	steering wheel	-	-	X
Lights-left-on audible warning		X	X	X
Low fuel warning light		X	X	X
Passenger assist grip (front)		X	X	X
Rear console tray		X	X	X
Seat trim:	upper grade cloth	-	-	X
Seats (front) with:	adjustable head restraints	X	X	X
	height adjustment (driver)	X	X	X
	quick fold function	3-door hatch only	3-door hatch only	-
	rake and slide adjustment	X	X	X
Seats (rear) with:	60/40 split fold backrest	X	X	X
	adjustable head restraints	X	X	X

		Neo	Maxx	Genki
Tachometer and electronic odometer/tripmeter		X	X	X
Tilt adjustable steering wheel		X	X	X
Vanity mirrors (driver and front passenger)		X	X	X
Ventilation pollen filter		X	X	X
Window demister (rear)		X	X	X
Wipers (front) 2-speed with intermittent function		X	X	X
Wiper (rear) with intermittent function		X	X	X
Audio				
AM/FM tuner		X	X	X
Auxiliary input (3.5mm MP3 player compatible)		X	X	X
CD player, single disc (MP3 compatible)		X	-	-
CD player, in-dash 6-disc (MP3 compatible)		-	X	X
Speakers, number of		4	4	4
Steering wheel mounted audio controls		-	X	X
Safety				
Airbags SRS:	front (driver and passenger)	X	X	X
	side (front)	Safety pack opt	Safety pack opt	X
	curtain (front and rear)	Safety pack opt	Safety pack opt	X
Anti-lock Braking System (ABS)		X	X	X
Child restraint anchor points and childproof rear door locks		X	X	X
Collapsible steering column		X	X	X
Dynamic Stability Control (DSC) - switchable on/off		Safety pack opt	Safety pack opt	DSC opt
Electronic Brake-force Distribution (EBD)		X	X	X
Emergency Brake Assist (EBA)		X	X	X
Engine immobiliser		X	X	X
High mount stop lamp		X	X	X
Intrusion-minimising brake pedal		X	X	X
Left-hand-side convex (wide angle) exterior mirror		X	X	X
One touch (up and down) power window (driver)		X	X	X
Remote central locking (2 transmitters with retractable key)		X	X	X
Seat-belt warning audible and visual (front)		X	X	X
Seat-belts (front) with pretensioners, load-limiters and height adjustable shoulder anchorages		X	X	X
Seat-belts 3-point lap-sash (all seats)		X	X	X
Side impact door beams		X	X	X
Traction Control System (TCS)		Safety pack opt	Safety pack opt	DSC opt
'Triple H' safety construction with front and rear crumple zones		X	X	X
Whiplash-minimising front seats		X	X	X