## 12. Specifications

		Limited	Classic	Luxury	Luxury Sports		
Bodystyles							
Sedan		man / auto	man / auto	auto only	-		
Hatch		-	man / auto	auto only	man / auto		
Wagon		-	auto only	-	-		
Powertrain							
Engine type		2.5 litro	in-line 4 cylinder	16 valve DOF	HC S-VT		
Engine capacity		2.5 11110	2,488		10 0-11		
Bore and stroke			89.0 mm x 1				
Compression ratio			9.7 :				
Maximum power			125kW @ 6				
Maximum torque			226Nm @ 4,000rpm				
Throttle control		Electronic (drive-by-wire)					
Fuel system			Multipoint electronic injection				
Fuel tank capacity			64 liti				
Recommended fuel		Pi	Premium unleaded (min. 95 RON)				
Rev limit fuel cut	manual		6500r	pm			
	auto		6500r	pm			
Fuel consumption*1	Manual (combined)	8.4 litres/100km	8.4-8.6 litres/100km	-	8.6 litres/100km		
	auto (combined)	8.7 litres/100km	8.7-8.9 litres/100km	8.7-8.8 litres/100km	8.8 litres/100km		
Emissions							
CO <sub>2</sub> value		Sedan	Hatch	Wagon			
	manual	199g/km	204g/km				
	auto	206g/km	208g/km	211g/km			
Emissions standard		Euro stage IV					

	6-speed	6-speed	-	6-speed
		Гd		<b>5</b>
				5-speed
				3.454/3.620
2nd	1.842/1.925	1.842/1.925	1.925	1.842/1.925
3rd	1.310/1.285	1.310/1.285	1.285	1.310/1.285
4th	1.030/0.933	1.030/0.933	0.933	1.030/0.933
5th	0.837/0.692	0.837/0.692	0.692	0.837/0.692
6th	0.717/-	0.717/-	-	0.717/-
Reverse	3.198/3.405	3.198/3.405	3.405	3.198/3.405
Final drive	4.388/3.863	4.388/3.863	3.863	4.388/3.863
			3.333	
	Sedan	Hatch	Wagon	
manual	211km/h	211km/h	-	
auto	208km/h	207km/h	203km/h	
manual		8.0 seco	nds	
front	Ventilated disc			
rear	Solid disc			
	Electric power			
	Double			
front	wishbone			
rear	Multi-link			
kerb to				
kerb	11.0 m	11.0 m	11.0 m	11.4 m
	205/60 R16 92V	215/50 R17 91W	215/50 R17 91W	225/45 R18 91W
	16 x 6.0 J		17 x 7.0 J	18 x 7.5 J
				Alloy
		•	•	Full size
	4th 5th 6th Reverse Final drive  manual auto  manual front rear	2nd 1.842/1.925 3rd 1.310/1.285 4th 1.030/0.933 5th 0.837/0.692 6th 0.717/- Reverse 3.198/3.405 Final drive 4.388/3.863   Sedan  manual 211km/h auto 208km/h  manual  front Ventilated disc rear Solid disc Electric power assist steering Double wishbone rear Multi-link kerb to kerb 11.0 m  205/60 R16 92V	1st         3.454/3.620         3.454/3.620           2nd         1.842/1.925         1.842/1.925           3rd         1.310/1.285         1.310/1.285           4th         1.030/0.933         1.030/0.933           5th         0.837/0.692         0.837/0.692           6th         0.717/-         0.717/-           Reverse         3.198/3.405         3.198/3.405           Final drive         4.388/3.863         4.388/3.863           Sedan         Hatch           manual         211km/h         211km/h           auto         208km/h         207km/h           Manual         8.0 seco           front         Ventilated disc           rear         Solid disc           Electric power assist steering         Double           front         wishbone           rear         Multi-link           kerb to         11.0 m         11.0 m           205/60 R16         215/50 R17         91W           16 x 6.0 J         17 x 7.0 J         Alloy	1st         3.454/3.620         3.454/3.620         3.62           2nd         1.842/1.925         1.925         3.62           3rd         1.310/1.285         1.310/1.285         1.285           4th         1.030/0.933         1.030/0.933         0.933           5th         0.837/0.692         0.692         0.692           6th         0.717/-         0.717/-         -           Reverse         3.198/3.405         3.198/3.405         3.405           Final drive         4.388/3.863         4.388/3.863         3.863           Sedan Hatch Wagon           manual         211km/h         -           auto         208km/h         207km/h         203km/h           Manual         8.0 seconds           Front         Ventilated disc           rear         Solid disc           Electric power assist steering         Double wishbone           front         Multi-link           kerb to kerb         11.0 m         11.0 m         11.0 m           205/60 R16 92V         215/50 R17 91W         91W           16 x 6.0 J         17 x 7.0 J         17 x 7.0 J         17 x 7.0 J           Alloy <td< td=""></td<>

## 13. Equipment

Exterior					
Aerial printed into rear					
glass		X	X	X	X
	aero				
Body kit comprising:	bumper (front)				_
body kit comprising.	aero		-		X
	bumper				
	(rear)	-	-	-	Х
	integrated				
	side skirts	Χ	X	X	Х
	rear spoiler	-	wagon	-	Х
	sports grille	-	-	-	Х
Exhaust extensions					
(chrome)		X	X	X	Х
Fog-lamps (front)		-	X	X	Х
Front and rear bumpers				.,	.,
(body coloured) Green tinted		X	X	Х	Х
windscreen, side and					
rear windows		Χ	X	Χ	Х
Headlamps (halogen)		X	X		
Headlamps (xenon low			^		_
beam) with auto-					
levelling and washer					
function		-	-	Χ	Х
Mudflaps (rear)		X	X	X	-
Power mirrors (body					
coloured)		X	X	X	Х
Power sliding glass sun-				V	V
roof		<u>-</u>	-	X	X
Power windows		X	X	Х	Х
Roof rack mounting points		Χ	sedan & hatch	Х	X
Roof rails		-		-	Λ
	<u> </u>	-	wagon	-	-
Aluminum nadala and					
Aluminum pedals and footrest		_	_	_	X
Air-conditioning	+ +	X	_	<u> </u>	-
Air-conditioning (dual-	+	^	-	-	-
zone climate control)		_	X	Χ	Х
Ambient temperature		_	^		
display		X	X	X	Х
Blackout instrument					
cluster		-	-	Χ	Х
Cargo area parcel shelf					,,
cover		-	hatch	hatch	X

Interior Contd.					
Cargo area tonneau					
cover with 'Karakuri' up					
and down function		_	wagon	_	-
Cargo area tie-down			ge		
hooks		-	hatch & wagon	hatch	X
Cargo net		-	wagon	-	-
Centre armrest console		Х	-	-	-
Centre armrest console					
(sliding)		-	X	X	X
Cigarette lighter and					
ashtray		X	X	Х	Х
Critical function warning		V			V
lights/chimes		X	X	X	X
Cruise control		X	X	X	X
Cupholders		X	Х	Х	Х
Digital clock		X	X	X	X
Door courtesy lamps					
(front)		X	X	Х	Х
Door map pockets		X			Х
(front)			X	X	
Driver's left footrest Glasses storage		X	X	Х	X
compartment		X	X	X	Х
Glove box (lockable and			^	^	^
illuminated)		X	X	X	Χ
Illuminated entry system			, ,	,	
with delayed fade		X	X	X	Χ
Instrument panel light				Α	
dimmer		Χ	X	X	X
	cargo room				
Interior illumination:	lamp	Χ	X	Χ	X
	ignition key				
	surround	X	X	X	Χ
	map				
	reading spot	X	X	X	Х
	lamps power	^	^	^	^
	windows				
	switch				
	(driver)	Χ	X	X	X
Interior release for fuel	,				
filler door		X	X	X	X
	gear shift				
Leather-wrapped:	knob	<u>-</u>	-	Х	Х
	steering		V	V	V
Lighta left on audible	wheel	-	X	Х	X
Lights-left-on audible warning		X	X	X	Х
<u> </u>		X	X		
Low fuel warning light				X	X
Paddle shift gear control		-	-	X	auto only
Danal trim (comot)			X	black	black
Panel trim (comet)		-	^	leather	leather olive
Panel trim (zebra)		-	_	olive leather	leather
Passenger assist grips				Silvo location	iodilloi
(front and rear)		Χ	X	X	Х
. ,			•	•	•

Seat trim:	cloth	X	Х	_	-
ocat tiiii.	leather*2	-	-	X	Х
	3-position	-	-	^	^
	memory				
	function				
Seats (front) with:	(driver)	_	_	Χ	Х
Coats (Horit) With.	4-way			Λ	
	power				
	adjustment				
	(passenger)	-	_	X	X
	8-way				
	power				
	adjustment				
	(driver)	-	-	Χ	X
	adjustable				
	head				
	restraints	Χ	X	Χ	X
	height				
	adjustment				
	(driver)	Χ	X	Χ	X
	lumbar				
	adjustment				
	(driver)	-	X	Χ	X
	rake and				
	slide				
	adjustment	X	X	Χ	X
	seat back				
	pocket			.,	.,
	(passenger)	X	X	X	Х
	adjustable				
	head	V		V	
Seats (rear) with:	restraints	X	X	X	Х
	centre fold				
	down		V	V	V
	armrest	<u>-</u>	X	Х	Х
	60/40 split fold				
	backrest	X	sedan	sedan	
	60/40 split	^	Seuan	seuan	-
	fold				
	backrest				
	(flat fold)	_	hatch & wagon	hatch	Х
Tachometer and	(nat ioia)		naton a wagon	Haton	
electronic					
odometer/tripmeter		Χ	X	X	X
Tilt and telescopic	†	<u></u>		<u> </u>	
adjustable steering					
wheel		X	X	Χ	X
Trip computer (current ar	nd average				
fuel consumption, distance	ce to empty,				
average vehicle speed ar		<u>-</u>	X	Χ	X
				<u> </u>	
Vanity mirrors (driver		V			
and front passenger)	1	X	-	-	-
Vanity mirrors (driver					
and front passenger)				V	
with illumination	+	<u>-</u>	X	X	X
Ventilation pollen filter		X	X	X	Х
Window demister (rear)		X	X	X	X

Interior Contd.					
Wipers (front) 2-speed wit	th variable				
intermittent and vehicle sp					
function		X	X	X	X
Wiper (rear) with					
intermittent function		-	hatch & wagon	hatch	X
Audio					
AM/FM tuner		Χ	X	Χ	Х
Associate innert (2 Empre					
Auxiliary input (3.5mm MP3 player compatible)					
and 12 volt power outlet		Х	X	X	Х
CD player, single disc					
(MP3 compatible)		X	-	-	-
CD player, in-dash 6-					
disc (MP3 compatible)		-	X	X	Х
Premium Bose® 240 watt amplifier and					
speakers		_	_	Χ	X
эрсакого				Х	Λ
Speakers, number of		4	6	8	8
Steering wheel mounted					
audio controls		-	X	X	Х
Safety	-				•
Active head restraints	T				
(front)		Χ	X	Χ	Х
	front (driver				
Alaka wa ODO	and	V	V	V	V
Airbags SRS:	passenger)	X	X	X	X
	side (front)	X	X	Х	Х
	curtain (front and				
	rear)	Х	X	Х	X
Anti-lock Braking	130/				
System (ABS)		X	X	X	Х
Child restraint anchor				.,	.,
points		X	X	Х	Х
Childproof rear door locks		Χ	X	Х	Х
Day/night rear vision		Λ	^	Λ	^
mirror		Χ	X	X	Х
'Double lock' door					
deadlock function		X	X	X	Х
Dynamic Stability		V		V	V
Control (DSC)		Х	X	X	X
Electronic Brake-force		V		~	
Distribution (EBD) Emergency Brake Assist	+	Х	X	X	Х
(EBA)		X	X	Χ	Х
Engine immobiliser		X	X	X	X
High mount stop lamp		X	X	X	X
	+		<del>'</del>		<del>- ^`</del>
Intrusion-minimising					

Safety Contd.					
Left-hand-side convex (wide angle) exterior					
mirror	X	X	Х	X	
One touch (up and					
down) power window					
(driver)	X	X	X	X	
Remote central locking					
(2 transmitters with					
retractable key)	X	X	X	X	
Seat-belt warning					
audible and visual (front					
and rear)	X	X	X	X	
Seat-belts (front) with pretensioners,					
load-limiters and height adjustable					
shoulder anchorages	X	X	X	X	
Seat-belts 3-point lap-					
sash (all seats)	X	X	X	X	
Side impact door beams	X	X	Х	Х	
Traction Control System					
(TCS)	X	X	X	X	
'Triple H' safety					
construction with front					
and rear crumple zones	X	X	X	X	

## 14. Dimensions

Dimensions	•				
		Sedan	Hatch	Wagon	
Overall length		4,735 mm	4,735 mm	4,765 mm	
Overall width		1,795 mm	1,795 mm	1,795 mm	
Overall height		1,440 mm	1,440 mm	1,490 mm	
Wheelbase		2,725 mm	2,725 mm	2,725 mm	
Ground clearance	laden	122 mm	122 mm	122 mm	
Track	front	1,550 - 1,570 mm	1,550 mm	1,550 mm	
	rear	1,550 - 1,570 mm	1,550 mm	1,550 mm	
Cargo room	volume (VDA)	519 litres	510 litres	519 litres	
Kerb weight	man	1,407 - 1,417 kg	1,451 - 1,486 kg	-	
	auto	1,431 - 1,469 kg	1,478 - 1,513 kg	1,507 kg	
Towing capacity*3	braked	1,500 kg	1,500 kg	1,500 kg	
	unbraked	550 kg	550 kg	550 kg	

<sup>\*1</sup> Fuel consumption figures are based on ADR91/01 test results.

<sup>\*2</sup> Leather interior includes some Maztex material on selected high impact surfaces.

<sup>\*3</sup> Subject to State or Territory regulations.