

| MODELS | Sport | Touring | GT | Atenza |
|--------------|----------|----------|----------|----------|
| 2.5L petrol | sedan or | sedan or | sedan or | sedan or |
| (SKYACTIV-G) | wagon | wagon | wagon | wagon |
| 2.2L diesel | - | sedan or | sedan or | sedan or |
| (SKYACTIV-D) | | wagon | wagon | wagon |

CHASSIS

| Brake diameter | front | 297 mm | 297 mm | 297 mm | 297 mm |
|---|-------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| | rear | 278 mm | 278 mm | 278 mm | 278 mm |
| Brake type | front | Ventilated disc | Ventilated disc | Ventilated disc | Ventilated disc |
| | rear | Solid disc | Solid disc | Solid disc | Solid disc |
| Steering type | | Electric power assist steering |
| Suspension | front | MacPherson strut | MacPherson strut | MacPherson strut | MacPherson strut |
| | rear | Multi-link | Multi-link | Multi-link | Multi-link |
| Turning circle (kerb-to-kerb) - sedan / wagon | | 11.2 m / 11.0 m |
| Tyre size | | 225/55 R17 | 225/55 R17 | 225/45 R19 | 225/45 R19 |
| Tyre index | | 97V | 97V | 92W | 92W |
| Wheel size | | 17 x 7.5 J | 17 x 7.5 J | 19 x 7.5 J | 19 x 7.5 J |
| Wheel type | | Alloy | Alloy | Alloy | Alloy |
| Tyre size (spare) | | 185/55 R16 | 185/55 R16 | 185/55 R16 | 185/55 R16 |
| Wheel type (spare) | | Temporary (Steel) | Temporary (Steel) | Temporary (Steel) | Temporary (Steel) |

| POWERTRA | ~ | 2.5L petrol (SKYACTIV-G) | 2.2L diesel (SKYACTIV-D) |
|---|--------------------|--|---|
| Engine type | | 2.5 litre in-line 4 cylinder 16 valve DOHC S-VT petrol engine with i-stop and i-ELOOP | 2.2 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel engine with i-stop and i-ELOOP |
| Engine capacity | | 2,488 cc | 2,191 cc |
| Bore and stroke | | 89.0 mm x 100.0 mm | 86.0 mm x 94.0 mm |
| Compression ratio | | 13.0 : 1 | 14.0 : 1 |
| Maximum power | | 138 kW @ 5,700 rpm | 129 kW @ 4,500 rpm |
| Maximum torque | | 250 Nm @ 3,250 rpm | 420 Nm @ 2,000 rpm |
| Throttle control | | Electronic (drive-by-wire) | Electronic (drive-by-wire) |
| Fuel system | | Electronic direct injection | Common-rail, electronic direct injection |
| Fuel tank capacity | | 62 litres | 62 litres |
| Recommended fuel | | Unleaded (91RON or higher) or E10 | Diesel |
| Fuel consumption*1 | auto (combined) | 6.6 litres per 100km | 5.4 litres per 100km |
| Emissions standard | | Euro stage IV | Euro stage IV |
| Automatic (SKYACTIV-Drive) transmission | | 6-speed | 6-speed |
| Gear ratio | 1st | 3.552 | 3.487 |
| | 2nd | 2.022 | 1.992 |
| | 3rd | 1.452 | 1.449 |
| | 4th | 1.000 | 1.000 |
| | 5th | 0.708 | 0.707 |
| | 6th | 0.599 | 0.600 |
| | reverse | 3.893 | 3.990 |
| | final drive | 4.056 | 3.804 |

| EXTERIOR | Sport | Touring | GT | Atenza |
|--|---------------|---------------|---------------|---------------|
| Daytime running lamps (LED) | - | - | Х | Х |
| Door handles (body coloured) | Χ | Х | Χ | Χ |
| Exhaust extensions (chrome) | Χ | Х | Χ | Χ |
| Fog-lamps (front) | Χ | Х | Χ | Χ |
| Front and rear bumpers (body coloured) | X | Х | X | Χ |
| Green-tinted windscreen, side and rear windows | X | Х | X | Χ |
| Headlamps (Bi-Xenon) with Adaptive Front-lighting System (AFS) | - | - | X | Х |
| Headlamps (Halogen) | Χ | Х | - | - |
| Power mirrors (body coloured and heated) | Х | Х | Х | Χ |
| Power-sliding and tilt glass sunroof | - | - | X | Χ |
| Power windows | X | Х | Χ | Χ |
| Rear spoiler | wagon only | wagon only | wagon only | wagon only |
| Roof rails | wagon only | wagon only | wagon only | wagon only |
| Tail-lamps (LED) | Χ | Х | Χ | Χ |

INTERIOR

| Advanced keyless entry | - | - | Χ | Х |
|--|--------------|---------------|---------------|---------------|
| Advanced keyless push-button engine start | X | Χ | X | Х |
| Air-conditioning (dual-zone climate control) with rear vents | X | Χ | X | Х |
| Ambient temperature display | Χ | Х | Х | X |
| Bluetooth® (hands-free compatible)*2 | X | Х | X | Х |
| Cargo area 12 volt power outlet | agon only | wagon only | wagon only | wagon only |
| Cargo area tonneau cover with 'Karakuri' up and down function | agon only | wagon only | wagon only | wagon only |
| Cargo net | agon only | wagon only | wagon only | wagon only |
| Radar Cruise Control | - | - | - | Х |

| EXTERIOR CONTINUE | 9 | Sport | Tour | GT | Aten |
|--|-------------------------------------|-------|------|----|------|
| Centre armrest console (sliding) | | Χ | Χ | Χ | Χ |
| Critical function warning lights/ chimes | | X | Χ | Х | Х |
| Cruise control | | Χ | Χ | Χ | - |
| Cupholders | | Χ | Χ | Χ | Χ |
| Door bottle holders (front and back) | | X | Χ | Х | Х |
| Glove box (illuminated) | | Χ | Χ | Χ | Χ |
| Headlamps auto on/off function | | Χ | Χ | Χ | Χ |
| Instrument panel light dimmer | | Χ | Χ | Χ | Х |
| Interior illumination: | entry system with delayed fade | X | Χ | Х | Х |
| | map reading spot lamps | Χ | Χ | Χ | Х |
| | power window switches | Χ | Χ | Χ | Χ |
| Interior release for: | fuel filler door | Χ | Χ | Χ | Χ |
| Leather-wrapped: | gear shift knob | Χ | Χ | Χ | Χ |
| | handbrake handle | Χ | Χ | Χ | Х |
| | steering wheel | Х | Χ | Χ | Х |
| Overhead sunglass storage box | | Χ | Χ | Χ | Х |
| Paddle shift gear control | | Χ | Χ | Χ | Х |
| Rear-view mirror with auto dimming function | | - | - | X | Х |
| Satellite navigation (TomTom) | | Χ | Χ | Χ | Х |
| Seat trim: | cloth | Χ | - | - | - |
| | leather*3 | - | Χ | Χ | Х |
| Seats (front) with: | 2-position memory function (driver) | - | Χ | Χ | Х |
| | 4-way power adjustment (passenger) | - | Χ | X | Х |
| | 8-way power adjustment (driver) | - | Χ | Х | Х |
| | adjustable head restraints | X | Χ | Х | Х |
| | heating function | - | - | Х | Х |
| | height adjustment (driver) | Х | Χ | Х | Х |
| | lumbar support (driver) | Χ | Χ | Χ | Х |
| | rake and slide adjustment | Χ | Χ | Χ | Х |
| | seat back pockets | Х | Χ | Χ | Χ |

| | | Sport | Tour | GT | Aten |
|---|-----------------------------------|---------------|---------------|---------------|---------------|
| Seats (rear) with: | 60/40 split-fold backrest | sedan only | sedan only | sedan only | sedan only |
| | 60/40 split flat-fold backrest | wagon only | wagon only | wagon only | wagon only |
| | adjustable head restraints | Х | Χ | Χ | Х |
| | centre fold down armrest | X | Χ | Х | Х |
| Tachometer and electronic odometer/tripmeter | | X | Χ | Х | Х |
| Tilt and telescopic adjustable steering wheel | | X | Χ | Χ | Х |
| Trip computer*4 | | Χ | Χ | Χ | Х |
| Vanity mirrors (front) with illumination | | X | Χ | Χ | Х |
| Window demister (rear) | | Χ | Χ | Χ | Х |
| Wipers (front) 2-speed with rain-sensing function | | Х | Χ | Χ | Х |
| Wiper (rear) with intermittent function | | wagon only | wagon only | wagon only | wagon only |

AUDIO

| AM/FM tuner | Χ | Χ | Χ | Χ |
|---|---|---|---|---|
| Auxiliary input (3.5mm MP3 player compatible) | Χ | Χ | Χ | Χ |
| Bluetooth® audio (MP3 player compatible)*2 | Χ | Χ | Χ | Χ |
| CD player, single disc (MP3/WMA compatible) | Χ | Χ | Χ | Χ |
| Premium Bose® 231 watt amplifier and speakers | - | Χ | Χ | Χ |
| Speakers (6) | Χ | - | - | - |
| Speakers (11) | - | Χ | Χ | Χ |
| Steering wheel-mounted audio controls | Χ | Χ | Χ | Χ |
| USB input (iPod® compatible) | Χ | Χ | Χ | Х |

SAFETY

| Airbags SRS: | front (driver and passenger) | Х | Х | Х | X |
|--------------------------------|------------------------------|---|---|---|---|
| | curtain (front and rear) | Χ | Χ | Χ | Χ |
| | side (front) | Χ | Χ | Χ | Χ |
| Anti-lock Braking System (ABS) | | Χ | Χ | Χ | Χ |
| Blind Spot Monitoring (BSM) | | - | - | - | Х |

| SAFETY CONTINUED | Sport | Tour | GT | Aten |
|---|-------|------|----|------|
| Child restraint anchor points | X | Χ | Χ | Х |
| Childproof rear door locks | Х | Χ | Χ | Х |
| 'Double lock' door deadlock function | Х | Х | Х | Х |
| Dynamic Stability Control (DSC) | X | Х | Χ | Χ |
| Electronic Brake-force Distribution (EBD) | X | Х | Х | Х |
| Emergency Brake Assist (EBA) | X | Х | Χ | Х |
| Emergency Stop Signal (ESS) | X | X | Χ | Χ |
| Engine immobiliser | X | Х | Χ | Х |
| Forward Obstruction Warning (FOW) | - | - | - | Х |
| High Beam Control (HBC) | - | - | - | Х |
| High mount stop lamp | X | Χ | Χ | Х |
| Hill Launch Assist (HLA) | X | Х | Χ | Х |
| Intrusion-minimising brake pedal | X | Х | Χ | Χ |
| Lane Departure Warning (LDW) | - | - | - | Χ |
| Left-hand-side convex (wide angle) exterior mirror | X | Х | Х | Х |
| One touch (up and down) power windows (front and rear) | X | Х | Х | Х |
| Parking sensors (front and rear) | - | Х | Χ | Χ |
| Rear Cross Traffic Alert (RCTA) | - | - | - | Χ |
| Remote central locking (2 transmitters) | X | X | Χ | Х |
| Reverse camera | X | Х | Χ | Х |
| Seat-belt warning (front and rear) | Х | X | Х | Х |
| Seat-belts 3-point lap-sash (all seats) | Х | X | Х | Х |
| "Seat-belts (front) with pretensioners, load-limiters and height adjustable shoulder anchorages" | Х | X | Х | X |
| Side impact door beams | X | Х | Χ | Χ |
| Smart Brake Support (SBS) | - | - | - | Х |
| Traction Control System (TCS) | X | Х | Χ | Х |
| 'Triple H' safety construction with front and rear crumple zones | X | Х | Х | Х |
| Whiplash-minimising front seats | Х | Х | Х | Х |

| DIMENSIONS | | Sport | Touring | GT | Atenza |
|--------------------------------|-------|---------------------------|---------------------------|------------------------|---------------------------|
| | | | | | |
| Ground clearance | laden | 122 mm | 122 mm | 122 mm | 122 mm |
| Overall length – sedan / wagon | | 4,865 mm / 4,800 mm | 4,865mm / 4,800 mm | 4,865 mm /4,800 mm | 4,865 mm / 4,800 mm |
| Overall width | | 1,840 mm | 1,840 mm | 1,840 mm | 1,840 mm |
| Overall height – sedan / wagon | | 1,450 mm / 1,480 mm | 1,450 mm / 1,480 mm | 1,450 mm / 1,480 mm | 1,450 mm / 1,480 mm |
| Track | front | 1,585 mm | 1,585 mm | 1,595 mm | 1,595 mm |
| | rear | 1,575 mm | 1,575 mm | 1,585 mm | 1,585 mm |
| Wheelbase – sedan / wagon | | 2,830 mm / 2,750 mm | 2,830 mm / 2,750 mm | 2,830 mm / 2,750 mm | 2,830 mm / 2,750 mm |

WEIGHTS AND CAPACITIES

| Cargo room volume (VDA) – sedan / wagon | | 438 litres / 451 litres |
|--|----------------|----------------------------|----------------------------|----------------------------|----------------------------|
| Cargo room volume (VDA) – wagon*5 | | 1,593 litres | 1,593 litres | 1,593 litres | 1,593 litres |
| Kerb weight – sedan / wagon | 2.5L petrol | 1,462 kg / 1,484 kg | 1,471 kg / 1,494 kg | 1,501 kg / 1,524 kg | 1,503 kg / 1,526 kg |
| | 2.2L diesel | - | 1,541 kg / 1,561 kg | 1,571 kg / 1,591 kg | 1,573 kg / 1,593 kg |
| Towing capacity*6 – braked / unbraked | 2.5L petrol | 1,500 kg / 550 kg |
| | 2.2L diesel | - | 1,600 kg / 750 kg | 1,600 kg / 750 kg | 1,600 kg / 750 kg |
| Tow-ball download maximum | | 120 kg | 120 kg | 120 kg | 120 kg |

- *1 Fuel consumption figures are based on ADR81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic, road conditions and how the vehicle is driven.
- *2 Please check the compatibility of your Bluetooth® device (particularly your mobile phone) with the specific Mazda vehicle you intend to purchase as not all devices operate correctly. Visit mazdahandsfree. com.au or consult your Mazda Dealer for further information.
- *3 Leather interior includes some Maztex material on selected high impact surfaces.
- *4 Trip computer displays current and average fuel consumption, distance to empty and average vehicle speed.
- *5 Measured with rear seats folded down and up to roof.
- *6 Subject to State or Territory regulations.





Public Relations Manager

Steve Maciver

(03) 8540 1961

% 0437 125 589

www.mazda.com.au

Public Relations Specialist

Tony Mee

(03) 8540 1962 9 0439 347 658

✓ www.mazda.com.au

Public Relations Co-ordinator

Kirsten Smart

ksmart@mazda.com.au

www.mazda.com.au

(03) 8540 1862

% 0419 114 929

