

Lancer Evolution is the perfect combination of brutal force and precise control. A range of ingenious technology gives you the control to confidently reign in the power of the 217kW Turbo Charged MIVEC Engine.

EVOLUTION

POWER PLANT AND DRIVE TRAIN

2.0L MIVEC intercooled and turbocharged

Manual intercooler water spray

5 speed manual transmission

TC-SST with paddle shifters (optional)

Front helical LSD

S-AWC: advanced all-wheel control

(ACD+S-AYC+ASC+Sports ABS with EBD)

Front Brake: Brembo 350mm 4 piston calliper

Rear Brake: Brembo 330mm 2 piston calliper

Front strut tower bar High performance suspension

- Front McPherson strut suspension; Inverted

- Rear multi-link suspension; mono-tube shock absorber

EXTERIOR

Aluminium large rear spoiler

Large side air dam

Colour coded electric door mirrors

Dual chrome exhaust tail pipe

Halogen headlamps

Front fog lamps

18" ENKEl alloy wheels

Privacy glass

Colour coded door handles

Black air vents (bonnet and front fenders)

INTERIOR

RECARO full bucket front seats with slide and recline function

Sports type leather wrapped steering wheel

Leather wrapped gearshift knob

Aluminium pedals

High contrast meter

Multi information display

FUNCTION

Power windows

Central door locking system with crash detection

Immobiliser

Security Alarm

DataDot Security

Automatic dusk sensing headlamps

Automatic rain sensing wipers

Cruise control with steering wheel controls

Smart key remote entry

Automatic climate control air-conditioning

Console mounted ACD switch

Hands free Bluetooth® connectivity with steering

wheel audio controls

AUDIO

AM/FM 6 stacker CD audio with Steering wheel remote control

6 speakers including 2 tweeters

SAFETY

RISE body (Reinforced Impact Safety Evolution) Driver and passenger front airbag

Side and curtain airbags

Driver's side knee airbag

OPTIONAL PERFORMANCE PACK

EVOLUTION MR



In addition to the standard features of the Evolution, the MR model includes the following:

CHASSIS & OTHERS

Brembo 2 piece front brake disc Front and rear Bilstein shock absorbers Front and rear EIBACH springs

TC-SST with paddle shifters

EXTERIOR

HID headlamps with Adaptive Front

Lighting System (AFS)

Headlamp washers

Auto headlamp levelling

18" BBS forged aluminium wheels

Colour coded air vents (bonnet and front fenders)

Chrome belt line moulding

Chrome grille surround

INTERIOR

Mitsubishi Multi Communication System including satellite navigation, Bluetooth® and iPod connectivity (via accessory cable) with interactive control

Leather combination seat trim

Heated front seats

Evolution scuff plates

AUDIO

Premium Rockford Fosgate® audio system (single disc player)

9 speakers including subwoofer and auxiliary input

Brembo 2 piece front brake disc Front and rear Bilstein shock absorbers Front and rear EIBACH springs 18" BBS forged aluminium wheels













Mitsubishi Multi Communication System.




18" BBS forged aluminium wheels

2.0 LITRE TURBO CHARGED MIVEC ENGINE

Bury the pedal and 366Nm of torque rears up and hurls you toward the imminent horizon in the blink of an eye. Cast from aluminium, the turbocharged MIVEC Engine is 12.5kg LIGHTER than its predecessor while producing 217kW@6500rpm. The newly designed turbocharger features a titanium turbine wheel which delivers an improvement of up to 18% in response time at lower revs. Changes have also been made to the MIVEC system. It now utilises a direct-acting valve-train for additional weight reduction and optimal power, and also operates on both the intake and exhaust valves for optimum engine efficiency.





BREMBO BRAKES

With over 30 years of racing competition experience, Brembo is the only brand worthy to feature on the Evolution. To reign in the power of the Evolution, the front sports 350mm VENTILATED DISCS with 4-piston callipers, while the rear houses 330mm DISCS with opposed 2-piston callipers. Braking is enhanced even further for the Evolution MR with 350mm ventilated 2 piece constructed rotors at the front to reduce weight. The size of the brakes not only brings an increase in performance, the ventilated discs allow heat to be dispersed quickly to reduce braking fade.



TWIN CLUTCH SPORT SHIFT TRANSMISSION

The Evolution is equipped with the latest rally-bred transmission technology. The TC-SST operates in 3 modes: NORMAL MODE is the default at engine start and is generally used for day-to-day driving. SPORT MODE is the optimal choice for sporty driving. Gear changes and accelerator response are quicker than Normal Mode. SUPER SPORTS MODE (S-Sport) offers the ultimate in fast gear changing. During acceleration and braking, gears are engaged at higher revs, generating optimum performance.





SUPER ALL WHEEL CONTROL SYSTEM

The S-AWC system is made up of 4 independent systems working together and operated via the vehicle's ECU to give you handling that defies belief. The ACTIVE CENTRE DIFFERENTIAL works in three modes – tarmac, gravel and snow – to enable quicker control response for changes in road surfaces. ACTIVE STABILITY CONTROL automatically recognises under steer and over steer and applies brakes to the appropriate wheels and the Super ACTIVE YAW CONTROL distributes torque between the rear wheels. To give you complete confidence in all situations, the Lancer Evolution also features Sports ABS with Electronic Brake Force Distribution.





SPECIFICATIONS

Engine		
Туре	2.0 Litre DOHC Turbocharged MIVEC	
Bore X Stroke	86.0 X 86.0mm	
Capacity	1998cc	
Compression Ratio	9.0:1	
Performance		
Power	217kW @ 6,500 rpm	
Torque	366Nm @ 3,500 rpm	
Fuel System		
Fuel Type	Premium Unleaded 98 Ron	
Fuel Supply Equipment	eci-multi	
Fuel Tank Capacity	55 Litres	
Electrical System		
Battery	s65d26l	
Alternator	12V - 130ah	
Starter	12V - 1.4kW	
Steering		
Туре	Rack and pinion	
Exterior Dimensions (mm)		
Overall Length	4,510	
Overall Width	1,810	
Overall Height	1,480	
Wheelbase	2,650	
Track - Front	1,545	
Track - Rear	1,545	
Ground Clearance	135	
Turning Circle (m)	11.8	

	Evolution	Evolution MR	
Transmission	5 Speed Manual Transmission	Twin Clutch Sport Shift Transmission	
Clutch Type	Dry-type, Single plate diaphragm, Pull-type	Wet, Multi-plate clutch X 2	
Gear Ratios			
1st	2.857	3.655	
2nd	1.950	2.368	
3rd	1.444	1.754	
4th	1.096	1.322	
5th	0.761	1.008	
6th	_	0.775	
Reverse	2.892	4.011	
Final	4.687	4.062	
Capacities	Manual TC-SST	TC-SST	
Kerb Weight (kg)	1,565 1,595	1,625	
Gross Vehicle Weight (kg)	2,040		
Seating Capacity (Persons)		5	
Brakes			
Front	350mm Brembo ventilated disc	350mm 2 piece Brembo ventilated disc	
Back	330mm Brembo ventilated disc		
Wheels / Tyres			
Tyres (Front & Rear)	245/40R1893Y		
Wheels	18 x 8.5" ENKEI light weight alloy wheel	18 x 8.5" BBS forged alloy wheel	
Suspension			
Front	Macpherson strut	Macpherson strut with	
		Bilstein shock absorber and EIBACH springs	
Rear	Multi-link		



2,650

4,510



1,545

1,810



1,545

1,810

For more information about Lancer Evolution visit lancerevolution.com.au or contact Ralliart Customer Assistance Centre on 1300 794 795.



WARRANTY 5'/10' YEAR ♦ 5 YEAR ROADSIDE ASSIST ♦ CUSTOMER ASSIST 24/7 ♦ 200+ DEALER NETWORK GENUINE SERVICE ♦ GENUINE PARTS ♦ INSURANCE ♦ LEASING ♦ FINANCE ♦ PRE-OWNED VEHICLES



