

## NP300 NAVARA KING CAB SPECIFICATIONS

Specifications	King Cab RX Cab Chassis 4x2	King Cab RX Cab Chassis 4x4	King Cab RX Pick Up 4x4	King Cab ST Pick Up 4x4	King Cab ST-X Pick Up 4x4
Engine					I
S23DDTT 2.3 litre intercooled twin turbo-diesel, DOHC				•	•
S23DDT 2.3 litre intercooled single turbo-diesel, DOHC	•	•	•		
splacement (cc)	2298	2298	2298	2298	2298
ore x stroke (mm)	85.0 x 101.3 15:4	85.0 x 101.3 15:4	85.0 x 101.3 15:4	85.0 x 101.3 15:4	85.0 x 101.3 15:4
ompression ratio aximum power (kW@rpm)	120@3750	120@3750	120@3750	140@3750	140@3750
aximum torque (Nm@rpm)	403@1500-2500	403@1500-2500	403@1500-2500	450@1500-2500	450@1500-2500
ommon rail direct injection	100@1000 2000	•	•	•	•
Fransmission Fransmission	_				
-speed manual	•	•	•	•	•
speed automatic with manual mode				Opt	Opt
ansfer case - Dual range 4x4 with electronic 4WD selection		•	•	•	•
atio 1st (manual/automatic)	4.685	4.685	4.685	4.685/4.886	4.685/4.886
atio 2nd (manual/automatic)	2.478	2.478	2.478	2.478/3.169	2.478/3.169
· · · · · · · · · · · · · · · · · · ·					
titio 3rd (manual/automatic)	1.623	1.623	1.623	1.623/2.027	1.623/2.027
tio 4th (manual/automatic)	1.207	1.207	1.207	1.207/1.411	1.207/1.411
atio 5th (manual/automatic)	1.000	1.000	1.000	1.000/1.000	1.000/1.000
tio 6th (manual/automatic)	0.808	0.808	0.808	0.808/0.864	0.808/0.864
atio 7th (automatic)				0.774	0.774
itio Reverse (manual/automatic)	4.709	4.709	4.709	4.709/4.041	4.709/4.041
nal drive (manual/automatic)	3.538	3.538	3.538	3.692/3.357	3.692/3.357
ansfer ratio - low		2.717	2.717	2.717	2.717
ansfer ratio - high		1.000	1.000	1.000	1.000
Dimensions	_				
verall length (mm)	5120	5120	5255	5255	5255
verall width (excluding mirrors) (mm)	1790	1790	1790	1850	1850
rerall height (mm)	1750	1770	1770	1780	1780
heelbase (mm)	3150	3150	3150	3150	3150
ack Front /Rear (mm)	1550/1550	1550/1550	1550/1550	1570/1570	1570/1570
in. turning circle (kerb to kerb) (m)	11.8	11.8	11.8	12.4	12.4
ound clearance unladen (mm)	213	217	218	229	230
verhang - Front	870	870	870	870	870
verhang - Rear	1100	1100	1235	1235	1235
oproach Angle (degrees)	31.7	32.5	32.5	32.2	32.4
eparture Angle (degrees)	24.8	25.9	25.9	26.5	26.7
amp breakover angle (degrees)	21.3	22.7	22.7	23.7	23.9
rgo Bed - length floor (mm)			1750	1750	1750
rgo Bed - length top (mm)			1788	1788	1788
rgo Bed - width floor (mm)			1560	1560	1560
argo Bed - width top (mm)			1490	1490	1490
argo Bed - width between wheel arches (mm)			1130	1130	1130
argo Bed - tailgate opening width (mm)			1360	1360	1360
argo Bed - height (mm)			474	474	474
Veights					
oss Vehicle Mass (GVM**) (kg)	2910	2910	2910	2910	2910
oss Combined Mass (GCM) (kg)	5910	5910	5910	5910	5910
erb mass~ incl options (kg) manual/automatic (kg)	1649	1727	1863	1908/1911	1941/1944
ayload ∆ manual/automatic (kg)	1261	1183	1047	1002/999	969/966
oss front axle (kg)	1320	1320	1320	1320	1320
oss rear axle (kg)	1750	1750	1750	1750	1700
elated Towing Capacity†					
ailer without brakes (kg)	750	750	750	750	750
ailer with brakes (kg)	3500	3500	3500	3500	3500
wball download (kg)	See table	See table	See table	See table	See table
uel					
ecommended fuel type	Diesel	Diesel	Diesel	Diesel	Diesel
el tank capacity (litres)	80	80	80	80	80
el consumption (combined ADR 81/02) (manual/automatic) (I/100km) ∞	6.4	6.6	6.6	6.5/7.0	6.5/7.0
or consumption (combined ADN 01/02) (manual/automatic) (i/ rookin)					



## NISSAN NP300 NAVARA KING CAB SPECIFICATIONS

Specifications	King Cab RX Cab Chassis 4x2	King Cab RX Cab Chassis 4x4	King Cab RX Pick Up 4x4	King Cab ST Pick Up 4x4	King Cab ST-X Pick Up 4x4
Mechanical					
Front brakes - ventilated discs	•	•	•	•	•
Rear brakes - drum	•	•	•	•	•
Front suspension - Independent double-wishbone with front stabiliser bar	•	•	•	•	•
Rear suspension - Leaf spring	•	•	•	•	•
Power steering	•	•	•	•	•
Wheels Towns	-				
Wheels/Tyres 16" steel wheels with 205/R16C tyres	•	•	•		
16" alloy wheels with 255/70R16 tyres		•		•	
18" alloy wheels with 255/60R18 tyres				•	•
Full-size spare wheel (steel)	•	•	•	•	<u> </u>
Full-size spare wheel (steer)	•	•	•	•	•
Interior					
Seating capacity	4	4	4	4	4
6-way driver seat with manual slide/recline/height adjustment	•	•	•	•	
8-way driver seat with power slide/recline/height adjustment & power lumbar support					•
Heated front seats					•
Front passenger seat with manual slide & recline	•	•	•	•	•
Front headrests with up/down adjustment	•	•	•	•	•
Second row headrests (2)	•	•	•	•	•
Seat Trim	Cloth	Cloth	Cloth	Cloth	Leather Accented‡
Flip up rear seats	•	•	•	•	•
Single CD player, AM/FM radio, AUX & USB/iPod^ connectivity	•	•	•	-	
Steering wheel audio controls	•	•	•	•	•
NissanConnect <sup>TMO</sup> smartphone integration				•	•
Colour 5" display audio Satellite Navigation with 3D Mapping and 7" integrated colour display with touch screen				•	
Speakers	4	4	4	4	4
Speakers Bluetooth® handsfree phone system via steering wheel controls	•	•	•	4	4
Bluetooth® audio streaming	•	•	•	•	•
Cruise control	•	•	•	•	•
Manual tilt adjustable steering column	•	•	•	•	•
Air-conditioning with heater controls	•	•	•	•	
Air-conditioning with dual zone climate control					•
Rear air vents in centre console	•	•	•	•	•
Remote keyless entry	•	•	•	•	
Intelligent Key <sup>TM</sup> with remote keyless entry					•
Push button engine start					•
Urethane steering wheel, shift lever	•	•	•		
Leather accented <sup>‡</sup> steering wheel, shift lever & handbrake				•	•
Front chrome interior door handles	•	•	•	•	•
Front passenger assist grips (2)	•	•	•	•	•
Centre console storage	•	•	•	•	•
Glove compartment	•	•	•	•	•
Dashboard upper storage tray	•	•	•	•	•
Front door storage pockets	•	•	•	•	•
Rear door storage pockets	•	•	•	•	•
Front row cup holders (4) & bottle holders (2)	•	•	•	•	•
Driver and front passenger seat back pockets					•
Driver & front passenger sun visors	•	•	•	•	•
Driver & front passenger illuminated vanity mirrors	•	•	•	•	•
Sunglasses holder (overhead console)	•	•	•	•	•
Power windows with driver auto up/down button	•	•	•	•	•
Day/night rear view mirror with manual anti-dazzle	•	•	•		
Day/night rear view mirror with electric anti-dazzle & compass				•	•
Interior room light	•	•	•	•	
Front map lights (2)	•	•	•	•	•
Front door operated interior lights	•	•	•	•	•
Illuminated ignition switch					•
Rear window demister	•	•	•	•	•
12 volt power socket (3)	•	•	•	•	•
Floor carpet - front and rear	•	•	•	•	•
Carpet floor mats - front and rear					•



## NP300 NAVARA KING CAB SPECIFICATIONS

Specifications	King Cab RX Cab Chassis 4x2	King Cab RX Cab Chassis 4x4	King Cab RX Pick Up 4x4	King Cab ST Pick Up 4x4	King Cab ST-X Pick Up 4x4
Instrumentation			1		
Speedometer, tachometer, odometer, trip meter	•	•	•	•	•
Advanced Drive-Assist™ Display (inc: Instant & average fuel economy, distance to empty, average speed)				•	•
Instant to average fuel economy, distance to empty	•	•	•		
Digital clock	•	•	•	•	•
Safety/Security					
				•	•
Reversing camera Reversing sensors				<u> </u>	•
Anti-lock Braking System (ABS) and Electronic Brakeforce Distribution (EBD)	•	•	•	•	•
Traction Control System (TCS)		•	•		•
	•	•	•	•	•
Vehicle Dynamic Control (VDC) with Brake Limited Slip Differential (BLSD)	•	•		•	•
Active Brake Limited Slip (ABLS)	_		•		
Brake Assist (BA)	•	•	•	•	•
Hill Start Assist (HSA)					•
Hill Descent Control (HDC)					•
Electronic rear differential lock				•	•
Driver & front passenger front-impact SRS airbags	•	•	•	•	•
Driver & front passenger side-impact SRS airbags	•	•	•	•	•
Driver knee airbag	•	•	•	•	•
Front to rear SRS curtain airbags	•	•	•	•	•
3-point Emergency Locking Retractor (ELR) seatbelts (all seats)	•	•	•	•	•
Driver & front passenger seatbelts with load limiters & pre-tensioners	•	•	•	•	•
Driver & front passenger seatbelt height adjustment	•	•	•	•	•
Driver & front passenger seatbelt warning	•	•	•	•	•
Second row seatbelt alert	•	•	•	•	•
Daytime running lights	•	•	•		
LED signature daytime running lights				•	•
Automatic on/off headlights - twilight detection	•	•	•	•	•
Hazard warning lights	•	•	•	•	•
LED high mounted stop light	•	•	•	•	•
Collapsible steering coloumn	•	•	•	•	•
Door side intrusion bars	•	•	•	•	•
Zone body structure	•	•	•	•	•
Front & rear crumple zones	•	•	•	•	•
	•	•	•	•	•
Front variable intermittent windscreen wipers	•			•	-
Door ajar warning light (all doors)	-	•	•	-	•
Nissan Anti-Theft System (NATS) vehicle immobiliser	•	•	•	•	•
Vehicle Security System (VSS) alarm	•	•	•	•	•
Exterior					
Alloy sports bar with integrated high mounted stop light				•	•
Privacy glass (second row & rear window)		•	•	•	•
Halogen headlights		•	•	•	<u> </u>
	•	-	_	•	•
LED projector headlights				•	
Front fog lights				•	•
2 channel Utili-Track™ system					•
Tie-down points inside bed (4)			•	•	
12V outlet inside bed			•	•	•
Protective tubliner					•
Side steps				•	•
Antenna	•	•	•	•	•
Chrome door mirrors	•	•	•	•	•
Door mirrors with power adjustment & manual folding	•	•	•		
Heated door mirrors with power adjustment & power folding & integrated LED indicator lights				•	•
Front bumper body colour	•	•	•	•	•
Chrome bumper with rear step			•	•	•
Chrome door handles	•	•	•	•	•
V-Motion Chrome front grille	•	•	•	•	•
Rear power sliding window	•	•	•	•	•
Rear spoiler with protective finisher			•	•	•
Front mudflaps	•	•			
Front and rear mudflaps			•	•	•
Front towing hook	•	•	•	•	•
THURL LOWING HOUR		•	_		



## NISSAN NP300 NAVARA KING CAB SPECIFICATIONS

Specifications	King Cab RX Cab Chassis 4x2	King Cab RX Cab Chassis 4x4	King Cab RX Pick Up 4x4	King Cab ST Pick Up 4x4	King Cab ST-X Pick Up 4x4
Lockable fuel lid	•	•			
Electromagnetic lockable fuel lid			•	•	•
Manual lockable rear tailgate (key)			•	•	•
Colours					
Polar White (QM1)	S	S	S	S	
Burning Red (AX6)	S	S	S	S	S
Cosmic Black (G42)	S	S	S	S	S
Brilliant Silver (K23) *	P	P	P	P	P
Deep Sapphire (RAA)*	P	P	P	P	P
Hornet Gold (EAU)*				P	P
Slate Grey (K21)*				P	Р
White Diamond (QX1)					S
myNissan Ownership					
myNissan Service Certainty <sup>µ</sup>	•	•	•	•	•
3 year/100,000 kms Warranty++	•	•	•	•	•
3 year 24-Hour Roadside Assistance Program <sup>++</sup>	•	•	•	•	•
Genuine Nissan Extended Warranty ◊	Opt	Opt	Opt	Opt	Opt

Diesel			
Towball download	Reduce Loaded Vehicle Mass		
Okg	GVM** (All Variants)		
100kg	below GVM** by 130kg		
200kg	below GVM** by 280kg		
300kg	below GVM** by 410kg		

If the laden vehicle's mass is reduced as shown in the tables, the towball download can be increased correspondingly. Accordingly, if the laden mass of diesel variants is 410kg less than the GVM\*\*, a towball download of 300kg is approved. Different trailer types and different trailer manufacturers have varying towball downloads. The customer will need to contact the trailer manufacturer for information as to the download. Nissan is not able to make any recommendation on the use or suitability of load-levelling or weight distribution devices to be fitted to the vehicle. Customers should contact the manufacturers of these devices for further information.

- \*\* GVM = Gross Vehicle Mass. GVM is the maximum laden mass of a motor vehicle.
- Kerb mass = unladen mass of vehicle with full fuel, excludes tray body for Cab Chassis vehicles.
- A Payload is the GVM minus the Kerb mass. The kerb mass does not include passengers, luggage, cargo, any accessories fitted or any towball download (as appropriate). Payload is distributed across both the front and rear axles, never exceed the GVM or the axle limits.
- Indicates a premium paint, which is available at extra cost.
- Figures have been calculated in accordance with ADR81/02 (combined fuel consumption data). Actual fuel consumption will vary depending on driving conditions, driver behaviour, the condition of your vehicle and the accessories fitted.
- † Towing capacity is subject to towbar/towball capacity and vehicle laden condition. The capacity may be reduced if a nongenuine Nissan towbar is fitted. The permitted download is directly related to the laden mass of vehicle.
- Features vary by grade.
- ^ iPod is a registered trade mark of Apple Inc.
- <sup>‡</sup> Leather accented features and upholstery may contain synthetic material.
- Ask your Nissan Dealer to explain exactly what items are covered in each Scheduled Service. Applies for up to 6 years/120,000kms (whichever occurs first). Some exclusions apply. Ask your Nissan Dealer or visit nissan.com.au/service to find out more and for full terms and conditions.
- New Vehicle Warranty expires 36 months from date of first registration or after 100,000km (whichever comes first).
  Conditions apply. See nissan.com.au for more details.
- Terms and conditions apply, please visit nissan.com.au/roadsideassistance.
- Conditions apply, Ask your Nissan Dealer or visit nissan.com.au for full terms and conditions.





For more information please visit nissan.com.au/owners ask your Nissan Dealer or phone 1800 035 035 during normal AEST business hours.

Follow us: @Nissan\_Aus



Check out: NissanAustralia Channel





Interior cloth seat trim (DX, RX and ST models only).



Interior leather accented seat trim<sup>‡</sup> (ST-X).

All illustrations, information and specifications presented and referred to in this brochure were correct at the time this brochure was approved for printing. The colours in the photographs may vary from actual colours. However, Nissan Motor Co (Australia) Pty. Ltd. reserves the right, subject to the laws of Australia and/or the regulations of any competent authority which may apply from time to time, at its discretion at anytime and without prior notice to discontinue or change the models, features, specifications, designs and prices of the products referred to in this brochure and any optional equipment therefore without incurring any liability whatsoever to any purchaser or prospective purchaser of any such products. Some of the items referred to herein are optional at extra cost. Some options may be required in combination with other options. Always consult your Nissan Dealer for the latest information on models, specifications, features, prices, options and availability. Nissan Motor Co (Australia) Pty. Ltd. ACN 004 663 156. Updated September 2015. NAV0809