

## NISSAN NP300 NAVARA SINGLE CAB SPECIFICATIONS

Specifications	Single Cab DX Cab Chassis 4x2	Single Cab RX Cab Chassis 4x2	Single Cab DX Cab Chassis 4x4	Single Cab RX Cab Chassis 4x4
Engine				
(\$23DDT 2.3 litre intercooled single turbo-diesel, DOHC		•	•	•
QR25DE 2.5 litre petrol, DOHC	•	0000	0000	0000
Displacement (cc)	2488	2298	2298	2298
Ore x stroke (mm)	89.0 x 100.0 10.1	85.0 x 101.3 15:4	85.0 x 101.3 15:4	85.0 x 101.3 15:4
ompression ratio Maximum power (kW@rpm)	122@6000	120@3750	120@3750	120@3750
laximum torque (Nm@rpm)	238@4000	403@1500-2500	403@1500-2500	403@1500-2500
	200@4000	403@1300-2300	403@1300-2300	403@1300-2300
fultipoint fuel injection	•	•	•	•
ommon rail direct injection		•	•	•
Fransmission				
-speed manual	•	•	•	•
-speed automatic with manual mode				Opt
ransfer case - Dual range 4x4 with electronic 4WD selection			•	•
atio 1st (manual/automatic)	4.685	4.685	4.685	4.685/4.886
atio 2nd (manual/automatic)	2.478	2.478	2.478	2.478/3.169
atio 3rd (manual/automatic)	1.623	1.623	1.623	1.623/2.027
atio 4th (manual/automatic)	1.207	1.207	1.207	1.207/1.411
atio 5th (manual/automatic)	1.000	1.000	1.000	1.000/1.000
atio 6th (manual/automatic)	0.808	0.808	0.808	0.808/0.864
· · · · · · · · · · · · · · · · · · ·	0.000	U.0U0	0.000	
atio 7th (automatic)	,			0.774
atio Reverse (manual/automatic)	4.709	4.709	4.709	4.709/4.041
inal drive (manual/automatic)	3.916	3.538	3.357	3.538/3.357
ransfer ratio - low			2.717	2.717
ransfer ratio - high			1.000	1.000
Dimensions				
verall length (mm)	5120	5120	5120	5120
verall width (excluding mirrors) (mm)	1790	1790	1790	1790
verall height (without roof rail) (mm)	1720	1745	1735	1765
/heelbase (mm)	3150	3150	3150	3150
ack Front /Rear (mm)	1560/1560	1550/1550	1560/1560	1550/1550
lin. turning circle (kerb to kerb) (m)	11.8	11.8	11.8	11.8
round clearance unladen (mm)	194	215	195	221
verhang - Front (mm)	870	870	870	870
verhang - Rear (mm)	1100	1100	1100	1100
pproach Angle (degrees)	29.5	31.6	30.8	32.4
Jeparture Angle (degrees)	23.0	23.3	23.3	24.3
amp breakover angle (degrees)	19.7	21.5	20.9	22.8
Veights	I			
ross Vehicle Mass (GVM**) (kg)	2550	2910	2800	2910
ross Combined Mass (GCM) (kg)	4138	5910	5910	5910
erb mass incl options (kg) manual/automatic (kg)	1322	1548	1604	1626/1632
ayload <sup>a</sup> manual/automatic (kg)	1228	1362	1196	1284/1278
ross front axle (kg)	1320	1320	1320	1320
ross rear axle (kg)	1530	1750	1700	1750
			,	
Related Towing Capacity† railer without brakes (kg)	750	750	750	750
aller without drakes (kg)  aller with brakes (kg)	1588	3500	3500	3500
owball download (kg)	See table	See table	See table	See table
Fuel				
commended fuel type (minimum)	91 RON	Diesel	Diesel	Diesel
uel tank capacity (litres)	80	80	80	80
uel consumption (combined ADR 81/02) (manual/automatic)™ 1/100km	9.9	6.4	6.6	6.6/7.1
$O_2$ emissions (manual/automatic) (g/km)	230	169	174	174/187
Machaniasi				
Wechanical ront brakes - ventilated discs	•	•	•	•
ear brakes - drum	•	•	•	•
ront suspension - Independent double-wishbone with front stabiliser bar ear suspension - Leaf spring	•	•	•	•
	•	•	•	•



## NP300 NAVARA SINGLE CAB SPECIFICATIONS

Specifications	Single Cab DX Cab Chassis 4x2	Single Cab RX Cab Chassis 4x2	Single Cab DX Cab Chassis 4x4	Single Cab RX Cab Chassis 4x4
Wheels/Tyres		Can chacols in	The state of the s	The state of the s
15" steel wheels with 195/R15C tyres	•		•	
16" steel wheels with 205/R16C tyres		•		•
Full-size spare wheel (steel)	•	•	•	•
Interior				
Seating capacity	2	2	2	2
6-way driver seat with manual slide/recline/height adjustment	•	•	•	•
Front passenger seat with manual slide & recline	•	•	•	•
Front headrests with up/down adjustment	•	•	•	•
Seat Trim	Cloth	Cloth	Cloth	Cloth
Single CD player, AM/FM radio, AUX & USB/iPod^ connectivity	•	•	•	•
Steering wheel audio controls	•	•	•	•
Speakers	4	4	4	4
Bluetooth® handsfree phone system via steering wheel controls	•	•	•	•
Bluetooth® audio streaming	•	•	•	•
Cruise control	•	•	•	•
Manual tilt adjustable steering column	•	•	•	•
Air-conditioning with heater controls	•	•	•	•
Remote keyless entry		•		•
Urethane steering wheel, shift lever	•	•	•	•
Front black interior door handles	•		•	
Front chrome interior door handles		•		•
Front passenger assist grips (2)	•	•	•	•
Centre console storage	•	•	•	•
Glove compartment	•	•	•	•
Dashboard upper storage tray	•	•	•	•
Front door storage pockets	•	•	•	•
Front row cup holders (4) & bottle holders (2)	•	•	•	•
Driver & front passenger sun visors	•	•	•	•
Driver & front passenger illuminated vanity mirrors		•		•
Sunglasses holder (overhead console)	•	•	•	•
Power windows with driver auto up/down	•	•	•	•
Day/night rear view mirror with manual anti-dazzle	•	•	•	•
Front map lights (2)	•	•	•	•
Front door operated interior lights	•	•	•	•
Rear window demister		•		•
12 volt power socket (3)	•	•	•	•
Vinyl floor covering	•		•	
Floor Carpet		•		•
Instrumentation				
Speedometer, tachometer, odometer, trip meter	•	•	•	•
Instant to average fuel economy, distance to empty	•	•	•	•
Digital clock	•	•	•	•
Safety/Security				
Anti-lock Braking System (ABS) and Electronic Brakeforce Distribution (EBD)	•	•	•	•
Traction Control System (TCS)	•	•	•	•
Vehicle Dynamic Control (VDC) with Brake Limited Slip Differential (BLSD)	•	•	•	•
Active Brake Limited Slip (ABLS)			•	•
Brake Assist (BA)	•	•	•	•
Driver & front passenger front-impact SRS airbags	•	•	•	•
Driver & front passenger side-impact SRS airbags	•	•	•	•
Driver knee airbag	•	•	•	•
Front to rear SRS curtain airbags	•	•	•	•
3-point Emergency Locking Retractor (ELR) seatbelts (all seats)	•	•	•	•
Driver & front passenger seatbelts with load limiters & pre-tensioners	•	•	•	•
Driver & front passenger seatbelt height adjustment	•	•	•	•
Driver & front passenger seatbelt warning	•	•	•	•
Daytime running lights	•	•	•	•
Automatic on/off headlights - twilight detection	•	•	•	•
Hazard warning lights	•	•	•	•
LED high mounted stop light	•	•	•	•



## NISSAN NP300 NAVARA SINGLE CAB SPECIFICATIONS

Specifications	Single Cab DX Cab Chassis 4x2	Single Cab RX Cab Chassis 4x2	Single Cab DX Cab Chassis 4x4	Single Cab RX Cab Chassis 4x4
ollapsible steering coloumn	•	•	•	•
or side intrusion bars	•	•	•	•
ne body structure	•	•	•	•
ont & rear crumple zones	•	•	•	•
ont variable intermittent windscreen wipers	•	•	•	•
oor ajar warning light (all doors)	•	•	•	•
issan Anti-Theft System (NATS) vehicle immobiliser	•	•	•	•
ehicle Security System (VSS) alarm		•		•
exterior				
alogen headlights	•	•	•	•
ntenna	•	•	•	•
lack door mirrors	•		•	
hrome door mirrors		•		•
oor mirrors with power adjustment & manual folding	•	•	•	•
ront bumper body colour	•	•	•	•
lack door handles	•		•	
hrome door handles		•		•
-Motion silver finish front grille	•		•	
-Motion Chrome front grille		•		•
ront mudflaps	•	•	•	•
ront towing hook	•	•	•	•
ockable fuel lid	•	•	•	•
Colours				
olar White (QM1)	S	S	S	S
rilliant Silver (K23) *	P	Р	Р	Р
nyNissan Ownership		1		
nyNissan Service Certainty <sup>µ</sup>	•	•	•	•
year/100,000 kms Warranty **	•	•	•	•
year 24-Hour Roadside Assistance Program <sup>++</sup>	•	•	•	•
enuine Nissan Extended Warranty o	Opt	Opt	Opt	Opt

Diesel		
Towball download	Reduce Loaded Vehicle Mass	
Okg	GVM** (All Variants)	
100kg	below GVM** by 130kg	
200kg	below GVM** by 280kg	
300kg	below GVM** by 410kg	

Petrol		
Towball download	Reduce Loaded Vehicle Mass	
Okg	GVM** (All Variants)	
100kg	below GVM** by 110kg	
160kg	below GVM** by 200kg	
200kg	below GVM** by 260kg	

If the laden vehicle's mass is reduced as shown in the tables, the towball download of 300kg is approved. For petrol variants, if the laden mass of diesel variants is 410kg less than the GVM\*\*, a towball download of 200kg is approved. Different trailer types and different trailer manufacturers have varying towball downloads. The customer will need to contact the trailer manufacturer for information as to the download. Nissan is not able to make any recommendation on the use or suitability of load-levelling or weight distribution devices to be fitted to the vehicle. Customers should contact the manufacturers of these devices for further information.



## NISSAN NP300 NAVARA SINGLE CAB SPECIFICATIONS

- \*\* GVM = Gross Vehicle Mass. GVM is the maximum laden mass of a motor vehicle.
- ~ Kerb mass = unladen mass of vehicle with full fuel, excludes tray body for Cab Chassis vehicles.
- A Payload is the GVM minus the Kerb mass. The kerb mass does not include passengers, luggage, cargo, any accessories fitted or any towball download (as appropriate). Payload is distributed across both the front and rear axles, never exceed the GVM or the axle limits.
- \* Indicates a premium paint, which is available at extra cost.
- Figures have been calculated in accordance with ADR81/02 (combined fuel consumption data). Actual fuel consumption will vary depending on driving conditions, driver behaviour, the condition of your vehicle and the accessories fitted.
- † Towing capacity is subject to towbar/towball capacity and vehicle laden condition. The capacity may be reduced if a non genuine Nissan towbar is fitted. The permitted download is directly related to the laden mass of vehicle.
- ^ iPod is a registered trade mark of Apple Inc.
- Ask your Nissan Dealer to explain exactly what items are covered in each Scheduled Service. Applies for upto 6 years/120,000kms (whichever occurs first). Some exclusions apply. Ask your Nissan Dealer or visit nissan.com.au/service to find out more and for full terms and conditions.
- \*\*\* New Vehicle Warranty expires 36 months from date of first registration or after 100,000km (whichever comes first). Conditions apply. See nissan.com.au for more details.
- Terms and conditions apply, please visit nissan.com.au/roadsideassistance.
- Ocnditions apply. Ask your Nissan Dealer or visit nissan.com.au for full terms and conditions.

All illustrations, information and specifications presented and referred to in this brochure were correct at the time this brochure was approved for printing. The colours in the photographs may vary from actual colours. However, Nissan Motor Co (Australia) Pty. Ltd. reserves the right, subject to the laws of Australia and/or the regulations of any competent authority which may apply from time to time, at its discretion at anytime and without prior notice to discontinue or change the models, features, specifications, designs and prices of the products referred to in this brochure and any optional equipment therefore without incurring any liability whatsoever to any purchaser or prospective purchaser of any such products. Some of the items referred to herein are optional at extra cost. Some options may be required in combination with other options. Always consult your Nissan Dealer for the latest information on models, specifications, features, prices, options and availability. Nissan Motor Co (Australia) Pty. Ltd. ACN 004 663 156. Updated October 2015. NAV0819



Interior cloth seat trim





For more information please visit nissan.com.au/owners ask your Nissan Dealer or phone 1800 035 035 during normal AEST business hours.

Follow us: @Nissan Aus

Like us: Nissan

Check out: NissanAustralia Channel





