



# A RANGE OF POWERFUL ENGINES

Whatever sort of work you've got to do, there's a Nissan Navara with the right sized engine to get it done.

# **V6 TURBO-DIESEL**

Available in the ST-X and ST-X 550 Dual Cab models, this powerhouse of an engine serves up 550Nm of torque and 170kW of power. It's the only V6 available in a Dual Cab, so it's no wonder it's called Australia's Most Powerful Tradie. In addition to all the power, it offers excellent fuel economy and low emissions.

NAVARA

# **140kW TURBO-DIESE**

The ST Dual Cab 4WD is more powerful than ever. It now delivers 140kW of power and 450Nm of torque, for the grunt you need onsite as well as effortless highway driving. So whether you're loaded up with work gear or loaded up with kids on the weekend, it's ready to go.

# 120kW TURBO-DIESE

The ST Dual Cab now comes in 2WD, with 120kW of power and 403Nm of torque providing the driving comfort all Navara models are renowned for.

## 126kW TURRO-DIESE

This engine is available in a variety of Nissan Navara models; RX 4x4 Dual Cab Pickup and Cab Chassis, RX King Cab 4x4 Cab Chassis, and ST-X King Cab Pickup and Cab Chassis. This engine delivers the fuel economy and low-down torque that the Nissan Navara is renowned for.

# 106WW THERO.DIESE

Available in the RX Dual Cab 4x2 and RX Single Cab 4x4, this is your tough workhorse with more than enough power to get the job done. Tough, reliable and hard-working, this is a workmate you'll be happy to have onsite.

# Every Nissan Navara features ABS, which provides optimum braking performance to help prevent wheel lock-up in panic-braking situations. EBD automatically varies the amount of force applied to each of the vehicle's brakes depending on road conditions, speed and loading. All variants have front driver and passenger SRS airbags, while the ST, ST-X and ST-X 550 Dual Cab models have the added safety of side impact SRS airbags and front to rear SRS curtain airbags; giving you the protection of six airbags Front and rear crumple zones plus door intrusion bars create a safety cocoon for the driver and passengers in the event of a collision. VDC, also known as Electronic Stability Control, is a safety system to help keep you on your intended path. If VDC senses that your vehicle is starting to oversteer or understeer, the engine power is reduced or braking power applied to specific wheels to help you maintain control (excluding 4x2 ST Dual Cab). ST-X Dual Cab 4x4 interior.



Link your compatible mobile phone to make and receive calls safely. Steering wheel controls come standard on the ST, ST-X and ST-X 550 Dual Cab models.

All models feature a CD player, iPod<sup>†</sup> connectivity via USB port and an auxiliary input jack for MP3 player connection.

Choose the top of the line ST-X 550 and enjoy the crispness and depth of sound provided by an extraordinary audio system with Bose® speakers, a CD player and AM/FM radio. You can load your favourite tracks into a 9.3GB Music Box Hard Drive and then listen to them through the 6 speakers and a subwoofer.

Achieve your perfect driving position at the touch of a button.

You'll really appreciate the extra comfort provided by the leather-trimmed heated seats (Front seats heated only).

Get where you're going quickly and easily. The HDD satellite navigation system with 3D mapping appears on the 7" integrated colour display with touch screen.

The rear camera with Predictive Path Technology makes parking easy by ensuring you avoid obstacles when reversing.

# **DVD PLAYER**\*

When you're not being entertained by the sheer joy of driving a Nissan Navara, you can enjoy some other entertainment provided by the DVD player.

\*ST-X 550 Dual Cab model only. †iPod is a registered trademark of Apple Inc.



With a Nissan Navara, what you can get in the back is just as important as what you can get inside. On Dual Cab and ST-X King Cab Pick Up models, the rear tray bed is long, deep and wide to provide a large and versatile load carrying space. The RX Single Cab, RX/ST-X King Cab and RX Dual Cab Chassis models give you the option to carry your own customised tray to suit the job at hand.

UTILI-TRACK SYSTEM™
The ST, ST-X and ST-X 550 Dual Cab models feature an ingenious five channel Utili-Track System™ that makes loading simple, quick and safe. You can move the heavy-duty cleats along channels to wherever you need a tie-down point. Lock the cleats into place and you're able to carry just about any kind of load securely.

# Altitude Blue ST-X Dual Cab 4x4. vehicle in top condition. expiry reminders.

A complete ownership experience to help you get the most out of your Nissan.

Receive assurance with a 3 year/100,000kms warranty with the option of extending further for up to 6 years.

No matter where you're planning to journey, you'll have the peace of mind of knowing that if you lock your keys in the car, have a flat tyre or battery, or run out of fuel, we'll help get you back on the road at no charge.

For 6 years or 120,000kms' you'll always know the maximum price you'll pay when you come in for your next Scheduled Service at any Nissan Dealer.

Using dedicated diagnostic equipment and genuine parts they'll keep your

MYNISSAN IPHONE APP
Request roadside assistance and advise of your location using your phone's GPS, plan trips, search for locations, plus set registration, service and parking

Your Nissan Dealer can show you a variety of accessories to protect, enhance and personalise your Nissan Navara.

Choose from a range of finance options at very competitive rates and terms, as well as various insurance solutions to protect you and your vehicle.

In the unlikely event that your Nissan Navara is off road for more than 24 hours due to repair, we'll provide you with a loan vehicle until it's back on the road.

# my nissan

†Terms and conditions apply, please visit nissan.com.au/roadsideassistance.

Ask your Nissan Dealer to explain exactly what items are covered in each Scheduled Service. Applies to the first 12 X 10,000kms scheduled service intervals for up to 6 years/120,000kms (whichever occurs first). Some exclusions apply. Ask your Nissan Dealer or visit nissan.com.au/cpstcs for full terms and conditions.

^Offer is subject to availability as well as terms and conditions of use.

# NAVARA ■ 170kW 3.0 litre V6 turbo-diesel with 550Nm of torque Front, side and curtain airbags ■ 17" alloy wheels Three child restraint anchorage points ■ Privacy glass Three-point seatbelts for all passengers Front fog lights Anti-lock Braking System (ABS) and Electronic Brakeforce Distribution (EBD) Power folding door mirrors Smoked bonnet protector ■ Vehicle Dynamic Control (VDC) with Active Brake Limited Slip Differential (ABLS) Black satin finish sports bar ■ Side steps ■ Audio System with Bose® speakers and 1 subwoofer ■ Engine immobiliser ■ 5 channel Utili-Track System™ Bluetooth® handsfree phone system Steering wheel controls for audio, cruise control, drive computer and Bluetooth® Reversing Camera with predictive path technology Protective tub liner and rear tailgate lock 3,000kg braked towing capacity (trailer with brakes) HDD Satellite Navigation with 3D mapping and 7" integrated colour display with touch screen and steering wheel controls ■ 7-speed automatic transmission with manual mode ■ 60/40 split-fold and flip-up rear seats Rear under seat storage with net cover DVD player from front colour display Leather seat trim

■ 8-way power adjustable driver's seat

Front heated seats

Single CD player with AM/FM radio

# ST-X 4X4 DUAL CAB ■ 170kW 3.0 litre V6 turbo-diesel with 550Nm of torque ■ 17" alloy wheels Privacy glass Front fog lights ■ Power folding door mirrors Side steps and alloy sports bar ■ 5 channel Utili-Track System™ 3,000kg braked towing capacity (trailer with brakes) 7-speed automatic transmission with manual mode 60/40 split-fold and flip-up rear seats Rear under seat storage with net cover Front, side and curtain airbags Three child restraint anchorage points ■ Three-point seatbelts for all passengers Anti-lock Braking System (ABS) and Electronic Brakeforce Distribution (EBD) Vehicle Dynamic Control (VDC) with Active Brake Limited Slip Differential (ABLS) Engine immobiliser Cruise control NAVARA ■ Bluetooth® handsfree phone system Single CD player with AM/FM radio ■ iPod<sup>^</sup> connectivity via USB port Steering wheel controls for audio, cruise control, drive computer and Bluetooth® Fine vision instrument display and drive computer ^iPod is a registered trade mark of Apple Inc. Flame Red ST-X Dual Cab 4x4.

# ST DUAL CAB 4X2

- 120kW turbo-diesel with 403Nm of torque
- 17" alloy wheels
- Side steps and alloy sports bar
- 5 channel Utili-Track System™
- 2,000kg braked towing capacity
- Choice of 6-speed manual or 5-speed automatic transmission with manual mode
- 60/40 split-fold and flip-up rear seats
- Front, side and curtain airbags
- Three child restraint anchorage points
- Three-point seatbelts for all passengers
- Anti-lock Braking System (ABS) and Electronic Brakeforce Distribution (EBD)
- Cruise control
- Bluetooth® handsfree phone system
- Single CD player with AM/FM radio
- iPod^ connectivity via USB port
- Steering wheel controls for audio, cruise control, drive computer and Bluetooth<sup>®</sup>
- Drive computer

# ST DUAL CAB 4X4

# ALL THE FEATURES OF THE ST DUAL CAB 4x2 PLUS:

- 140kW turbo-diesel with 450Nm of torque
- Vehicle Dynamic Control (VDC) with Active Brake Limited Slip Differential (ABLS)
- 3,000kg braked towing capacity
- 4WD System

^iPod is a registered trade mark of Apple Inc.

NAVARA





# ST, ST-X AND ST-X 550 DUAL CAB MODELS

ST Dual Cab Model shown.









**RX/ST-X KING CAB AND RX DUAL CAB MODELS** 

ST-X Pick Up King Cab Model shown.



**RX SINGLE CAB MODEL** 





















2.5 litre intercoolea turdo-alesel, duhu	•	•									
3.0 litre V6 intercooled turbo-diesel, DOHC										•	•
Displacement (cc)	2488	2488	2488	2488	2488	2488	2488	2488	2488	2993	2993
Bore x stroke (mm)	89x100	89x100	89x100	89x100	89x100	89x100	89x100	89x100	89x100	84x90	84x90
Max power (kW@rpm)	106@4000	126@4000	126@4000	126@4000	106@4000	126@4000	126@4000	120@4000	140@4000	170@3750	170@3750
Max torque (Nm@rpm)	356@2000	403@2000	403@2000	403@2000	356@2000	403@2000	403@2000	403@2000	450@2000	550@1750	550@1750
				_			_		_		
Transmission	l										
6-speed manual	•	•	•	•	•	•	•	•	•		
5-speed automatic		Opt	Opt	Opt	Opt	Opt	Opt				
5-speed automatic with manual mode								Opt	Opt		
7-speed automatic with manual mode										•	•
Transfer case - Dual range 4x4 with electric 4WD selection	•	•	•	•		•	•		•	•	•
Ratio 1st manual	4.692	4.692	4.692	4.692	4.692	4.692	4.692	4.692	4.692		
Ratio 2nd manual	2.705	2.705	2.705	2.705	2.705	2.705	2.705	2.705	2.705		
Ratio 3rd manual	1.747	1.747	1.747	1.747	1.747	1.747	1.747	1.747	1.747		
Ratio 4th manual	1.291	1.291	1.291	1.291	1.291	1.291	1.291	1.291	1.291		
Ratio 5th manual	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000		
Ratio 6th manual	0.827	0.827	0.827	0.827	0.827	0.827	0.827	0.827	0.827		
Ratio reverse manual	4.260	4.260	4.260	4.260	4.260	4.260	4.260	4.260	4.260		
Final drive manual	3.538	3.692	3.692	3.692	3.538	3.692	3.692	3.538	3.692		
Ratio 1st automatic	0.000	3.827	3.827	3.827	3.827	3.827	3.827	3.827	3.827	4.886	4.886
Ratio 2nd automatic		2.368	2.368	2.368	2.368	2.368	2.368	2.368	2.368	3.169	3.169
Ratio 3rd automatic		1.519	1.519	1.519	1.519	1.519	1.519	1.520	1.520	2.027	2.027
Ratio 4th automatic		1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.411	1.411
Ratio 5th automatic		0.834	0.834	0.834	0.834	0.834	0.834	0.834	0.834	1.000	1.000
Ratio 6th automatic		0.004	0.004	0.007	0.001	0.001	0.001	0.001	0.001	0.864	0.864
Ratio 7th automatic										0.774	0.774
Ratio reverse automatic		2.613	2.613	2.613	2.613	2.613	2.613	2.613	2.613	4.041	4.041
Final drive automatic		3.538	3.538	3.538	3.538	3.538	3.357	3.357	3.538	3.133	3.133
Transfer ratio - low	2.625	2.625	2.625	2.625	0.000	2.625	2.625	3.301	2.625	2.625	2.625
Transfer ratio - high	1.000	1.000	1.000	1.000		1.000	1.000		1.000	1.000	1.000
Hallster ratio - myn	1.000	1.000	1.000	1.000		1.000	1.000		1.000	1.000	1.000
Dimensions	ı										
Overall length (mm)	5140	5125	5125	5230	5125	5125	5125	5296	5296	5296	5296
Overall width (excluding mirrors) (mm)	1795	1850	1850	1850	1850	1850	1850	1848	1848	1848	1848
	1740	1770	1770	1770	1780	1780	1780	1788	1795	1795	1795
Overall height (w/o roof rail) (mm)	3200	3200	3200	3200	3200	3200	3200	3200	3200	3200	3200
Wheelbase (mm) Track front/rear (mm)	1550/1550	1570/1570	1570/1570	1570/1570	1570/1570	1570/1570	1570/1570	1570/1570	1570/1570	1570/1570	1570/1570
	12.5	13.2	13.2	13.2	13.2	13.2	13.2	13.4	13.3	13.3	13.3
Minimum, turning circle kerb to kerb (m)	1637#					1989/2005		1878/1893		2060	2104
Tare mass incl options (kg)* manual/automatic		1753/1783#	1787/1817#	1957/1987	1884/1899		1849/1865* 2860		1937/1977	3010	3010
Gross Vehicle Mass (GVM**) (kg)	2860	2860	2860	2860	2860	2860		2805	2805		
Carrying capacity (kg) manual/automatic	1223 <sup>∆</sup> (manual)	1107/10774	1073/1043	903/873	976/961	871/855	1011/995	927/912	868/828	, ,,,	906 (automatic only)
Ground clearance unladen (mm)	190	205	205	205	205	205	205	227	228	228	228
Overhang - front	800	800	800	800	800	800	800	866	866	866	866
Overhang - rear	1140	1125	1125	1230	1230	1125	1125	1230	1230	1230	1230
Angle of approach	32.0	32.0	32.0	32.0	32.0	32.0	32.0	30.0	30.0	30.0	30.0
Angle of departure	27.5	27.5	27.5	24.0	27.5	27.5	27.5	24.0	24.0	24.0	24.0
Tray length floor (mm)				1865	1513	1513		1511	1511	1511	1511
Tray length top (mm)				1830	1480	1480		1487	1487	1487	1487
Tray width floor (mm)				1560	1550	1550		1560	1560	1560	1560
Tray width top (mm)				1495	1494	1494		1496	1496	1496	1496
Tray width between wheel arches (mm)				1135	1134	1134		1130	1130	1130	1130
Tray width tailgate opening width				1435	1435	1435		1432	1432	1432	1432
Tray height (mm)	1			454	454	454		457	457	457	457

2.5 litre intercooled turbo-diesel, DOHC

Specifications	Single Cab RX CC 4x4 Diesel	King Cab RX CC 4x4 Diesel	King Cab ST-X CC 4x4 Diesel	King Cab ST-X PU 4x4 Diesel	Dual Cab RX PU 4x2 Diesel	Dual Cab RX PU 4x4 Diesel	Dual Cab RX CC 4x4 Diesel	Dual Cab ST PU 4x2 Diesel	Dual Cab ST PU 4x4 Diesel	Dual Cab ST-X PU 4x4 Diesel	Dual Cab ST-X 550 4x4 Diesel
Rated Towing Capacity <sup>†</sup>											
Trailer with brakes (kg)	3000	3000	3000	3000	2000	3000	3000	2000	3000	3000	3000
Trailer without brakes (kg)	750	750	750	750	750	750	750	750	750	750	750
Towball download (kg)	See Table	See Table	See Table	See Table	See Table	See Table	See Table	See Table	See Table	See Table	See Table
Gross front axle (kg)	1365	1365	1365	1365	1365	1365	1365	1365	1365	1530	1530
Gross rear axle (kg)	1720	1720	1720	1720	1720	1720	1720	1720	1720	1717	1717
Fuel											
Fuel type - diesel	•	•	•	•	•	•	•	•	•	•	•
Fuel tank capacity (litres)	80	80	80	80	80	80	80	80	80	80	80
Fuel consumption I/100km (combined ADR 81/02) <sup>®</sup> (manual)	9.3	9.8	9.8	9.8	9.1	9.8	9.8	8.3	8.5	00	00
Fuel consumption I/100km (combined ADR 81/02) <sup>∞</sup> (automatic)	0.0	10.5	10.5	10.5	9.9	10.5	10.5	8.7	9.0	9.3	9.3
Tuel consumption // Tookin (combined ADN 01702) (automatic)		10.0	10.0	10.0	0.0	10.0	10.0	0.1	3.0	0.0	0.0
Mechanical											
Front brakes - ventilated discs	•	•	•	•	•	•	•	•	•	•	•
Rear brakes - drum	•	•	•	•	•	•	•	•	•	•	•
Front suspension - independent double wishbone with coil over shock	•	•	•	•	•	•	•	•	•	•	•
Rear suspension - rigid axle with leaf spring	•	•	•	•	•	•	•	•	•	•	•
Rack and pinion power assisted steering	•	•	•	•	•	•	•	•	•	•	•
Mechanical limited slip differential	•	•	•	•	•	•	•	•			
Wheels/Tyres	l										
16x6 J steel wheels with 205/R16C tyres	•										
16x7 J steel wheels with 255/70R16 tyres		•			•	•	•				
16x7 J alloy wheels with 255/70R16 tyres			•	•							
17x7 J alloy wheels with 255/65R17 tyres								•	•	•	•
Spare Steel Wheel	•	•	•	•	•	•	•	•	•	•	•
opare otoer wheel											
Interior											
Seating capacity	2	4	4	4	5	5	5	5	5	5	5
Driver's seat height adjust										•	•
8-way power adjustable driver's seat											•
Seat trim	Cloth	Cloth	Cloth	Cloth	Cloth	Cloth	Cloth	Cloth	Cloth	Cloth	Leather
Front heated seats											•
60/40 split fold rear bench seat								•	•	•	•
Flip up rear seats		•	•	•				•	•	•	•
Fold down rear seats					•	•	•	•	•	•	•
Air-conditioning with rotary type heater controls	•	•	•	•	•	•	•				
Air-conditioning with dual zone climate control								•	•	•	•
External temperature display								•	•	•	•
Power windows	•	•	•	•	•	•	•	•	•	•	•
Remote central locking	•	•	•	•	•	•	•	•	•	•	•
Tilt adjustable steering	•	•	•	•	•	•	•	•	•	•	•
Single CD player with AM/FM radio											
6 CD in-dash auto-changer with AM/FM radio	-	-	•	•	-		-	-	-		
Audio system with Bose® speakers											•
								•	•	•	•
Audio unit - speed sensing volume	0	n	A	A	A.	,A	A	6			
Speakers	2	2	4	4	4	4	4	b	6	6	6 & subwoofer
Bluetooth® handsfree phone system	•	•	•	•	•	•	•	_	_	_	_
Bluetooth® handsfree phone system via steering wheel controls								•	•	•	•
Auxiliary MP3 player input jack	•	•	•	•	•	•	•	•	•	•	•
iPod^ connectivity via USB connection	•	•	•	•	•	•	•	•	•	•	•
HDD Satellite Navigation with 3D mapping and 7" integrated colour display with touch screen and steering wheel controls											•
											•
											-
9.3GB Music Box Hard Drive											•
DVD player from front colour display 9.3GB Music Box Hard Drive Removable rear under seat storage with net cover										•	•

Specifications	Single Cab RX CC 4x4 Diesel	King Cab RX CC 4x4 Diesel	King Cab ST-X CC 4x4 Diesel	King Cab ST-X PU 4x4 Diesel	Dual Cab RX PU 4x2 Diesel	Dual Cab RX PU 4x4 Diesel	Dual Cab RX CC 4x4 Diesel	Dual Cab ST PU 4x2 Diesel	Dual Cab ST PU 4x4 Diesel	Dual Cab ST-X PU 4x4 Diesel	Dual Cab ST-X 550 4x4 Diesel
Sunglasses (overhead console)								•	•	•	•
Leather trimmed steering wheel and leather trimmed shift lever								•	•	•	•
Floor carpet			•	•				•	•	•	•
Custom red trimmed floor mats											•
Vinyl floor coverings	•	•			•	•	•				
12 volt power socket	•	•	•	•	•	•	•	•	•	•	•
Door pockets	•	•	•	•	•	•	•	•	•	•	•
Front seat back pocket(s)	•	•	•	•	•	•	•	Driver Only	Driver Only	Driver Only	Driver Only
Upper and lockable lower glovebox	•	•	•	•	•	•	•	Dilver only	Dilver unity	• Dilver unity	Dilver only
Centre console with lid	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	
Centre dashboard storage tray										-	•
Door drink/bottle holders	•	•	•	•	•	•	•	•	•	•	•
Front cup holder - in centre console	•	•	•	•	•	•	•	•	•	•	•
Rear cup holder - in centre console		•	•	•	•	•	•				
Illuminated ignition switch		•	•	•	•	•	•	•	•	•	•
Assist grip(s)	•	•	•	•	•	•	•	•	•	•	•
Door operated courtesy lights	•	•	•	•	•	•	•	•	•	•	•
Map lights					•	•	•	•	•	•	•
Driver's foot rest	•	•	•	•	•	•	•	•	•	•	•
Rear heater vents								•	•	•	•
Key ring											•
Instrumentation											
Drive computer (distance to empty, average fuel economy, fuel economy record, elapsed time, drive distance, average speed and maintainance information)										•	•
Drive computer (distance to empty, average speed, average fuel consumption, journey time)								•	•		
Odometer, tachometer and dual trip meters	•	•	•	•	•	•	•	•	•	•	•
Digital clock	•	•	•	•	•	•	•	•	•	•	•
4WD indicator	•	•	•	•		•	•		•	•	•
Distance to next service	•	•	•	•	•	•	•	•	•	•	•
Low fuel warning light	•	•	•	•	•	•	•	•	•	•	•
Automatic transmission indicator in dash		Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	•	•
Automatic transmission shift interlock		Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	•	•
Headlights on - audible warning	•	•	•	•	•	•	•	•	•	•	•
Safety				I			l .	I			1
Engine immobiliser	•	•	•	•	•	•	•	•	•	•	•
Driver and front passenger front-impact SRS airbags	•	•	•	•	•	•	•	•	•	•	•
Driver and front passenger side-impact SRS airbags								•	•	•	•
Front to rear SRS curtain airbags								•	•	•	•
Anti-lock braking system (ABS) and Electric Brake Distribution (EBD) Vehicle Dynamic Control (VDC) with Active Brake Limited	•	•	•	•	•	•	•	•	•	•	•
Slip Differential (ABLS)									•	•	•
Vehicle Dynamic Control (VDC)	•	•	•	•	•	•	•				
Turn-back safety power window (driver)								•	•	•	•
Collapsible steering column	•	•	•	•	•	•	•	•	•	•	•
Front seatbelts with load limiters and pretensioners	•	•	•	•	•	•	•	•	•	•	•
Front Emergency Locking Retractor (ELR) seatbelts	•	•	•	•	•	•	•	•	•	•	•
Rear Emergency Locking Retractor (ELR) seatbelts		•	•	•	•	•	•	•	•	•	•
Child restraint anchorages (3)									•	•	•
Child safety rear door locks					•	•	•	•	•	•	•
Door side intrusion bars	•	•	•	•	•	•	•	•	•	•	•
Multi-reflector headlights with headlight adjustment											
wuru-renector neaungints with neaungnt aujustment	•	•	•	•	•	•	•	•	•	•	•
and a sked out advance											
Laminated windscreen Day/night rear view mirror	•	•	•	•	•	•	•	•	•	•	•

Specifications	Single Cab RX CC 4x4 Diesel	King Cab RX CC 4x4 Diesel	King Cab ST-X CC 4x4 Diesel	King Cab ST-X PU 4x4 Diesel	Dual Cab RX PU 4x2 Diesel	Dual Cab RX PU 4x4 Diesel	Dual Cab RX CC 4x4 Diesel	Dual Cab ST PU 4x2 Diesel	Dual Cab ST PU 4x4 Diesel	Dual Cab ST-X PU 4x4 Diesel	Dual Cab ST-X 550 4x4 Diesel
Front variable intermittent & speed sensing windscreen wipers	•	•	•	•	•	•	•	•	•	•	•
Driver's seatbelt warning lamp	•	•	•	•	•	•	•	•	•	•	•
Door ajar warning light	•	•	•	•	•	•	•	•	•	•	•
Reversing Camera with Predictive Path Technology											•
Front Protection Accessory								Opt~	Opt~	Opt~	Opt~

Exterior											
Alloy sports bar				•				•	•	•	
Black Satin Sports bar with integrated high mounted stop light											•
Privacy Glass (2nd Row)										•	•
Front fog lights										•	•
channel Utili-Track system™								•	•	•	•
ie down points				•	•	•					
Protective tub liner				•							•
Smoked bonnet protector											•
Side steps			•	•				•	•	•	•
Antenna	•	•	•	•	•	•	•	•	•	•	•
Remote keyless entry (integrated into key)	•	•	•	•	•	•	•	•	•	•	•
ront bumper body colour	•	•	•	•	•	•	•	•	•	•	•
Chrome step type rear bumper				•				•	•	•	•
Chrome frame grille	•	•	•	•	•	•	•	•	•	•	•
ockable fuel lid	•	•	•				•	•	•	•	•
Remote fuel lid				•	•	•					
Front and rear mudflaps	Front	Front	Front	•	•	•	Front	•	•	•	•
ront towing hook	•	•	•	•	•	•	•	•	•	•	•
Power door mirrors	•	•	•	•	•	•	•	•	•	•	•
Power folding door mirrors with integrated indicator lights										•	•
Ooor mirrors	Body Coloured	Chrome	Chrome								
Door handles	Black	Black	Body Coloured	Body Coloured	Black	Black	Black	Black	Black	Black	Black
Rear window guard frame					•	•					

A . P . MICH . (000)											
Arctic White (326)								•	•	•	•
Silver Lightning (KLO)*								•	•	•	•
Tuscan (A32)*								•	•	•	•
Altitude Blue (RAK)*								•	•	•	•
Flame Red (Z10)								•	•	•	•
Midnight Black (GNO)*								•	•	•	•
Blue Velvet (BW9)								•	•	•	•
Brilliant Silver (K23)*	•	•	•	•	•	•	•				
Cosmic Black (G42)*		•	•	•	•	•	•				
Slate Grey (K21)*	•	•	•	•	•	•	•				
Polar White (QM1)	•	•	•	•	•	•	•				
Titanium (KAC)*		•	•	•	•	•	•				

Warranty											
3 year / 100,000kms	•	•	•	•	•	•	•	•	•	•	•
3 year 24-Hour Roadside Assistance Program	•	•	•	•	•	•	•	•	•	•	•
Genuine Nissan Extended Warranty	Opt										

- \*\* GVM = Gross Vehicle Mass. GVM includes the driver, passengers, full fuel tank and luggage. # Tare mass = unladen mass of vehicle and 10 litres of fuel, excludes tray body for Cab Chassis vehicles.
- △ Including optional tray.
- \* Indicates a metallic paint, which is available at extra cost.
- \* Figures have been calculated in accordance with ADR81/02 (combined fuel consumption data). Actual fuel consumption will vary depending on driving conditions, driver behaviour, the condition of your vehicle and the accessories fitted.
- † Towing capacity is subject to towbar/towball capacity. The capacity may be reduced if a non genuine Nissan towbar is fitted. The permitted download is directly related to the laden mass of vehicle. The maximum towball download is 300kg (4WD models).
- The fitment of front protection systems and accessories having a combined weight in excess of 55 kgs will require a Positive Bonnet Restraint System & Nissan H/D front suspension springs.
- ^iPod is a registered trade mark of Apple Inc.

Single and King Cab models					
Towball download	Vehicle Mass				
80kg	GVM** (All variants)				
100kg	Reduced loaded vehicle mass below GVM** by 30kg				
150kg	Reduced loaded vehicle mass below GVM** by 110kg				
200kg	Reduced loaded vehicle mass below GVM** by 185kg				
250kg	Reduced loaded vehicle mass below GVM** by 250kg				
300kg	Reduced loaded vehicle mass below GVM** by 310kg				

4WD Dual Cab models	
Towball download	Vehicle Mass
150kg	GVM** (All variants)
200kg	Reduced loaded vehicle mass below GVM** by 60kg
250kg	Reduced loaded vehicle mass below GVM** by 130kg
300kg	Reduced loaded vehicle mass below GVM** by 200kg

Towball download	Vehicle Mass
70kg	GVM** (All variants)
100kg	Reduced loaded vehicle mass to below GVM** by 40kg
50kg	Reduced loaded vehicle mass to below GVM** by 110kg
200kg	Reduced loaded vehicle mass to below GVM** by 180kg

If the loaded vehicle's rear mass is reduced as shown in the tables, the towball download can be increased correspondingly. Accordingly, if the laden mass is 180kg less than the GVM,\*\* a towball download of 200kg is approved (2WD). Different trailer types and different trailer manufacturers have varying towball downloads. The customer will need to contact the trailer manufacturer for information as to the download. Nissan is not able to make any recommendation on the use or suitability of load-levelling or weight distribution devices to be fitted to the vehicle. Customers should contact the manufacturers of these devices for further information.





FINANCIAL SERVICES

For more information please visit nissan.com.au/owners ask your Nissan Dealer or phone 1800 035 035 during normal business hours.

Follow us: @Nissan\_Aus

Like us: Nissan Navara Australia

Check out: NissanAustralia Channel







Interior leather seat trim (ST-X 550).



Interior cloth seat trim (ST and ST-X Dual Cab models).



Interior cloth seat trim (RX Single Cab, RX Dual Cab and RX/ST-X King Cab).

All illustrations, information and specifications presented and referred to in this brochure were correct at the time this brochure was approved for printing. The colours in the photographs may vary from actual colours. However, Nissan Motor Co (Australia) Pty. Ltd. reserves the right, subject to the laws of Australia and/or the regulations of any competent authority which may apply from time to time, at its discretion at anytime and without prior notice to discontinue or change the models, features, specifications, designs and prices of the products referred to in this brochure and any optional equipment therefore without incurring any liability whatsoever to any purchaser or prospective purchaser of any such products. Some of the items referred to herein are optional at extra cost. Some options may be required in combination with other options. Always consult your Nissan Dealer for the latest information on models, specifications, features, prices, options and availability. Nissan Motor Co (Australia) Pty. Ltd. ACN 004 663 156. Printed July 2012. NAV0537



nissan.com.au