

## Technical Information

## Specifications

SPEC AVAILABLE	CUP CUP PREMIUM	1 265 CUP PREMIUM 275			
Туре	2.0 litre F4R turbocha	arged Petrol			
Installation	Front, transverse, inclined	d rearward by 8°			
Capacity (cc)	1,998				
Number of cylinders/valves	4 (in-line) / 1 82.7 x 93				
Bore x stroke (mm)  Compression ratio	82.7 X 93 8.6 : 1				
Maximum power (kW @ rpm)	195 @ 5,500	201 @ 5,500			
Maximum torque (Nm @ rpm)	360 @ 3,00				
Fuel type (recommended)	Premium unleaded				
-uel injection type	Multipoint sequ	vential			
FRANSMISSION					
Гуре	6-speed manual with limite	d slip differential			
Driven wheels	Front				
Speeds at 1000 rpm in 1st gear	9.04	9.04			
<sup>2nd</sup> gear	14.28	14.3			
3 <sup>rd</sup> gear	20.05	20.07			
4 <sup>th</sup> gear	27.1	27.13			
5 <sup>th</sup> gear	34.09	34.13			
5 <sup>th</sup> gear	41.27	41.31			
STEERING					
Гуре	Electric varia				
Turning circle between kerbs (m)	11.35	11.05			
Furns lock-to-lock	2.66				
CHASSIS					
Туре	Сир				
WHEELS					
Wheels (inches)	8.25 J 18 8.25 J 19	8.25 J 19			
Tyres	235/40 ZR18 235/35 ZR				
Braking					
Front braking system (diameter x thickness)	Brembo 4 piston calipers - ventilate	ed discs (340mm x 28mm)			
Rear braking system (diameter x thickness)	Solid discs (290mm x 11mm)				
ESC modes	R.S. Dynamic Management ( )				
Front suspension	Pseudo MacPherson strut	MacPherson type with aluminium lower wishb			
Rear suspension	Torsion beam	axle			
PERFORMANCE					
Max speed (km/h)	255				
0-100 km/h (seconds)	6				
FUEL CONSUMPTION <sup>+</sup>					
Emission standard	Euro 5				
Combined cycle (L/100km)	7.5				
CO <sub>2</sub> emissions (g/km)	174				
Extra urban cycle (L/100km)	6.2	·			
Jrban cycle (L/100km)	9.8				
CAPACITY (L)					
Fuel tank	60				
WEIGHTS (kg)					
Kerb weight	1411	1376			
Gross vehicle weight	1835	1835			
Payload Payload	461	459			
VOLUME (L)	*				
	7 4 4				
Boot volume	344				
	344				
3oot volume	344	CUP CUP CUP			
SPEC AVAILABLE	344				
SPEC AVAILABLE SAFETY AND SECURITY	344	CUP PREMIUM 265 PREMIUM 2			
SPEC AVAILABLE SAFETY AND SECURITY Driver and front passenger airbags	344	PREMIÚM 265   PREMIÚM 2			
SPEC AVAILABLE  SAFETY AND SECURITY  Driver and front passenger airbags  Driver and front passenger anti-submarining airbags	344	PREMIUM 265   PREMIUM 2			
SOOT VOLUME  SPEC AVAILABLE  SAFETY AND SECURITY  Driver and front passenger airbags  Driver and front passenger anti-submarining airbags  Driver and front passenger side airbags	344	PREMIÚM 265   PREMIÚM 2			
SOOT VOIUME  SPEC AVAILABLE  SAFETY AND SECURITY  Driver and front passenger airbags  Driver and front passenger side airbags  Triver and front passenger side airbags  Triver and front passenger side airbags	344	PREMIÚM 265   PREMIÚM 2			
SPEC AVAILABLE  SAFETY AND SECURITY  Driver and front passenger airbags  Driver and front passenger aide airbags  Driver and front passenger side airbags  Front and rear curtain airbags  Anti-lock Braking System (ABS)  Electronic Brake Assist (EBA)	344	PREMIÚM 265   PREMIÚM 2			
SOOT VOLUME  SPEC AVAILABLE  SAFETY AND SECURITY  Driver and front passenger airbags  Driver and front passenger airbags  Driver and front passenger side airbags  Tront and rear curtain airbags  Inti-lock Braking System (ABS)  Electronic Brake Assist (EBA)  Electronic Brake-force Distribution (EBD)	344	PREMIÚM 265   PREMIÚM 2			
SOOT VOLUME  SPEC AVAILABLE  SAFETY AND SECURITY  Driver and front passenger airbags Driver and front passenger airbags Driver and front passenger side airbags Front and rear curtain airbags Anti-lock Braking System (ABS) Electronic Brake Assist (EBA)	344	PREMIÚM 265   PREMIÚM 2			


SPEC AVAILABLE	CUP	CUP PREMIUM 265	CUP PREMIUM
Automatic dusk sensing headlights	•	•	•
Headlights with "see me home" function	•	•	•
L.E.D. daytime running lights mounted in front bumper Height adjustable headlights	•	•	•
Rear fog lights	•	•	<del>.</del>
Rear parking sensors	•	•	•
Rear view camera	OP	•	•
Driver seat belt warning light and tone	-	•	•
Driver and front passenger seat belt warning light and tone	•	-	-
One-touch door locking	•	•	•
Two 3-point front seatbelts with pretensioner and load limiter	•	•	•
Three 3-point rear seatbelts 3 child seat anchroage points for rear seats	•	•	•
vo height adjustable front headrests	•	-	-
Three height adjustable rear headrests	•	•	•
Fuise control with speed limiter	•	•	•
urn indicator lights on door mirrors	•	•	•
temote central locking	•	•	•
enault Anti-Intruder Device (R.A.I.D) - automatic locking of doors while driving (activated once above 30km/h)	•	•	•
ngine immobiliser	•	•	•
emote central locking with Renault Smart Key Card	•	•	•
mited Slip Differential (LSD)	•	•	•
.S. Drive - Sport-tuned Electronic Stability Control	•	•	•
ear shift indicator	•	•	•
NTERIOR FEATURES			
ual zone climate control air conditioning	•	•	•
ands-free entry and engine start	•	•	•
entre storage console with armrest	•	•	•
eight and reach adjustable steering wheel	•	•	•
2 volt socket	•	•	•
enault Sport analogue speedometer (with digital capability)	•	•	•
utomatic windscreen wipers with rain sensor	•	•	•
lectric front windows with anti-pinch function and one touch control	•	•	•
ulti function trip computer	•	•	•
nder floor driver and front passenger storage utomatic Start&Stop engine technology (programmable)	•	•	•
nergy Smart Management (ESM)	•	•	•
nergy smart management (ESM) utomatic dimming rear view mirror	-	-	OP
adio Auditorium Sound by Arkamys with CD, MP3, USB, AUX, and fingertip controls	•	•	•
luetooth® phone pairing^	•	•	<del>.</del>
S. Monitor	•	•	•
-Link Enhanced Satellite Navigation system with 7" touchscreen	•	•	•
enault Sport cloth upholstery	-	_	
Manual driver seat adjustment and lumbar support / manual passenger seat adjustment	•	_	_
Driver and front passenger heating Split folding rear seats 60:40			
ECARO® leather trimmed bucket seats			
Manual driver and passenger seat adjustment	-	•	-
Split folding rear seats 60.40 with rear armrest  ECARO® alcantara leather trimmed front bucket seats			
Height adjustable driver and passenger seat			
Alcantara with leather trim split folding rear seats 60:40 with rear arm rest and red stitching	-	-	•
Alcantara steering wheel with red stitching and red centre band			
enault Sport charcoal leather front seats Electric driver seat adjustment with memory function			
Driver and front passenger heating	OP	0	-
Split folding rear seats 60:40 with rear armrest			
aather wapped gear knob	•	•	-
amac alloy gear knob	-	-	•
cantara wrapped steering wheel, gear stick and handbrake ed stitching on steering wheel with grey centre band	-	-	•
arbon fibre effect dashboard trim with red highlight	•	•	•
ed seatbelts	•	•	
uminium accelerator, brake and clutch pedals	•	•	
oor sill kick plate with Renault Sport logo	•	•	•
our sum man paute with restands sport rogo	•	•	•
XTERIOR FEATURES			
xed glass sunroof with shade cover*	-	-	OP.
oss black front blade	•	•	OP
atinum grey front blade loss black side mirrors	-	-	•
oss black side mirrors oss black rear diffuser	•	•	•
oss olack rear diffuser enault Sport rear spoiler	•	•	•
ingle central chrome exhaust	•	•	-
rigie central chrome exhaust. Krapovic titanium central exhaust with carbon fibre tip	-	-	•
ectric, heated, foldable door mirrors	•	•	•
eartic, neated, oldable door militors ear privacy glass	•	•	
ar privacy glass 3" Tibor alloy wheels	•	0	-
	-	•	
	_		•
9" Steev alloy wheels	-		<del>.</del>
9" Steev alloy wheels 9" Black Speedline Turini alloy wheels	-	-	
9" Steev alloy wheels 9" Black Speedline Turini alloy wheels ridgestone Potenza RE050A tyres		-	<del>-</del>
9" Steev alloy wheels 9" Black Speedline Turini alloy wheels	-		

## Colours


















## Dimensions



DIME	DIMENSIONS (mm)		DIMENSIONS (mm)	
A	Overall length	4320	M1	Rear elbow width
В	Wheelbase	2646	N	Front shoulder width
С	Front overhang	860	N1	Rear shoulder width
D	Rear overhang	803	P	Front seat headroom measured at 14 degrees
Е	Front track	1546	P1	Rear seat headroom measure at 14 degrees
F	Rear track	1547	Y	Maximum load bay width
G	Overall width	1848	Y1	Lower boot aperture width
G1	Overall width (including door mirrors)	2037	Y2	Interior width between wheel arches
Н	Height (unladen)	1422	Z	Height of rear opening
H1	Height with boot open (unladen)	1830	Z1	Load area length
J	Boot floor height	830	Z2	Height up to the parcel shelf
K	Ground clearance	138	Z3	Load length behind rear bench seat
М	Front elbow width	1480		

1420

854

S — Solid M — Metallic R —Renault Sport signature paint