



• Standard O Optional – Not Available

New ŠKODA Roomster

TECHNICAL SPECIFICATIONS / JUNE 2012

Manual 77TSI 7sp DSG

river and passenger airbags + side airbags front + curtain airbags	•	•
eight-adjustable three-point front seatbelts with pre-tensioners	•	•
SC incl. ABS+EBD+ASR	•	•
hree-point seatbelts rear	•	•
emote control for central door locking	•	
ESIGN		
" Line alloy wheels	•	•
ackage Chrome (gear stick knob, frame of shift lever, knob of interior air ventilation grilles, ocking button of hand brake)	•	•
rotective side mouldings	•	•
oof rails, black	•	•
OMFORT AND CONVENIENCE		
ir conditioning	•	
luetooth® phone connectivity	•	•
ulti-function trip computer (time, outside temperature, average and current fuel consumption, mileage, riving time, avegare speed, service interval display, distance to empty)	•	•
ower windows front and rear	•	•
owered heated door mirrors	•	•
wing radio with CD and MP3 player and eight speakers	•	•
eight adjustable driver's seat	•	•
torage package (storage pockets in rear door panels, storage boxes in the side panels of the luggage ompartment, flexible storage compartment on the right side of luggage compartment, 2V socket in luggage compartment)	•	•
ruise control	•	•
rmrest front	•	•
inted glass	•	•
mall leather package with 4-spoke steering wheel	•	•
arioflex (3 separate removable seats rear)	•	•
2V-socket in luggage compartment	•	•
ash eyes in luggage compartment	•	•
ockable tank cap	•	•
ull-size spare wheel	•	•
torage compartment in door panelling front	•	•
torage box on driver's side	•	•
entral console with 12V socket, holder for bottle and storage box	•	•
torage box in upper dashboard on passenger's side (illuminated)	•	•
torago bags on back root of front soats		
torage bags on back rest of front seats torage bins in side doors front with 1,5-litre-bottle holders		





• Standard O Optional – Not Available

New ŠKODA Roomster

TECHNICAL SPECIFICATIONS / JUNE 2012

Manual 77TSI 7sp

OPTIONS		
Panoramatic roof	0	0
Parking distance control rear	0	0
Privacy glass from B-pillar	0	0
Climate control air-conditioning	0	0
Front fog lights with "daytime driving lights"	0	0
Alarm system	0	0
Partial leather seats - leather/artificial leather/fabric	0	0
MDI - Mobile Device Interface	0	0
Black roof	0	0
Silver roof	0	0
White roof	0	0
Pearl effect	0	0
Metallic paint	0	0





New ŠKODA Roomster

TECHNICAL SPECIFICATIONS / JUNE 2012

ENGINE	Roomster 5sp Manual	Roomster 7sp DSG	
Engine type	Turbocharged petrol engine, in-line, liquid cooling system, direct injection, OHC		
Cylinders/Displacement (cm³)	4/1197	4/1197	
Max. engine performance/revs (kW at rpm	77/5000	77/5000	
Max. torque/revs (Nm at rpm)	175/1500 - 4100	175/1500 - 4100	
Fuel quality	Unleaded Petrol RON 95	Unleaded Petrol RON 95	
Air pollution regulation	EU5	EU5	
PERFORMANCE/CONSUMPTION			
 Maximum speed (km/h)	184	184	
Acceleration 0-100km/h	10.9	11.0	
Consumption (1/100km) (ADR 81/02)			
- combined	5.9	5.9	
- urban	7.3	7.4	
- extra urban	5.1	5.0	
CO _z emissions (g/km)	138	138	
TRANSMISSION			
Driven wheels	Front wheel drive		
Clutch	Hydraulic single dry clutch disc with membrane spring, asbestos free	Two coaxial dry multiple-disk clutch, electro-hydraulically operated	
Transmission	Manual 5-speed	Automatic 7-speed	
WEIGHTS			
Tare Mass (kg)	1217	1251	
Max. roof load (kg)	75	75	
Max. trailer load w/o brakes	630	630	
Max. trailer load with brakes (kg)	1100	1100	
Max. downball weight (kg)	55	55	
BODY			
Body	5 -seater, 5-door, 2-compartment		
Drag coefficient c _d	0.33		
CHASSIS			
Front axle	McPherson suspension with lower triangular links and torsion stabiliser		
Rear axle	Compound link crank-axle		
Braking system F	lydraulic dual-diagonal circuit braking syste	draulic dual-diagonal circuit braking system vacuum assisted with Dual Rate systen	
Brake - front	Disk brakes with inner cooling and with single piston floating calliper		
Brake - rear	Drum brakes: alternatively disc brakes depending on the engine version		
Steering system	Direct rack-and-pinion steering with electro-hydraulic power steering		
Wheels	6Jx15" ET43		
Tyres	195/55 F	R15 85H	





New ŠKODA Roomster

TECHNICAL SPECIFICATIONS / JUNE 2012

	Roomster 5sp Manual	Roomster 7sp DSG
LIQUIDS		
Tank capacity [l]	55	
OUTSIDE DIMENSIONS		
Length (mm)	4214	
Width (mm)	1684	
Wheelbase (mm)	2608	
Ground clearance (mm)	140	
Track front/rear (mm)	1420/1484	
INSIDE DIMENSIONS		
	1380/1400	
Headroom - front/rear	1029/1009	
STORAGE CAPACITY		
with rear seats upright (I)	450-530	450-530
with rear seats down (I)	1555	1555
with rear seat removed (I)	1780	1780