TECHNICAL SPECIFICATIONS / JUNE 2009

	ш
	$\overline{}$
)	₹
	K
1	G
	щ
:	

ELEGANCE 4X4

SAFE	ΙY	AND	SECURIT	Y

Driver and passenger airbags	•	•	•
Side airbags front and rear	•	•	•
Curtain airbags	•	•	•
Driver's knee airbag	•	•	•
Electronic engine immobilizer	•	•	•
Alarm system with interior monitoring and tilt sensor and back up horn	0	•	•
ESP - Electronic Stabilisation Program (incl. ABS, EBD, ASR with hill hold control)	•	•	•
Front fog lights with corner function	•	•	•
Warning lights in all door	•	•	•
Fuel supply cut off (in the event of a crash)	•	•	•
Tyre pressure monitoring	•	•	•
Front headrest, height-adjustable, WOKS (whiplash optimised head restrains)	•	•	•
Three height-adjustable rear headrests	•	•	•
Driver and passenger seatbelt warning light	•	•	•
Height-adjustable front three-point seat belts with pretensioners	•	•	•
Three point seat belts rear	•	•	•
Rear parking sensors with acoustic warning and optical display on radio	•	•	•
Remote central locking	•	•	•

DESIGN

Alloy wheels 16" 'Spectrum' (full size spare wheel)	•	-	-
Alloy wheels 17" 'Trifid' (16" steel spare wheel)	-	•	-
Alloy wheels 18" 'Themisto' (space saver)	-	-	•
Body coloured bumpers, external mirrors and door handles	•	•	•
Protective side mouldings - chrome plated	-	•	•
Decorative front and rear door sill trims	•	•	•
Chrome plated trims of the radiator grille and the side window frames and the boot lid	•	•	•
Decorative double exhaust pipes	•	•	•
Rear-boot spoiler	_	-	•
Chrome interior package (air vent, headlight switch, radio, A/C, rear of front armrest, gearshift)	•	•	•
Chromed upper trim on the instrument panel	•	•	•
Small leather package (steering wheel, gear shift lever, handbrake grip)	•	•	•
Tinted glazing, front windshield with grey strip	•	•	•

TECHNICAL SPECIFICATIONS / JUNE 2009

ELEGANCE

ELEGANCE 4X4

Dual-zone climate control air conditioning	•	•	•
Pollen filter	•	•	•
Air duct system in B pillar	•	•	•
4-spoke multi-function leather steering wheel with radio control	•	•	•
Radio 'Bolero' with integrated 6CD changer, MP3 player (8 loudspeakers)	•	-	-
Radio 'Bolero' with integrated 6CD changer, MP3 player, Sound system (400W, 10 channel amplifier and 10 speakers)	0	•	•
MP3 auxiliary input socket (in front armrest)	•	•	•
Multi-function trip computer (driving time, trip length, average speed, average and current consumption, distance till empty, speed warning function, audio and convenience display)	•	•	•
Cruise control	•	•	•
Power windows (front+rear) with auto-reversing device and child-proof lock	•	•	•
Electrically-adjustable and heated door mirrors, incl. foldable with auto dimming and inside rear view mirror automatically dimming	•	_	-
Electrically-adjustable and heated door mirrors with memory function, incl. foldable with auto dimming and inside rear view mirror automatically dimming	-	•	•
TwinDoor - variable boot opening	•	•	•
Soft-touch - electromechanical opening of the luggage compartment	•	•	•
Push-push - opening of the tank lid with electric release (through the central locking)	•	•	•
Height-adjustable front seats with lumbar support	•	-	-
Electrically adjustable driver and passenger seat, driver seat with memory function, with illuminated leg room rear	_	•	•
Heated front seats	•	_	-
Heated front and rear seats	_	•	•
Light assistant (Coming home/Leaving home function, Tunnel light)	•	•	•
Rain sensor	•	•	•
Clear optic headlights and manually height-adjustable headlights	•	-	-
Bi-Xenon headlights with AFS function (Adaptive Frontlight System incl. integrated headlight washers)	0	•	•
Aero wiper with intermittent function	•	•	•
Tinted rear windscreen, heated incl. aerial	•	•	•
Roller blind for rear window	-	•	•
Glove compartment - cooled and illuminated	•	•	•
Storage compartments in front and rear doors	•	•	•
Storage pockets on front seatbacks	•	•	•
Storage space with lid under passenger seat (only for mechanical adjustable seat)	•	-	-
Cooled storage compartment in front armrest incl. infodisplay	•	•	•
Sunglass holder	•	•	•
Cup holder front	•	-	-
Cup holder front with lamela cover, cup holder in armrest rear	-	•	•

TECHNICAL SPECIFICATIONS / JUNE 2009

ELEGANCE

ELEGANCE 4X4

COMEODE	ANID	CONVENIENCE	(CONTINUED)
CUNITURI	AIVID	CONVENIENCE	CONTINUEDI

Middle rear armrest with access to the luggage space	•	•	•
Split folding rear seat backrest	•	•	•
Ticket holder on A pillar	•	•	•
Outside temperature indicator	•	•	•
Illuminated make-up mirrors in sun visors	•	•	•
Lights on acoustic signal	•	•	•
Interior illumination on all doors	•	•	•
2x 12V socket in centre console (front and rear)	•	•	•
12V socket in luggage space	•	•	•
Load sills metal	•	•	•
Two foldable hooks luggage space	•	•	•
Delayed courtesy lights	•	•	•
Interior illumination, two front reading lights, two rear reading lights	•	•	•
Front foot space illumination for driver and passenger	•	•	•
Door handle illumination, front armrest lightning	•	•	•
Illuminated compartment in central console	•	•	•
Illumination in the luggage compartment	•	•	•
Umbrella holder in left rear passenger door, umbrella included	•	•	•

OPTIONS

Electrically-adjustable driver's seat with memory function	0	•	•
Front parking distance control	0	0	0
Electric sunroof	0	0	0
Electric sunroof with solar cells	0	0	0
Park Assist, parallel parking assistance (inc. front parking distance control)	0	0	0
Satellite navigation 'Columbus' (incl. 30GB hard drive)	0	0	0
Roller blinds for rear side windows	_	0	0
CD changer (6-disc CD, only in conjunction with Satellite navigation)	0	0	0
Three spoke multifunction steering wheel with radio control and paddles for DSG	0	0	0
Leather seats in combination leather/artificial leather	0	0	•
Sport suspension with 18" 'Themisto' alloy wheels	-	0	-
Metallic paint / Pearl effect paint	0	0	0

^{*} Satellite navigation includes hard disc memory that replaces CD stacker

TECHNICAL SPECIFICATIONS / JUNE 2009

Petrol engine, direct injection system, DOHC, transverse in front and rear and transverse in front DOHC, transverse in front and rear and transverse in front DOHC, transverse in front DOHC, tran	GINE	1.8 TSI/118 kW with DSG	2.0 TDI/125 kW with DSG	3.6 V6 FSI/191 kW with DSG
Max. engine performance/revs [kW at rpm] 118/4500–6200 125/4200 191/6000 Max. torque/revs [Nm at rpm] 250/1500–4500 350/1750–2500 350/2500–5000 Fuel quality Unleaded petrol min. RON 98* Diesel Unleaded petro min. RON 98* Air pollution regulation EU 4 EU4 with Diesel Particulate Filter EU 4 PERFORMANCE/CONSUMPTION Maximum speed [km/h] 220 220 250 Acceleration 0–100 km/h [s] 8.5 8.8 6.5 Consumption [ADR 81/02] [l/100 km] - combined 8.4 6.9 10.2 - urban 11.5 8.9 15.1 - extra urban 6.5 5.4 7.1 CO2 emissions [g/km] 200 182 243 TRANSMISSION Driven wheels Front wheel drive 4x4 drive Clutch Twin coaxial multiply-disc clutch, electro-hydraulically operated 4x4 system Haldex-clutch between front and rear axl Transmission 7-speed DSG 6-speed DSG 6-speed DSG	ine type	petrol engine, direct injection system, DOHC,	common rail diesel engine, high-pressure direct injection system, DOHC,	transverse in front
Max. torque/revs [Nm at rpm] 250/1500-4500 350/1750-2500 350/2500-5000 Fuel quality Unleaded petrol min. RON 98* Unleaded petrol min. RON 98* Air pollution regulation EU 4 EU4 with Diesel Particulate Filter PERFORMANCE/CONSUMPTION Maximum speed [km/h] 220 220 250 Acceleration 0-100 km/h [s] 8.5 8.8 6.5 Consumption [ADR 81/02] [l/100 km] - combined 8.4 6.9 10.2 - urban 11.5 8.9 15.1 - extra urban 6.5 5.4 7.1 CO2 emissions [g/km] 200 182 243 TRANSMISSION Driven wheels Front wheel drive 4x4 drive Clutch Twin coaxial multiply-disc clutch, electro-hydraulically operated 4x4 system Haldex-clutch between front and rear axl Transmission 7-speed DSG 6-speed DSG 6-speed DSG	nders/Displacement [cm3]	4/1798	4/1968	6/3597
Fuel quality Unleaded petrol min. RON 98* Diesel Unleaded petrol min. RON 98* EU 4 EU4 with Diesel Particulate Filter PERFORMANCE/CONSUMPTION Maximum speed [km/h] 220 220 250 Acceleration 0-100 km/h [s] 8.5 8.8 6.5 Consumption [ADR 81/02] [l/100 km] - combined 8.4 6.9 10.2 - urban 11.5 8.9 15.1 - extra urban 6.5 5.4 7.1 CO2 emissions [g/km] 200 182 243 TRANSMISSION Driven wheels Front wheel drive 4x4 drive Clutch Twin coaxial multiply-disc clutch, electro-hydraulically operated 4x4 system Haldex-clutch between front and rear axl fransmission 7-speed DSG 6-speed DSG 6-speed DSG WEIGHTS	c. engine performance/revs [kW at rpm]	118/4500-6200	125/4200	191/6000
min. RON 98* min. RON 98* PERFORMANCE/CONSUMPTION Maximum speed [km/h] 220 220 250 Acceleration 0–100 km/h [s] 8.5 8.8 6.5 Consumption [ADR 81/02] [l/100 km] - combined 8.4 6.9 10.2 - urban 11.5 8.9 15.1 - extra urban 6.5 5.4 7.1 CO2 emissions [g/km] 200 182 243 TRANSMISSION Driven wheels Front wheel drive 4x4 drive Clutch Twin coaxial multiply-disc clutch, electro-hydraulically operated 4x4 system Haldex-clutch betwa front and rear axl fransmission 7-speed DSG 6-speed DSG WEIGHTS	torque/revs [Nm at rpm]	250/1500-4500	350/1750-2500	350/2500-5000
Particulate Filter	l quality		Diesel	Unleaded petrol min. RON 98*
Maximum speed [km/h] 220 220 250 Acceleration 0-100 km/h [s] 8.5 8.8 6.5 Consumption [ADR 81/02] [l/100 km] - combined 8.4 6.9 10.2 - urban 11.5 8.9 15.1 - extra urban 6.5 5.4 7.1 CO2 emissions [g/km] 200 182 243 TRANSMISSION Driven wheels Front wheel drive 4x4 drive Clutch Twin coaxial multiply-disc clutch, electro-hydraulically operated that system Haldex-clutch between the front and rear axl Transmission 7-speed DSG 6-speed DSG 6-speed DSG	pollution regulation	EU 4		EU 4
Acceleration 0–100 km/h [s] 8.5 8.8 6.5 Consumption [ADR 81/02] [l/100 km] - combined 8.4 6.9 10.2 - urban 11.5 8.9 15.1 - extra urban 6.5 5.4 7.1 CO2 emissions [g/km] 200 182 243 TRANSMISSION Driven wheels Front wheel drive 4x4 drive Clutch Twin coaxial multiply-disc clutch, electro-hydraulically operated 4x4 system Haldex-clutch between front and rear axl Transmission 7-speed DSG 6-speed DSG 6-speed DSG WEIGHTS	FORMANCE/CONSUMPTION			
Consumption [ADR 81/02] [I/100 km] - combined 8.4 6.9 10.2 - urban 11.5 8.9 15.1 - extra urban 6.5 5.4 7.1 CO2 emissions [g/km] 200 182 243 TRANSMISSION Driven wheels Front wheel drive 4x4 drive Clutch Twin coaxial multiply-disc clutch, electro-hydraulically operated 4x4 system Haldex-clutch between front and rear axl Transmission 7-speed DSG 6-speed DSG 6-speed DSG WEIGHTS	(imum speed [km/h]	220	220	250
- combined 8.4 6.9 10.2 - urban 11.5 8.9 15.1 - extra urban 6.5 5.4 7.1 CO2 emissions [g/km] 200 182 243 TRANSMISSION Driven wheels Front wheel drive 4x4 drive Clutch Twin coaxial multiply-disc clutch, electro-hydraulically operated 4x4 system Haldex-clutch betwater front and rear axl Transmission 7-speed DSG 6-speed DSG 6-speed DSG WEIGHTS	eleration 0–100 km/h [s]	8.5	8.8	6.5
- urban 11.5 8.9 15.1 - extra urban 6.5 5.4 7.1 CO2 emissions [g/km] 200 182 243 FRANSMISSION Driven wheels Front wheel drive 4x4 drive Clutch Twin coaxial multiply-disc clutch, electro-hydraulically operated 4x4 system Haldex-clutch between front and rear axl Fransmission 7-speed DSG 6-speed DSG 6-speed DSG WEIGHTS	sumption [ADR 81/02] [l/100 km]			
rextra urban 6.5 5.4 7.1 CO2 emissions [g/km] 200 182 243 FRANSMISSION Driven wheels Front wheel drive 4x4 drive Clutch Twin coaxial multiply-disc clutch, electro-hydraulically operated 4x4 system Haldex-clutch betw front and rear axl Fransmission 7-speed DSG 6-speed DSG 6-speed DSG WEIGHTS	ombined	8.4	6.9	10.2
TRANSMISSION Driven wheels Clutch Twin coaxial multiply-disc clutch, electro-hydraulically operated 4x4 system Haldex-clutch betwa front and rear axl Transmission 7-speed DSG 6-speed DSG WEIGHTS	rban	11.5	8.9	15.1
TRANSMISSION Driven wheels Front wheel drive 4x4 drive Clutch Twin coaxial multiply-disc clutch, electro-hydraulically operated 4x4 system Haldex-clutch betw front and rear axl Transmission 7-speed DSG 6-speed DSG 6-speed DSG WEIGHTS	ktra urban	6.5	5.4	7.1
Driven wheels Front wheel drive 4x4 drive Clutch Twin coaxial multiply-disc clutch, electro-hydraulically operated 4x4 system Haldex-clutch between front and rear axl Transmission 7-speed DSG 6-speed DSG 6-speed DSG WEIGHTS	emissions [g/km]	200	182	243
Clutch Twin coaxial multiply-disc clutch, electro-hydraulically operated 4x4 system Haldex-clutch betw front and rear axl Transmission 7-speed DSG 6-speed DSG 6-speed DSG WEIGHTS	NSMISSION			
Haldex-clutch between front and rear axl Transmission 7-speed DSG 6-speed DSG 6-speed DSG WEIGHTS	en wheels	Front wl	neel drive	4x4 drive
front and rear axl Transmission 7-speed DSG 6-speed DSG 6-speed DSG WEIGHTS	ich	Twin coaxial multip	ly-disc clutch, electro-hy	draulically operated
WEIGHTS	system			Haldex-clutch between front and rear axles
	ısmission	7-speed DSG	6-speed DSG	6-speed DSG
	IGHTS			
Tare Mass [kg] 1611 1655 1805	: Mass [kg]	1611	1655	1805
Max. roof load [kg] 100 100 100	roof load [kg]	100	100	100
Max. trailer load w/o brakes [kg] 700 700 700	. trailer load w/o brakes [kg]	700	700	700
Max. trailer load with brakes [kg] 1500 1500 1500	. trailer load with brakes [kg]	1500	1500	1500
Max. downball weight [kg] 75 75 75	. downball weight [kg]	75	75	75

TECHNICAL SPECIFICATIONS / JUNE 2009

ENGINE	1.8 TSI/118 kW with DSG	2.0 TDI/125 kW with DSG	3.6 V6 FSI/191 kW with DSG
BODY			
Body	5 d	oor, 2 compartment, 5 s	seater
Drag coefficient C₄	0.30	0.30	0.31
CHASSIS			
Front axle	MacPherson suspension	with lower triangular li	inks and torsion stabiliser
Rear axle	Multi-element axle, with one long	gitudinal and three tran	sverse links, with torsion stabiliser
Braking system	Hydraulic dual-diagonal circuit	braking system vacuun	n assisted with Dual Rate system
Brakes – front/rear	Vented disc br	akes with single/piston	floating calliper
Steering system	Direct rack and pinion	steering with electro-me	echanical power steering
Wheels Elegance (Ambition)	7.5J x 17" (7Jx16")	7.5J x 17" (7Jx16")	7.5J x 18"
Tyres (Ambition)	225/45 R17 (205/55 R16)	225/45 R17 (205/55 R16)	225/40 R18
LIQUIDS			
Tank capacity [l]		60	
OUTSIDE DIMENSIONS			
Length [mm]		4838	
Width [mm]		1817	
Height [mm]		1462	
Wheelbase [mm]		2761	
Ground clearance [mm]		139	
Track front/rear (Ambition) [mm]	1537/1510 (1545/1518)	1537/1510 (1545/1518)	1543/1516
INSIDE DIMENSIONS			
Leg room rear [mm]		157	
Lateral rooms front/rear [mm]		1468/1451	
Headroom in front/rear [mm]		988/956	
Storage capacity			
- with rear seats upright [I]		565	
- with rear seats down [I]		1670	

* Using low-octane fuel may affect engine performance.

THE NEW ŠKODA SUPERB LAUNCH / JUNE 2009