



MECHANICAL SPECIFICATIONS		4-cylinder Petrol			V6 Petrol			Turbo-diesel		
Engine	Name	2TR-FE			1GR-FE			1KD-FTV		
	Max power (kW@rpm)	116@5200			175@5200			126@3600		
	Max torque (Nm@rpm)	240@3800			376@3800			343@1400-3400		
	Valve train	16-valve DOHC, with Variable Valve Timing with intelligence (VVT-i)			24-valve DOHC, with Variable Valve Timing with intelligence (VVT-i)			16-valve DOHC, with intercooler and Electronic Direct Injection (EDI)		
	Bore x Stroke (mm)	95.0 x 95.0			94.0 x 95.0			96.0 x 103.0		
	Compression ratio	9.6:1			10.0:1			17.9:1		
Transmission	Type	5-speed manual and 4-speed automatic			5-speed automatic			5-speed manual		
	Gear ratio – manual	1st 3.830; 2nd 2.062; 3rd 1.436; 4th 1.000; 5th 0.838; Reverse 4.220			—			1st 4.313; 2nd 2.330; 3rd 1.436; 4th 1.000; 5th 0.838; Reverse 4.220		
	Gear ratio – automatic	1st 2.804; 2nd 1.531; 3rd 1.000; 4th 0.753; Reverse 2.393			1st 3.520; 2nd 2.042; 3rd 1.400; 4th 1.000; 5th 0.716; Reverse 3.224			n/a		
	Differential ratio (rear)	Manual and Automatic: 4.100			Automatic: 3.583			Manual: 3.583		

HiLux 4x2 Model		WorkMate			SR					SR5
Engine		Turbo-diesel	Petrol		Turbo-diesel			Petrol		Petrol
Body Type		Single-Cab	Single-Cab	Double-Cab	Single-Cab	Extra-Cab	Double-Cab	Extra-Cab	Double-Cab	Double-Cab
		Cab-Chassis	Cab-Chassis	Pick-up	Cab-Chassis	Pick-up	Pick-up	Pick-up	Pick-up	Pick-up
Mechanical	2.7 litre twin cam VVT-i 4-cylinder Petrol engine	—	•	•	—	—	—	—	—	—
	4.0 litre V6 twin cam VVT-i Petrol engine	—	—	—	—	—	—	•	•	•
	3.0 litre EDI twin cam Turbo-diesel engine	•	—	—	•	•	•	—	—	—
	5-speed manual transmission	•	•	•	•	•	•	—	—	—
	4-speed auto transmission	—	•	•	—	—	—	—	—	—
5-speed auto transmission with AI shift control (V6 only)	—	—	—	—	—	—	—	•	•	•
Dimensions <sup>1</sup>	Overall length (mm)	4980	4980	5135	4980	5135	5135	5135	5135	5260
	Overall width (mm)	1760	1760	1760	1760	1760	1760	1760	1760	1760
	Overall height (mm)	1680	1680	1735	1680	1720	1735	1720	1735	1735
	Wheelbase (mm)	3085	3085	3085	3085	3085	3085	3085	3085	3085
	Track – front/rear (mm)	1510	1510	1510	1510	1510	1510	1510	1510	1510
	Vehicle Capacities	Seating capacity – including driver – manual	3	3	5	3	4	5	—	—
Seating capacity – including driver – auto		—	2	5	—	—	—	4	5	5
Wheels	Tyres	205/70R15C	205/70R15C	205/70R15C	205/70R15C	205/70R15C	205/70R15C	205/70R15C	205/70R15C	205/70R15C
	Wheels	15" steel	15" steel	15" steel	15" steel	15" steel	15" steel	15" steel	15" steel	15" alloy

• Standard, — Not available, ◊ Option available at extra cost, ◻ Standard on Pick-up, ◊ Standard on Cab-Chassis, + Standard on T/D Models only, # Manual transmission only

HiLux 4x2 Model		WorkMate		SR			SR5
Body Type		Single-Cab	Double-Cab	Single-Cab	Extra-Cab	Double-Cab	Double-Cab
Exterior	Body colour front bumper	—	—	•	•	•	•
	Chrome step type rear bumper	—	—	—	—	—	•
	Multi-reflector headlamps	•	•	•	•	•	•
	Front fog lamps	—	—	—	—	—	•
	Privacy glass	—	—	—	—	—	•
	Spare steel wheel	•	•	•	•	•	•
	Deck guard frame with stopper	—	◻	—	◻	◻	—
	Alloy sports bar	—	—	—	—	—	•
	Chrome door handles and mirrors	—	—	—	—	—	•
	Front only mudflaps	•	—	•	—	—	—
	Front and rear mudflaps	—	•	—	•	•	•
	Bonnet scoop	+	—	+	+	+	—
	Metallic paint <sup>2</sup>	◊	◊	◊	◊	◊	◊
Interior	Vinyl seat trim	•	•	—	—	—	—
	Cloth facing seat trim	—	—	•	•	•	•
	Moulded front door trims	•	•	—	—	—	—
	Moulded front door trims with cloth inserts	—	—	•	•	•	•
	Durable vinyl floor covering	•	•	•	•	•	—
	Floor carpet	—	—	—	—	—	•
Safety	Anti-lock Braking System (ABS)	•	•	•	•	•	•
	Driver and front passenger SRS airbags	•	•	•	•	•	•
	Driver's seatbelt warning lamp	•	•	•	•	•	•
	Driver and front passenger pre-tensioner seatbelt	•	•	•	•	•	•
	Front centre seat lap seatbelt	#	—	#	—	—	—
	3-point seatbelts for rear outer seating positions	—	•	—	•	•	•
	3-point seat belt for rear centre position	—	•	—	—	•	•
	Door ajar warning light	•	•	•	•	•	•
	High mount centre rear stop lamp	—	•	—	•	•	•
	Front door anti-intrusion beams	•	•	•	•	•	•
Collapsible steering column	•	•	•	•	•	•	

<sup>1</sup> Vehicle dimension figures are approximate and vary due to options and accessory fitment.

<sup>2</sup> Paint featured is an optional extra at additional cost.

**IMPORTANT NOTICE – PLEASE READ:**

Toyota Australia has used its best endeavours to ensure material is accurate at the time of printing. All information must be confirmed with your Toyota dealer at the time of ordering, as specifications and details will change over time. Colours displayed are a guide only and may vary from actual colours. To the extent permitted by law, Toyota Australia will not be liable for any

Front Cover: WorkMate 4x2 Single-Cab Cab-Chassis Turbo-diesel in Glacier White shown accessorised with after-sale dealer fitted General Purpose Aluminum tray

damage, loss or expense incurred as a result of reliance on the information and photos contained in this material. Material distributed in Western Australia by or on behalf Prestige Motors Pty Ltd (for vehicles) and by Eastpoint Pty Ltd (for parts/accessories). Toyota Australia makes no warranties regarding (and will not be liable for) accuracy of materials distributed in Western Australia. PART NUMBER: TYHILUX4X2. VALID: X5312. PRINTED: FEBRUARY 2014. TMC0382.

• Standard — Not available, ◊ Option available at extra cost, ◻ Standard on Pick-up, ◊ Standard on Cab-Chassis, + Standard on T/D Models only, # Manual transmission only

