

Refined power, refined intelligence.





# Technologies that optimise control.

Prado is equipped with intelligent
Driver Assist Technology (DAT) that
helps prevent any minor drama
becoming a major crisis. In Grande
and VX, DAT constantly analyses
your driving conditions then
takes the necessary actions to
optimise control while cornering or
accelerating, and improves grip in
demanding conditions.

For these models, DAT also means easier starting on hilly terrain, greater comfort wherever you go and helps you negotiate steep descents, while the Grande model lets the vehicle rise above undulating terrain, or lowers for a combination of on-road excellence and off-road performance.

The DAT on the GXL, VX and Grande models also includes Advanced Braking with intelligence (AB-i) which integrates the Anti-skid Braking System (ABS), Brake Assist (BA) and Electronic Brake-force Distribution (EBD). AB-i delivers improved braking and control in a range of challenging situations, from emergency stops to braking on slippery surfaces. Grande Model shown.

Front Cover: VX Model shown.

## Prado. Toyota Genuine Accessories Assert your sense of individuality.

TOYOTA GENUINE PARTS SERVICE & ACCESSORIES

Enhance your Prado's practicality and individuality through Toyota's broad range of Genuine Accessories, all developed to strict quality and performance standards and backed by our Toyota warranty.<sup>‡</sup>

THESE ARE JUST SOME OF THE ACCESSORIES AVAILABLE FOR YOUR PRADO. FOR A COMPLETE LIST AND FURTHER DETAILS, PLEASE SEE YOUR TOYOTA DEALER OR REFER TO OUR WEBSITE.



SOVEREIGN ALLOY BUILL BAR AND SUPERWINCH SOLD SEPARATELY (AIRBAG AND WINCH COMPATIBLE)



OVERBUMPER BULL BAR (AIRBAG COMPATIBLE)



FRONT BUMPER GUARD (AIRBAG COMPATIBLE)



TOWBAR, TOWBALL & TRAILER WIRING HARNESS



SUPERWINCH AND WINCH CRADLE



AERO ROOF RACKS (3 BAR SET SHOWN) lable on Standard and GX models only (Non Roof Rail only)



HARD COLOUR CODED SPARE WHEEL COVER Available on all models except Standard (Wide models only)



SOFT SPARE WHEEL COVER



CARPET FLOOR MATS



ALL WEATHER RUBBER FLOOR MATS



ALL WEATHER RUBBER CARGO MAT



PHOENIX ALLOY WHEELS (17" X 7.5")



INSECT SCREEN



FRONT WEATHERSHIELDS



BONNET PROTECTOR & HEADLAMP COVERS (SOLD SEPERATELY)



REAR ROOF SPOILER (Not compatible with Rear Visor)



(Not compatible with Rear Roof Spoiler)



PARKASSIST#-REVERSE PARKING SENSORS (4-HEAD KIT)



Available on Standard, GX and GXL (Not compatible with optional front seat side airbags or leather seats)



Available on Standard and GX (Not compatible with optional curtain side airbags or optional rear air conditioning)



FOLLOWME SOUND AND NAVIGATION SYSTEM" INCLUDES SINGLE IN-DASH MP3 CD CHANGER & RADIO WITH BLUETOOTH™ HANDSFREE COMMUNICATIONS, USB IN AND (OPTIONAL) IPOD® CONTROLS



SATELLITE NAVIGATION AUDIO SYSTEM\*\* - INCLUDES 4 IN-DASH MP3 CD CHANGER & RADIO WITH BLUETOOTH HANDSFREE COMMUNICATIONS & (OPTIONAL) AUXILIARY AUDIO INPUT (OPTIONAL REAR VIEW CAMERA AVAILABLE\*)



WITH BLUETOOTH™ HANDSFREE COMMUNICATIONS AUXILIARY AUDIO INPUT Available on all models except Grande



AUDIO CABLE AND CAR CHARGER FOR iPod®+ Available for all vehicles with Auxiliary Input



### TOYOTA GENUINE ACCESSORIES ARE COVERED BY OUR TOYOTA WARRANTY<sup>‡</sup>

Some Toyota Genuine Accessories are not applicable to all Prado models. See your Toyota dealer for advice regarding Toyota Genuine Accessories. Pictured Accessories are all sold separately. For a comprehensive guide on the entire range of Toyota Genuine Accessories, visit our website at accessories.toyota.com.au.

†All Toyota Genuine Accessories purchased and fitted to a Toyota are warranted for the remainder of the New Vehicle Warranty or 12 months, whichever is greater. Toyota Genuine Accessories purchased from an authorised Toyota Dealer over the counter are warranted from the date of purchase for one year (unlimited kilometres). Conditions apply. All warranties are additional to the implied warranties under the Trade Practices Act 1974. \*Towbar capacity subject to regulatory requirements, towbar design, vehicle design and towing equipment limitations. \*\*Current Navigation mapping database encompasses major capital and primary national road networks, as well as offering some coverage of regional areas. ^The Bluetooth word mark is owned by Bluetooth SIG, Inc. Bluetooth™ will only operate with telephones enabled with compatible Bluetooth™ wireless technology (HFP [Hands Free Profile] v1.0 and OPP [Object Push Profile] v1.1 international standards). ++Available on selected models where AUX-In option is part of audio unit. Suits iPod® models that have a dock connector. Refer to your Apple iPod® Instruction Manual. iPod® is a registered trademark of Apple Inc. This accessory is not a Toyota Genuine Accessory (supplier branded) and is warranted for 12 months from the date of purchase. This warranty is additional to the implied warranties under the Trade Practices Act 1974. #ParkAssist is designed as a driver assist device only and should not be used as a substitute for skilled driving and safe parking practices. The area into which the vehicle is to be reversed must be visually monitored by the driver while parking. †The Rear View Camera does not provide a comprehensive view of the entire rear area of vehicle and should only be used as an aid for viewing when reversing. Optional FollowMe iPod® kit available. iPod® is a registered trademark



## Styling that meshes function with form.

Appealing to the sophistication of today's more discerning drivers, Prado displays an elegance not commonly seen on traditional 4WD vehicles. Flowing curves more akin to those seen on certain sedans set Prado apart, a testimony to its design origins in Toyota's Avante Garde ED2 styling studio on the French Riviera.

The neat, uncluttered styling of the interior helps keep you both informed and in control. Appealing to your sense of taste as much as your love of driving, the interior design treatment is confident and bold. Muscular sculpting of interior mouldings results in an ambience with a strong sense of purpose yet a clean sense of refinement. Here in the great indoors, Toyota designers have cleverly blended luxury car styling cues with the more practical requirements of an all terrain vehicle.

# Colour guide.

GRADE	INTERIOR TRIM	Powder White (056)	Crystal Pearl* (070)	Silver Ash* (1D4)	Charcoal Grey* (1E9)	Ebony (202)	Flinders Red* (3Q8)	Dune* (4R4)	Canopy Green* (6Q7)	Dynamic Blue* (8S6)
Standard	Grey Fabric	X		Х	Х	Х	Х		Х	Х
GX	Grey Fabric	Х		Х	Х	Х	Х		Х	Х
	Ivory Fabric							Х		
GXL	Grey Fabric	Х		Х	Х	Х	Х		Х	Х
	Ivory Fabric							Х		
VX	Grey Leather		Х	Х	Х	Х	Х		Х	Х
	Ivory Leather		Х	Х				Х		
Grande	Grey Leather		Х	Х	Х	Х	Х		Х	Х
	Ivory Leather		Х	Х				Х		

KEY: x = Available Trim

\* = Pearlescent

### TOYOTA SERVICE ADVANTAGE CUTS NEW CAR RUNNING COSTS

Toyota Service Advantage makes owning your Prado\* even more economical because you are now entitled to low cost scheduled servicing capped for the life of your warranty. That's up to 6 standard services during the first three years or 60,000km, whichever occurs first. Terms and conditions apply. See your Toyota dealer or advantage.toyota.com.au for eligibility, pricing and more information. Toyota Service Advantage pricing represents the maximum amount payable for standard scheduled servicing which is as per 'maintenance for normal operating conditions' outlined in the Warranty & Service Handbook's service schedule. Service plan eligibility excludes Government and rental vehicles and certain other exclusions apply.



Note: Toyota Australia reserves the right to vary and discontinue from time to time the interior and exterior colours, trims and colour/trim/model combinations currently available. Colours and trims displayed here are a guide only and may vary from actual colours due to printing / display process. See your Toyota dealer to confirm colour/trim/model availability when ordering your vehicle.
\*Indicates Pearlescent paint which is available at extra cost.

# Prado. Refined power, refined intelligence.

Engine
Name - 1KD-FTV (T/D=Turbo Diesel) 1GR-FE (P=Petrol, GX, GXL, VX &

Name – IKD-F1V (I/D=Iurbo Diese) IGR-FE (P=Petrol, GX, GXL, VX Grande Models only)
Displacement (cc) – 2982 (T/D) 3956 (P)
Maximum Power (kW) – 127/3400 (T/D) 179/5200 (P)
Maximum Torque (Nm) – 410/1600–2800 (T/D) 376/3800 (P)
Valve train – Dual Overhead Cam with 4 valves per cylinder (T/D)
Quadcam Multi-Valve VVT-i with 4 valves per cylinder (P)

Fuel system – Electronic Direct Injection (T/D); Multi-point Electronic Fuel Injection (P)
Bore x Stroke (mm) – 96.0 x 103.0 (T/D); 94.0 x 95.0 (P)

Compression Ratio (:1) - 17.9:1 (T/D); 10.0:1 (P)

Drivetrain

Manual – 6-Speed manual, single diaphragm dry spring clutch

(Standard, GX and GXL only)
Automatic – 5-Speed electronically controlled transmission (all models)

(all indues)
Differential Ratios 3,909:1 (T/D); 3,727:1 (P)
Rear Differential – Limited Slip rear Differential (Available where
VSC/TRC not fitted)

A x 4 Drive Mechanism – Constant 4WD with Dual range transmission Dual range Transfer Ratios – High ratio 1.000:1 / Low ratio 2.566:1 Steering

Turning Circle – Kerb – 11.4 Metres Turns lock to lock – 3.0

Brakes System - Vacuum booster, hydraulic system with offset type park brake. Load sensing, proportioning and by-pass valve fitted to vehicles without ABS/EBD/BA

rent – Ventilated disc with four piston fixed calipers Rear – Ventilated disc with single piston floating calipers See model features for braking enhancements

Suspension

Suspension
Front - Independent double wishbone with coil springs, gas hydraulic dampers and stabiliser bar (Standard, GX, GXL and VX)
Front - Independent double wishbone with coil springs, hydropneumatic dampers with 4 selectable settings and variable rate

pheninals dampers with 4 selectable settings and variable rate control and stabiliser bar (Grande) Rear – Live axle, five link with coil springs, gas hydraulic dampers and stabiliser bar (Standard, GX, GXL and VX)

Rear – Live axle, five link with air springs, hydro–pneumatic dampers with 4 selectable settings and variable rate control and stabiliser bar (Grande)

See model features for suspension enhancements **Wheels** Tyres – 265/65R17 (GX, GXL, VX, Grande); 225/70R17 (Standard) Rims - 7.5Jx17 Steel (GX); 7.5JJx17 Alloy (GXL, VX, Grande); 6.0Jx17

### Dimensions(\*1)

Overall Length (mm) – 4850 (GX, GXL, VX, Grande); 4810 (Standard) Overall Width (mm) – 1875 (GX, GXL, VX, Grande); 1790 (Standard) Overall Height (mm) – 1865 (GX); 1905 (GXL, VX); 1895 (Grande); 1850

(Standard)
Wheelbase (mm) – 2790
Front & Rear track (mm) – 1575 (GX, GXL, VX, Grande); 1535 (Standard)

Ground clearance (mm) – 205 Approach / Departure Angles (Degrees) – 32/27 (GX, GXL, VX); 32/26 (Grande); 31/26 (Standard)

(Grande); 31/26 (Standard)
Wading Depth (mm) – 700
Weights & Capacities
Seating capacity – 8 (GX, GXL, VX, Grande); 5 (Standard)
Kerb Weight<sup>(\*)</sup> – Manual trans (Kg) – 1970–2170 (Standard, GX, GXL T/D);

Kero Weight = "minute daria (Ng) | 1900-2100 (GX, GXL P) | 1900-2100 (GX, GXL P) | 4.00 | 1900-2100 (GX, GXL P) | 1910-2110 (GX, GXL P); 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1940-2120 | 1

(VX, Grande P) Gross Vehicle Mass<sup>(\*3)</sup> (Kg) – 2900 (T/D); 2850 (P)

Maximum roof rack load (Kg) – 100 Towing Capacity<sup>(K)</sup> (Kg) – 2,500 With trailer brakes / 750 Without

Fuel Tank Capacity (L) – 180 Litres including 87 Litre main tank & 93

### Engine Availability

Engine Availability
3.0 L 4 Cylinder Turbo Diesel – All models
4.0 L V6 Quadcam VVT-i Petrol – (GX, GXL, VX & Grande models only)
6-Speed Manual Transmission – (Standard, GX & GXL models only)
5-Speed Overdrive Automatic – All models

Mechanical Constant 4WD with dual range transmission Torsen limited slip centre differential with lock Rear Differential – Limited Slip rear Differential (Available where

VSC/TRC not fitted)
Independent front suspension
Power steering – Rack and pinion
4 Wheel ventilated disc brakes
Tool kit
Durability

Large capacity cyclone air cleaner Underbody protection plates

### Exterior

Narrow steel wheel Black front and rear bumpers Multi-reflector front headlamps

EED (Light Emitting Diode) high mount stop lamps Black/material finish type grille Black/material finish exterior mirrors

Black/material finish door handles

Front and rear narrow-look mudflaps Narrow side steps

Green tinted laminated windscreer

Green tinted laminated windscreen
Tinted side and rear glass
Swing-out rear quarter vent windows
Swing-out I piece tailgate with safety lock
Spare tyre mounted on rear tailgate
Pearlescent paint – additional cost (option)

### Interior Trim & Seating

Tone on tone interior design with lighter upper garnishes

Front bucket seats 2nd row seat – 60/40 Split folding seats; adjustable reclining seat backs; hinged seat cushion base; centre armrest; adjustable three

er Steering Wheel

FEATURES

Comfort
Power windows with driver auto up/down and anti-jam function
Accessory power sockets – Front & rear

Air conditioning (option)
Instruments & Controls
Steering wheel with audio controls

Power operated mirrors Left hand convex "wide view" exterior mirror Tilt adjustable steering column

Variable intermittent front wipers

Intermittent rear wiper & washer Rear window demister

Headlamp auto off

Digital clock and outside temperature - in dash

Front map reading lamps Luggage compartment and glovebox lamp

Storage Large centre console box incorporating an adjustable armrest Glovebox – Large capacity Door and tailgate storage pockets

Cargo area storage compartments Front and 2nd row seat cupholders

Sound System Electronic tune AM/FM radio with MP3 compatible single disc in-dash CD player 6 speakers & Audio Input Driver Assist Technology (DAT)

Constant 4WD with dual range transmission

Torsen limited slip centre differential with lock

Global Outstanding Assessment (GOA) body tested to 40% offset.

dynamic side intrusion and roll over Side door impact protection beams Driver's and Front passenger's SRS Airbag

Front seatbelts with pre-tensioners and force limiters Height adjustable front seatbelts Seat mounted front seatbelt buckles

Front seatbelt warning lamps Auto Locking Retractor 2nd row outboard seatbelts to assist child seat/capsule retention

Energy absorbing steering column 3 Child restraint anchorage points for 2nd row seat at seat back Child proof rear door locks

LED High mount centre stop lamp Door & tailgate ajar warning lamp Luggage tie down hooks

Security
Engine immobiliser
Spare wheel security lock nut

Remote fuel lid release Security coded radio

### OPTION PACKS FOR STANDARD MODEL

Option Pack 1 (automatic and manual models)
Anti-skid Braking System (ABS)(\*5)

Cruise Control

Leather Shift Knoh Option Pack 2 (automatic models only)
Anti-skid Braking System (ABS)(\*5)

Cruise Control

Cruise Control
Leather Shift Knob
Front Side Airbags & Curtain Shield Airbags
Vehicle Stability Control (VSC)
Traction Control (TRC)
Chrome package (mirrors & grille) (T/D automatic only)
Single climate air conditioning (T/D automatic only)
Option Pack 2 (manual models only)
Anti-skid Braking System (ABS)<sup>(\*)</sup>

Cruise Control

Leather Shift Knob Front Side Airbags & Curtain Shield Airbags

Body coloured front and rear bumpers Wide bodyside cladding – Body colour Chrome colour radiator grille

Chrome colour exterior mirrors Body coloured door handles Wide side steps

Front and rear over fender flares Wide Style Steel Wheels Interior Trim & Seating 3rd row seat - 3 adult capacity; 50/50 Split folding seats; reclining seat backs; headrests

Driver Assist Technology (DAT)
Variable Valve Timing with intelligence (VVT-i) (V6 Petrol only)
Starter Hold (Petrol automatic transmission only)

### Remote central locking including tailgate

OPTION PACKS FOR GX MODEL

Option Pack 1 (automatic and manual models) Anti-skid Braking System (ABS)<sup>(15)</sup>

Cruise Control Leather Shift Knob

Cruise Control

Option Pack 2 (automatic models only) Anti-skid Braking System (ABS)(\*

Leather Shift Knob Front Side Airbags & Curtain Shield Airbags Vehicle Stability Control (VSC) Traction Control (TRC)

Dual zone climate air conditioning (GX V6 & T/D automatic only)

Rear Cooler, Separate Controls & Pollen Filter (GX V6 & T/D automatic only)

Option Pack 2 (manual models only)

Anti-skid Braking System (ABS)<sup>(75)</sup> Cruise Control Leather Shift Knob

Front Side Airbags & Curtain Shield Airbags

### GXL MODEL FEATURES in addition to GX MODEL(\*6)

Front foglamps

Roof rails Alloy wheels – 6 spoke design Privacy rear glass Interior Trim & Seating

### Comfort

Dual zone front climate control air conditioning Rear cooler

Pushbutton & digital front heater controls

Roof ducting for 2nd & 3rd row seats Instruments & Controls

Sound System
Electronic tune AM/FM radio with MP3 compatible 6 disc in-dash CD changer, Bluetooth™(¬) capability & Audio Input

Driver Assist Technology (DAT)
Active Braking with intelligence (AB-i) incorporating Anti-skid Braking
System (ABS) with Electronic Brake-force Distribution (EBD) & Brake

### OPTION PACKS FOR GXL MODEL

Option Pack 1 (automatic models only)
Front Side Airbags & Curtain Shield Airbags
Vehicle Stability Control (VSC)
Traction Control (TRC)

Option Pack 1 (manual models only)
Front Side Airbags & Curtain Shield Airbags

### Exterior

Smoked / dark chrome grille Smoked headlamps Alloy wheels – high gloss finish

Interior Trim & Seating
Leather seat trim with perforated inserts
Black woodgrain trim (door trims, instrument panel & steering wheel)

Power operated front seats

Tilt Adjustable front head restraints
FEATURES

Comfort Illuminated vanity mirrors Instruments & Controls

Telescopic steering column

Driver Assist Technology (DAT)

4WD Traction Control (TRC)

Vehicle Stability Control (VSC)

Downhill Assist Control (DAC)

Hill-start Assist Control (HAC) Safety

Front seat mounted side airbags
Front & 2nd row seat side curtain shield airbags

## GRANDE MODEL FEATURES in addition to VX MODEL(\*6)

FEATURES

Refrigerated cooler box Power moonroof – Glass tilt & slide

Trip computer Optitron combination meter

Sound System
Electronic tune AM/FM radio with MP3 compatible 4 disc in-dash CD

changer, Bluetooth™(\*7) capability & Audio Input Vehicle Communications

Audio Visual Navigation (AVN) System incorporating DVD based Satellite Navigation(\*8)

Driver Assist Technology (DAT)

Toyota Electronically Modulated Suspension (TEMS)
Rear Height Control Air Suspension
Security
Security alarm

## Safety Rear View Camera<sup>(\*9)</sup>

X Kerb, tare and payload weights are nominal and will vary depending on options and accessories.
 Gross Combined Mass (GCM) is the total permissible combined weight

of the vehicle and trailer/caravan being towed including occupants, fuel & cargo. Kerb, tare and payload weights are nominal and will vary depending on options and accessories [and tray/body type].

\*4 Towbar capacity subject to regulatory requirements, towbar design, vehicle design and towing equipment limitations.
 \*5 Load sensing proportioning and by-pass valve not fitted with

Anti–skid Braking System (ABS).
\*6 Except items that are upgraded.
\*7 The Bluetooth word mark is owned by Bluetooth SIG, Inc. Bluetooth™ will only operate with telephones enabled with compatible Bluetooth wireless technology (HFP [Hands Free Profile] v1.0 and OPP [Object Push Profile] v1.1 international standards).

and primary national road networks as well as offering some coverage in regional areas.

\*9 The Rear View Camera does not provide a comprehensive view of the

entire rear area of vehicle and should only be used as an aid for viewing

\*8 Current Navigation mapping database encompasses major capital

IMPORTANT NOTICE - PLEASE READ: Toyota Australia uses its best endeavours to ensure brochure information is correct when published. You must check with your authorised Toyota dealer when ordering to ensure the vehicle with your chosen specifications, equipment and colour is available and that the vehicle can be delivered within a timeframe suitable to you. When ordering accessories, you must check with your authorised Toyota dealer to ensure the accessory's design, features and colours are available and will fit your vehicle. Colours displayed in this brochure are a guide only and may vary from actual colours due to printing/display process. Toyota Australia reserves the right to change without notice, at any time, prices, colours, materials, equipment, specifications and discontinue colours/models. To the full extent allowed by law, Toyota Australia will not be liable for any damage, loss or expense incurred as a result of reliance on this brochure in any way.

Distributed nationally by Toyota Motor Corporation Australia Limited. ABN 64 009 686 097. Cnr Gannons Rd & Captain Cook Drive Caringbah, NSW 2229. Part No. TYPRAD00408SV. Printed April 2008.