

The Caravelle

Specifications



Technical

Engine - Diesel	96kW TDI	128kW TDI	
Туре	5 Cylinder, SOHC, 10 Valve		
Installation	Transverse installation		
Construction materials	All alloy		
Capacity, litres/cc	2.5 / 2,459		
Bore x Stroke / Compression ratio	81.0mm x 95.5mm / 18:1		
Maximum power, kW @ rpm	96 @ 3,500	128 @ 3,500	
Maximum torque, Nm @ rpm	340 @ 2,000 - 2,300	400 @ 2,000 - 2,300	
Fuel system	Pump direct injection		
Induction	Variable geometry turbo with intercooler		
Emissions standard	Euro 4 (with DPF)		
Fuel type	Diesel CN49		
Fuel tank capacity	75 Litre		
Transmission			
Transmission – automatic	6 Speed	Tiptronic	
Transmission – manual	6 Speed		
Driven wheels	Front wheel drive / 4MOTION*		
Fuel Consumption - Indicative			
Automatic, Litre/100km • CO ²	9.1 • 246	8.9 • 236	
Manual, Litre/100km • CO ²	8.2 • 221	9.4 • 254 (4MOTION)	
		*4MOTION available on 128kW SWB Manual	

Disclaimer

Suspension & Steering Front axle	Independent McPherson strute, sub fra	me with coil enrings and gas filled damners	
Rear axle	Independent McPherson struts, sub frame with coil springs and gas filled dampers		
	Semi trailing independent rear axle with coil springs and anti roll bar		
Steering Turning circle	Rack and pinion power steering SWB:11.9m / LWB:13.2m		
Brakes	SVVB:11.91	II / LVVD. I 3.ZIII	
Front brakes	209mm v 20 Er	mm ventilated dises	
Rear brakes	308mm x 29.5mm ventilated discs		
Brake systems	294mm x 21.9mm solid discs ABS, BA, EBD, ASR and ESP		
Weights	SWB	LWB	
Kerb (unladed), kg	2,033#	2.078	
, , ,	,	,	
GVM, kg Towing capacity, braked / unbraked	3,000 2,500kg / 750kg		
Dimensions	2,5001	kg / / SUKg	
Length, mm	4.890	5.290	
Width / width incl. mirrors, mm	1,904 / 2,242	1,904 / 2,242	
Height, mm	1,904 / 2,242	1,904 / 2,242	
Wheelbase, mm	3,000	3,400	
Ground clearance	·	165	
Interior Dimensions			
Load volume, m ³	5.8**	6.7**	
Maximum load length, mm	2,570	2,970	
Maximum load width, mm	,	· · · · · · · · · · · · · · · · · · ·	
Maximum width at wheelarches, mm	1,692		
Maximum load height, mm	1,244 1.332		
Cargo entry		1,004	
Rear tailgate width, mm		1,485	
Rear tailgate height, mm	1,485		
Lateral sliding doors width, mm	1,295		
Lateral sliding doors height, mm	1,268		
Warranty			
Vehicle	3 Years, 100,000km		
Paint / Corrosion	3 Years / 12 Years		
Road side assistance	3 Years, 100,000km		
Nodu side assistante	J Tears	#Add 400kg if fitted with 4MOTION	

**Seats removed in passenger compartment.

Features and Options SWB LWB

S = Standard / - = Not Available / **Pricing** = RRP

Safety and Security		
Drivers and front passenger airbag	S	S
Front seat side and curtain airbags	-	950
Rigid safety cell with front and rear crumple zones	S	S
Electronic engine immobiliser	S	S
ABS, Brake Assist and Electronic brake distribution	S	S
Traction control with ASR	S	S
Electronic Stability program (ESP)	S	S
Remote central locking with deadlock mechanism, 2 remote keys	S	S
Automatic locking after takeoff (programmable)	S	S
Electrical child safety locks on rear doors	S	S
Child seat anchor points mounted on back of 2 nd row seats	S	S
Front height adjustable with pre-tensioners	S	S
3 point seat belts for all passengers	S	S
Front and rear with acoustic warning	S	S
Heated rear window with wash/wipe	S	S
Alarm with back-up horn	49	90

Seating Layout (diagram below is not to scale)

Short wheel base 8 Seats

Long wheel base 9 Seats



Exterior		SWB	LWB
	Metallic paint	1,4	450
	Pearl effect paint	1,550	
	Front fog lights	445	
	Rear fog lamp	S	S
	Body coloured bumpers	S	S
	Body coloured door handles and outer rear view mirror covers	S	S
	Dark tinted windows in passenger compartment	S	S
	16 x 6.5J Alloy wheels 215/65 R16	S	S
	17 x 7J Alloy wheels 235/55 R17	2,000	
	Full size steel spare wheel	S	S
	Halogen twin headlights with clear lightweight polycarbonate lens	S	S
	Electric sunroof	2,0	000
	Electric controlled and heated door mirrors	S	S
Interior			
	Seat layout, 3 / 2 / 3	S	-
	Seat layout, 2 / 2 / 2 / 3	-	S
	Removable bench seats in passenger compartment	S	S
	Driver seat – height and lumbar adjustment	S	-
	Driver and front passenger seat – height and lumbar adjustment	-	S
	3-Zone Climatronic air conditioning	S	S
	AM/ FM stereo single CD/MP3 with security coding	S	S
	Satellite navigation system with 6CD Changer	4,450	
	8 Speakers	S	S
	Rear roof lighting with ventilation	S	S
	Step illumination for cab and sliding doors	S	S
	Load restraint mounting points	S	S
	Luggage compartment light	S	S
	4 Spoke leather trimmed steering wheel	S	S
	Height and reach adjustable steering wheel	S	S
	Leather gearshift knob and handbrake grip	S	S
	Seats with "Duo "cloth trim	S	S
	Power front windows	S	S
	Driver with one-touch up/down	S	S
	Sliding side windows in passenger compartment	S	S
	Passenger assist grips with damper	S	S
	12V Sockets	S	S
Convenience			
	Dual side sliding doors	S	S
	Dual power sliding doors with remote operation	2.5	500
	Cruise control	S	S
Instrumentation	on		
	Multi-function trip computer	S	S
	Speedometer and tachometer, electronic odometer and tripmeter,		
	digital clock, fuel & coolant gauges, low fuel warning light, brake pad	S	S
	wear indicator, blue adjustable illumination.		

