
BENTLEY TRAVEL IN ANOTHER WORLD.





YOUR BENTLEY. SHAPED BY YOU IN EVERY SENSE.

Imagination. The power or process of producing mental images and ideas. Most definitions talk about the ability to create ideas in the mind, especially of things never seen or experienced before. It's why man can create breathtaking works of art. Or write a novel that moves generations. Or build a bridge that is a statement of vision, not just a requirement of geography. It is a word that takes on a whole new meaning when you enter the world of Mulliner. But what is it that will define your Bentley? Naturally, it must be able to devour long journeys whilst cosseting its occupants in absolute comfort. The interior must be beautiful but functional at the same time. It should look elegant, yet exude a certain effortless power. Above all it must give its occupants a real sense of freedom, the sense that anything is possible. With a Bentley this feeling doesn't simply arrive along with a finished car. It begins much earlier, when you first start to form an idea of a Bentley in your mind. Your Bentley. With over two billion potential configurations, the possibilities are whatever you make them. You've already started your first Bentley journey. Only you know where it will end.







ENDLESS ELEGANCE.

The open road. The open skies. The Azure. A convertible unmatched in performance and potency and one that is truly evocative. Quite simply, this is the world's most elegant convertible.

In every sense a Bentley, with perfect interior refinement and a supple contemporary silhouette. This is a car that takes a mere 25 seconds for its roof to glide away revealing the freedom of the heavens. Freedom symbolised by the 'Flying B' radiator mascot proudly installed atop that famous radiator grille. An iconic piece of sculpture reinterpreted for the new century.

A new computer-controlled six-speed automatic gearbox brings a smoother shift and more interaction to the driving experience translating the power of the 6.75-litre twin-turbocharged, V8 engine into effortless propulsion. This is not only a luxury car but also a serious performance car, accelerating from 0-60mph in 5.6 seconds (0-100km/h in 5.9 seconds), with a top speed of 171mph (274km/h) available on demand.

Welcome to a world without boundaries.


























At Bentley Mulliner there is a simple philosophy – if it can be done, it will be. Here there are no rules. Here, truly individual vehicles can be created to your exact requirements, however demanding, unusual, or even eccentric.

It's our desire to make your already unique Arnage or Azure one of a kind. It's a skill Mulliner has honed over many generations, with its origins forged in an era where gentlemen specified every facet of their then vehicles – horse drawn coaches. Today that ethos remains unchanged. Unparalleled control of choice.

With so many options and limitless possibilities how do you know where to begin? Guidance takes the form of your very own personal Mulliner Consultant helping to hone your selections. To help create your own unique vehicle.

The process really begins here. In these pages lies a rich selection of features giving you the freedom to hand-pick enhancements to your own bespoke Arnage or Azure with effortless ease. You may even find the inspiration for your very own Mulliner commission or decide to opt for one of the recommended feature combinations.

Whichever you choose - your journey begins here.



CHROME MIRROR CAPS



RETRACTABLE FLYING 'B' RADIATOR MASCOT



DUOTONE PAINT COMBINATION



19"x8J 5-SPOKE 2-PIECE 'STAR' ALUMINIUM ALLOY (POLISHED)



PERSONALISED TREAD PLATE PLAQUE



REAR COMPARTMENT ELECTRIC SUNROOF* (*RL ONLY)



FINE LINES TO EXTERIOR BODYWORK



19"x8J 12-SPOKE ALUMINIUM ALLOY



19"x8J 7-SPOKE CHROME PLATED ALUMINIUM ALLOY



18"x8J 6-SPOKE CHROME PLATED ALUMINIUM ALLOY



19"x8J 12-SPOKE CHROME PLATED ALUMINIUM ALLOY



19"x8J 6 TWIN-SPOKE DISC ALUMINIUM ALLOY



19"x8J 5-SPOKE 2-PIECE SPORTS 'BLADE' ALUMINIUM ALLOY (PAINTED)



19"x8J 7-SPOKE ALUMINIUM ALLOY



19"x8J 6 TWIN-SPOKE DISC ALUMINIUM ALLOY (CHROMED)



We believe there is always room for that personal touch. When it comes to exterior tailoring you have a wealth of additions available to you. Free your imagination.

Not all features shown are available on Azure



LOWER FRONT WING VENT



REAR SPORTS BUMPER AND QUAD EXHAUST TAILPIPES



BODY COLOURED LAMP BEZELS







CARPETS MATCHED TO CUSTOMER COLOUR SPECIFICATION



HIDE MATCHED TO CUSTOMER COLOUR SPECIFICATION



LAMBSWOOL RUGS MATCHED TO CUSTOMER COLOUR SPECIFICATION*



COMPANION MIRRORS



CONTRAST PIPING TO HEADREST AND SEAT



ARNAGE WITH TWO-TONE HIDE-TRIMMED MULTI-FUNCTION STEERING WHEEL (INTERIOR SHOWN IS BURGUNDY AND MAGNOLIA HIDE WITH BURR WALNUT VENEER)



ENGINE-TURNED ALUMINIUM INSERTS TO WAIST RAILS



EXTENDED FRONT SEAT CUSHION**

A UNIQUE UPHOLSTERY OR BEAUTIFUL VENEER INTERIOR? OR BOTH?

In true Mulliner fashion, the choice is yours. We can even colour match your upholstery hide, carpet, or lambswool rugs to your individual specification. It could be the colour of your favourite tie, or almost anything that catches your eye. You can tailor the interior as you see fit. You are in control.

Not all features shown are available on Azure

^{*}Arnage only. **Not available in the USA.

STANDARD FEATURES AND MULLINER OPTIONS.

You may have already chosen one of the recommended feature combinations described earlier, but you could still seeking more. Here is a list of all the Mulliner options available for the Arnage T, the Arnage R, Arnage RL and the Azure to help personalise and enhance your choice even further.

Here, your dreams will be realised.

	Ţ	R	RL	AZURI
EXTERIOR				
Mascot and Radiator Shell				
Painted radiator shell with 2-D Bentley 'Winged B' badge	•	•	•	NCO
Chromed radiator shell with 2-D Bentley 'Winged B' badge	-	•	-	•
Painted radiator shell with retractable 'Flying B' radiator mascot	•	•	·	Ť
Chromed radiator shell with retractable 'Flying B' radiator mascot	·	<u> </u>	·	•
, •			<u> </u>	
Brightware Chromed door mirror caps	*	•	•	•
Chromed rear number plate applique	•	<u> </u>	<u> </u>	Ť
Bright stainless Bentley matrix grille to radiator shell	_ <u>`</u>		<u> </u>	
Dark tint stainless steel Bentley matrix grille to radiator shell	•	_		
Bright stainless Bentley matrix grille to radiator shell	•	•	•	•
and bumper apertures				
Polished stainless steel sill finishers	-	-	•	-
Glass				
Shade band to windscreen	NCO	NCO	NCO	-
Front sunroof	NCO	NCO	-	-
electric sliding glass sunroof with hide sun-blind				
or rear compartment* N/A USA	-	-	•	-
Body and Suspension				
Sports suspension including stiffer road springs, anti roll bars	•	•	-	-
nd revised damper tune for handling enhancement Not available as an option in Japan, India, China & Thailand)				
ower front wing vents	•	•	•	•
Rear quarter panel marque badges	÷	·	·	·
Bentley 'jewel' fuel filler cap	•	•	•	•
JK NavTrak ADR (Automatic Driver Recognition).	•	•	•	•
or UK vehicles, provides Europe-wide 24 hour service for				
pro-active stolen car alert, auto car location and tracking service				
includes 12 months service contract).	•	•		
Personalised treadplate plaques (certain inscriptions may ttract additional cost - price on application)	•	•	•	•
Red exterior marque badging	-	•	•	_
Black exterior marque badging	•	-	-	•
All-steel monocoque bodyshell of high torsional rigidity	•	•	•	•
Double-sided zinc coated skin panels	•	•	•	•
Ten-stage metal treatment prior to cathodic electro-priming	•	•	•	•
lastomeric protective coating to underbody	•	•	•	•
lexibilised polymer clearcoat	•	•	•	•
Lift-assisted rear-hinged bonnet	•	•	•	•
One-touch power folding door mirrors with	•	•	•	•
electrochromic glass (painted) One-touch power folding door mirrors with	•	•	•	•
electrochromic glass (chrome)	•	•	•	•
WHEELS & TYRES				
		•	•	
8" x 8 6-spoke painted aluminium alloy wheels 8" x 8 6-spoke chrome plated aluminium alloy wheels		•	•	
9" x 8J 12-spoke painted aluminium alloy wheels		•	<u> </u>	•
9" x 8J 12-spoke chrome plated aluminium alloy wheels		•	<u> </u>	-
	•			<u> </u>
9" x 81 7-spoke painted aluminium alloy wheels				<u> </u>
	•	_		
9" x 8J 7-spoke chrome plated aluminium alloy wheels	*	-		
9" x 8J 7-spoke chrome plated aluminium alloy wheels 9" x 8J 5-spoke, 2 piece wheels with titanium bolts	*	-	-	-
9" x 8] 7-spoke chrome plated aluminium alloy wheels 9" x 8] 5-spoke, 2 piece wheels with titanium bolts standard in the USA) 9" x 8] 5-spoke, 2 piece wheels with titanium bolts - polished		- - -	-	-
9" x 8] 7-spoke chrome plated aluminium alloy wheels 9" x 8] 5-spoke, 2 piece wheels with titanium bolts standard in the USA) 9" x 8] 5-spoke, 2 piece wheels with titanium bolts - polished	•			
9" x 8] 7-spoke chrome plated aluminium alloy wheels 9" x 8] 5-spoke, 2 piece wheels with titanium bolts standard in the USA) 9" x 8] 5-spoke, 2 piece wheels with titanium bolts - polished 9" x 8] 6-twin spoke disc painted finish 9" x 8] 6-twin spoke disc chrome plated	*	-	-	-
9" x 8] 7-spoke chrome plated aluminium alloy wheels 9" x 8] 5-spoke, 2 piece wheels with titanium bolts standard in the USA) 9" x 8] 5-spoke, 2 piece wheels with titanium bolts - polished 9" x 8] 6-twin spoke disc painted finish 9" x 8] 6-twin spoke disc chrome plated 9" 5-spoke, two-piece sports wheel - painted	• •	- •	•	-
9" x 8] 7-spoke chrome plated aluminium alloy wheels 9" x 8] 5-spoke, 2 piece wheels with titanium bolts standard in the USA) 9" x 8] 5-spoke, 2 piece wheels with titanium bolts - polished 9" x 8] 6-twin spoke disc painted finish 9" x 8] 6-twin spoke disc chrome plated 9" 5-spoke, two-piece sports wheel - painted	* * -	- +	- +	- +
9" x 8J 7-spoke chrome plated aluminium alloy wheels 9" x 8J 5-spoke, 2 piece wheels with titanium bolts standard in the USA) 9" x 8J 5-spoke, 2 piece wheels with titanium bolts - polished 9" x 8J 6-twin spoke disc painted finish 9" x 8J 6-twin spoke disc chrome plated 9" 5-spoke, two-piece sports wheel - painted 9" 5-spoke, two-piece sports wheel - polished	• •	- + -	- •	• •
9" x 8J 7-spoke chrome plated aluminium alloy wheels 9" x 8J 5-spoke, 2 piece wheels with titanium bolts standard in the USA) 9" x 8J 5-spoke, 2 piece wheels with titanium bolts - polished 9" x 8J 6-twin spoke disc painted finish 9" x 8J 6-twin spoke disc chrome plated 9" S-spoke, two-piece sports wheel - painted 9" 5-spoke, two-piece sports wheel - polished Exhausts	• •	- + -	- •	• •
9" x 8 7-spoke chrome plated aluminium alloy wheels 9" x 8 5-spoke, 2 piece wheels with titanium bolts standard in the USA 9" x 8 5-spoke, 2 piece wheels with titanium bolts - polished 9" x 8 6-twin spoke disc painted finish 9" x 8 6-twin spoke disc chrome plated 9" 5-spoke, two-piece sports wheel - painted 9" 5-spoke, two-piece sports wheel - polished 9" 5-spoke, two-piece sports wheel - polished 5" 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	• • • • •	- + -	- • •	- + -
9" x 8 7-spoke chrome plated aluminium alloy wheels 9" x 8 5-spoke, 2 piece wheels with titanium bolts standard in the USA 9" x 8 5-spoke, 2 piece wheels with titanium bolts - polished 9" x 8 6-twin spoke disc painted finish 9" x 8 6-twin spoke disc chrome plated 9" 5-spoke, two-piece sports wheel - painted 9" 5-spoke, two-piece sports wheel - polished	• • • • •	- + - -	- + -	- + -
9" x 8] 7-spoke chrome plated aluminium alloy wheels 9" x 8] 5-spoke, 2 piece wheels with titanium bolts standard in the USA) 9" x 8] 5-spoke, 2 piece wheels with titanium bolts - polished 9" x 8] 6-twin spoke disc painted finish 9" x 8] 6-twin spoke disc chrome plated 9" 5-spoke, two-piece sports wheel - painted 9" 5-spoke, two-piece sports wheel - polished Exhausts win oval exhaust tailpipe finishers arge bore twin oval exhaust tailpipe finishers Quad sports exhaust tailpipe finishers	• • • •	- + - -	- + - -	-
9" x 8] 7-spoke chrome plated aluminium alloy wheels 9" x 8] 5-spoke, 2 piece wheels with titanium bolts standard in the USA) 9" x 8] 5-spoke, 2 piece wheels with titanium bolts - polished 9" x 8] 6-twin spoke disc painted finish 9" x 8] 6-twin spoke disc chrome plated 9" 5-spoke, two-piece sports wheel - painted 9" 5-spoke, two-piece sports wheel - polished Exhausts Win oval exhaust tailpipe finishers arge bore twin oval exhaust tailpipe finishers ports oval tailpipe finishers	• • • • • • • • • • • • • • • • • • •	- + - -	- + - -	- + - -
9" x 8 7-spoke chrome plated aluminium alloy wheels 9" x 8 5-spoke, 2 piece wheels with titanium bolts standard in the USA 9" x 8 5-spoke, 2 piece wheels with titanium bolts - polished 9" x 8 6-twin spoke disc painted finish 9" x 8 6-twin spoke disc chrome plated 9" 5-spoke, two-piece sports wheel - painted 9" 5-spoke, two-piece sports wheel - polished 9" 5-spoke, two-piece sports wheel	•	- + - - -	•	-
9" x 8 7-spoke painted aluminium alloy wheels 9" x 8 7-spoke chrome plated aluminium alloy wheels 9" x 8 5-spoke, 2 piece wheels with titanium bolts standard in the USA) 9" x 8 5-spoke, 2 piece wheels with titanium bolts - polished 9" x 8 5-spoke, 2 piece wheels with titanium bolts - polished 9" x 8 6-twin spoke disc painted finish 9" x 8 6-twin spoke disc chrome plated 9" 5-spoke, two-piece sports wheel - painted 9" 5-spoke, two-piece sports wheel - polished Exhausts Fwin oval exhaust tailpipe finishers Furnamental carge bore twin oval exhaust tailpipe finishers Furnamental carge	• • • • • • • • • • • • • • • • • • •	- + - -	- + - -	-

KEY

T R RL AZURE

- Standard feature (may vary across market regions)
- Not available on this model

NCO

No cost feature available for customer selection

 Available as a cost feature.
 Consult your dealer for more details

Standard specification may vary across regions

Standard Colours				
Paint range of 42 (39 on Azure) colours	•	•	•	
Fine lines to exterior bodywork				
(Thin, Twin Thin, Thick over Thin, Thin over Thick)	•	NCO	NCO	•
Special Colours				
Duotone paint combination from recommended range	-	•	•	-
Duotone paint combination to customer specification from				
Bentley standard paint colours	-	•	•	-
Duotone paint combination matched to customer specifications	-	•	*	-
Paint colour from previous Bentley Model Year range**	•	•	•	4
Fine lines colour matched to customer specification**	•	•	*	4
Paint colour matched to customer specification*	•	*	•	4
* Individually colour matched samples can be provided 4 weeks from rec are not available in waterborne paint technology. ** Special effect paint additional charge - price on application	eipt of c finishes (ustomer sai e.g. Pearlesc	mple. Some tent) will att	colou cract (
INTERIOR				
Driver visibility and controls				
Black on parchment analogue instruments	-	•	•	•
White on dark grey analogue instruments	•	-	-	-
Top-roll mounted satellite navigation system	•	•	•	•
Electrically adjustable tilt steering wheel with cruise control switches	•	•	•	
Driver information panel with trip computer	•	•	•	•
Memory facility linking driver's seat, exterior mirrors and steering wheel	•	•	•	•
Electrochromic self-dimming interior rear-view mirror	•	•	•	
Electrochromic door mirrors dip on selection of reverse gear	•	•	•	•
One touch open/close window operation (front)	•	•	•	•
Engine starter button	•	-	-	-
Park Distance Control system	•	•	•	
Santing				
Seating Seat heating and bi-level lumbar support for front seats	_	•		_
Twin electric, independently adjustable rear seats with easy exit				_
feature and two-stage heating and lumbar support	•		•	_
Traditional fluted hide seats with coordinating piping (matched to main hide)	-	•	•	-
Traditional fluted hide seats with contrast piping (matched to secondary hide)	-	NCO	NCO	-
Diamond-quilted indented hide	•	-	-	
Massage seats (Arnage)	•	•	•	-
Massage seats front (Azure)	-	-	-	•
Centre armrest in main hide	•	•	•	
Rear centre armrest in main hide	•	•	•	-
Co-ordinated piping to seats - matched to main hide	-	•	•	
Contrast piping to seats - matched to secondary hide	-	NCO	NCO	-
Lumbar support & 2 stage heating to rear seats	•	•	•	
Extended (Arnage) front seat cushions (extend by 50mm, price per cushion) (N/A in North America)	•	*	•	_
Carpets and Rugs				
Lambswool rugs (in addition to carpet overmats)	*	*	*	
Carpet colour matched to customer specification (excludes matching of lambswool rug)*	•	•	•	4
Colour matching of lambswool rugs to individual colour specification (incremental to the cost of lambswool rugs)*	•	•	•	
Carpet overmat - hide bound - to luggage compartment	*	•	*	4
Lambswool rug to luggage compartment	•	•	•	-
Other Interior Fittings Drilled alloy accelerator and brake pedals	•	•	•	_
Twin illuminated rear fold-down vanity mirrors (located in roof	-	-		
headlining on each side of rear compartment)* N/A USA Valet parking key - integrated key / alarm fob (In addition to	•	•	•	-
2 master keys supplied as standard) *Std in Japan	•	•	•	4
Four umbrellas to luggage compartment (two fitted as standard)	•	•	•	-
	•	•	•	
Cigar lighter	•			

T R RL AZURE

Storage				
Full centre console with stowage	•	•	•	•
Twin drinks holders to front centre console and rear console	•	•	•	•
Door pockets	•	•	•	•
Magazine stowage to front seat backs	•	•	•	•
Glove box - lockable	•	•	•	•
2 umbrellas fitted in luggage compartment (these are standard for each model)	•	•	•	•
VENEERS				

V 2.1122110				
Choice of real wood veneers (depending on model)	•	•	•	
Traditional cross-banding to waist rails	-	•	•	
Contemporary cross-banding to fascia and waist rails	-	•	•	
'Winged B' emblems to waist rails (4) (n/a with Piano Black or aluminium/carbon fibre waist rails)	•	NCO	NCO	•
Veneered picnic tables to rear of front seats	*	•	•	
Veneered companion mirrors (Std on Arnage T in Japan)	•	NCO	NCO	
Veneered surround to cruise control switches (Std on Arnage T in Japan)	•	NCO	NCO	•
Burr Walnut Veneer	NCO	•	•	
Contemporary style cross-banding and inlay to fascia and waist rails	-	•	•	
Traditional style cross-banding and inlay to waist rails	-	•	•	
Burr Walnut veneered picnic tables to rear of front seats	•	•	•	
Burr Walnut veneered picnic tables with traditional cross-banding and inlay	•	•	•	
Burr Walnut veneered companion mirrors	•	NCO	NCO	
Burr Walnut veneered companion mirrors with traditional cross-banding and inlay	•	•	•	
Frame-style inlay to waist rails	-	-	-	•
Burr Oak Veneer	•	•	•	•
Contemporary style cross-banding and inlay to fascia and waist rails with Walnut substrate	-	•	•	
Burr Oak veneered picnic tables to rear of front seats	•	•	•	

Burr Oak veneered companion mirrors
Frame-style inlay to waist rails

Dark Stained Burr Walnut Veneer

Piano Black picnic tables to rear of front seats

Birds Eye Maple veneer with walnut substrate
Olive Ash veneer with walnut substrate*

Vavona veneer with walnut substrate*

Madrona veneer with walnut substrate*

Picnic tables matched to alternative veneers

Companion mirrors matched to alternative veneers

front seats

Piano Black Veneer

Dark Stained Burr Walnut veneered picnic tables to rear of

Dark Stained Burr Walnut veneered companion mirrors

Walnut	and Piar	no Black	
•	-	-	-
•	-	-	-
•	-	-	-
•	-	-	-
•	-	-	-
•	-	-	-
•	-	-	-
•	-	-	-
	Walnut	Walnut and Pias	Walnut and Piano Black

NCO NCO NCO

NCO NCO NCO NCO

♦ NCO NCO NCO

•

•

•

•

•

♦
 ♦
 NCO
 NCO

***** *

•

♦ NCO NCO

+ + +

- T R RL AZURE KEY
 - Standard feature (may vary across market regions)
 - Not available on this model

NCO
No cost feature available for customer selection

- Available as a cost feature.
 Consult your dealer for more details
- * Indicates potential extended lead times please consult your dealer

Standard specification may vary across regions

Information on the environmental issues relating to Arnage can be found on www.bentleymotors.com

Other Veneer Features				
Veneered panels to all four doors (matched to main veneer)	*	•	*	-
Veneered surround to cruise control switches	•	NCO	NCO	
(matched to main veneer) Winged B' emblems to picnic tables (2) n/a with Piano Black	•	NCO •	NCO •	-
Part veneered steering wheel (veneer ring insert to face)				
Available in Burr Walnut, Dark Stained Burr Walnut, Burr Oak,				
irds Eye Maple and Piano Black	•	•	•	•
Vood and hide trimmed steering wheel (straight grained) vailable in Burr Walnut, Dark Stained Burr Walnut, Burr Oak,				
ano Black	•	•	•	•
rame -style inlay to waist rails (Available with Burr Walnut, urr Oak, Madrona, Vavona, Birds Eye Maple)	-	-	-	•
HIDE				
Premium grade 'A' hide upholstery in 27 colours (21 for Azure)				
lus personal specification service	_	_	_	
cost feature, please consult your dealer)	•	•	•	-
Hide colour from previous Bentley Model Year range Includes contrast secondary hide, steering wheel and gear	•	•	•	•
selector where specified)*				
lide colour matched to customer specification*	•	•	•	•
lingle hide trimmed multi-function steering wheel	•	•	•	NCO
lide covered gear selector	•	•	•	•
mbroidered Bentley marque emblems to seat face	•		-	-
mbroidered marque emblems to all head restraints	-	•	•	•
Two Tone Finishes				
wo-tone hide trimmed multi-function steering wheel	NCO	NCO	NCO	•
wo-tone fascia top roll	•	*	•	*
wo-tone sun visors	•	•	•	-
AIR CONDITIONING AND HEATING				
ront cabin system providing split level (face/feet) and	•	•	•	•
ide-to-side heating and air conditioning				
ront and rear individual settings	•	•	•	•
ncreased capacity air conditioning with independent controls o rear cabin	-	-	•	-
Dehumidifier plus pollen and dust micro-filters	•	•	•	•
Residual heating system - continues to supply warm cabin air				
om a hot engine after the ignition is switched off	•	•	•	•
PRIVACY				
Curtains to rear compartment	•	•	•	-
rear & side windows - manually operated)*				
Curtains to side windows only (manually operated) Curtains to side windows only may be combined with the	•	•	•	-
electric blind to rear screen option*				
Electric blind to rear window (operable from front & rear of the car)*	•	•	•	-
Small rear window*	•	•	•	-
Privacy glass - rear side windows & rear screen only N/A USA	•	*	•	-
idelight security glass	•	•	•	-
Level A protection - 'smash & grab', not bullet proof)*				
Slim division with centre drinks console & twin document stowage compartments (requires centre cushion box to be	-	-	•	-
elected at an additional cost) (N/A in Japan if 3rd rear seat				
s selected)* (N/A in North America)				
ENTERTAINING & CONVENIENCE	ahinatio	nc		
Cocktail Compartments and Document Stowage Con Cocktail compartment to lower front seat back (x2)		4 A	•	
· hide (picnic tables must be selected)	•	•	•	-
Cocktail compartment to lower front seat back (x2) veneer (picnic tables must be selected)	•	*	•	-
	•	•	•	
Occument stowage to lower front seat back (x2)	·	•	·	
		*	*	-
hide (picnic tables must be selected) Document stowage to lower front seat back (x2)	*			
hide (picnic tables must be selected) Document stowage to lower front seat back (x2)	•			
hide (picnic tables must be selected) Ocument stowage to lower front seat back (x2) veneer (picnic tables must be selected)	•			
hide (picnic tables must be selected) Document stowage to lower front seat back (x2) veneer (picnic tables must be selected) Rear Seat Stowage and Bottle Coolers Rear seat centre cushion box stowage - hide trimmed	*	•	-	-
hide (picnic tables must be selected) Document stowage to lower front seat back (x2) veneer (picnic tables must be selected) Rear Seat Stowage and Bottle Coolers Rear seat centre cushion box stowage - hide trimmed Rear seat centre cushion box stowage - veneer trimmed	* *	*	-	-
hide (picnic tables must be selected) Document stowage to lower front seat back (x2) veneer (picnic tables must be selected) Rear Seat Stowage and Bottle Coolers Rear seat centre cushion box stowage - hide trimmed Rear seat centre cushion box stowage - veneer trimmed Std on Arnage RL in UK, EU, USA, AUS and NZ.	* *	*	<u>-</u>	-
Document stowage to lower front seat back (x2) - hide (picnic tables must be selected) Document stowage to lower front seat back (x2) - veneer (picnic tables must be selected) Rear Seat Stowage and Bottle Coolers Rear seat centre cushion box stowage - hide trimmed Rear seat centre cushion box stowage - veneer trimmed (Std on Arnage RL in UK, EU, USA, AUS and NZ. Cost option elsewhere) Bottle cooler to rear centre armrest (If second telephone is	* *	*	•	-
- hide (picnic tables must be selected) Document stowage to lower front seat back (x2) - veneer (picnic tables must be selected) Rear Seat Stowage and Bottle Coolers Rear seat centre cushion box stowage - hide trimmed Rear seat centre cushion box stowage - veneer trimmed (Std on Arnage RL in UK, EU, USA, AUS and NZ. Cost option elsewhere)	* * *	* *	•	

T R RL AZURE

	Т	R	RL	AZURE
AUDIO VISUAL SYSTEMS				
Radio, CD and MP3 Systems				
Audio system with 6CD autochanger	•	•	•	•
Alpine radio/CD audio system with MP3 play and 6 disc				
multi-changer & JL speakers* N/A Japan	•	•	•	•
Alpine Radio/CD premium high-end audio system with 6-disc	*	•	•	•
multi-changer, JL speakers, amplification upgrade and subwoofer*				
N/A Japan				
Sub-woofer with 5 channel amplifier for Alpine system* N/A Japan	•	•	•	-
Dolby Digital 5.1 surround sound to rear compartment	•	•	•	
DVD and TV Systems				
DVD system with twin 165mm LCD screens in front headrests*	_	_		
Addition of TV tuner to DVD and 165mm headrest screen	Ť	<u> </u>	<u> </u>	
installation (N/A France, Egypt & Japan)	•	•	•	-
DVD & TV system with twin large format 380mm LCD screens			•	
to seat backs N/A Japan & France (requires cocktail cabinets or			•	
document stowage to be selected at an additional charge)*				
DVD & TV system with fold down large format 380mm LCD	-	-	•	-
screen (Division car TV Tuner N/A in Japan, France, Egypt,				
India & USA)*				
DVD & TV system with fold down large format 380mm LCD	-	-	•	-
screen (Non division car TV Tuner N/A in Japan, France, Egypt, India & USA)*				
Telephone Systems				
	•	•	_	_
Bluetooth rSAP telephone system (not available in Japan)	-		-	
Second (master) hardwired rSAP phone system - excludes phone handset (requires Mulliner rear seat cushion box to be specified	•	•	•	-
at extra cost if refrigerated bottle cooler has been selected)*				
(Std on Arnage RL in UK, EU, USA, AUS and NZ.				
Cost option elsewhere. N/A Japan)				
Reversing Aid				
Reversing camera to Sat Nav screen* (Std on Arnage RL in UK,	•	•	•	•
EU, USA, AUS and NZ. Cost option elsewhere)				
Safety				
Twin headlamps featuring Xenon dipped beam with integrated	•	•	•	•
directional indicator and pilot light	_	_	_	_
Bosch 5.7 Electronic Stability Programme (ESP) including: Antilock	•	•	•	•
Braking System (ABS), Electronic Brake Pressure Distribution (EBD),				
Automatic Slip Regulation – traction control system (ASR), Engine				
drag torque control (MSR), Hydraulic Brake Assist (HBA),				
Aquaplane detection				
All-steel monocoque with impact absorbing body sections to front, rear and sides	•	•	•	•
	•	_	_	_
Anti-intrusion beams on all doors				
Full-sized driver and front passenger airbags** with side impact		•		
air curtain and thorax airbag systems for front and rear occupants				
Full-sized driver and front passenger airbags** with thorax airbag	_	_	•	•
systems for front and rear occupants	•	•	-	
Anti-submarine seat design	-	_	-	-
Front seat belt pre-tensioners	-	_	_	
Inertia sensor fuel shut-off, door auto-unlock and steering column	•	•	•	•
decouple occupant safety systems	•	•	•	_
Tyre pressure monitoring system	•	-	÷	
Energy-absorbing bumper system	<u> </u>		<u>-</u>	
Anti-trap electric window closing mechanism	•	•	•	
High-mounted rear stop-lamp	•	•	•	•
Headlights engage automatically on continuous windscreen wipe	•	•	•	•
(programmable option)				
Security				
Integrated key with retractable blade and integral transponder	•	•	•	•
Multi-function programmable alarm and immobilisation system	•	•	•	•
Perimetric exterior and volumetric interior volume sensing for	•	•	•	•
alarm system	-	-	-	•
Central-locking and deadlock system	•	•	•	•
Driver's door only unlock function on key fob	•	•	•	•
(programmable option)	-	-	-	-
Two limited access (valet parking) keys (market dependent)	•	•	•	•
Air conditioning system and interior lights activate on disarming	•	•	•	•
(programmable option)				
Glass break sensor	•	•	•	•
Inclination sensor	•	•	•	•

* KEY

- Standard feature (may vary across market regions)
- Not available on this model

NCO

No cost feature available for customer selection

- Available as a cost feature.
 Consult your dealer for more details
- * Indicates potential extended lead times please consult your dealer
- **Airbags are supplementary restraints only. Always use safety belts and only seat children in the rear, using restraint systems appropriate for their age

Standard specification may vary across regions

Information on the environmental issues relating to Arnage can be found on www.bentleymotors.com

Page		Т	R	RL	AZURE
\$\frac{\partitions (\partitions of control partitions of co					
Egree displacement	<u>. </u>				
Maintain proper Maintain p					
Training strape	· ·				
Companison ratio	Maximum power	500bhp / 373kW @ 4,200rpm	450bhp / 336kW @ 4,100rpm	450bhp / 336kW @ 4,100rpm	450bhp / 336kW @ 4,100rpm
Emission sandards BUN'US LEVI BUN'US LE	Maximum torque	738 lb ft / I,000Nm @ 3,200rpm	645 lb ft / 875Nm @ 1,800rpm	645 lb ft / 875Nm @ 1,800rpm	645 lb ft / 875Nm @ 1,800rpm
Parametrisance Parametrisance and sport infunction	<u> </u>				
	Emission standards	EU IV / US LEV II	EU IV / US LEV II	EU IV / US LEV II	EU IV / US LEV II
Performance					
PREPIONANCE Scale		-	- -	<u>*</u>	
Acceleration	Centre console mounted gear selector	•	•	•	•
6-60mph	PERFORMANCE				
0.100m/m	Acceleration				
0-100mph	0-60mph	5.2	5.5	5.7	5.6
1-100	0-100km/h	5.5	5.8	6.0	5.9
Maintain speec 179mph / 288m/m 168mph / 270mm 168mph / 270mm 171mph / 274mm 174mph / 274mph / 274mm 174mph / 274mph	0-100mph	12.1	13.0	13.5	13.4
Secreting	0-160km/h	12.0	12.9	13.4	13.3
Steering	Maximum speed†	179mph / 288km/h	168mph / 270km/h	168mph / 270km/h	171mph / 274km/h
Steering	CHASSIS				·
1.1 turns tock-to-lock					
1.8 aurus lock-to-lock		•	•	•	
Power assisted, gaed sensitive, rack and prinon seering system		<u> </u>			
Steering column with electric rake adjust (memory linked) and automatic easy entrylexit facility Suspension		<u> </u>	<u> </u>	<u> </u>	
Suspension		-			
Double withbone independent front and rear suspension (comfort) • • ● </td <td>Steeling Column with electric rake adjust (memory linked) and automatic easy entry rexi</td> <td>t facility •</td> <td>_</td> <td></td> <td></td>	Steeling Column with electric rake adjust (memory linked) and automatic easy entry rexi	t facility •	_		
Double withshone independent front and rear suspension (comfort)					
Computer controlled adaptive electro-hydralucid damping system (ARC) ● <t< td=""><td></td><td>•</td><td>•</td><td>-</td><td>-</td></t<>		•	•	-	-
Automatic ricke height control with auto load compensation and headlamp levelling		-	•	•	•
### Directabley wereliated discs front and rear circuits with stability control system #### Puffarulically boosted front and rear circuits with stability control system ###################################		-	•	•	
Micro-alloy wentilated discs front and rear circuits with stability control system	Automatic ride height control with auto load compensation and headlamp levelling	•	•	•	•
Micro-alloy wentilated discs front and rear circuits with stability control system	Braking				
Pydrau/cally boosted front and rear circuits with stability control system PUEL CONSUMPTION EU drive cycle CO2 (combined) 28.8 ([iters/100km) / 9.8 mpg 28.8 ([iters/100km) / 9.5 ([iters/100km) / 9.8 mpg 28.8 ([iters/100km) / 9.8 mpg 28.8 ([iters/100km) / 9.8 mpg 28.8 ([iter		•	•	•	•
### FUEL CONSUMPTION ### CL CO? (combined) ### 465g/km ### 41. (Itres/100km) / 20. Impg ### 11. Itris/100km) / 20. Impg ### 11. Itris/100km	,	•	•	•	
EU drive cycle CO2 (combined)					
Urban 28.8 (litres/100km) / 9.8 mpg 28.8 (litres/100km) / 9.0 mpg 14.1 (litres/100km) / 10.1 mpg 14.1 (litres/100km) / 10.1 mpg 14.1 (litres/100km) / 10.1 mpg 15.0 (litres/100km) / 14.5 mpg 19.5 (litres/100km) / 19.8 mls (US gallons) 11.7 mlles (US gallons) 11.7 mlles (US gallons) 11.7 mlles (US gallons) 19.8 mlles (US gallons) 11.7 mlles (US gallons) 19.8 mlles (US gallons) 19.8 mlles (US gallons) 11.7 mlles (US gallons) 19.8 mlles (US gallons) 11.5 mlles (US gallons) 19.8 mlles (US gallons) 11.7 mlles (US gallons) 19.8 mlles (US gallons) 11.7 mlles (US gallons) 11.7 mlles (US gallons) 19.8 mlles (US gallons) 11.7 mlles (US gallons) 11.7 mlles (US gallons) 11.7 mlles (US gallons) 11.7 mlles (US gallons) 19.8 mlles (US gallons) 11.7 mlles (US ga		44 F = // cma	465 allows	44 E a/lum	46 F = // cma
Extra-urban 14.1 (litres/100km) / 20.1 mgg 19.5 (litres/100km) / 20.5 mgg 20.5 miles (US gallons) 20.3 miles (US					
19.5 (litres/100km) 14.5mpg 19.5 (litres/100km) 19.			, , ,		
US EPA drive cycle City driving 11.7 miles (US gallons) 11.7 miles (US gallons) 11.6 miles (US gallons) 11.7 miles (US gallons) 20.3 miles (US gallons) 19.8 miles (US gallons) 20.3 miles (US gallon					
City driving 11.7 miles (US gallons) 11.7 miles (US gallons) 11.6 miles (US gallons) 11.6 miles (US gallons) 11.7 miles (US gallons) 12.3 miles (US gallons) 12.5 miles (US gallons) 12.5 miles (US gallons) 12.5 miles (US gallons) 13.1 miles (US gallons) 13.1 miles (US gallons) 13.1 miles (US gallons) 13.3 miles (US gallons) 13.1 miles (US gallons) 13.1 miles (US gallons) 13.3 miles (US gallons) 14.0 miles (US gallons)		19.5 (litres/100km) 14.5mpg	19.5 (litres/100km) 14.5mpg	19.5 (litres/100km) 14.5mpg	19.5 (litres/100km) 14.5mpg
Highway driving 20.3 miles (US gallons)	<u> </u>				
DIMENSIONS AND CAPACITIES Wheelbase 3116mm (122.68in) 3116mm (122.68in) 3366mm (132.52in) 3116mm (122.68in) Front track 1602mm (63.07in) 1602mm (63.07in) <td< td=""><td>City driving</td><td>11.7 miles (US gallons)</td><td></td><td>11.6 miles (US gallons)</td><td></td></td<>	City driving	11.7 miles (US gallons)		11.6 miles (US gallons)	
Wheelbase 3116mm (122.68in) 3116mm (122.68in) 3316mm (132.52in) 3116mm (122.68in) Front track 1602mm (63.07in) 1608mm (63.13in) Overall length 5400mm (212.60in) 5390mm (212.2in) 5540mm (222.05in) 5410mm (212.6in) Width (across door handles) 2125mm (83.66in)	Highway driving	20.3 miles (US gallons)	20.3 miles (US gallons)	19.8 miles (US gallons)	20.3 miles (US gallons)
Front track 1602mm (63.07in) 1602mm (63.13in) 1602mm (63.07in) 1602mm (63.07in) 1602mm (63.13in) 1602mm (63.13in) 1602mm (63.07in) 1602mm (63.07in) 1602mm (63.13in) 1602mm (63.07in) 1602mm (63.07in) 1602mm (63.13in) 1602mm (63.07in) 1602mm (63.07in) 1602mm (63.07in) 1602mm (63.07in) 1602mm (63.07in) 1602mm (63.13in) 1602mm (63.07in) 1602mm (63	DIMENSIONS AND CAPACITIES				
Front track 1602mm (63.07in) 1602mm (63.13in) 1602mm (63.07in) 1602mm (63.07in) 1602mm (63.13in) 1602mm (63.07in) 1602mm (63.13in) 1602mm (63.07in) 1602mm (63.07in) 1602mm (63.13in) 1602mm (63.07in) 1602mm (63.07in) 1602mm (63.13in) 1602mm (63.07in) 1602mm (63.07in) 1602mm (63.07in) 1602mm (63.13in) 1602mm (63.07in) 1602mm (63.13in) 1602mm (63.13in) 1602mm (63.07in) 1602mm (63.07in) 1602mm (63.13in) 1602mm (63.07in) 1602mm (63	Wheelbase	3116mm (122.68in)	3116mm (122.68in)	3366mm (132.52in)	3116mm (122.68in)
Rear track 1602mm (63.07in) 1602mm (63.07in) 1602mm (63.07in) 1602mm (63.07in) 1608mm (63.13in) Overall length \$400mm (212.60in) \$390mm (212.2in) \$640mm (222.05in) \$410mm (212.6in) Width (across mirrors) 2125mm (83.66in) 2125mm (83.66in) 2125mm (83.66in) 2125mm (83.66in) 1932mm (76.06in) 1900mm (74.8in) 1900mm (74.8in) 1900mm (74.8in) 1900mm (74.8in) 1900mm (74.8in) 1900mm (74.8in) </td <td>e I</td> <td></td> <td></td> <td></td> <td></td>	e I				
Overall length 5400mm (212.60in) 5390mm (212.2in) 5640mm (222.05in) 5410mm (212.6in) Width (across mirrors) 2125mm (83.66in) 1932mm (76.06in) 1900mm (74.8in) 3034mm (76.06in) 3034mm (76.06in) 3034mm (76.06in) 3034mm (76.06in) <td></td> <td>, ,</td> <td></td> <td></td> <td>, ,</td>		, ,			, ,
Width (across mirrors) 2125mm (83.66in) 1932mm (76.06in) 1900mm (74.8in)					
Width (across door handles) 1932mm (76.06in) 1900mm (74.8in) 1900mm (74.8in) <th< td=""><td><u>. </u></td><td>,</td><td></td><td></td><td>, ,</td></th<>	<u>. </u>	,			, ,
Width (mirrors folded) 1900mm (74.8in) 1900mm (74.8in) 1900mm (74.8in) 1900mm (74.8in) Overall height 1515mm (59.65in) 1515mm (59.65in) 1515mm (59.65in) 1492mm (58.74in) Luggage compartment 0.374m3 (13.2 cu.ft.) 0.374m3 (13.2 cu.ft.) 0.374m3 (13.2 cu.ft.) 0.374m3 (13.2 cu.ft.) 0.316m3 (10.95 cu.ft.) WEIGHT Kerb weight 2585kg 2585kg 2655kg 2695kg Gross vehicle weight 3065kg 3065kg 3065kg 3065kg Front axle weight 1535kg 1535kg 1535kg 1535kg 1535kg Rear axle weight 1615kg		, ,	, ,	, ,	, ,
Overall height 1515mm (59.65in) 1515mm (59.65in) 1515mm (59.65in) 1492mm (58.74in) Luggage compartment 0.374m3 (13.2 cu.ft.) 0.374m3 (13.2 cu.ft.) 0.374m3 (13.2 cu.ft.) 0.374m3 (13.2 cu.ft.) WEIGHT Kerb weight 2585kg 2585kg 2655kg 2695kg Gross vehicle weight 3065kg 3065kg 3065kg 3065kg Front axle weight 1535kg 1535kg 1535kg 1535kg Rear axle weight 1615kg 1615kg 1615kg 1615kg 1615kg Fuel tank capacity 96 litres (25.3 US gallons) 96 litres (2			, ,	, ,	
WEIGHT 0.374m3 (13.2 cu.ft.) 0.374m3 (13.2 cu.ft.) 0.374m3 (13.2 cu.ft.) 0.374m3 (13.2 cu.ft.) 0.316m3 (10.95 cu.ft.) Kerb weight 2585kg 2585kg 2655kg 2695kg Gross vehicle weight 3065kg 3065kg 3065kg 3065kg Front axle weight 1535kg 1535kg 1535kg 1535kg 1535kg 1615kg		,	, ,	, ,	,
WEIGHT Kerb weight 2585kg 2585kg 2655kg 2695kg Gross vehicle weight 3065kg 3065kg 3065kg 3065kg 3065kg 1535kg 1535kg 1535kg 1535kg 1535kg 1535kg 1615kg 96 litres (25.3 US gallons) 96 litres (25.3 US ga	· ·	, ,	. ,		` '
Kerb weight 2585kg 2585kg 2655kg 2695kg Gross vehicle weight 3065kg 3065kg 3065kg 3065kg 3065kg 3065kg 3065kg 1535kg 1535kg 1535kg 1535kg 1535kg 1535kg 1535kg 1615kg		((((10,2 00,0)	(
Gross vehicle weight 3065kg 3065kg 3065kg 3065kg 3065kg Front axle weight 1535kg 1535kg 1535kg 1535kg 1535kg Rear axle weight 1615kg 1615kg 1615kg 1615kg Fuel tank capacity 96 litres (25.3 US gallons) 96 litres (25.3 US gallon		25051	25051	24551	2/05/
Front axle weight 1535kg 1535kg 1535kg 1535kg 1535kg Rear axle weight 1615kg 1615kg 1615kg 1615kg 1615kg Fuel tank capacity 96 litres (25.3 US gallons) 96 litres (25.3 US					
Rear axle weight 1615kg 1615kg 1615kg 1615kg 1615kg 1615kg Fuel tank capacity 96 litres (25.3 US gallons) 96 litre					
Fuel tank capacity 96 litres (25.3 US gallons)					
SERVICE AND WARRANTY 3 year unlimited mileage limited warranty					
3 year unlimited mileage limited warranty	ruel tank capacity	96 litres (25.3 US gallons)	96 litres (25.3 US gallons)	96 litres (25.3 US gallons)	96 litres (25.3 US gallons)
; · · · · · · · · · · · · · · · · · · ·					
Service intervals 10,000 miles or 12 months	<u>· ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '</u>				
	Service intervals 10,000 miles or 12 months	•	•	•	•

For further information please either contact your dealer, visit www.bentleymotors.com or call from:

The UK: 0808 100 5200 North America: +1 800 777 6923

Continental Europe: +49 (0) 1805 BENTLEY (2368539)

 Australia:
 1800 158 659

 New Zealand:
 0800 157 232

 Singapore:
 6538-0938

 Malaysia:
 1800 806 131

 Thailand:
 1800 444 888

 Indonesia:
 0018 036 578 72

Japan: 0120 97 7797

The rest of the world: +44 (0) 1270 535 032

All Bentley cars are subject to continuous development and their specification can change and may differ from those outlined in this publication.

The illustrations may show items of optional equipment which do not form part of the standard specification. Your Bentley dealer will always have the latest information. The names 'Bentley', 'Mulliner', 'Arnage', 'Azure', the 'B' in wings device and radiator grille are registered trademarks. Valid from 2007 model year.